



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9-SEP-2012
This copy reported on
14-SEP-2012
Account: ROCKHA

CERTIFICATE WH12210471

Project: Klaza-96

P.O. No.: Batch 6

This report is for 30 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 9-SEP-2012
 Account: ROCKHA

Project: Klaza-96

CERTIFICATE OF ANALYSIS WH12210471

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005
M355066		0.035
M355067		0.053
M355068		2.25
M355069		0.171
M355070		<0.005
M355071		0.086
M355072		0.022
M355073		0.081
M355074		<0.005
M355075		0.057
M355076		0.037
M355077		0.013
M355078		0.017
M355079		0.112
M355080		0.025
M355081		0.015
M355082		0.801
M355083		0.009
M355084		<0.005
M355085		<0.005
M355086		<0.005
M355087		<0.005
M355088		0.007
M355089		<0.005
M355090		<0.005
M355091		<0.005
M355092		<0.005
M355093		<0.005
M355094		<0.005
M355095		<0.005