



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24-SEP-2012
Account: ROCKHA

CERTIFICATE WH12210741

Project: Klaza-122

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2012
Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12210741

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M359578		2.83	0.014	0.51	7.17	64.5	1780	1.22	0.40	2.00	0.93	44.6	7.9	7	19.10	23.0
M359579		0.26	4.48	>100	5.27	7300	1230	1.07	63.4	1.95	224	35.4	9.0	17	12.10	1265
M359580		2.16	<0.005	0.48	6.99	30.7	1340	1.34	0.41	2.68	3.68	43.8	7.1	8	20.6	18.0
M359581		2.28	<0.005	0.26	7.51	12.8	2160	1.40	0.30	2.68	0.59	44.8	6.8	10	12.90	18.8
M359582		2.53	2.42	37.0	6.43	1830	450	1.20	8.42	2.98	219	43.0	10.4	6	19.05	390
M359583		3.17	<0.005	0.02	0.06	<5	30	0.05	0.02	21.0	0.14	1.13	1.0	<1	0.16	1.6
M359584		3.03	<0.005	0.25	7.11	9.1	2230	1.50	0.39	2.91	0.30	46.6	8.5	8	16.25	32.7
M359585		7.08	<0.005	0.19	7.24	8.5	2390	1.40	0.33	2.51	0.37	48.6	7.4	10	10.65	21.0
M359586		<0.02	<0.005	0.16	7.39	6.9	2410	1.50	0.41	2.56	0.12	50.8	7.8	10	10.75	21.4
M359587		2.66	0.012	0.38	7.33	63.5	2220	1.34	0.55	2.51	0.15	46.3	8.5	10	13.90	24.4
M359588		3.91	<0.005	0.17	7.47	7.4	2460	1.36	0.67	2.49	0.14	47.9	7.1	12	13.05	24.5
M359589		3.82	<0.005	0.13	7.66	8.3	2510	1.44	0.42	2.76	0.15	49.1	7.8	11	8.81	10.7
M359590		2.00	<0.005	0.10	7.68	7.2	2520	1.47	0.30	2.78	0.11	50.1	7.6	10	8.95	10.1
M359591		4.02	<0.005	0.20	7.64	11.6	2680	1.42	0.38	2.35	0.15	49.7	7.3	12	11.55	19.6
M359592		4.76	<0.005	0.09	7.35	7.9	2190	1.41	0.24	2.83	0.12	50.0	9.1	10	11.10	7.5
M359593		8.80	<0.005	0.10	7.70	7.7	2420	1.53	0.21	2.62	0.11	52.3	7.5	11	8.57	9.9
M359594		8.85	<0.005	0.11	7.27	8.7	2210	1.47	0.24	2.66	0.10	48.5	7.1	10	8.83	10.0
M359595		5.19	<0.005	0.20	7.38	7.0	2260	1.47	0.19	2.79	0.15	47.8	7.4	10	10.35	11.3
M359596		2.43	<0.005	0.11	7.76	6.1	2250	1.38	0.19	2.26	0.14	52.3	6.3	8	11.55	7.9
M359597		3.92	<0.005	0.62	7.92	14.1	2390	1.17	0.31	1.15	1.08	57.1	6.4	8	14.45	15.1
M359598		2.48	<0.005	0.01	0.06	<5	30	0.06	0.02	21.1	0.06	1.10	1.1	<1	0.12	1.3
M359599		5.12	<0.005	0.25	7.49	24.8	1940	2.02	0.21	2.09	0.27	65.0	6.4	14	22.7	9.2
M359600		8.11	<0.005	0.22	7.48	14.9	1430	1.93	0.16	2.18	0.25	63.0	5.6	12	24.8	6.7
M359601		0.26	2.31	24.1	5.88	3500	1420	1.24	20.1	2.20	77.7	46.2	10.7	18	15.20	440
M359602		4.57	<0.005	0.35	7.74	41.5	1940	1.89	0.39	1.84	0.57	68.1	6.2	13	29.3	16.6
M359603		4.59	2.09	20.3	5.94	736	1800	1.24	2.05	1.75	96.3	52.2	32.1	6	8.58	277
M359604		2.90	0.506	9.41	6.66	1260	1480	1.58	2.07	1.81	17.50	43.7	6.9	9	11.45	98.0
M359605		4.22	<0.005	0.41	7.31	48.7	1750	1.70	0.24	2.13	0.63	58.2	6.8	29	29.2	19.2
M359606		7.89	<0.005	0.08	7.02	14.9	900	1.87	0.08	2.93	0.09	51.2	5.6	23	35.7	8.6
M359607		8.71	<0.005	0.07	7.34	12.0	930	2.08	0.05	2.46	0.07	53.6	5.7	23	34.6	7.7
M359608		8.16	<0.005	0.09	6.77	12.1	610	1.89	0.07	3.51	0.07	47.8	5.8	24	31.9	7.2
M359609		4.04	0.012	1.05	7.79	96.0	2210	1.46	0.31	1.48	2.09	50.2	7.3	8	20.4	16.4
M359610		3.89	0.019	1.86	7.00	136.5	1850	1.59	0.39	2.29	5.32	45.4	8.8	8	18.90	22.3
M359611		5.14	<0.005	0.21	7.17	17.0	2140	1.64	0.27	2.38	0.22	46.0	6.6	9	15.45	8.4
M359612		4.00	<0.005	0.30	7.43	36.0	2120	1.71	0.23	2.68	0.25	50.3	6.8	9	17.85	12.9
M359613		3.08	0.015	0.63	7.19	84.7	1950	1.58	0.45	2.57	2.31	45.9	7.9	9	16.60	13.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2012
Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12210741

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M359578		3.22	17.30	0.15	1.2	0.052	2.62	21.9	130.0	0.62	1030	4.37	0.80	8.6	2.8	700
M359579		7.81	13.55	0.19	1.1	4.70	2.30	18.2	27.2	0.62	3120	15.20	0.08	5.8	13.9	440
M359580		3.12	17.00	0.14	1.1	0.451	2.79	21.5	71.5	0.77	1300	12.05	0.77	8.3	2.9	590
M359581		3.19	17.65	0.16	1.1	0.077	2.85	21.9	14.8	0.75	963	2.60	1.91	8.8	2.9	630
M359582		4.75	15.50	0.15	0.9	3.35	2.65	22.4	33.3	0.79	2340	2.81	0.23	6.7	2.1	500
M359583		0.47	0.27	0.09	<0.1	<0.005	0.03	0.6	1.0	12.70	218	0.10	0.01	0.3	3.2	170
M359584		3.06	18.25	0.15	1.3	0.062	2.76	21.8	13.6	0.73	1280	2.02	1.97	8.7	2.8	580
M359585		2.99	17.65	0.18	1.2	0.048	2.66	23.7	14.9	0.86	647	3.18	2.41	8.9	2.7	600
M359586		3.06	18.20	0.18	1.2	0.048	2.66	24.5	14.8	0.88	666	3.22	2.48	9.2	2.9	620
M359587		3.09	17.40	0.16	1.2	0.071	2.93	23.1	13.1	0.70	750	2.77	1.88	8.6	2.8	570
M359588		2.95	17.55	0.15	1.2	0.062	2.81	24.4	17.3	0.72	776	2.19	1.83	8.5	2.6	590
M359589		3.10	18.10	0.17	1.3	0.043	2.67	24.3	12.6	0.87	622	2.43	2.50	9.0	2.9	630
M359590		3.06	18.75	0.18	1.2	0.046	2.72	24.9	12.8	0.86	622	1.94	2.52	9.0	3.1	620
M359591		3.15	18.10	0.17	1.3	0.064	2.75	24.9	16.2	0.64	772	2.03	1.82	8.9	2.8	630
M359592		2.87	17.25	0.16	1.4	0.042	2.64	25.1	14.2	0.70	589	1.68	2.22	8.9	2.8	580
M359593		2.97	17.85	0.18	1.3	0.038	2.73	26.8	15.4	0.85	586	1.44	2.53	9.1	2.7	600
M359594		2.90	17.70	0.17	1.3	0.040	2.74	23.5	13.1	0.74	627	1.23	2.40	8.8	2.7	580
M359595		2.93	17.55	0.16	1.4	0.046	2.78	23.4	11.0	0.72	617	1.21	2.28	9.1	2.7	590
M359596		2.95	17.80	0.16	1.3	0.045	2.91	26.8	23.5	0.69	608	0.98	1.71	8.8	2.5	600
M359597		2.89	17.75	0.16	1.4	0.056	2.87	30.3	46.3	0.62	559	1.32	0.34	8.8	2.5	620
M359598		0.45	0.28	0.14	<0.1	<0.005	0.02	0.5	0.8	12.75	201	0.13	0.01	0.3	3.4	190
M359599		2.44	21.1	0.19	4.3	0.029	2.26	33.1	97.6	0.82	555	2.38	0.06	11.4	5.6	1040
M359600		2.33	21.1	0.18	3.7	0.028	2.36	32.4	70.7	0.85	538	2.01	0.06	11.4	5.3	970
M359601		6.53	15.20	0.18	1.0	1.720	2.67	25.4	21.5	0.90	1890	13.30	0.04	6.3	15.9	440
M359602		2.49	20.0	0.14	4.0	0.049	2.60	36.0	106.0	0.78	897	1.87	0.06	10.8	4.7	990
M359603		6.18	14.75	0.19	0.9	0.320	2.99	28.0	12.1	0.68	1500	68.8	0.03	5.6	3.3	440
M359604		4.06	16.35	0.16	1.4	0.175	3.17	22.6	18.7	0.70	2080	6.02	0.04	7.5	5.1	550
M359605		2.36	20.1	0.15	4.6	0.028	2.38	29.5	219	0.84	757	1.99	0.07	10.4	19.6	880
M359606		2.14	20.0	0.15	3.5	0.024	2.75	26.0	77.8	0.94	469	0.57	0.06	9.7	17.6	700
M359607		2.16	21.0	0.15	3.5	0.030	2.77	26.6	68.7	0.82	454	0.59	0.06	10.0	16.4	750
M359608		2.32	20.1	0.15	3.7	0.028	2.69	23.7	44.1	0.97	493	0.57	0.39	9.6	19.7	700
M359609		2.95	17.75	0.16	1.3	0.054	3.41	25.7	41.7	0.56	409	3.01	0.77	8.6	4.0	610
M359610		2.96	17.15	0.18	1.2	0.077	3.54	22.2	25.3	0.64	1190	1.64	0.85	8.3	2.7	560
M359611		2.97	17.55	0.16	1.3	0.072	2.94	22.4	13.7	0.67	786	1.54	2.08	8.6	3.2	580
M359612		2.92	17.95	0.17	1.4	0.048	2.83	24.2	24.1	0.74	717	1.08	2.10	9.2	2.8	600
M359613		2.95	17.20	0.16	1.3	0.070	2.91	22.4	24.8	0.74	1150	1.11	1.69	8.5	2.8	570



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2012
Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12210741

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M359578		75.9	116.0	<0.002	0.14	20.3	10.5	1	2.8	260	0.69	<0.05	9.2	0.289	1.67	2.9
M359579		9420	139.0	<0.002	6.96	215	7.1	2	8.7	128.0	0.46	0.51	9.4	0.185	2.24	5.8
M359580		135.0	124.0	<0.002	0.21	11.15	10.4	1	3.3	251	0.64	<0.05	9.0	0.266	2.32	4.2
M359581		48.0	120.0	<0.002	0.06	3.17	11.9	2	2.5	409	0.65	<0.05	10.0	0.280	1.55	3.3
M359582		>10000	137.0	<0.002	3.76	50.7	9.2	3	4.9	169.5	0.52	0.29	10.6	0.223	2.34	4.3
M359583		5.2	1.5	<0.002	<0.01	0.07	0.1	1	<0.2	49.4	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
M359584		20.0	113.0	<0.002	0.08	2.49	10.1	1	2.8	364	0.74	<0.05	10.1	0.261	1.54	3.3
M359585		30.0	105.5	<0.002	0.02	1.24	11.1	2	2.4	446	0.73	<0.05	11.6	0.267	1.22	3.9
M359586		16.1	105.5	<0.002	0.02	1.18	11.4	2	2.4	458	0.76	<0.05	11.9	0.271	1.21	4.0
M359587		18.1	126.5	<0.002	0.40	3.20	10.5	1	2.1	351	0.70	0.06	11.5	0.259	1.59	3.6
M359588		16.6	119.0	<0.002	0.07	3.77	11.0	2	2.1	335	0.67	<0.05	11.8	0.264	1.46	3.4
M359589		17.8	101.5	<0.002	0.02	1.04	11.8	2	2.2	458	0.70	<0.05	11.6	0.278	1.13	3.6
M359590		16.7	102.5	<0.002	0.01	1.04	11.8	2	2.2	463	0.70	<0.05	11.6	0.277	1.18	3.4
M359591		20.3	116.5	<0.002	0.08	8.01	12.0	1	2.1	327	0.71	0.05	11.8	0.278	1.31	3.6
M359592		16.1	110.0	<0.002	0.08	1.53	11.1	2	2.0	386	0.77	<0.05	12.7	0.261	1.15	4.2
M359593		16.2	109.5	<0.002	0.02	1.14	11.4	2	2.1	453	0.77	<0.05	13.0	0.267	1.08	4.4
M359594		16.3	107.0	<0.002	0.03	1.81	10.8	2	2.1	386	0.75	<0.05	11.8	0.261	1.18	3.8
M359595		38.2	107.5	<0.002	0.04	2.06	10.6	1	2.2	383	0.82	<0.05	12.1	0.261	1.18	4.2
M359596		15.6	116.0	<0.002	0.02	5.85	11.1	1	2.4	325	0.75	<0.05	12.8	0.268	1.30	3.6
M359597		416	125.0	<0.002	0.10	14.35	11.5	1	2.5	148.0	0.77	<0.05	15.0	0.274	1.34	4.0
M359598		1.6	1.0	<0.002	<0.01	<0.05	0.1	1	<0.2	49.9	<0.05	<0.05	<0.2	<0.005	<0.02	0.4
M359599		31.4	69.4	<0.002	0.09	17.35	5.3	1	1.5	331	0.86	<0.05	9.6	0.318	0.94	4.2
M359600		26.4	78.1	<0.002	0.05	12.65	5.1	1	1.5	301	0.84	<0.05	9.6	0.305	0.91	3.7
M359601		2800	167.0	<0.002	4.81	88.0	8.0	2	8.1	97.0	0.50	0.39	10.7	0.182	2.39	5.4
M359602		34.5	106.5	<0.002	0.21	17.50	7.4	1	1.9	363	0.78	<0.05	11.3	0.319	1.37	4.9
M359603		259	225	0.002	6.31	39.3	8.8	2	6.1	83.7	0.51	1.02	9.6	0.181	2.86	10.2
M359604		477	213	<0.002	3.17	27.2	9.6	1	4.2	139.0	0.64	0.32	10.5	0.222	2.45	8.0
M359605		23.6	74.8	<0.002	0.14	12.05	6.5	1	1.7	625	0.83	<0.05	10.2	0.304	1.51	4.7
M359606		16.0	95.0	<0.002	0.02	5.86	6.2	1	1.4	750	0.78	<0.05	9.4	0.273	1.34	3.6
M359607		14.0	95.8	<0.002	0.02	8.29	6.5	1	1.5	542	0.84	<0.05	9.8	0.287	1.30	2.9
M359608		14.3	82.0	<0.002	0.01	6.68	6.0	1	1.5	548	0.80	<0.05	8.8	0.272	1.21	3.5
M359609		89.7	157.0	<0.002	0.27	8.76	11.5	1	2.1	219	0.73	<0.05	14.8	0.269	1.87	6.4
M359610		216	150.0	<0.002	0.37	10.40	10.6	1	1.9	249	0.71	<0.05	12.0	0.254	2.45	3.5
M359611		21.9	125.0	<0.002	0.09	4.05	10.8	1	2.0	348	0.75	<0.05	12.0	0.261	1.52	4.0
M359612		22.1	116.0	<0.002	0.05	3.03	11.3	2	1.9	380	0.86	<0.05	12.2	0.270	1.28	4.3
M359613		66.2	122.5	<0.002	0.24	5.26	10.7	2	1.8	329	0.74	<0.05	12.3	0.254	1.58	4.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2012
 Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12210741

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
M359578		70	3.6	16.0	138	34.5	<1		
M359579		52	4.5	9.8	>10000	33.5	121		1.590
M359580		71	3.9	15.8	485	30.3	<1		
M359581		75	2.7	16.6	112	29.8	<1		
M359582		63	6.4	15.8	>10000	23.5	40	1.110	2.52
M359583		2	0.1	0.8	40	<0.5	<1		
M359584		70	3.8	16.7	63	33.2	<1		
M359585		72	1.4	18.6	80	31.5	<1		
M359586		73	1.6	18.9	48	32.5	<1		
M359587		69	2.1	16.1	52	31.0	<1		
M359588		70	1.5	16.8	51	33.6	<1		
M359589		74	1.0	18.5	47	35.4	<1		
M359590		74	0.9	18.3	44	33.0	<1		
M359591		75	1.3	17.8	54	34.7	<1		
M359592		68	1.1	17.7	44	36.5	<1		
M359593		71	1.0	19.2	43	33.4	<1		
M359594		70	1.1	17.1	45	33.1	<1		
M359595		69	1.1	17.7	60	35.9	<1		
M359596		71	1.6	18.0	51	32.9	<1		
M359597		72	3.5	16.7	135	38.5	<1		
M359598		2	0.1	0.8	16	<0.5	<1		
M359599		51	1.9	10.8	109	149.5	<1		
M359600		49	2.5	9.8	124	130.5	<1		
M359601		57	5.4	11.0	5430	27.6	24		
M359602		60	2.8	12.7	127	148.0	<1		
M359603		59	4.3	9.5	>10000	24.1	18		1.035
M359604		58	3.6	11.0	1480	40.8	10		
M359605		58	2.1	12.0	106	166.0	<1		
M359606		51	1.5	11.7	57	122.0	<1		
M359607		52	2.5	12.0	59	111.5	<1		
M359608		52	1.6	11.4	52	127.5	<1		
M359609		70	2.8	14.9	183	33.6	<1		
M359610		67	3.2	15.0	361	30.7	1		
M359611		69	1.7	16.5	56	30.8	<1		
M359612		71	1.6	18.4	53	33.8	<1		
M359613		67	1.9	16.9	167	33.7	<1		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-122

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12210741

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)