



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25-SEP-2012
Account: ROCKHA

CERTIFICATE WH12212394

Project: Klaza-125

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2012
Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12212394

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M357454		7.93	0.042	0.12	6.78	12.7	1390	2.33	0.11	1.02	0.29	37.6	2.2	3	19.45	4.3
M357455		2.98	0.012	0.25	6.94	19.8	1150	2.20	1.28	1.98	0.35	44.4	6.7	7	21.0	33.0
M357456		2.06	0.047	1.67	7.11	34.6	1270	2.14	2.04	2.14	5.72	41.5	7.8	6	24.2	63.3
M357457		0.26	2.22	24.6	5.64	3120	1190	1.30	20.7	2.07	74.3	41.6	10.4	17	12.60	415
M357458		2.93	0.010	0.16	6.94	12.8	2280	1.58	1.37	2.40	0.16	42.2	6.2	8	15.90	21.2
M357459		5.75	0.134	0.77	6.91	74.7	1480	1.54	2.05	2.24	1.38	62.7	20.3	8	21.0	177.5
M357460		4.11	0.261	1.46	6.48	54.3	680	1.44	3.64	2.27	1.37	40.9	20.7	10	12.70	50.8
M357461		4.02	0.134	0.51	7.20	28.8	1710	1.39	2.36	1.91	1.65	43.7	8.5	8	11.80	54.1
M357462		3.81	0.066	0.46	6.89	22.5	2230	1.60	1.05	2.39	2.14	41.8	7.1	8	11.35	24.3
M357463		5.26	0.079	0.32	7.26	34.3	2220	1.55	0.75	2.16	0.38	43.0	8.3	9	12.95	20.5
M357464		2.77	0.081	0.35	7.04	43.4	2070	1.61	0.72	2.20	0.52	41.1	7.6	8	13.75	19.2
M357465		3.79	0.289	0.66	6.99	82.7	1330	1.59	1.35	1.93	0.83	46.7	7.1	7	21.2	31.2
M357466		3.22	0.054	0.30	7.14	39.9	2380	1.74	1.19	2.47	0.66	47.4	7.0	8	13.15	25.3
M357467		2.88	0.296	0.50	7.08	62.9	1900	1.50	1.41	2.66	3.01	48.9	8.3	8	16.60	46.6
M357468		3.22	0.057	0.22	7.05	39.4	1780	1.48	0.58	2.16	0.38	44.2	7.1	8	14.80	20.2
M357469		4.37	0.113	0.49	6.66	78.6	2050	1.60	1.12	2.37	0.67	42.5	8.3	9	17.80	35.6
M357470		3.52	<0.005	0.04	0.10	<5	30	0.08	0.03	20.0	0.06	1.59	1.3	<1	0.28	3.2
M357471		3.79	0.030	0.53	7.48	22.0	2350	1.39	1.00	1.79	1.85	47.8	9.2	8	13.00	43.3
M357472		3.95	<0.005	0.38	6.84	14.0	930	1.85	0.34	2.39	0.69	51.4	6.7	24	23.1	20.4
M357473		7.59	<0.005	0.24	6.66	8.4	1050	2.05	0.18	2.64	1.37	47.8	5.3	12	24.4	9.8
M357474		7.29	<0.005	0.14	7.00	10.2	1500	2.06	0.15	2.77	0.52	58.3	5.3	11	24.0	8.8
M357475		<0.02	<0.005	0.17	7.03	10.6	1540	2.07	0.17	2.78	0.57	58.7	5.4	11	25.2	9.5
M357476		8.70	<0.005	0.35	6.79	8.1	1280	2.03	0.07	3.40	0.90	46.8	5.3	12	21.9	8.9
M357477		8.18	0.005	0.39	6.86	13.4	1380	2.00	0.24	2.71	0.71	48.3	6.2	19	22.1	12.1
M357478		4.14	0.197	4.47	6.92	103.5	730	1.70	4.37	2.20	23.4	60.0	14.5	9	19.05	102.0
M357479		4.46	0.114	2.75	6.91	89.0	870	1.60	3.69	2.21	1.46	62.1	23.3	7	18.95	85.4
M357480		0.26	2.30	25.5	5.65	3050	920	1.37	21.7	2.07	76.0	41.4	11.1	17	12.95	411
M357481		6.48	0.073	0.56	7.30	39.4	2400	1.42	2.28	1.94	0.37	55.3	29.1	8	14.45	34.2
M357482		3.01	0.770	4.19	5.96	179.0	120	1.17	9.31	2.26	1.88	72.1	107.5	9	13.95	233
M357483		2.91	0.076	0.84	6.36	64.9	1580	1.32	2.07	3.88	0.81	46.4	16.6	6	17.10	38.2
M357484		5.30	0.033	0.28	6.93	19.6	2290	1.53	1.14	2.54	0.99	42.8	10.9	10	14.10	22.2
M357485		3.68	0.200	0.69	6.81	44.4	690	1.34	2.81	2.15	0.44	56.0	36.2	8	11.85	35.7
M357486		3.19	0.182	2.07	5.51	153.5	900	1.55	3.35	2.87	3.66	43.9	52.4	7	16.80	71.0
M357487		3.30	<0.005	0.03	0.08	<5	30	<0.05	0.04	20.1	0.07	1.22	1.5	<1	0.24	2.9
M357488		4.76	0.079	0.34	6.73	69.1	590	1.44	1.77	2.42	0.42	46.3	31.5	7	15.20	16.1
M357489		3.44	0.096	0.56	7.47	68.8	1370	1.41	1.94	2.39	1.14	58.1	26.8	7	18.30	85.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2012
Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12212394

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M357454		1.26	18.15	0.09	2.4	0.015	2.70	18.9	14.6	0.40	393	0.79	0.09	14.4	1.1	320
M357455		2.55	16.00	0.14	1.4	0.069	2.38	23.3	68.5	0.70	506	1.32	0.13	8.7	2.2	500
M357456		3.07	16.15	0.16	1.1	0.108	2.58	21.9	72.0	0.79	826	1.54	0.56	6.8	1.8	540
M357457		6.28	14.10	0.15	0.9	1.585	2.51	22.9	24.8	0.85	1780	12.80	0.04	5.7	13.6	420
M357458		2.81	15.90	0.19	1.0	0.066	2.67	21.4	24.7	0.66	465	1.51	1.95	7.2	1.8	570
M357459		3.31	16.20	0.19	1.0	0.165	2.92	37.0	29.5	0.94	855	4.26	0.65	7.0	2.2	550
M357460		3.45	14.65	0.19	0.8	0.118	2.84	21.8	38.4	0.81	657	4.32	0.71	5.9	2.2	550
M357461		3.01	16.05	0.19	1.0	0.134	2.41	22.3	54.7	0.72	571	1.19	0.19	7.8	2.2	640
M357462		2.89	16.05	0.21	0.9	0.127	2.61	21.3	29.6	0.70	534	2.31	1.54	7.4	1.8	590
M357463		3.01	16.60	0.22	1.0	0.082	2.69	21.7	35.0	0.68	701	2.35	1.05	7.7	2.0	610
M357464		2.83	16.05	0.21	1.1	0.072	2.69	20.3	34.3	0.69	709	1.94	1.04	7.8	2.3	600
M357465		2.48	15.70	0.19	1.0	0.062	2.51	24.9	51.9	0.70	877	1.39	0.04	7.3	2.1	600
M357466		3.11	16.55	0.24	1.0	0.066	2.67	24.2	36.1	0.76	678	1.11	1.32	7.8	1.9	610
M357467		3.03	17.10	0.21	0.9	0.150	2.76	25.7	41.6	0.80	804	1.69	0.20	7.7	2.2	600
M357468		2.87	16.25	0.20	1.0	0.067	2.69	22.1	51.2	0.75	745	3.60	0.23	8.0	2.0	620
M357469		2.71	15.45	0.19	0.9	0.077	2.74	22.1	41.9	0.78	869	3.52	0.52	7.0	2.4	560
M357470		0.48	0.54	0.12	<0.1	<0.005	0.04	0.8	1.4	11.85	202	0.15	0.01	0.5	<0.2	180
M357471		2.95	17.35	0.20	1.0	0.066	2.86	24.1	52.4	0.70	643	20.1	0.11	8.2	3.0	640
M357472		2.09	18.75	0.20	3.4	0.026	2.84	26.5	27.1	0.81	546	0.85	0.07	8.7	16.8	630
M357473		2.05	17.95	0.20	1.9	0.029	2.88	23.8	21.8	0.77	658	0.71	0.06	8.2	6.3	750
M357474		2.38	17.80	0.21	2.5	0.025	2.57	29.4	33.1	0.69	575	0.88	0.34	11.3	2.4	860
M357475		2.39	18.40	0.22	2.6	0.026	2.61	29.0	33.5	0.69	586	0.88	0.32	11.6	2.6	870
M357476		2.24	17.80	0.19	1.7	0.032	3.00	22.8	17.4	0.88	558	0.48	0.07	8.5	4.7	790
M357477		2.15	18.70	0.18	2.7	0.030	3.01	23.7	21.0	0.78	523	0.65	0.06	8.9	12.5	730
M357478		3.16	16.05	0.20	1.4	0.563	2.82	35.6	34.8	0.87	1400	35.9	0.05	7.3	4.7	550
M357479		3.04	15.60	0.20	1.1	0.127	2.67	37.5	36.9	0.88	852	14.95	0.04	7.1	2.5	550
M357480		6.27	13.95	0.20	0.9	1.635	2.50	22.4	23.9	0.84	1760	12.45	0.04	5.9	14.8	410
M357481		3.08	16.65	0.25	1.1	0.101	3.46	31.3	48.3	0.64	476	3.51	0.45	7.6	2.3	600
M357482		6.60	13.40	0.26	0.9	0.163	2.63	44.9	23.3	0.55	883	12.95	0.06	5.7	5.3	510
M357483		3.31	14.35	0.20	0.9	0.089	2.69	26.1	18.6	1.16	1180	4.36	0.15	6.4	1.9	500
M357484		2.96	16.15	0.25	1.0	0.086	2.98	21.9	27.3	0.67	602	3.23	1.41	7.6	2.1	570
M357485		3.43	15.50	0.30	1.0	0.069	3.39	32.6	32.3	0.71	456	11.70	0.53	7.3	2.7	570
M357486		5.32	12.70	0.21	1.1	0.089	2.35	25.1	17.4	0.99	1500	5.25	0.04	5.4	5.2	420
M357487		0.47	0.44	0.07	<0.1	0.005	0.03	0.6	1.2	12.10	205	0.14	0.01	0.3	<0.2	200
M357488		3.46	14.95	0.20	1.0	0.058	2.62	25.3	86.2	0.69	875	9.58	0.06	7.0	2.5	560
M357489		3.49	16.75	0.22	1.0	0.115	2.75	33.3	27.9	0.90	820	3.91	0.06	7.5	2.6	590



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2012
Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12212394

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
M357454		29.0	108.0	<0.002	0.11	2.76	2.7	<1	2.3	133.5	1.47	<0.05	8.6	0.131	1.17	4.4
M357455		18.1	96.8	<0.002	0.21	7.78	9.0	1	4.1	265	0.80	0.11	10.3	0.211	1.29	4.9
M357456		1520	118.5	<0.002	0.42	13.60	9.4	1	2.7	335	0.59	0.21	10.9	0.220	1.75	4.1
M357457		2740	154.0	<0.002	4.40	82.9	7.8	1	7.3	85.3	0.45	0.37	10.3	0.166	2.21	5.0
M357458		17.0	96.6	<0.002	0.15	4.17	10.0	1	1.7	401	0.62	0.09	11.1	0.231	1.23	3.3
M357459		77.4	130.0	<0.002	1.19	10.50	10.8	1	3.8	260	0.55	0.38	11.9	0.221	1.97	9.0
M357460		63.4	120.0	<0.002	1.86	8.03	9.9	1	2.8	226	0.44	1.32	9.9	0.200	1.69	4.9
M357461		54.9	92.5	<0.002	0.95	14.75	11.8	1	2.6	135.5	0.62	0.59	11.7	0.251	1.39	2.6
M357462		83.1	99.9	<0.002	0.45	9.98	10.4	1	2.1	318	0.56	0.18	10.3	0.236	1.34	3.7
M357463		30.9	113.0	<0.002	0.54	7.06	11.9	1	1.7	251	0.61	0.12	12.6	0.249	1.52	4.1
M357464		25.5	109.0	<0.002	0.46	6.93	11.4	1	1.8	246	0.64	0.09	11.9	0.248	1.58	3.4
M357465		31.5	120.5	<0.002	0.83	14.05	11.4	1	2.0	132.5	0.56	0.15	13.8	0.232	2.18	4.7
M357466		27.9	114.5	<0.002	0.53	6.05	11.5	1	1.8	272	0.61	0.19	13.2	0.244	1.48	3.0
M357467		64.9	113.5	<0.002	0.70	10.10	11.3	1	2.9	176.5	0.61	0.16	12.7	0.241	1.69	3.9
M357468		16.5	110.5	<0.002	0.38	10.00	11.7	1	2.5	167.5	0.61	0.10	12.8	0.253	1.53	4.5
M357469		29.1	123.5	<0.002	0.82	14.05	10.6	1	2.0	204	0.53	0.16	12.1	0.225	1.95	4.0
M357470		1.3	1.8	<0.002	<0.01	0.06	<0.1	1	<0.2	45.4	<0.05	<0.05	0.2	<0.005	0.02	0.6
M357471		34.9	109.5	<0.002	0.36	7.08	11.8	1	2.1	163.5	0.59	0.15	11.7	0.265	1.38	2.2
M357472		39.4	109.5	<0.002	0.15	5.99	6.1	1	2.2	248	0.68	0.05	10.3	0.248	1.57	7.2
M357473		76.7	116.5	<0.002	0.10	5.52	5.6	1	1.7	334	0.61	<0.05	9.0	0.242	1.65	3.8
M357474		42.3	99.6	<0.002	0.03	8.94	5.8	1	1.8	550	0.75	<0.05	10.4	0.240	1.40	5.2
M357475		44.2	100.0	<0.002	0.03	9.34	5.9	1	2.0	542	0.79	<0.05	10.5	0.245	1.43	5.3
M357476		49.6	105.5	<0.002	0.04	4.42	5.6	1	1.5	423	0.62	<0.05	8.7	0.254	1.53	3.8
M357477		56.7	106.0	<0.002	0.08	4.21	5.8	1	1.4	350	0.67	<0.05	9.8	0.255	1.54	6.0
M357478		944	167.5	0.002	1.79	13.85	9.9	1	3.9	167.5	0.63	0.55	14.9	0.215	2.26	5.7
M357479		332	145.0	<0.002	1.47	15.35	10.4	1	2.8	146.5	0.64	0.65	15.7	0.212	2.07	7.4
M357480		2730	163.5	<0.002	4.39	83.2	7.9	2	7.5	88.1	0.44	0.40	11.3	0.167	2.23	5.9
M357481		30.0	147.5	<0.002	1.10	7.43	11.3	1	3.0	207	0.61	0.40	14.9	0.236	1.96	5.1
M357482		264	141.0	<0.002	6.32	12.55	9.0	3	4.8	81.9	0.48	3.66	11.8	0.184	2.22	9.2
M357483		94.1	128.5	<0.002	1.38	8.21	9.4	1	2.0	162.5	0.50	0.25	12.0	0.200	1.89	5.0
M357484		26.9	119.0	<0.002	0.62	3.81	10.4	1	2.0	303	0.60	0.22	12.6	0.234	1.48	4.6
M357485		24.9	141.0	<0.002	1.79	5.84	10.5	1	3.1	214	0.63	0.83	13.5	0.220	1.85	5.9
M357486		133.5	144.5	<0.002	4.43	11.80	7.4	2	3.9	120.5	0.44	0.93	11.2	0.167	2.16	12.1
M357487		1.7	1.8	<0.002	0.01	0.05	<0.1	1	<0.2	44.5	<0.05	<0.05	<0.2	<0.005	0.02	0.6
M357488		26.1	101.5	<0.002	1.92	5.98	9.7	1	2.3	155.5	0.57	0.56	11.3	0.226	1.77	4.5
M357489		42.7	148.5	<0.002	1.66	9.05	10.9	1	3.2	127.0	0.59	0.54	14.6	0.234	2.01	5.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-SEP-2012
 Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12212394

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M357454		17	1.6	13.3	73	56.1	<1
M357455		56	1.8	15.4	69	32.0	1
M357456		60	2.0	13.5	415	24.1	2
M357457		53	4.9	10.0	5150	23.5	25
M357458		65	1.5	14.2	41	22.1	<1
M357459		65	2.0	15.2	142	23.0	1
M357460		61	1.4	12.0	121	18.7	1
M357461		69	2.3	14.7	109	21.5	1
M357462		67	1.5	13.6	108	21.4	1
M357463		73	2.6	15.3	56	22.8	<1
M357464		70	3.5	15.0	64	23.1	1
M357465		65	5.3	13.7	87	21.9	1
M357466		69	2.0	16.0	70	22.0	1
M357467		70	3.1	16.9	209	22.0	1
M357468		71	3.0	16.4	54	22.9	1
M357469		64	5.4	14.5	67	21.3	1
M357470		2	0.1	0.9	15	<0.5	<1
M357471		73	6.7	16.5	106	23.1	1
M357472		50	1.2	12.3	117	119.5	<1
M357473		45	1.2	11.9	150	53.7	<1
M357474		47	1.3	12.9	148	83.1	<1
M357475		50	1.3	13.0	155	84.9	<1
M357476		47	2.6	12.1	127	46.5	<1
M357477		49	1.4	11.9	118	87.3	<1
M357478		62	7.8	15.5	1580	40.4	4
M357479		64	9.1	15.9	96	24.5	3
M357480		52	4.7	10.2	5100	24.9	25
M357481		71	2.6	15.0	53	25.9	<1
M357482		63	4.6	14.6	112	20.9	4
M357483		60	10.4	15.8	76	20.9	<1
M357484		66	5.2	14.8	106	23.9	<1
M357485		64	2.3	14.5	56	24.3	<1
M357486		47	4.0	12.3	238	32.4	2
M357487		2	0.1	1.0	16	<0.5	<1
M357488		63	4.1	13.4	53	22.8	<1
M357489		69	3.1	16.1	78	24.5	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-125

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12212394

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)