



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25-SEP-2012
Account: ROCKHA

CERTIFICATE WH12213661

Project: Klaza-125

P.O. No.: Batch 6

This report is for 27 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-SEP-2012
 Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12213661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M357598		4.68	<0.005	0.24	7.51	107.5	2340	1.57	0.51	2.86	0.61	41.2	7.3	9	10.30	14.3
M357599		5.76	0.012	0.15	7.30	25.3	2310	1.75	0.71	3.24	0.13	48.5	7.0	10	12.05	11.9
M357600		2.85	0.220	0.17	7.31	17.2	2040	1.57	0.81	2.89	0.12	46.1	7.1	9	14.25	18.3
M357601		3.05	2.49	3.33	7.06	114.0	710	1.46	36.3	1.81	5.53	51.9	7.4	6	7.96	302
M357602		2.06	0.009	0.21	6.74	19.2	2060	1.64	0.82	2.80	0.11	38.9	6.5	8	10.90	13.0
M357603		<0.02	0.009	0.18	7.16	15.2	2080	1.55	0.77	2.82	0.09	45.9	6.4	8	11.10	13.7
M357604		6.55	0.021	0.21	6.88	18.0	2120	1.72	1.97	2.89	0.11	44.0	6.0	8	11.05	13.9
M357605		2.74	4.96	5.95	6.86	67.7	1040	1.50	35.7	1.69	0.39	44.4	21.7	7	11.60	678
M357606		2.80	0.728	18.10	6.64	792	1240	1.33	14.50	1.90	6.71	48.5	5.9	7	11.95	824
M357607		2.41	<0.005	0.04	0.09	<5	320	0.05	0.12	20.7	0.07	1.19	0.8	<1	0.31	5.3
M357608		5.99	0.018	0.46	6.86	28.7	2200	1.54	0.92	2.99	0.28	48.3	7.3	7	9.21	32.6
M357609		7.88	0.007	0.20	7.44	13.0	2240	1.65	0.60	2.57	0.15	45.3	8.6	9	11.50	20.3
M357610		6.56	0.013	0.28	7.66	14.4	2330	1.63	0.85	2.46	0.11	51.1	8.5	7	15.05	50.2
M357611		2.90	0.016	0.24	7.72	19.3	1940	1.70	1.31	2.11	0.33	55.2	15.5	7	8.63	9.6
M357612		2.56	0.023	0.46	7.92	16.8	1370	1.58	1.40	1.05	0.36	53.7	44.0	8	8.69	6.1
M357613		4.96	0.010	0.23	7.56	10.2	2060	1.67	0.83	2.37	0.16	39.7	7.8	8	9.66	19.2
M357614		0.26	2.36	26.3	5.93	3430	1060	1.30	18.70	2.31	80.1	45.1	10.8	18	13.65	455
M357615		6.73	0.009	0.56	7.19	38.1	2200	2.01	1.36	2.52	0.65	38.5	12.4	8	8.08	12.9
M357616		8.32	0.005	0.15	7.40	10.5	2130	1.63	0.49	2.13	0.21	51.6	4.6	8	9.11	9.4
M357617		6.67	0.014	0.19	7.42	15.2	2040	1.49	1.02	2.29	0.12	45.3	12.0	11	7.77	25.9
M357618		2.89	0.268	14.00	6.41	112.5	780	1.50	14.90	2.12	0.29	64.7	119.5	7	6.99	74.3
M357619		3.53	<0.005	0.10	0.09	<5	40	<0.05	0.14	20.7	0.06	1.67	1.3	<1	0.35	3.8
M357620		2.94	0.006	0.23	7.20	14.1	2490	1.67	0.81	3.01	0.30	45.0	6.8	14	11.20	23.4
M357621		4.11	0.010	0.14	7.60	11.1	2620	1.65	0.81	3.04	0.11	56.3	11.7	10	7.70	14.1
M357622		2.88	0.866	0.32	6.98	51.8	310	1.37	1.27	2.53	0.28	56.1	91.9	8	7.94	30.6
M357623		3.74	0.026	0.11	7.62	4.8	2450	1.71	0.65	2.68	0.09	52.9	7.1	14	7.01	9.2
M357624		2.70	0.037	0.31	7.22	35.3	310	1.37	3.59	2.47	0.12	51.5	59.2	8	7.81	17.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2012
Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12213661

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M357598		3.30	16.90	0.13	1.1	0.084	2.42	19.8	18.3	0.89	536	1.76	2.25	8.1	6.2	680
M357599		2.98	16.80	0.13	1.3	0.084	2.43	23.8	24.8	0.85	523	13.05	2.08	8.2	3.7	680
M357600		3.27	16.05	0.15	1.2	0.049	2.50	22.2	33.6	0.78	491	1.35	1.88	7.9	3.0	610
M357601		5.24	15.80	0.13	1.1	0.133	2.86	26.7	68.2	0.67	500	1.52	0.30	6.0	2.5	550
M357602		2.96	15.75	0.12	1.1	0.069	2.44	18.0	36.2	0.79	548	1.23	1.56	7.7	3.2	600
M357603		2.98	15.50	0.15	1.1	0.072	2.46	23.1	35.6	0.83	544	1.11	1.57	7.6	2.7	610
M357604		2.96	15.45	0.15	1.2	0.051	2.50	21.0	30.5	0.79	543	0.82	1.50	7.9	2.9	610
M357605		3.84	14.75	0.14	1.2	0.282	2.54	22.2	46.0	0.57	618	1.76	0.09	7.5	3.0	550
M357606		4.22	14.60	0.15	1.1	0.584	2.73	23.8	25.4	0.67	1660	4.07	0.09	6.9	2.8	490
M357607		0.48	0.24	0.08	<0.1	0.007	0.04	0.6	1.2	12.40	213	0.11	0.01	0.1	2.2	170
M357608		2.88	14.90	0.15	1.0	0.088	2.25	24.5	82.1	0.90	817	5.05	0.12	7.2	2.4	570
M357609		3.01	16.45	0.17	1.2	0.082	2.67	22.9	19.4	0.89	470	4.52	1.88	8.0	4.0	600
M357610		2.87	16.85	0.15	1.1	0.075	2.81	25.8	23.4	0.76	396	4.05	1.67	8.1	3.2	610
M357611		2.98	17.25	0.15	1.1	0.077	2.74	29.6	55.6	0.78	365	5.51	0.45	7.7	2.2	620
M357612		3.15	16.15	0.13	1.0	0.089	2.67	30.0	26.1	0.53	273	13.80	0.08	6.4	2.9	600
M357613		2.97	16.05	0.12	1.1	0.048	2.51	19.8	26.2	0.83	431	2.54	1.12	7.6	2.4	620
M357614		6.53	14.25	0.14	0.9	1.655	2.67	22.1	25.9	0.93	1920	12.95	0.04	5.8	16.4	450
M357615		2.69	15.00	0.12	0.9	0.099	2.40	19.6	22.1	0.69	634	3.43	0.88	6.3	2.4	570
M357616		2.62	16.35	0.15	1.2	0.069	2.66	25.2	21.5	0.63	387	2.38	1.49	8.5	2.2	590
M357617		2.81	15.50	0.14	1.0	0.090	2.36	22.2	18.5	0.62	498	2.80	1.29	7.2	2.5	610
M357618		8.57	15.10	0.17	0.8	0.260	2.29	39.2	16.3	0.80	656	34.2	0.70	6.1	6.2	530
M357619		0.49	0.33	0.07	<0.1	<0.005	0.03	0.8	1.2	12.40	210	0.28	0.01	0.3	2.0	170
M357620		2.98	16.50	0.12	1.0	0.105	2.37	22.6	20.2	0.86	579	14.45	1.84	8.0	2.9	610
M357621		3.02	16.50	0.18	1.1	0.082	2.30	29.9	15.3	0.92	451	2.28	2.31	8.3	3.1	660
M357622		6.80	14.95	0.15	0.8	0.099	2.69	31.7	13.5	0.88	458	25.7	1.61	7.0	8.8	610
M357623		2.78	16.60	0.15	1.0	0.058	2.34	27.2	12.0	0.94	461	2.08	2.31	8.1	3.1	620
M357624		5.09	15.85	0.17	0.8	0.116	2.39	27.7	18.2	0.74	596	6.58	1.15	7.3	7.4	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2012
Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12213661

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M357598		69.1	82.1	<0.002	0.22	2.51	11.2	1	2.7	403	0.66	0.05	9.8	0.281	1.17	3.7
M357599		19.1	92.2	<0.002	0.38	2.50	10.2	1	3.0	396	0.66	0.05	10.8	0.271	1.23	3.7
M357600		17.7	93.7	<0.002	0.48	1.95	10.6	1	3.2	348	0.69	<0.05	11.7	0.266	1.29	4.2
M357601		70.8	156.0	0.003	3.03	6.04	10.2	<1	8.5	88.8	0.54	0.30	12.1	0.217	1.68	4.0
M357602		15.9	79.7	<0.002	0.20	2.50	10.1	1	2.8	302	0.68	0.05	9.1	0.256	1.26	3.7
M357603		16.5	97.5	<0.002	0.20	2.43	10.5	<1	2.8	307	0.64	0.08	11.2	0.260	1.32	3.8
M357604		18.5	83.9	<0.002	0.12	3.01	9.6	1	2.2	307	0.69	0.07	11.6	0.265	1.20	4.0
M357605		36.6	108.0	<0.002	1.76	15.00	9.3	1	3.4	98.6	0.67	0.37	11.7	0.222	1.47	4.8
M357606		420	120.0	<0.002	1.88	150.0	8.5	2	3.9	81.9	0.60	0.11	13.3	0.212	1.71	3.9
M357607		2.4	2.2	<0.002	0.01	0.46	0.3	1	<0.2	41.6	<0.05	<0.05	<0.2	<0.005	0.02	0.6
M357608		23.7	92.6	0.002	0.45	8.80	10.3	2	3.5	191.0	0.63	0.10	10.8	0.244	1.33	4.0
M357609		19.0	104.0	0.003	0.19	2.12	10.9	1	3.0	347	0.81	0.05	11.7	0.269	1.19	4.4
M357610		17.9	114.5	<0.002	0.31	9.65	10.5	1	3.7	339	0.64	0.07	12.9	0.255	1.36	4.2
M357611		30.0	107.5	0.003	1.07	4.64	10.6	1	5.5	177.0	0.71	0.34	12.1	0.251	1.60	4.7
M357612		26.7	137.0	<0.002	1.76	8.11	9.2	1	5.6	50.5	0.63	0.29	13.3	0.235	1.93	5.6
M357613		18.1	86.2	<0.002	0.34	3.62	10.0	1	4.5	222	0.70	0.10	11.5	0.261	1.34	3.9
M357614		2900	161.0	0.004	4.83	89.4	8.1	1	8.1	91.6	0.43	0.37	9.5	0.182	2.46	4.9
M357615		29.5	94.5	<0.002	0.92	4.16	9.6	1	5.3	151.0	0.62	0.28	9.8	0.230	1.66	4.1
M357616		20.8	99.6	0.002	0.09	3.55	10.6	2	3.3	298	0.74	<0.05	13.3	0.258	1.26	4.3
M357617		17.0	88.7	0.002	0.50	3.98	9.4	1	3.8	260	0.72	0.28	11.0	0.259	1.38	3.8
M357618		36.4	132.0	0.006	7.86	3.21	9.9	4	8.4	143.5	0.57	10.10	11.3	0.194	1.69	4.6
M357619		1.8	2.7	<0.002	0.01	0.10	0.3	<1	0.2	45.5	<0.05	0.09	0.2	0.005	0.02	0.6
M357620		33.0	85.4	0.002	0.29	2.24	10.6	1	4.6	345	0.64	0.10	10.6	0.265	1.31	3.8
M357621		15.0	85.0	0.003	0.46	1.29	11.0	1	4.0	411	0.70	0.13	13.0	0.283	1.15	4.6
M357622		22.6	109.5	0.003	5.31	1.33	9.4	3	4.8	303	0.59	0.44	10.8	0.242	1.45	4.2
M357623		14.8	98.9	<0.002	0.08	1.32	11.1	2	3.5	452	0.66	<0.05	12.5	0.267	1.06	4.6
M357624		57.9	97.7	<0.002	3.12	4.06	10.7	4	4.2	250	0.59	1.55	11.2	0.252	1.33	9.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-SEP-2012
 Account: ROCKHA

Project: Klaza-125

CERTIFICATE OF ANALYSIS WH12213661

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M357598		79	2.0	16.2	79	28.2	<1
M357599		73	9.2	15.9	37	37.8	<1
M357600		73	1.5	16.0	39	29.0	<1
M357601		66	3.5	13.7	397	25.9	2
M357602		71	1.3	13.9	39	27.7	<1
M357603		71	1.4	15.1	38	26.5	<1
M357604		71	1.0	14.5	38	32.7	<1
M357605		61	3.6	15.0	51	29.8	6
M357606		57	4.6	13.5	578	25.0	19
M357607		3	0.1	0.8	14	<0.5	<1
M357608		70	9.9	16.0	52	22.0	<1
M357609		74	9.6	15.1	36	27.6	<1
M357610		70	4.8	15.3	34	26.1	<1
M357611		72	1.6	17.3	56	26.9	<1
M357612		77	3.4	14.0	57	22.4	<1
M357613		74	1.9	13.4	42	24.5	<1
M357614		58	5.0	10.2	5500	25.1	25
M357615		71	2.0	10.9	63	23.3	<1
M357616		69	2.5	17.2	34	26.4	<1
M357617		70	2.8	13.4	39	22.1	<1
M357618		63	7.1	13.3	52	20.2	15
M357619		2	0.1	1.0	15	0.6	<1
M357620		74	8.8	15.9	60	23.1	<1
M357621		79	1.1	16.9	34	24.4	<1
M357622		67	1.7	16.6	45	18.7	1
M357623		73	0.8	18.6	29	23.6	<1
M357624		78	2.2	19.8	38	20.4	1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-125

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12213661

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)