



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26-SEP-2012
Account: ROCKHA

CERTIFICATE WH12213668

Project: Klaza - 127

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2012
Account: ROCKHA

Project: Klaza - 127

CERTIFICATE OF ANALYSIS WH12213668

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M357733		2.58	0.020	1.73	6.83	33.4	1220	1.25	0.36	2.63	1.17	45.3	6.1	9	19.90	9.2
M357734		2.83	5.73	>100	5.90	8940	1970	1.19	0.31	2.53	57.7	48.0	6.5	7	15.95	354
M357735		2.90	<0.005	0.07	0.05	5	20	0.06	0.02	21.6	0.07	1.05	1.6	<1	0.14	2.9
M357736		2.75	0.008	0.28	6.62	30.9	1870	1.50	0.21	2.41	0.16	42.1	2.5	10	14.25	5.0
M357737		6.98	<0.005	0.16	6.55	17.9	1870	1.41	0.31	2.38	0.12	37.9	3.5	10	9.71	2.5
M357738		8.14	0.008	0.12	6.83	15.4	2650	1.42	0.44	2.14	0.16	41.4	4.0	9	9.36	1.4
M357739		7.77	<0.005	0.19	6.94	12.1	2300	1.37	0.72	2.38	0.11	44.9	6.9	14	9.52	4.0
M357740		2.79	0.028	0.33	7.15	61.5	1660	1.39	0.26	1.95	0.23	47.3	5.1	10	17.00	6.0
M357741		<0.02	0.028	0.33	7.19	62.6	1670	1.27	0.25	1.95	0.23	46.8	5.3	11	16.80	6.6
M357742		5.29	0.010	0.14	7.01	33.4	1990	1.31	0.24	2.16	0.17	47.4	4.1	16	14.90	4.9
M357743		2.59	0.487	0.41	6.98	616	3150	1.39	0.27	1.78	0.74	51.1	3.0	8	12.50	1.6
M357744		2.80	0.006	1.37	7.48	63.3	2300	1.36	0.26	1.68	3.42	52.3	5.0	10	14.30	4.7
M357745		0.26	4.48	>100	5.17	7860	1300	1.05	55.0	1.93	221	38.4	8.7	18	11.75	1275
M357746		3.93	0.005	0.62	6.79	17.5	2830	1.31	0.99	2.43	0.29	44.6	5.3	10	11.50	2.2
M357747		2.25	<0.005	0.22	6.82	20.2	3260	1.36	0.37	2.14	0.16	47.2	3.7	14	11.10	2.5
M357748		2.77	1.405	>100	6.66	2190	960	1.41	0.53	1.96	35.0	45.0	9.5	11	14.05	175.5
M357749		3.20	<0.005	0.09	0.06	<5	30	0.05	0.02	20.9	0.09	1.36	1.1	1	0.16	2.1
M357750		5.27	0.007	0.36	7.58	16.6	2750	1.26	0.30	1.35	0.32	54.9	7.8	12	10.00	9.4
M357751		3.02	0.005	0.32	7.04	14.5	2360	1.36	0.37	2.25	0.29	47.6	7.3	14	13.05	10.6
M357752		4.27	<0.005	0.14	6.79	8.2	2160	1.39	0.19	2.44	0.24	45.3	6.1	16	12.35	13.7
M357753		3.86	<0.005	0.14	6.70	10.3	1960	1.31	0.32	2.53	0.14	45.0	5.2	9	12.05	16.0
M357754		2.18	<0.005	0.15	6.55	10.5	1940	1.27	0.22	2.55	0.15	42.4	5.2	14	12.25	18.7
M357755		8.40	<0.005	0.10	6.95	10.1	1970	1.37	0.22	1.95	0.16	46.2	4.4	10	11.35	8.3
M357756		8.39	<0.005	0.10	7.04	11.9	2000	1.38	0.22	2.27	0.15	49.5	7.5	15	10.85	12.9
M357757		8.16	<0.005	0.09	7.14	9.7	2200	1.45	0.18	2.30	0.14	51.1	6.0	10	11.70	9.1
M357758		7.49	<0.005	0.10	7.16	11.1	2330	1.43	0.23	2.00	0.10	47.5	3.3	13	8.79	3.4
M357759		0.26	0.823	10.15	6.64	1760	1700	1.38	6.32	1.89	42.1	47.6	16.8	19	16.30	114.0
M357760		6.56	<0.005	0.11	7.25	10.2	2380	1.30	0.26	2.20	0.10	54.3	4.4	13	7.72	6.6
M357761		7.71	<0.005	0.12	7.37	10.1	2690	1.31	0.24	2.23	0.13	55.6	5.1	9	9.35	14.0
M357762		2.37	<0.005	0.12	7.30	9.5	2980	1.17	0.27	1.00	0.11	51.0	9.4	12	7.32	6.1
M357763		2.70	0.015	0.20	6.88	20.5	3510	1.33	0.24	1.93	0.20	44.0	11.3	11	8.03	12.7
M357764		3.04	0.008	0.15	6.83	15.4	6200	1.41	0.26	2.23	0.26	49.1	6.3	15	9.82	3.2
M357765		7.34	<0.005	0.25	7.37	10.9	2560	1.53	0.23	1.87	0.19	47.0	3.5	13	9.01	5.7
M357766		2.53	0.028	1.20	6.39	109.0	2450	1.45	0.36	2.22	4.82	46.8	3.2	15	9.67	4.4
M357767		4.94	<0.005	0.09	7.06	6.9	2560	1.55	0.19	2.26	0.10	42.9	4.3	12	7.88	6.3
M357768		5.94	<0.005	0.10	6.69	7.1	2690	1.57	0.20	2.07	0.06	41.6	5.4	17	8.48	3.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2012
Account: ROCKHA

Project: Klaza - 127

CERTIFICATE OF ANALYSIS WH12213668

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
M357733		2.54	15.05	0.13	1.1	0.063	2.42	23.7	106.5	0.82	1430	1.11	0.05	8.1	2.4
M357734		3.86	13.65	0.15	1.0	0.117	2.01	26.5	74.4	0.80	2520	8.32	0.04	6.7	3.2
M357735		0.50	0.35	0.10	<0.1	<0.005	0.02	0.5	1.0	12.65	207	0.08	<0.01	0.3	0.9
M357736		2.47	15.60	0.17	1.2	0.126	3.12	20.2	33.9	0.62	1080	1.33	1.25	8.6	2.5
M357737		2.70	15.20	0.14	1.2	0.122	2.45	18.6	15.4	0.70	818	0.84	2.16	8.5	2.7
M357738		2.72	15.20	0.14	1.1	0.102	2.74	21.3	34.7	0.68	819	0.67	2.20	8.1	2.6
M357739		3.33	16.60	0.14	1.0	0.104	2.74	23.0	13.1	0.74	825	1.37	2.13	8.2	3.1
M357740		2.64	16.40	0.13	1.2	0.068	3.54	24.4	30.0	0.63	1690	1.47	0.29	8.5	2.8
M357741		2.66	16.55	0.14	1.1	0.071	3.55	23.8	29.2	0.63	1670	1.54	0.30	8.4	2.8
M357742		2.67	16.65	0.15	1.1	0.097	3.32	23.8	33.4	0.63	985	1.72	0.64	8.3	2.7
M357743		3.00	15.95	0.15	0.9	0.139	3.36	26.9	21.1	0.69	2060	0.95	0.10	7.4	2.8
M357744		2.80	17.10	0.16	1.1	0.084	4.03	27.6	26.4	0.65	2340	1.97	0.07	8.8	2.9
M357745		7.63	13.20	0.20	1.1	4.74	2.20	20.6	29.9	0.61	3010	15.80	0.08	5.9	14.3
M357746		2.94	14.40	0.13	0.9	0.159	4.01	23.0	16.0	0.76	1530	3.45	0.33	7.7	2.3
M357747		3.78	16.75	0.15	1.0	0.242	3.93	24.6	18.8	0.67	1880	2.31	0.59	8.3	2.7
M357748		3.33	16.60	0.14	1.0	0.155	3.28	23.4	27.8	0.65	8230	3.84	0.05	7.4	2.8
M357749		0.45	0.27	0.14	<0.1	0.005	0.03	0.7	1.0	12.60	199	0.29	<0.01	0.3	5.6
M357750		2.87	17.35	0.17	1.2	0.076	3.31	28.5	27.0	0.57	1060	1.16	0.13	9.0	2.8
M357751		2.69	16.45	0.15	1.2	0.082	3.05	23.7	31.0	0.71	1300	2.17	0.95	8.7	2.8
M357752		2.62	16.30	0.13	1.3	0.069	2.94	23.2	9.9	0.68	745	1.84	1.89	8.4	3.0
M357753		2.63	16.20	0.14	1.2	0.088	2.75	22.6	18.4	0.72	704	1.46	1.72	8.3	2.7
M357754		2.62	16.25	0.15	1.2	0.089	2.72	21.4	19.5	0.72	725	2.55	1.68	8.3	2.7
M357755		2.69	16.60	0.14	1.2	0.099	2.85	24.3	14.4	0.55	855	1.55	1.50	8.5	2.7
M357756		2.59	16.80	0.14	1.3	0.062	2.76	25.6	15.7	0.64	647	2.54	1.87	8.6	2.8
M357757		2.66	17.20	0.16	1.3	0.051	2.83	26.2	15.7	0.68	642	2.08	1.92	8.9	2.9
M357758		2.67	16.20	0.15	1.2	0.063	3.09	24.5	14.3	0.52	646	2.00	1.44	8.5	2.6
M357759		5.11	15.65	0.18	1.4	0.945	2.83	25.4	25.4	0.69	2000	12.75	0.26	8.0	16.7
M357760		3.43	16.55	0.16	1.1	0.088	2.77	28.5	13.6	0.74	894	1.84	1.92	8.8	3.3
M357761		2.91	17.45	0.16	1.2	0.062	2.93	29.4	15.9	0.68	803	2.34	1.60	8.9	3.0
M357762		3.12	16.95	0.20	1.0	0.098	3.44	27.4	20.9	0.53	845	2.55	0.46	8.1	2.2
M357763		4.45	15.40	0.21	0.9	0.181	3.27	22.6	37.5	0.93	1700	2.57	0.45	7.2	2.4
M357764		3.40	15.70	0.20	0.9	0.096	2.87	25.0	27.7	0.87	1710	1.04	0.21	7.8	2.4
M357765		3.30	17.10	0.20	1.0	0.092	3.08	23.5	14.5	0.65	1200	1.38	1.25	8.4	2.2
M357766		3.20	15.25	0.20	0.9	0.114	3.12	23.5	14.1	0.63	2260	2.88	0.60	7.6	2.4
M357767		2.97	15.85	0.19	1.0	0.108	3.08	20.7	10.0	0.75	786	1.43	1.76	8.2	2.1
M357768		3.54	15.45	0.18	0.9	0.104	2.70	20.3	14.7	0.73	766	1.60	1.83	7.5	2.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2012
Account: ROCKHA

Project: Klaza - 127

CERTIFICATE OF ANALYSIS WH12213668

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M357733		142.5	103.5	<0.002	0.20	22.8	10.3	1	1.8	232	0.66	<0.05	13.3	0.230	2.19	4.0
M357734		>10000	114.5	<0.002	2.26	388	8.7	1	9.5	230	0.54	<0.05	11.8	0.187	1.78	33.6
M357735		5.5	0.9	<0.002	0.02	0.17	0.3	1	<0.2	46.2	<0.05	<0.05	<0.2	<0.005	<0.02	0.5
M357736		19.8	141.0	<0.002	0.22	11.00	10.2	1	1.9	207	0.68	<0.05	11.4	0.231	2.03	4.2
M357737		15.0	110.5	<0.002	0.10	5.86	9.2	1	1.7	223	0.71	<0.05	10.6	0.225	1.48	3.3
M357738		17.0	113.5	<0.002	0.12	3.97	10.4	1	1.7	256	0.66	<0.05	12.1	0.229	1.47	4.1
M357739		17.3	118.5	<0.002	0.09	3.94	10.8	1	1.8	293	0.65	0.06	12.6	0.237	1.39	4.0
M357740		21.8	156.0	<0.002	0.60	16.80	11.3	1	1.9	148.5	0.68	<0.05	13.7	0.243	2.27	5.5
M357741		21.0	156.5	<0.002	0.61	16.55	11.3	1	1.9	150.5	0.67	<0.05	13.4	0.244	2.24	5.6
M357742		19.6	151.0	<0.002	0.16	15.40	11.4	1	2.2	182.0	0.68	<0.05	13.3	0.244	2.06	4.0
M357743		33.4	168.5	<0.002	0.58	19.55	11.1	1	2.5	110.0	0.59	<0.05	14.4	0.213	2.44	3.5
M357744		85.0	186.0	<0.002	0.47	19.20	12.3	1	2.5	135.5	0.66	<0.05	14.6	0.257	2.66	5.4
M357745		9270	150.0	<0.002	6.88	218	7.9	2	9.0	124.0	0.44	0.51	8.9	0.180	2.09	5.3
M357746		30.7	177.0	<0.002	0.39	8.98	10.5	1	2.0	151.5	0.62	0.12	13.2	0.230	2.73	4.3
M357747		13.6	171.5	<0.002	0.26	8.90	10.8	1	2.3	166.0	0.63	<0.05	13.2	0.248	2.58	5.5
M357748		1670	157.5	<0.002	1.51	241	10.0	1	4.1	131.0	0.61	<0.05	11.7	0.222	2.51	3.7
M357749		3.0	1.6	<0.002	<0.01	0.25	0.2	1	<0.2	51.0	<0.05	<0.05	<0.2	<0.005	<0.02	0.7
M357750		19.2	159.0	<0.002	0.13	15.65	12.7	1	2.3	113.0	0.73	<0.05	15.2	0.264	1.90	2.3
M357751		21.8	139.5	<0.002	0.16	14.20	10.6	1	2.0	234	0.70	<0.05	12.8	0.242	1.69	3.8
M357752		22.5	131.5	<0.002	0.04	3.57	10.6	1	1.8	327	0.71	<0.05	12.9	0.231	1.52	4.3
M357753		16.7	117.0	<0.002	0.05	5.81	10.3	1	1.6	312	0.69	<0.05	12.3	0.232	1.37	4.6
M357754		17.2	110.0	<0.002	0.06	6.35	10.5	1	1.7	307	0.68	<0.05	11.8	0.231	1.39	4.4
M357755		17.6	132.5	<0.002	0.02	7.31	11.2	1	1.7	254	0.70	<0.05	13.5	0.238	1.43	3.6
M357756		21.4	124.0	<0.002	0.04	4.78	11.3	1	1.6	302	0.74	<0.05	14.7	0.238	1.19	4.6
M357757		20.9	128.5	<0.002	0.03	4.03	11.9	1	1.7	326	0.73	<0.05	13.6	0.241	1.28	4.3
M357758		15.3	132.5	<0.002	0.05	6.38	11.0	1	1.9	230	0.73	<0.05	13.3	0.241	1.45	3.3
M357759		1355	179.0	<0.002	3.14	35.2	9.8	1	6.2	153.5	0.63	0.29	12.5	0.210	2.47	5.5
M357760		12.9	124.0	<0.002	0.24	3.48	12.4	1	2.1	247	0.68	<0.05	13.1	0.254	1.39	3.7
M357761		21.9	133.5	<0.002	0.03	7.80	13.4	1	2.1	280	0.71	<0.05	14.2	0.264	1.37	4.0
M357762		13.2	135.0	<0.002	0.12	11.45	10.5	1	2.0	114.0	0.63	<0.05	13.5	0.240	1.59	2.8
M357763		14.2	124.5	<0.002	0.72	7.62	10.9	2	1.7	153.5	0.51	<0.05	13.0	0.209	1.83	5.7
M357764		10.7	106.0	<0.002	0.31	14.10	10.4	2	1.6	135.0	0.58	<0.05	12.8	0.222	1.73	1.6
M357765		16.0	113.5	<0.002	0.08	7.43	11.0	2	1.9	213	0.68	<0.05	12.1	0.241	1.49	2.6
M357766		111.0	130.0	<0.002	0.52	10.20	10.4	2	1.7	130.0	0.58	<0.05	10.9	0.210	2.00	6.0
M357767		14.4	113.5	<0.002	0.02	2.89	10.3	2	1.8	290	0.67	<0.05	11.4	0.227	1.54	3.3
M357768		13.7	93.3	<0.002	0.04	3.16	10.3	2	1.7	264	0.58	<0.05	10.9	0.215	1.38	3.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-SEP-2012
 Account: ROCKHA

Project: Klaza - 127

CERTIFICATE OF ANALYSIS WH12213668

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
M357733		61	3.3	15.4	110	31.3	1		
M357734		53	3.2	14.2	3490	28.8	204	1.510	
M357735		1	0.1	0.8	12	<0.5	<1		
M357736		62	2.1	14.4	46	34.6	<1		
M357737		60	2.6	13.8	47	33.8	<1		
M357738		61	2.3	13.7	50	29.8	<1		
M357739		65	2.3	14.9	50	28.5	<1		
M357740		66	3.1	15.5	49	32.6	<1		
M357741		67	3.1	15.2	48	30.9	<1		
M357742		66	3.0	14.4	50	30.6	<1		
M357743		62	2.5	14.1	93	25.8	<1		
M357744		71	5.3	14.8	267	30.5	1		
M357745		52	4.6	10.0	>10000	35.2	124	1.605	
M357746		62	2.4	14.8	70	25.5	1		
M357747		65	3.0	14.5	77	28.8	<1		
M357748		60	5.3	12.2	3340	27.7	169		
M357749		2	0.1	0.9	18	0.8	<1		
M357750		72	4.8	16.9	68	34.0	<1		
M357751		64	3.7	15.3	57	33.7	<1		
M357752		63	2.7	15.4	53	35.0	<1		
M357753		62	2.5	15.1	45	32.8	<1		
M357754		62	2.6	14.7	47	31.2	<1		
M357755		62	3.4	15.5	47	32.5	<1		
M357756		63	2.5	16.3	50	35.0	<1		
M357757		64	2.2	16.8	48	36.8	<1		
M357758		64	2.3	14.4	50	30.9	<1		
M357759		57	5.5	12.2	2960	41.8	9		
M357760		69	2.2	15.4	60	29.9	<1		
M357761		75	3.1	17.1	53	31.7	<1		
M357762		68	3.7	13.8	65	27.9	<1		
M357763		62	3.1	12.7	93	26.1	<1		
M357764		65	2.2	13.3	77	26.2	<1		
M357765		70	2.2	14.0	70	29.2	<1		
M357766		63	3.7	13.1	389	24.7	<1		
M357767		64	2.3	14.1	58	27.3	<1		
M357768		67	2.4	12.2	66	24.8	<1		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 127

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12213668

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)