



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219177

Project: Klaza-128

P.O. No.: Batch 6

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza-128

CERTIFICATE OF ANALYSIS WH12219177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M354326		5.23	0.017	0.38	7.32	7.9	1250	1.49	0.64	2.09	0.45	46.2	7.7	9	8.10	232
M354327		5.86	0.024	0.57	7.51	10.4	1380	1.61	1.01	2.03	0.23	48.3	13.1	8	8.80	279
M354328		7.49	0.017	0.69	7.33	8.1	1010	1.45	0.83	2.03	0.30	41.5	6.7	8	8.84	268
M354329		3.98	0.028	1.49	6.72	15.7	1280	1.13	2.24	1.17	2.89	32.1	13.7	9	5.12	300
M354330		0.26	0.793	10.05	6.46	1520	1720	1.53	6.10	1.85	40.5	43.8	16.7	19	15.80	105.5
M354331		7.84	0.019	0.94	7.57	14.0	1080	1.56	1.13	2.09	0.42	45.6	9.4	9	9.89	261
M354332		4.00	0.014	1.04	7.38	54.7	1550	1.41	1.48	1.71	0.41	42.7	12.9	7	9.77	352
M354333		3.16	0.052	2.17	7.50	89.2	740	1.30	3.34	0.76	1.30	39.7	16.0	8	6.89	565
M354334		2.92	0.015	0.61	7.44	40.0	1470	1.45	1.38	1.54	0.15	48.2	8.9	7	10.05	220
M354335		1.49	0.021	0.56	7.47	36.1	1440	1.53	1.37	1.48	0.20	48.1	8.1	7	10.50	158.0
M354336		9.14	0.011	1.08	7.41	39.2	1590	1.52	0.85	2.05	0.34	55.5	9.1	8	11.10	160.0
M354337		4.38	0.010	0.56	7.19	28.2	1260	1.35	1.13	2.14	0.25	48.3	10.3	7	8.27	135.5
M354338		2.73	0.038	0.82	7.33	57.7	670	1.48	1.37	1.44	0.45	51.9	11.5	6	12.40	235
M354339		3.11	<0.005	0.04	0.07	<5	40	0.05	0.02	20.7	0.06	1.17	0.7	<1	0.23	2.1
M354340		4.37	0.014	0.77	7.76	32.0	790	1.49	1.49	1.08	0.31	51.4	9.2	7	8.75	123.5
M354341		4.85	0.014	0.77	7.50	62.3	1000	1.41	1.59	1.07	0.44	47.1	11.3	7	12.20	325
M354342		7.31	0.015	0.43	7.62	18.3	1550	1.45	1.28	1.92	0.14	53.4	9.1	8	13.30	172.0
M354343		7.74	0.022	0.52	7.61	9.5	1310	1.29	0.81	1.73	0.34	50.3	9.0	8	9.84	235
M354344		5.91	0.017	0.62	7.58	18.3	1100	1.47	1.05	2.15	0.36	47.1	7.8	8	14.30	285
M354345		<0.02	0.017	0.63	7.91	17.7	1150	1.37	1.17	2.21	0.37	47.5	7.8	7	14.10	291
M354346		7.65	0.028	0.51	7.41	34.5	1690	1.46	0.83	2.56	0.35	41.2	9.2	6	13.40	177.0
M354347		9.33	0.076	1.12	7.40	60.3	1490	1.55	1.17	1.85	0.88	46.3	8.5	8	13.90	276
M354348		8.29	0.023	0.83	7.23	53.2	1520	1.50	0.83	2.46	0.56	45.4	9.2	7	13.80	300
M354349		9.16	0.011	0.51	7.40	12.3	1140	1.64	0.60	2.20	0.27	48.6	8.8	9	10.45	202
M354350		6.26	0.014	0.61	7.38	20.1	1840	1.48	0.74	1.75	0.18	50.6	13.6	9	13.00	284
M354351		0.26	0.776	10.90	6.84	1620	1690	1.62	6.44	1.95	41.3	45.8	16.7	19	15.80	108.0
M354352		8.25	0.016	0.76	7.73	21.0	1610	1.62	0.80	1.76	0.23	48.7	9.4	8	12.30	266
M354353		7.50	0.018	0.59	7.48	26.0	1470	1.26	1.03	1.40	0.23	44.1	8.3	8	9.97	350
M354354		6.70	0.023	0.84	7.31	48.4	1090	1.42	1.59	1.73	3.21	51.1	7.5	9	13.10	272
M354355		5.74	0.025	0.94	7.32	64.0	1260	1.48	2.05	1.85	0.61	47.0	7.7	7	11.65	280
M354356		4.07	0.071	1.76	6.74	78.0	1240	1.33	4.38	1.56	6.56	45.0	8.8	8	8.65	171.0
M354357		8.15	0.024	0.57	7.21	44.2	570	1.34	0.99	1.89	0.77	49.3	7.5	7	11.20	171.0
M354358		3.36	0.054	1.29	6.43	94.8	600	1.23	1.90	1.59	1.05	43.0	9.0	8	11.65	260
M354359		3.64	<0.005	0.05	0.09	<5	20	0.07	0.02	20.7	0.07	1.14	0.6	<1	0.16	2.0
M354360		4.18	0.023	0.51	7.36	50.9	970	1.35	0.98	1.77	0.57	44.9	10.0	7	12.45	155.5
M354361		8.95	0.019	0.55	7.43	50.8	920	1.53	0.89	1.61	0.34	48.5	9.1	9	12.30	158.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza-128

CERTIFICATE OF ANALYSIS WH12219177

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M354326		2.92	14.30	0.12	0.9	0.053	2.93	24.6	19.3	0.82	255	5.03	1.68	6.1	2.6	550
M354327		3.67	15.00	0.14	0.9	0.081	3.46	25.3	13.8	0.78	257	7.14	1.02	5.3	2.4	540
M354328		3.02	14.45	0.11	0.8	0.073	3.48	21.3	11.9	0.73	249	3.85	1.00	4.8	2.4	570
M354329		6.37	12.00	0.11	0.7	0.252	3.43	17.6	17.1	0.52	254	18.75	0.10	2.4	2.5	480
M354330		5.09	14.60	0.11	1.4	0.899	2.86	24.1	23.7	0.68	1940	11.85	0.26	6.8	15.3	480
M354331		3.63	14.45	0.11	0.9	0.085	3.76	22.2	13.9	0.71	279	5.64	0.85	4.0	2.3	580
M354332		4.31	13.00	0.11	0.9	0.124	3.57	22.0	15.1	0.79	281	7.12	0.25	3.6	2.3	530
M354333		6.55	14.05	0.11	0.9	0.268	3.61	20.5	10.4	0.56	188	11.40	0.10	2.6	2.2	530
M354334		3.60	14.30	0.14	0.8	0.137	3.59	27.0	13.7	0.69	295	6.95	0.07	3.1	2.6	540
M354335		3.44	14.85	0.12	0.9	0.142	3.59	27.3	14.2	0.69	291	6.38	0.08	3.3	2.5	530
M354336		2.70	14.35	0.13	0.9	0.048	3.07	29.3	23.1	0.77	277	15.25	0.09	4.7	2.4	540
M354337		3.29	12.40	0.11	0.8	0.093	3.18	26.0	31.8	0.64	290	25.2	0.07	4.0	2.2	500
M354338		4.36	14.50	0.12	0.7	0.137	3.11	28.0	24.1	0.78	445	8.20	0.05	3.4	2.4	560
M354339		0.47	0.22	0.10	<0.1	0.009	0.03	0.6	1.1	13.00	213	0.15	<0.01	0.2	1.5	180
M354340		4.11	16.45	0.12	0.8	0.090	3.72	28.4	14.3	0.72	229	4.31	0.08	3.7	2.4	590
M354341		4.35	15.45	0.10	0.8	0.118	3.18	26.1	22.8	0.66	205	2.49	0.05	3.4	2.6	560
M354342		3.20	14.90	0.11	0.9	0.071	3.27	28.2	16.9	0.87	208	13.15	0.10	5.1	2.7	560
M354343		3.06	14.40	0.15	0.9	0.078	3.04	27.9	18.8	0.76	261	6.83	0.35	5.3	2.5	570
M354344		2.98	15.45	0.12	0.8	0.114	3.03	23.7	25.0	0.71	295	6.20	0.27	5.1	2.1	570
M354345		3.16	15.00	0.11	0.9	0.116	3.21	25.0	24.3	0.75	309	5.62	0.27	5.0	2.4	600
M354346		3.04	13.65	0.12	0.9	0.065	2.93	21.8	23.9	0.81	267	8.80	0.47	5.2	2.2	560
M354347		3.57	15.10	0.12	0.9	0.126	3.23	24.7	14.2	0.72	533	19.00	0.53	5.0	2.5	560
M354348		3.59	13.50	0.12	0.8	0.136	3.22	25.4	13.3	0.88	563	10.35	0.29	4.5	2.2	500
M354349		2.86	13.80	0.14	0.9	0.047	3.06	25.5	15.5	0.76	191	6.50	1.24	4.8	2.2	540
M354350		4.10	13.35	0.14	1.0	0.065	2.95	28.1	19.2	0.79	203	19.95	0.43	5.1	2.4	530
M354351		5.37	14.30	0.12	1.4	0.930	3.00	23.5	23.3	0.72	2030	11.90	0.27	7.1	14.9	510
M354352		4.11	13.70	0.12	1.0	0.082	3.31	25.2	21.0	0.89	257	3.18	0.40	4.4	2.5	580
M354353		3.89	13.60	0.11	0.9	0.058	3.07	24.9	16.0	0.78	173	5.63	0.07	4.0	2.3	570
M354354		3.97	14.05	0.13	1.0	0.115	3.30	28.3	11.8	0.81	345	11.05	0.08	3.9	2.3	530
M354355		4.36	13.65	0.11	0.9	0.167	3.60	25.6	12.7	0.88	443	4.22	0.28	3.7	2.0	550
M354356		5.43	13.75	0.12	0.8	0.245	3.06	23.2	15.5	0.67	275	37.7	0.05	3.1	2.3	500
M354357		3.22	13.10	0.11	1.0	0.088	2.97	29.8	25.3	0.90	457	3.08	0.04	3.8	2.3	530
M354358		4.87	12.55	0.12	0.8	0.135	2.99	23.5	11.6	0.91	644	3.71	0.04	3.2	2.7	450
M354359		0.47	0.27	0.12	<0.1	0.006	0.03	0.6	0.9	13.05	203	0.12	0.01	0.1	1.6	180
M354360		4.48	14.15	0.13	0.9	0.127	3.22	23.0	16.3	0.91	491	3.67	0.04	3.5	2.2	540
M354361		3.74	13.50	0.11	0.9	0.062	3.21	26.0	18.7	0.94	285	5.40	0.05	4.1	2.3	540



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza-128

CERTIFICATE OF ANALYSIS WH12219177

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M354326		23.2	92.9	<0.002	2.00	0.69	10.0	2	2.8	357	0.53	0.06	12.8	0.219	1.28	4.2
M354327		20.0	120.0	<0.002	3.11	0.81	10.4	3	4.8	213	0.46	0.08	12.2	0.194	1.53	4.6
M354328		25.4	104.0	<0.002	2.50	1.39	9.8	2	3.5	575	0.41	0.07	11.3	0.187	1.46	3.7
M354329		100.0	124.0	<0.002	6.49	0.71	9.4	4	12.4	124.5	0.24	0.21	10.6	0.124	1.72	2.4
M354330		1340	153.5	0.002	3.00	31.0	8.9	1	5.9	144.0	0.60	0.32	11.5	0.206	2.50	5.0
M354331		36.8	119.0	<0.002	3.24	1.03	10.5	3	4.6	924	0.35	0.11	12.5	0.161	1.89	4.0
M354332		35.3	124.5	0.002	4.06	5.41	9.7	3	4.9	206	0.37	0.08	12.8	0.146	1.69	3.4
M354333		57.3	131.5	<0.002	6.77	83.7	9.2	5	11.2	28.2	0.27	0.40	13.3	0.127	1.79	3.2
M354334		19.5	136.0	<0.002	3.06	8.41	9.8	2	5.6	76.6	0.30	0.13	13.8	0.136	1.96	3.3
M354335		21.1	142.0	<0.002	2.86	7.14	10.4	2	5.7	81.2	0.31	0.09	13.7	0.133	1.91	3.4
M354336		25.5	108.0	<0.002	2.41	26.9	10.1	2	3.6	129.0	0.41	0.08	13.9	0.164	1.52	4.5
M354337		18.6	115.5	0.002	3.04	14.65	9.7	2	4.7	84.3	0.41	0.07	14.0	0.137	1.62	2.7
M354338		23.7	135.0	<0.002	4.03	50.1	10.4	2	6.1	44.5	0.31	0.10	13.6	0.148	1.77	3.0
M354339		1.5	1.4	<0.002	0.01	0.17	0.2	<1	0.2	45.7	<0.05	<0.05	<0.2	<0.005	<0.02	1.1
M354340		21.3	153.0	<0.002	3.84	12.15	10.9	3	8.5	35.1	0.34	0.10	14.2	0.151	1.80	3.0
M354341		36.3	123.0	0.002	4.22	36.6	10.3	3	5.5	41.9	0.32	0.15	13.7	0.151	1.65	2.5
M354342		16.2	122.0	<0.002	2.83	10.10	10.9	3	5.0	95.9	0.44	0.10	13.0	0.196	1.64	6.0
M354343		30.6	112.0	<0.002	2.59	9.49	10.3	2	3.7	121.5	0.45	0.07	13.5	0.205	1.59	4.4
M354344		23.1	113.0	<0.002	2.45	10.45	10.7	2	4.1	113.5	0.43	0.17	12.6	0.189	1.78	4.5
M354345		24.5	117.0	<0.002	2.57	10.30	10.5	2	4.1	113.0	0.43	0.10	14.1	0.199	1.85	4.9
M354346		23.2	106.0	0.003	2.48	11.70	10.0	3	3.8	260	0.48	0.06	11.8	0.196	1.62	3.5
M354347		57.4	139.5	0.003	3.31	18.40	11.1	2	4.7	1045	0.45	0.10	13.0	0.189	2.14	4.1
M354348		40.0	133.5	<0.002	3.15	23.6	9.6	3	4.2	434	0.40	0.06	12.9	0.163	2.23	3.9
M354349		24.2	104.0	0.002	2.60	2.22	9.8	3	2.9	1910	0.42	<0.05	13.1	0.175	1.41	3.9
M354350		21.7	109.0	0.002	3.95	13.25	10.5	4	3.0	213	0.52	0.06	13.8	0.177	1.36	3.8
M354351		1400	155.5	<0.002	3.18	31.7	9.0	<1	5.6	154.0	0.62	0.32	11.8	0.215	2.53	5.2
M354352		19.0	120.0	<0.002	3.60	8.87	10.0	3	3.8	141.0	0.46	0.08	13.4	0.172	1.64	4.6
M354353		15.7	113.5	<0.002	3.67	7.56	10.4	3	3.2	68.4	0.35	0.12	12.7	0.163	1.47	2.9
M354354		170.0	142.5	0.002	3.73	7.11	10.3	2	3.8	81.3	0.38	0.36	13.7	0.153	2.07	5.5
M354355		30.3	139.5	<0.002	3.94	13.70	10.2	2	4.8	116.0	0.34	0.21	13.2	0.148	2.16	5.7
M354356		122.0	130.5	0.002	5.39	9.27	9.3	2	8.7	56.5	0.29	0.26	12.6	0.126	1.96	2.8
M354357		53.0	126.0	<0.002	2.72	41.0	9.5	2	3.7	50.1	0.37	0.14	13.3	0.149	1.92	3.2
M354358		63.6	142.0	0.002	4.77	59.7	9.2	3	5.7	35.4	0.30	0.17	12.1	0.128	2.25	4.0
M354359		1.5	1.4	<0.002	0.01	0.22	0.2	<1	0.2	47.0	<0.05	<0.05	0.3	<0.005	<0.02	1.2
M354360		25.0	148.0	<0.002	4.07	30.1	10.0	2	6.4	52.4	0.32	0.12	12.9	0.144	2.44	2.6
M354361		24.1	139.5	<0.002	3.62	12.70	10.1	3	4.2	51.5	0.40	0.18	13.1	0.153	2.22	2.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-SEP-2012
 Account: ROCKHA

Project: Klaza-128

CERTIFICATE OF ANALYSIS WH12219177

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M354326		63	6.4	11.6	68	18.9
M354327		63	8.3	12.6	64	20.9
M354328		63	5.8	11.2	65	19.3
M354329		61	14.5	8.9	265	14.4
M354330		56	5.1	10.4	2920	35.6
M354331		65	6.5	10.5	67	19.0
M354332		59	9.4	10.6	68	18.1
M354333		65	14.6	8.4	133	17.9
M354334		61	7.8	10.1	52	18.4
M354335		60	7.9	10.7	48	19.5
M354336		61	6.3	12.5	55	20.3
M354337		59	8.1	10.7	46	17.9
M354338		60	8.1	11.3	68	17.2
M354339		2	0.1	0.7	16	<0.5
M354340		67	10.7	10.6	40	19.1
M354341		64	7.4	11.7	59	18.5
M354342		64	8.6	13.4	43	20.1
M354343		65	7.3	13.0	76	18.7
M354344		62	6.3	11.8	58	19.5
M354345		65	6.5	11.6	62	19.0
M354346		62	6.6	11.6	61	19.1
M354347		63	7.1	11.4	109	21.2
M354348		58	9.0	11.8	87	19.6
M354349		61	7.2	11.7	58	19.6
M354350		61	8.5	12.7	46	21.3
M354351		58	5.3	10.7	3060	37.1
M354352		62	8.1	11.5	59	20.0
M354353		64	7.5	11.6	44	20.0
M354354		60	10.1	11.3	331	20.7
M354355		61	8.5	10.2	93	19.8
M354356		57	10.3	8.0	527	18.9
M354357		60	8.8	8.9	110	21.0
M354358		57	7.4	8.7	128	17.6
M354359		2	0.1	0.7	17	0.5
M354360		62	9.9	9.8	76	21.0
M354361		61	9.8	10.0	49	20.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-128

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219177

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.
ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)