



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219210

Project: Klaza-129

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2012
Account: ROCKHA

Project: Klaza-129

CERTIFICATE OF ANALYSIS WH12219210

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M357944		7.54	<0.005	0.08	7.68	4.9	2260	1.66	0.09	2.89	0.16	47.0	7.2	12	5.31	5.8
M357945		7.93	<0.005	0.07	7.49	4.9	2110	1.49	0.12	2.80	0.15	44.2	7.7	14	6.85	4.2
M357946		5.49	<0.005	0.06	7.34	5.8	2130	1.47	0.14	2.65	0.10	46.8	6.9	10	7.00	5.0
M357947		2.76	<0.005	0.12	7.48	8.8	2280	1.50	0.40	2.76	0.26	46.7	7.0	9	10.30	7.4
M357948		0.26	2.23	25.0	5.99	2850	1070	1.43	20.3	2.22	80.7	43.0	10.6	17	14.30	450
M357949		2.45	0.077	0.96	7.77	44.8	2080	1.49	2.58	2.16	0.28	49.5	14.5	8	11.90	8.7
M357950		2.61	0.127	1.90	6.82	140.0	680	1.45	2.30	2.21	12.00	45.9	9.3	5	12.90	14.1
M357951		2.89	0.156	1.77	7.40	195.0	730	1.62	2.44	1.92	6.50	48.6	8.9	7	14.60	18.8
M357952		1.74	<0.005	0.02	0.08	<5	20	0.06	0.01	20.9	0.09	1.25	0.6	<1	0.20	2.1
M357953		2.26	0.008	0.16	7.06	10.8	2130	1.52	0.51	3.07	0.17	42.6	8.9	8	7.99	6.7
M357954		5.05	<0.005	0.09	7.44	4.0	2170	1.53	0.11	2.77	0.12	45.9	7.1	10	5.33	4.9
M357955		8.06	0.005	0.53	7.28	5.8	1970	1.49	0.85	2.53	0.47	45.4	6.3	10	5.31	7.4
M357956		7.10	<0.005	0.18	7.36	9.3	2270	1.57	0.46	2.72	0.18	46.5	8.3	9	5.70	11.9
M357957		2.28	0.037	0.35	7.33	19.8	2030	1.49	1.02	2.62	0.17	47.5	9.8	8	12.70	13.7
M357958		0.26	2.30	25.2	5.87	2750	1050	1.36	19.60	2.19	80.0	42.8	10.7	17	14.35	447
M357959		2.74	0.032	0.64	6.75	20.2	1890	1.32	1.52	2.48	0.37	41.2	9.3	7	11.05	8.4
M357960		4.14	<0.005	0.13	7.04	5.9	1870	1.56	0.18	2.44	0.26	45.2	5.2	9	6.57	5.6
M357961		2.54	0.151	11.85	6.96	147.5	750	1.68	18.25	2.14	3.94	54.2	12.5	8	9.32	691
M357962		3.28	<0.005	0.08	0.07	<5	30	0.05	0.04	19.40	0.08	1.19	0.6	<1	0.14	4.2
M357963		7.47	<0.005	0.12	7.02	4.2	2360	1.42	0.23	2.99	0.25	45.5	7.9	10	6.62	6.7
M357964		3.79	<0.005	0.15	7.11	8.8	2090	1.36	0.35	3.03	0.12	41.7	8.1	10	11.55	10.3
M357965		3.86	0.009	0.31	7.00	20.8	2080	1.44	0.89	2.95	0.17	41.9	9.9	8	12.90	13.7
M357966		3.16	0.005	0.10	7.42	9.7	2130	1.49	0.41	2.86	0.09	45.8	8.5	10	8.75	5.2
M357967		2.40	0.005	0.27	6.86	11.0	1910	1.45	0.67	2.48	0.22	42.2	9.7	9	13.00	9.9
M357968		2.33	0.014	0.27	6.41	21.5	1650	1.26	1.03	2.97	0.26	35.9	16.5	8	7.71	7.1
M357969		<0.02	0.011	0.30	6.84	21.4	1860	1.46	1.07	3.16	0.28	40.4	16.8	9	8.35	9.0
M357970		2.56	<0.005	0.20	6.70	9.8	1920	1.43	0.84	2.69	0.16	41.2	8.5	10	9.20	8.4
M357971		4.19	0.011	0.31	6.76	28.9	1500	1.44	1.27	2.70	0.28	44.2	14.5	8	13.45	15.4
M357972		2.48	0.152	0.77	6.47	66.8	1490	1.13	4.29	2.39	0.31	17.20	46.8	7	4.80	5.4
M357973		2.28	0.083	1.40	7.10	75.8	1880	1.41	13.25	2.55	0.39	47.0	10.9	9	11.15	68.4
M357974		2.67	0.231	60.0	7.50	465	1250	1.33	2.80	2.74	4.86	43.0	8.0	9	15.20	1000
M357975		3.88	0.005	0.43	7.13	13.2	2460	1.48	0.39	2.91	0.35	47.5	8.0	12	8.47	19.4
M357976		2.07	<0.005	0.29	6.86	8.0	2250	1.52	0.31	2.85	0.24	44.0	7.4	10	7.78	15.3
M357977		2.79	<0.005	0.41	6.71	25.7	1460	1.67	0.38	2.88	0.62	45.4	5.2	8	18.15	16.7
M357978		2.71	0.540	1.32	6.60	396	1780	1.50	0.68	2.58	7.62	44.3	6.0	10	8.93	21.7
M357979		3.38	<0.005	0.29	7.14	3.6	2010	1.63	1.39	2.70	0.19	53.1	7.3	12	5.63	9.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2012
Account: ROCKHA

Project: Klaza-129

CERTIFICATE OF ANALYSIS WH12219210

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M357944		3.25	17.25	0.12	1.2	0.051	2.70	23.0	12.7	0.94	673	1.25	2.32	8.2	3.2	630
M357945		3.15	16.85	0.08	1.5	0.049	2.59	21.1	18.0	0.82	626	1.26	1.95	7.5	2.9	630
M357946		3.19	16.20	0.09	1.5	0.065	2.67	21.7	16.7	0.89	652	1.72	2.15	7.3	2.8	630
M357947		3.46	17.05	0.08	1.3	0.120	2.75	22.1	20.5	0.82	838	1.65	1.54	7.6	2.8	630
M357948		6.75	14.20	0.10	1.1	1.645	2.71	23.2	26.2	0.91	1940	12.15	0.04	5.5	16.2	440
M357949		4.41	16.45	0.09	1.4	0.359	3.18	25.7	26.4	0.84	973	1.52	0.75	7.0	3.0	620
M357950		5.78	14.60	0.08	1.3	0.278	3.10	22.2	12.0	0.90	1080	1.76	0.04	6.1	2.6	530
M357951		4.04	16.60	0.09	1.3	0.268	3.36	25.1	15.1	0.80	1360	1.09	0.05	6.8	2.6	590
M357952		0.47	0.24	0.05	<0.1	<0.005	0.03	0.6	1.1	13.20	205	0.11	0.01	0.2	1.2	200
M357953		3.22	15.70	0.07	1.4	0.102	2.69	19.3	20.0	0.81	705	0.82	1.64	7.1	2.6	610
M357954		3.18	16.95	0.10	1.3	0.053	2.54	21.6	13.4	0.90	645	0.90	2.17	7.8	3.0	610
M357955		2.98	15.40	0.07	1.3	0.069	2.75	22.0	14.4	0.83	760	1.04	1.95	7.3	2.6	570
M357956		3.19	16.70	0.12	1.3	0.084	2.85	22.1	16.8	0.88	917	1.04	1.98	7.6	2.8	590
M357957		3.66	16.20	0.10	1.2	0.160	2.52	22.1	21.5	0.93	987	1.11	0.70	6.7	2.9	600
M357958		6.64	14.50	0.09	0.9	1.775	2.67	23.2	25.5	0.89	1900	11.80	0.04	5.6	17.9	430
M357959		3.22	14.85	0.08	1.2	0.156	2.23	19.5	25.0	0.89	835	5.65	0.56	5.7	3.2	490
M357960		2.75	16.05	0.09	1.3	0.046	2.56	22.5	18.3	0.75	598	1.44	1.99	7.3	2.9	540
M357961		3.93	15.05	0.10	1.5	0.697	2.97	29.1	14.9	0.72	975	1.71	1.13	7.1	2.5	440
M357962		0.43	0.22	<0.05	<0.1	<0.005	0.03	0.6	1.0	12.15	188	0.21	0.01	0.1	1.4	170
M357963		3.15	17.35	0.11	1.1	0.047	2.42	20.6	17.3	0.97	661	1.98	2.13	8.3	2.7	640
M357964		3.27	18.00	0.13	0.9	0.062	2.20	18.5	19.1	0.93	703	5.38	1.99	8.3	2.9	650
M357965		3.39	17.80	0.12	1.0	0.096	2.50	18.8	24.4	0.79	781	4.33	0.97	8.2	2.7	640
M357966		3.01	17.40	0.11	1.4	0.101	2.68	21.1	18.2	0.89	726	2.34	1.69	8.4	2.4	570
M357967		2.80	17.30	0.12	1.3	0.056	2.41	19.4	30.8	0.70	653	1.13	0.86	8.1	2.4	570
M357968		3.33	16.35	0.12	1.1	0.181	2.29	16.9	18.9	0.86	797	1.29	1.40	7.0	2.4	500
M357969		3.40	17.70	0.13	1.2	0.182	2.39	18.7	21.0	0.88	854	1.19	1.53	7.5	2.8	580
M357970		3.18	17.00	0.11	1.0	0.128	2.43	18.7	15.2	0.89	761	1.02	1.46	7.8	2.7	600
M357971		3.01	17.40	0.12	1.2	0.124	2.63	21.0	29.8	0.70	775	0.86	0.87	7.6	2.8	550
M357972		4.20	16.10	0.07	1.2	0.614	3.11	8.6	37.3	0.99	1080	5.17	0.08	5.2	2.3	430
M357973		3.35	16.60	0.12	1.3	0.168	2.68	22.5	22.8	0.76	761	1.07	1.17	8.3	2.4	490
M357974		4.01	16.70	0.11	1.0	0.326	3.03	20.2	28.8	0.83	1300	1.27	0.38	7.6	2.6	530
M357975		2.94	18.10	0.13	1.2	0.106	2.94	22.0	15.5	0.81	726	1.01	1.71	8.3	2.6	600
M357976		2.91	18.15	0.12	1.2	0.095	2.82	20.2	15.7	0.79	703	0.93	1.74	8.4	2.3	570
M357977		3.06	17.70	0.13	1.2	0.097	3.20	21.5	13.7	0.97	893	0.75	0.29	7.8	2.6	580
M357978		2.88	16.80	0.14	1.4	0.167	2.83	21.2	18.0	0.79	1060	0.67	1.29	7.7	2.4	510
M357979		2.93	17.70	0.14	1.7	0.051	2.67	25.5	13.7	0.90	672	0.84	2.11	8.4	3.0	520



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2012
Account: ROCKHA

Project: Klaza-129

CERTIFICATE OF ANALYSIS WH12219210

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M357944		17.6	91.2	0.003	0.03	1.28	12.1	1	1.8	407	0.64	<0.05	12.5	0.289	4.0
M357945		17.0	89.6	0.003	0.03	2.85	11.7	1	1.8	365	0.64	<0.05	11.8	0.288	3.5
M357946		16.9	90.4	0.004	0.03	1.22	11.2	1	1.8	385	0.65	<0.05	12.1	0.288	3.7
M357947		18.3	105.0	0.003	0.15	3.43	11.5	1	2.1	310	0.63	<0.05	11.8	0.284	3.3
M357948		2950	162.0	0.003	4.76	87.3	8.2	<1	7.7	93.3	0.50	0.36	11.6	0.186	5.4
M357949		45.6	166.5	0.003	1.14	4.36	12.2	<1	2.9	196.0	0.63	0.32	13.9	0.278	4.1
M357950		392	177.5	0.002	4.35	9.19	10.5	1	5.3	80.6	0.54	0.52	12.4	0.237	8.1
M357951		198.5	204	<0.002	2.06	6.16	11.4	1	4.8	89.2	0.60	0.16	13.4	0.269	4.5
M357952		2.5	1.6	0.004	0.01	0.05	0.3	1	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	0.7
M357953		17.5	95.9	0.004	0.21	2.28	10.6	1	2.2	343	0.63	0.06	10.9	0.276	3.0
M357954		19.6	86.0	0.002	0.04	1.32	11.8	1	1.8	399	0.61	<0.05	12.2	0.284	3.2
M357955		22.3	100.0	0.002	0.10	1.17	10.2	1	1.9	341	0.64	0.36	13.9	0.260	3.6
M357956		20.8	105.5	0.003	0.15	3.33	10.9	<1	2.0	363	0.66	<0.05	12.9	0.275	3.7
M357957		20.1	91.1	<0.002	0.53	5.70	11.2	1	2.0	209	0.56	0.08	12.5	0.257	3.3
M357958		2900	161.0	0.003	4.67	86.0	8.1	1	7.8	88.1	0.47	0.35	10.8	0.184	5.1
M357959		22.9	97.8	0.005	0.90	10.45	9.6	2	1.9	119.5	0.50	0.19	11.8	0.197	3.2
M357960		23.7	97.1	<0.002	0.03	1.65	10.7	1	1.7	343	0.66	<0.05	13.2	0.249	3.5
M357961		142.5	141.5	0.002	2.04	83.9	8.8	1	2.2	180.0	0.84	0.75	20.0	0.207	7.9
M357962		2.8	1.4	0.002	<0.01	0.28	0.2	<1	0.2	46.9	<0.05	<0.05	0.2	<0.005	0.6
M357963		21.0	90.8	<0.002	0.08	1.23	11.9	2	1.6	420	0.63	<0.05	11.2	0.299	4.0
M357964		15.5	91.9	0.002	0.18	2.39	12.5	1	1.9	428	0.58	0.05	8.8	0.290	3.1
M357965		20.6	95.1	0.002	0.48	7.19	12.3	1	1.9	259	0.60	0.08	9.9	0.304	3.1
M357966		15.7	102.5	<0.002	0.18	2.02	11.1	1	1.8	331	0.77	0.07	13.0	0.268	4.5
M357967		21.7	100.0	<0.002	0.32	8.00	11.0	1	1.7	214	0.68	0.09	11.7	0.255	3.3
M357968		18.6	99.1	<0.002	0.69	2.52	10.6	1	1.7	287	0.54	0.18	10.4	0.241	3.2
M357969		21.9	105.5	<0.002	0.68	2.69	11.6	1	1.7	325	0.60	0.18	11.7	0.255	3.7
M357970		18.4	96.9	<0.002	0.23	3.39	11.8	1	1.9	310	0.55	0.12	9.2	0.293	3.0
M357971		18.0	124.5	<0.002	0.53	4.53	11.0	1	1.8	230	0.64	0.11	12.3	0.254	4.9
M357972		23.2	201	<0.002	1.76	2.80	10.5	1	2.4	97.3	0.55	0.71	14.1	0.177	4.0
M357973		40.0	125.5	<0.002	0.80	5.70	10.5	1	2.4	245	0.77	0.15	14.2	0.245	5.8
M357974		360	158.0	<0.002	1.95	114.0	11.1	1	4.8	154.5	0.59	0.08	11.0	0.272	3.8
M357975		23.2	144.0	<0.002	0.15	3.29	12.0	1	1.9	347	0.67	0.05	11.6	0.285	3.9
M357976		19.6	132.0	<0.002	0.12	2.52	11.9	1	1.9	352	0.67	<0.05	11.5	0.288	4.0
M357977		27.9	171.5	<0.002	0.25	13.45	12.4	1	2.2	177.0	0.56	<0.05	9.8	0.285	3.9
M357978		156.5	135.5	<0.002	0.60	8.40	10.6	1	3.6	281	0.65	0.12	12.2	0.248	3.9
M357979		23.4	102.5	<0.002	0.02	1.46	11.6	1	1.5	362	0.73	0.05	14.6	0.264	5.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2012
 Account: ROCKHA

Project: Klaza-129

CERTIFICATE OF ANALYSIS WH12219210

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M357944		81	2.0	17.2	51	32.2
M357945		79	1.9	16.5	50	40.1
M357946		80	1.6	15.9	52	39.8
M357947		78	1.6	15.3	70	37.3
M357948		56	5.4	9.6	5350	25.9
M357949		79	2.8	15.1	71	36.2
M357950		64	4.3	11.9	624	31.7
M357951		76	4.1	12.4	353	34.4
M357952		2	0.1	0.8	13	<0.5
M357953		76	2.5	15.2	63	34.3
M357954		78	1.9	16.3	49	35.6
M357955		71	2.1	14.9	93	32.8
M357956		75	1.8	15.6	70	33.3
M357957		74	2.5	14.6	75	30.0
M357958		55	5.0	9.8	5260	26.1
M357959		59	2.6	13.0	75	28.9
M357960		68	1.4	15.6	55	34.9
M357961		54	2.6	13.9	394	35.6
M357962		2	0.1	0.7	14	<0.5
M357963		82	1.6	17.4	70	29.1
M357964		82	1.6	16.6	61	22.8
M357965		84	2.0	16.0	67	28.7
M357966		73	1.5	16.4	52	36.8
M357967		70	2.6	14.9	59	34.8
M357968		72	2.1	13.1	71	30.0
M357969		75	2.3	14.5	76	33.3
M357970		81	1.5	16.0	65	30.0
M357971		72	2.8	14.6	72	33.7
M357972		74	6.5	8.6	58	29.6
M357973		69	3.5	15.3	74	31.3
M357974		75	3.7	13.4	335	26.1
M357975		79	3.0	16.3	71	32.1
M357976		80	2.4	16.2	64	31.9
M357977		79	4.1	15.2	84	36.0
M357978		67	2.1	14.6	447	41.4
M357979		73	0.6	17.9	65	50.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-129

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219210

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)