



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 28-SEP-2012  
Account: ROCKHA

**CERTIFICATE WH12219211**

Project: Klaza-129

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| LOG-22d  | Sample login - Rcd w/o BarCode dup |
| LOG-22   | Sample login - Rcd w/o BarCode     |
| SPL-21d  | Split sample - duplicate           |
| PUL-31d  | Pulverize Split - duplicate        |
| LOG-24   | Pulp Login - Rcd w/o Barcode       |
| PUL-QC   | Pulverizing QC Test                |
| CRU-31   | Fine crushing - 70% <2mm           |
| SPL-21   | Split sample - riffle splitter     |
| PUL-31   | Pulverize split to 85% <75 um      |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                    | INSTRUMENT |
|----------|--------------------------------|------------|
| Aq-OG62  | Ore Grade Ag - Four Acid       | VARIABLE   |
| ME-OG62  | Ore Grade Elements - Four Acid | ICP-AES    |
| Au-AA24  | Au 50g FA AA finish            | AAS        |
| ME-MS61  | 48 element four acid ICP-MS    |            |

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 28-SEP-2012  
Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219211**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA24<br>Au<br>ppm | ME-MS61<br>Ag<br>ppm | ME-MS61<br>Al<br>% | ME-MS61<br>As<br>ppm | ME-MS61<br>Ba<br>ppm | ME-MS61<br>Be<br>ppm | ME-MS61<br>Bi<br>ppm | ME-MS61<br>Ca<br>% | ME-MS61<br>Cd<br>ppm | ME-MS61<br>Ce<br>ppm | ME-MS61<br>Co<br>ppm | ME-MS61<br>Cr<br>ppm | ME-MS61<br>Cs<br>ppm | ME-MS61<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.2                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.02                 | 0.01                 | 0.1                  | 1                    | 0.05                 | 0.2                  |
| M357980            |                                   | 5.12                      | <0.005               | 0.15                 | 7.16               | 7.4                  | 1810                 | 1.64                 | 0.22                 | 2.46               | 0.22                 | 52.8                 | 5.7                  | 9                    | 6.31                 | 9.5                  |
| M357981            |                                   | 7.62                      | 0.180                | 0.19                 | 7.70               | 188.5                | 2210                 | 1.46                 | 0.29                 | 2.80               | 0.30                 | 50.0                 | 6.3                  | 10                   | 6.79                 | 7.1                  |
| M357982            |                                   | 5.38                      | 0.019                | 0.46                 | 7.51               | 42.4                 | 2010                 | 1.44                 | 1.31                 | 2.31               | 0.91                 | 50.8                 | 18.2                 | 11                   | 7.17                 | 11.2                 |
| M357983            |                                   | 2.39                      | 0.078                | 3.03                 | 7.15               | 104.5                | 820                  | 1.28                 | 13.65                | 1.46               | 2.08                 | 52.1                 | 59.7                 | 8                    | 6.27                 | 7.5                  |
| M357984            |                                   | 0.23                      | 0.255                | >100                 | 5.70               | 243                  | 610                  | 0.66                 | 5.02                 | 1.39               | 25.9                 | 21.2                 | 11.5                 | 64                   | 0.92                 | 6030                 |
| M357985            |                                   | 2.88                      | 0.030                | 0.60                 | 7.24               | 54.0                 | 1820                 | 1.42                 | 1.49                 | 2.49               | 0.27                 | 54.4                 | 15.2                 | 7                    | 12.25                | 6.8                  |
| M357986            |                                   | 3.14                      | <0.005               | 0.24                 | 7.30               | 16.8                 | 1370                 | 1.29                 | 0.56                 | 2.15               | 0.12                 | 53.5                 | 16.9                 | 7                    | 10.05                | 1.2                  |
| M357987            |                                   | 3.00                      | 0.076                | 1.01                 | 5.26               | 117.0                | 800                  | 0.90                 | 1.71                 | 1.53               | 6.67                 | 40.0                 | 44.4                 | 7                    | 5.23                 | 8.0                  |
| M357988            |                                   | 2.75                      | 0.030                | 0.76                 | 7.58               | 66.2                 | 1480                 | 1.50                 | 1.23                 | 1.95               | 1.78                 | 55.9                 | 15.5                 | 9                    | 12.95                | 2.9                  |
| M357989            |                                   | <0.02                     | 0.029                | 0.59                 | 6.66               | 56.5                 | 1300                 | 1.42                 | 1.02                 | 1.69               | 1.37                 | 49.6                 | 14.1                 | 7                    | 11.30                | 2.6                  |
| M357990            |                                   | 4.35                      | 0.009                | 0.27                 | 7.11               | 23.3                 | 2240                 | 1.43                 | 0.85                 | 2.51               | 0.33                 | 43.5                 | 8.7                  | 9                    | 10.40                | 18.7                 |
| M357991            |                                   | 7.10                      | 0.009                | 0.23                 | 7.29               | 19.4                 | 1950                 | 1.48                 | 0.48                 | 2.45               | 0.28                 | 45.3                 | 10.7                 | 9                    | 10.95                | 10.9                 |
| M357992            |                                   | 6.94                      | 0.013                | 0.33                 | 7.56               | 24.8                 | 1450                 | 1.52                 | 0.84                 | 2.32               | 0.42                 | 48.3                 | 8.6                  | 9                    | 12.35                | 31.4                 |
| M357993            |                                   | 2.76                      | 0.079                | 1.01                 | 5.89               | 35.5                 | 2620                 | 1.29                 | 1.69                 | 5.41               | 3.79                 | 45.3                 | 7.8                  | 5                    | 11.65                | 50.2                 |
| M357994            |                                   | 3.07                      | 0.119                | 0.68                 | 6.58               | 59.0                 | 1610                 | 1.27                 | 0.90                 | 3.46               | 1.09                 | 48.2                 | 14.2                 | 5                    | 13.25                | 60.3                 |
| M357995            |                                   | 2.81                      | <0.005               | 0.01                 | 0.14               | <5                   | 30                   | 0.08                 | 0.02                 | 19.60              | 0.07                 | 1.49                 | 1.8                  | <1                   | 0.55                 | 2.8                  |
| M357996            |                                   | 4.33                      | 0.015                | 0.56                 | 7.54               | 31.0                 | 1920                 | 1.46                 | 0.44                 | 2.15               | 2.94                 | 50.0                 | 5.6                  | 7                    | 17.65                | 12.7                 |
| M357997            |                                   | 6.99                      | <0.005               | 0.13                 | 7.14               | 8.3                  | 1950                 | 1.42                 | 0.21                 | 2.49               | 0.14                 | 42.3                 | 7.6                  | 8                    | 16.55                | 6.0                  |
| M357998            |                                   | 3.09                      | 0.017                | 0.41                 | 7.38               | 29.3                 | 1710                 | 1.48                 | 0.44                 | 2.20               | 1.27                 | 42.8                 | 7.2                  | 8                    | 13.75                | 10.8                 |
| M357999            |                                   | 2.54                      | 0.019                | 1.43                 | 7.19               | 41.1                 | 1940                 | 1.32                 | 0.73                 | 2.98               | 24.8                 | 47.4                 | 8.5                  | 7                    | 17.05                | 38.8                 |
| M358000            |                                   | 7.96                      | 0.011                | 0.29                 | 7.78               | 22.4                 | 1970                 | 1.51                 | 0.46                 | 2.77               | 1.23                 | 51.6                 | 9.1                  | 11                   | 9.28                 | 12.7                 |
| M356501            |                                   | 0.23                      | 0.264                | >100                 | 5.74               | 230                  | 610                  | 0.64                 | 5.20                 | 1.36               | 25.9                 | 20.9                 | 11.6                 | 61                   | 0.92                 | 5910                 |
| M356502            |                                   | 6.35                      | <0.005               | 0.22                 | 7.59               | 9.3                  | 2140                 | 1.52                 | 0.26                 | 2.77               | 0.24                 | 50.3                 | 8.5                  | 10                   | 9.83                 | 12.0                 |
| M356503            |                                   | 2.56                      | 0.028                | 3.21                 | 7.50               | 66.8                 | 1820                 | 1.52                 | 1.98                 | 2.78               | 19.60                | 51.5                 | 12.4                 | 8                    | 15.75                | 52.2                 |
| M356504            |                                   | 3.57                      | <0.005               | 0.15                 | 7.52               | 5.2                  | 2180                 | 1.55                 | 0.21                 | 2.84               | 0.39                 | 46.1                 | 8.0                  | 10                   | 8.54                 | 3.3                  |
| M356505            |                                   | 4.42                      | <0.005               | 0.18                 | 7.44               | 10.9                 | 2020                 | 1.60                 | 0.24                 | 2.31               | 0.99                 | 52.1                 | 6.6                  | 9                    | 8.65                 | 6.9                  |
| M356506            |                                   | 2.10                      | <0.005               | 0.12                 | 7.28               | 7.3                  | 2090                 | 1.44                 | 0.20                 | 2.41               | 0.26                 | 47.5                 | 6.2                  | 9                    | 7.61                 | 4.5                  |
| M356507            |                                   | 6.06                      | 0.005                | 0.41                 | 7.45               | 25.8                 | 2810                 | 1.48                 | 0.75                 | 2.32               | 1.30                 | 47.0                 | 9.0                  | 8                    | 10.40                | 17.1                 |
| M356508            |                                   | 3.38                      | 0.049                | 0.80                 | 7.19               | 88.7                 | 2170                 | 1.59                 | 2.35                 | 2.49               | 0.38                 | 47.2                 | 17.1                 | 8                    | 8.52                 | 12.5                 |
| M356509            |                                   | 4.57                      | 0.012                | 0.31                 | 7.51               | 19.7                 | 2010                 | 1.59                 | 0.99                 | 2.67               | 0.37                 | 53.8                 | 10.8                 | 13                   | 8.26                 | 16.8                 |
| M356510            |                                   | 2.65                      | 0.010                | 0.39                 | 7.24               | 20.9                 | 1850                 | 1.36                 | 0.75                 | 2.66               | 0.91                 | 47.6                 | 9.1                  | 9                    | 11.40                | 27.3                 |
| M356511            |                                   | 5.47                      | 0.020                | 0.71                 | 7.13               | 45.1                 | 1350                 | 1.50                 | 5.75                 | 2.24               | 2.80                 | 56.9                 | 16.6                 | 11                   | 9.72                 | 4.6                  |
| M356512            |                                   | 6.60                      | 0.040                | 1.48                 | 6.24               | 44.2                 | 2500                 | 1.22                 | 2.03                 | 4.06               | 0.64                 | 56.2                 | 28.8                 | 6                    | 11.15                | 6.4                  |
| M356513            |                                   | 2.73                      | <0.005               | 0.01                 | 0.08               | <5                   | 20                   | 0.05                 | 0.03                 | 19.70              | 0.08                 | 1.47                 | 1.5                  | <1                   | 0.54                 | 2.2                  |
| M356514            |                                   | 2.73                      | 0.037                | 0.78                 | 6.79               | 59.8                 | 1680                 | 1.41                 | 1.68                 | 2.76               | 1.03                 | 52.6                 | 45.0                 | 7                    | 11.55                | 4.3                  |
| M356515            |                                   | 3.54                      | 0.014                | 0.47                 | 6.83               | 27.9                 | 2160                 | 1.47                 | 0.90                 | 2.55               | 1.32                 | 45.4                 | 7.0                  | 7                    | 13.70                | 9.1                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 28-SEP-2012  
Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219211**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Fe<br>% | ME-MS61<br>Ga<br>ppm | ME-MS61<br>Ge<br>ppm | ME-MS61<br>Hf<br>ppm | ME-MS61<br>In<br>ppm | ME-MS61<br>K<br>% | ME-MS61<br>La<br>ppm | ME-MS61<br>Li<br>ppm | ME-MS61<br>Mg<br>% | ME-MS61<br>Mn<br>ppm | ME-MS61<br>Mo<br>ppm | ME-MS61<br>Na<br>% | ME-MS61<br>Nb<br>ppm | ME-MS61<br>Ni<br>ppm | ME-MS61<br>P<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|
|                    |                                   | 0.01               | 0.05                 | 0.05                 | 0.1                  | 0.005                | 0.01              | 0.5                  | 0.2                  | 0.01               | 5                    | 0.05                 | 0.01               | 0.1                  | 0.2                  | 10                  |
| M357980            |                                   | 2.60               | 16.00                | 0.13                 | 1.9                  | 0.082                | 2.57              | 25.5                 | 13.6                 | 0.77               | 575                  | 0.79                 | 2.02               | 8.6                  | 1.9                  | 520                 |
| M357981            |                                   | 3.17               | 16.95                | 0.16                 | 1.4                  | 0.073                | 2.46              | 23.9                 | 14.3                 | 0.94               | 750                  | 1.09                 | 2.00               | 8.3                  | 2.1                  | 650                 |
| M357982            |                                   | 3.78               | 16.70                | 0.18                 | 1.4                  | 0.237                | 2.83              | 25.1                 | 14.7                 | 0.91               | 888                  | 0.97                 | 1.25               | 7.5                  | 3.0                  | 600                 |
| M357983            |                                   | 5.08               | 16.00                | 0.22                 | 1.3                  | 0.621                | 3.25              | 27.5                 | 10.2                 | 0.83               | 1460                 | 0.72                 | 0.04               | 6.3                  | 4.0                  | 550                 |
| M357984            |                                   | 5.70               | 11.95                | 0.18                 | 1.7                  | 0.470                | 1.10              | 9.8                  | 13.3                 | 1.14               | 1700                 | 21.5                 | 1.56               | 3.4                  | 27.4                 | 460                 |
| M357985            |                                   | 3.48               | 16.70                | 0.16                 | 1.3                  | 0.459                | 3.18              | 28.2                 | 11.0                 | 1.14               | 1520                 | 2.86                 | 0.05               | 5.9                  | 1.7                  | 540                 |
| M357986            |                                   | 2.98               | 15.55                | 0.16                 | 1.2                  | 0.391                | 3.31              | 26.8                 | 10.9                 | 0.93               | 1220                 | 0.43                 | 0.05               | 5.4                  | 1.7                  | 560                 |
| M357987            |                                   | 3.87               | 11.35                | 0.15                 | 0.8                  | 0.316                | 2.31              | 20.7                 | 18.4                 | 0.69               | 1120                 | 5.77                 | 0.03               | 3.3                  | 2.6                  | 390                 |
| M357988            |                                   | 3.37               | 16.45                | 0.16                 | 1.3                  | 0.413                | 3.39              | 29.0                 | 11.3                 | 0.94               | 1400                 | 7.86                 | 0.04               | 5.4                  | 1.9                  | 590                 |
| M357989            |                                   | 2.92               | 14.90                | 0.12                 | 1.2                  | 0.367                | 2.97              | 25.9                 | 10.0                 | 0.82               | 1220                 | 6.90                 | 0.04               | 4.7                  | 2.1                  | 510                 |
| M357990            |                                   | 3.63               | 16.85                | 0.15                 | 1.3                  | 0.212                | 2.70              | 20.1                 | 23.1                 | 0.83               | 928                  | 0.94                 | 1.16               | 7.0                  | 1.8                  | 600                 |
| M357991            |                                   | 3.38               | 16.75                | 0.16                 | 1.3                  | 0.107                | 2.41              | 21.1                 | 23.6                 | 0.83               | 719                  | 1.08                 | 1.57               | 7.9                  | 2.3                  | 590                 |
| M357992            |                                   | 3.13               | 18.05                | 0.16                 | 1.3                  | 0.114                | 2.21              | 22.8                 | 38.6                 | 0.79               | 793                  | 0.87                 | 0.23               | 7.8                  | 2.0                  | 620                 |
| M357993            |                                   | 3.14               | 13.00                | 0.14                 | 1.1                  | 0.147                | 2.16              | 23.6                 | 27.8                 | 2.11               | 1440                 | 1.32                 | 0.11               | 5.6                  | 0.8                  | 450                 |
| M357994            |                                   | 3.09               | 15.10                | 0.14                 | 1.1                  | 0.151                | 2.42              | 25.1                 | 28.1                 | 1.40               | 965                  | 2.80                 | 0.12               | 6.1                  | 1.8                  | 510                 |
| M357995            |                                   | 0.47               | 0.43                 | <0.05                | <0.1                 | 0.005                | 0.06              | 0.7                  | 2.2                  | 12.35              | 210                  | 0.11                 | 0.01               | 0.3                  | <0.2                 | 180                 |
| M357996            |                                   | 3.58               | 16.70                | 0.14                 | 1.3                  | 0.143                | 2.48              | 24.3                 | 39.9                 | 0.89               | 1120                 | 1.20                 | 0.20               | 7.8                  | 1.9                  | 590                 |
| M357997            |                                   | 3.00               | 17.00                | 0.13                 | 1.4                  | 0.064                | 2.45              | 19.0                 | 24.9                 | 0.79               | 695                  | 1.15                 | 1.28               | 8.4                  | 2.2                  | 620                 |
| M357998            |                                   | 3.32               | 16.85                | 0.15                 | 1.2                  | 0.157                | 2.33              | 19.9                 | 25.4                 | 0.71               | 790                  | 2.02                 | 1.04               | 8.1                  | 2.3                  | 620                 |
| M357999            |                                   | 3.31               | 17.20                | 0.15                 | 1.1                  | 0.223                | 2.72              | 23.1                 | 20.3                 | 1.06               | 1180                 | 0.69                 | 0.08               | 7.5                  | 1.9                  | 590                 |
| M358000            |                                   | 3.60               | 17.70                | 0.17                 | 1.2                  | 0.167                | 2.45              | 24.1                 | 18.7                 | 0.96               | 982                  | 1.96                 | 1.99               | 8.4                  | 2.7                  | 670                 |
| M356501            |                                   | 5.64               | 12.15                | 0.17                 | 1.6                  | 0.471                | 1.08              | 9.6                  | 12.6                 | 1.12               | 1660                 | 20.7                 | 1.54               | 3.4                  | 28.1                 | 460                 |
| M356502            |                                   | 2.99               | 17.25                | 0.15                 | 1.2                  | 0.068                | 2.49              | 23.8                 | 16.3                 | 0.83               | 627                  | 1.32                 | 2.03               | 8.4                  | 2.3                  | 620                 |
| M356503            |                                   | 4.33               | 16.35                | 0.18                 | 1.1                  | 0.799                | 2.53              | 25.3                 | 28.8                 | 0.90               | 1140                 | 1.97                 | 0.73               | 7.7                  | 2.4                  | 610                 |
| M356504            |                                   | 3.25               | 17.80                | 0.15                 | 1.5                  | 0.064                | 2.60              | 20.8                 | 16.9                 | 0.87               | 649                  | 1.52                 | 2.08               | 8.9                  | 2.3                  | 630                 |
| M356505            |                                   | 3.12               | 16.80                | 0.15                 | 1.6                  | 0.081                | 2.70              | 25.0                 | 18.3                 | 0.82               | 646                  | 1.12                 | 1.86               | 8.5                  | 2.0                  | 560                 |
| M356506            |                                   | 2.93               | 16.40                | 0.14                 | 1.5                  | 0.080                | 2.66              | 22.4                 | 15.9                 | 0.78               | 595                  | 1.08                 | 1.98               | 8.3                  | 1.9                  | 560                 |
| M356507            |                                   | 2.99               | 17.10                | 0.16                 | 1.2                  | 0.164                | 3.20              | 22.5                 | 35.9                 | 0.74               | 923                  | 8.11                 | 0.27               | 8.0                  | 2.0                  | 570                 |
| M356508            |                                   | 3.65               | 16.35                | 0.17                 | 1.3                  | 0.416                | 2.70              | 22.6                 | 21.8                 | 0.78               | 1000                 | 5.04                 | 0.76               | 6.8                  | 3.1                  | 550                 |
| M356509            |                                   | 3.14               | 17.15                | 0.16                 | 1.2                  | 0.153                | 2.05              | 25.9                 | 25.7                 | 0.94               | 818                  | 1.04                 | 1.77               | 7.9                  | 3.5                  | 620                 |
| M356510            |                                   | 3.04               | 17.05                | 0.17                 | 1.3                  | 0.089                | 2.33              | 22.6                 | 19.6                 | 0.83               | 691                  | 0.88                 | 1.83               | 8.1                  | 2.4                  | 580                 |
| M356511            |                                   | 3.80               | 15.50                | 0.17                 | 1.0                  | 0.443                | 2.99              | 29.1                 | 18.9                 | 0.90               | 1560                 | 3.97                 | 0.27               | 6.2                  | 2.7                  | 560                 |
| M356512            |                                   | 3.04               | 13.05                | 0.14                 | 0.9                  | 0.240                | 2.58              | 30.5                 | 14.9                 | 1.59               | 1000                 | 10.85                | 0.06               | 5.4                  | 2.1                  | 480                 |
| M356513            |                                   | 0.47               | 0.32                 | <0.05                | <0.1                 | 0.007                | 0.04              | 0.7                  | 1.2                  | 12.65              | 214                  | 0.23                 | 0.01               | 0.2                  | <0.2                 | 180                 |
| M356514            |                                   | 3.99               | 14.25                | 0.14                 | 0.9                  | 0.590                | 2.79              | 27.4                 | 14.6                 | 1.02               | 1200                 | 1.43                 | 0.16               | 4.8                  | 4.4                  | 540                 |
| M356515            |                                   | 2.97               | 15.90                | 0.12                 | 1.1                  | 0.223                | 2.30              | 21.8                 | 41.2                 | 0.81               | 1100                 | 2.16                 | 0.74               | 7.5                  | 1.9                  | 550                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 28-SEP-2012  
Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219211**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | U       |
|                    |                                   | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     |
|                    |                                   | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.2     | 0.005   | 0.1     |
| M357980            |                                   | 20.5    | 106.5   | <0.002  | 0.07    | 2.40    | 10.8    | 2       | 2.1     | 337     | 0.89    | <0.05   | 17.5    | 0.231   | 5.6     |
| M357981            |                                   | 32.4    | 101.5   | <0.002  | 0.23    | 3.24    | 13.3    | 2       | 2.0     | 392     | 0.68    | 0.05    | 12.9    | 0.272   | 4.2     |
| M357982            |                                   | 47.2    | 144.0   | <0.002  | 1.01    | 2.81    | 12.7    | 2       | 2.6     | 283     | 0.64    | 0.27    | 13.5    | 0.245   | 4.8     |
| M357983            |                                   | 130.0   | 240     | <0.002  | 3.08    | 3.64    | 11.7    | 2       | 4.4     | 56.7    | 0.55    | 1.99    | 15.2    | 0.202   | 4.6     |
| M357984            |                                   | 9940    | 30.8    | 0.011   | 2.27    | 448     | 13.4    | 4       | 2.1     | 190.5   | 0.24    | 1.15    | 2.5     | 0.235   | 1.6     |
| M357985            |                                   | 25.1    | 232     | <0.002  | 0.92    | 7.30    | 11.1    | 1       | 3.0     | 96.0    | 0.53    | 0.20    | 14.9    | 0.197   | 8.0     |
| M357986            |                                   | 12.1    | 267     | <0.002  | 0.64    | 5.23    | 11.0    | 2       | 2.5     | 90.5    | 0.43    | 0.11    | 12.7    | 0.172   | 4.9     |
| M357987            |                                   | 102.0   | 195.5   | <0.002  | 2.29    | 16.40   | 7.9     | 2       | 2.5     | 54.1    | 0.27    | 0.38    | 9.7     | 0.123   | 3.1     |
| M357988            |                                   | 107.5   | 275     | 0.002   | 0.95    | 9.94    | 11.6    | 2       | 2.9     | 94.9    | 0.46    | 0.16    | 15.9    | 0.192   | 5.5     |
| M357989            |                                   | 79.9    | 246     | <0.002  | 0.81    | 8.86    | 10.4    | 2       | 2.5     | 83.4    | 0.41    | 0.14    | 12.9    | 0.167   | 4.3     |
| M357990            |                                   | 21.3    | 129.5   | <0.002  | 0.42    | 5.74    | 12.1    | 2       | 2.7     | 265     | 0.57    | 0.12    | 11.2    | 0.234   | 4.2     |
| M357991            |                                   | 27.4    | 98.4    | <0.002  | 0.39    | 5.05    | 12.0    | 2       | 2.4     | 316     | 0.64    | 0.08    | 12.9    | 0.247   | 4.0     |
| M357992            |                                   | 20.7    | 80.9    | <0.002  | 0.33    | 10.75   | 12.3    | 2       | 2.3     | 144.0   | 0.71    | 0.17    | 13.5    | 0.238   | 4.3     |
| M357993            |                                   | 119.5   | 130.5   | <0.002  | 0.59    | 14.50   | 9.8     | 2       | 2.2     | 224     | 0.47    | 0.16    | 11.6    | 0.185   | 4.8     |
| M357994            |                                   | 47.3    | 141.5   | <0.002  | 0.75    | 20.8    | 11.0    | 2       | 2.3     | 167.0   | 0.50    | 0.11    | 12.5    | 0.198   | 4.5     |
| M357995            |                                   | 1.4     | 4.0     | <0.002  | <0.01   | 0.17    | 0.8     | 2       | <0.2    | 39.9    | <0.05   | <0.05   | <0.2    | 0.006   | 0.6     |
| M357996            |                                   | 182.5   | 110.0   | <0.002  | 0.34    | 10.55   | 11.9    | 2       | 2.8     | 156.5   | 0.68    | <0.05   | 13.0    | 0.256   | 3.4     |
| M357997            |                                   | 16.7    | 84.0    | <0.002  | 0.08    | 6.32    | 11.6    | 2       | 2.0     | 306     | 0.71    | <0.05   | 11.9    | 0.265   | 3.2     |
| M357998            |                                   | 45.0    | 98.4    | <0.002  | 0.35    | 7.64    | 12.3    | 2       | 2.5     | 233     | 0.66    | 0.05    | 12.4    | 0.265   | 3.3     |
| M357999            |                                   | 372     | 104.5   | <0.002  | 0.78    | 10.90   | 12.1    | 2       | 3.8     | 162.5   | 0.59    | 0.09    | 10.8    | 0.249   | 3.9     |
| M358000            |                                   | 47.7    | 103.0   | <0.002  | 0.35    | 3.46    | 13.6    | 2       | 2.6     | 368     | 0.67    | 0.06    | 11.9    | 0.276   | 3.6     |
| M356501            |                                   | 9860    | 30.8    | 0.010   | 2.26    | 451     | 13.1    | 4       | 2.1     | 189.0   | 0.22    | 1.00    | 2.4     | 0.236   | 1.6     |
| M356502            |                                   | 24.1    | 92.9    | <0.002  | 0.12    | 3.37    | 12.3    | 2       | 1.8     | 398     | 0.69    | <0.05   | 13.2    | 0.262   | 4.0     |
| M356503            |                                   | 1020    | 114.0   | <0.002  | 1.41    | 17.20   | 12.5    | 2       | 2.9     | 232     | 0.62    | 0.13    | 13.2    | 0.258   | 4.7     |
| M356504            |                                   | 29.8    | 88.7    | <0.002  | 0.08    | 2.21    | 12.1    | 2       | 2.1     | 410     | 0.79    | <0.05   | 12.0    | 0.275   | 5.3     |
| M356505            |                                   | 62.4    | 109.5   | <0.002  | 0.12    | 2.62    | 11.7    | 2       | 2.2     | 346     | 0.86    | <0.05   | 15.4    | 0.241   | 5.5     |
| M356506            |                                   | 26.8    | 100.5   | <0.002  | 0.08    | 2.38    | 11.0    | 2       | 2.0     | 358     | 0.81    | <0.05   | 13.8    | 0.237   | 4.9     |
| M356507            |                                   | 44.6    | 150.5   | <0.002  | 0.31    | 16.45   | 11.3    | 2       | 2.3     | 161.5   | 0.71    | 0.08    | 14.5    | 0.243   | 3.9     |
| M356508            |                                   | 20.5    | 151.5   | <0.002  | 1.02    | 11.25   | 11.3    | 2       | 2.6     | 161.0   | 0.66    | 0.39    | 14.7    | 0.209   | 4.3     |
| M356509            |                                   | 23.1    | 98.2    | <0.002  | 0.33    | 4.29    | 12.6    | 2       | 2.3     | 325     | 0.67    | 0.18    | 14.3    | 0.250   | 4.9     |
| M356510            |                                   | 31.1    | 96.3    | <0.002  | 0.34    | 4.41    | 11.7    | 2       | 2.1     | 376     | 0.69    | 0.12    | 13.9    | 0.244   | 4.2     |
| M356511            |                                   | 40.4    | 210     | <0.002  | 1.05    | 5.51    | 11.9    | 2       | 2.5     | 134.0   | 0.54    | 2.68    | 14.5    | 0.200   | 5.2     |
| M356512            |                                   | 36.9    | 178.5   | 0.002   | 1.12    | 5.39    | 10.6    | 2       | 2.6     | 153.5   | 0.47    | 0.77    | 13.1    | 0.172   | 5.4     |
| M356513            |                                   | 1.8     | 3.3     | <0.002  | 0.01    | 0.06    | 0.7     | 2       | <0.2    | 41.0    | <0.05   | <0.05   | <0.2    | <0.005  | 0.5     |
| M356514            |                                   | 37.1    | 168.5   | <0.002  | 1.59    | 6.97    | 10.0    | 2       | 2.4     | 123.5   | 0.42    | 0.41    | 12.2    | 0.158   | 5.0     |
| M356515            |                                   | 47.5    | 107.0   | <0.002  | 0.33    | 7.88    | 10.9    | 2       | 2.1     | 262     | 0.71    | 0.08    | 12.4    | 0.230   | 3.8     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-SEP-2012  
 Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219211**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 | Ag-OG62<br>Ag<br>ppm<br>1 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|
| M357980            |                                   | 66                       | 0.9                        | 17.3                       | 56                        | 47.2                        |                           |
| M357981            |                                   | 80                       | 2.0                        | 18.1                       | 64                        | 36.6                        |                           |
| M357982            |                                   | 75                       | 4.6                        | 15.9                       | 96                        | 34.2                        |                           |
| M357983            |                                   | 68                       | 8.9                        | 11.3                       | 162                       | 34.8                        |                           |
| M357984            |                                   | 82                       | 0.7                        | 15.0                       | 5000                      | 51.2                        | 102                       |
| M357985            |                                   | 70                       | 3.6                        | 13.8                       | 63                        | 32.3                        |                           |
| M357986            |                                   | 73                       | 6.0                        | 13.7                       | 39                        | 31.0                        |                           |
| M357987            |                                   | 57                       | 2.7                        | 8.8                        | 353                       | 19.9                        |                           |
| M357988            |                                   | 72                       | 4.5                        | 13.9                       | 163                       | 34.5                        |                           |
| M357989            |                                   | 62                       | 3.9                        | 12.4                       | 133                       | 30.0                        |                           |
| M357990            |                                   | 77                       | 2.4                        | 14.2                       | 87                        | 34.3                        |                           |
| M357991            |                                   | 76                       | 2.1                        | 15.3                       | 68                        | 32.7                        |                           |
| M357992            |                                   | 80                       | 3.1                        | 14.9                       | 88                        | 27.5                        |                           |
| M357993            |                                   | 57                       | 4.3                        | 14.3                       | 321                       | 28.3                        |                           |
| M357994            |                                   | 63                       | 3.1                        | 14.7                       | 129                       | 29.8                        |                           |
| M357995            |                                   | 4                        | 0.1                        | 1.0                        | 11                        | <0.5                        |                           |
| M357996            |                                   | 75                       | 4.7                        | 15.3                       | 277                       | 29.6                        |                           |
| M357997            |                                   | 78                       | 2.5                        | 15.7                       | 52                        | 33.6                        |                           |
| M357998            |                                   | 77                       | 3.0                        | 14.6                       | 146                       | 28.5                        |                           |
| M357999            |                                   | 78                       | 3.7                        | 16.1                       | 1920                      | 25.8                        |                           |
| M358000            |                                   | 84                       | 2.1                        | 18.5                       | 152                       | 26.0                        |                           |
| M356501            |                                   | 80                       | 0.6                        | 15.0                       | 5040                      | 52.9                        | 102                       |
| M356502            |                                   | 77                       | 1.7                        | 17.1                       | 62                        | 29.1                        |                           |
| M356503            |                                   | 74                       | 3.0                        | 16.9                       | 1590                      | 26.4                        |                           |
| M356504            |                                   | 80                       | 1.7                        | 16.9                       | 75                        | 32.0                        |                           |
| M356505            |                                   | 70                       | 1.9                        | 17.2                       | 119                       | 34.0                        |                           |
| M356506            |                                   | 70                       | 1.4                        | 16.5                       | 63                        | 31.9                        |                           |
| M356507            |                                   | 71                       | 3.0                        | 15.3                       | 158                       | 28.0                        |                           |
| M356508            |                                   | 70                       | 2.8                        | 13.6                       | 92                        | 28.9                        |                           |
| M356509            |                                   | 79                       | 1.8                        | 16.4                       | 83                        | 27.1                        |                           |
| M356510            |                                   | 73                       | 1.5                        | 14.9                       | 108                       | 28.3                        |                           |
| M356511            |                                   | 75                       | 3.7                        | 12.0                       | 233                       | 22.8                        |                           |
| M356512            |                                   | 58                       | 2.9                        | 12.6                       | 81                        | 19.5                        |                           |
| M356513            |                                   | 4                        | 0.1                        | 0.9                        | 11                        | <0.5                        |                           |
| M356514            |                                   | 58                       | 3.3                        | 13.2                       | 104                       | 22.0                        |                           |
| M356515            |                                   | 68                       | 3.0                        | 14.3                       | 145                       | 24.3                        |                           |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-129

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 28-SEP-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12219211**

| Method             | CERTIFICATE COMMENTS   |
|--------------------|--|
| ME-MS61<br>ME-MS61 | REE's may not be totally soluble in this method.<br>Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL) |