



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 1-OCT-2012  
Account: ROCKHA

**CERTIFICATE WH12219213**

Project: Klaza-129

P.O. No.: Batch 6

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| LOG-22d  | Sample login - Rcd w/o BarCode dup |
| LOG-22   | Sample login - Rcd w/o BarCode     |
| SPL-21d  | Split sample - duplicate           |
| PUL-31d  | Pulverize Split - duplicate        |
| LOG-24   | Pulp Login - Rcd w/o Barcode       |
| PUL-QC   | Pulverizing QC Test                |
| CRU-31   | Fine crushing - 70% <2mm           |
| SPL-21   | Split sample - riffle splitter     |
| PUL-31   | Pulverize split to 85% <75 um      |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                    | INSTRUMENT |
|----------|--------------------------------|------------|
| Aq-OG62  | Ore Grade Ag - Four Acid       | VARIABLE   |
| ME-OG62  | Ore Grade Elements - Four Acid | ICP-AES    |
| Zn-OG62  | Ore Grade Zn - Four Acid       | VARIABLE   |
| Au-AA24  | Au 50g FA AA finish            | AAS        |
| ME-MS61  | 48 element four acid ICP-MS    |            |

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2012  
Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219213**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA24<br>Au<br>ppm | ME-MS61<br>Ag<br>ppm | ME-MS61<br>Al<br>% | ME-MS61<br>As<br>ppm | ME-MS61<br>Ba<br>ppm | ME-MS61<br>Be<br>ppm | ME-MS61<br>Bi<br>ppm | ME-MS61<br>Ca<br>% | ME-MS61<br>Cd<br>ppm | ME-MS61<br>Ce<br>ppm | ME-MS61<br>Co<br>ppm | ME-MS61<br>Cr<br>ppm | ME-MS61<br>Cs<br>ppm | ME-MS61<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.2                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.02                 | 0.01                 | 0.1                  | 1                    | 0.05                 | 0.2                  |
| M356552            |                                   | 3.35                      | 0.151                | 3.23                 | 6.92               | 654                  | 1860                 | 1.48                 | 0.81                 | 3.23               | 27.5                 | 42.1                 | 11.0                 | 13                   | 7.14                 | 34.9                 |
| M356553            |                                   | 7.85                      | 0.141                | 1.16                 | 6.97               | 530                  | 1640                 | 1.46                 | 0.78                 | 2.69               | 2.54                 | 36.8                 | 8.2                  | 15                   | 6.21                 | 12.5                 |
| M356554            |                                   | 6.94                      | 0.413                | 6.06                 | 6.92               | 1380                 | 1470                 | 1.53                 | 0.78                 | 2.86               | 9.67                 | 43.6                 | 7.8                  | 13                   | 6.30                 | 11.2                 |
| M356555            |                                   | 0.26                      | 2.24                 | 24.4                 | 5.55               | 3270                 | 1710                 | 1.31                 | 18.65                | 2.07               | 74.1                 | 47.8                 | 11.1                 | 17                   | 16.05                | 426                  |
| M356556            |                                   | 7.32                      | 0.019                | 0.55                 | 7.07               | 45.7                 | 1560                 | 1.69                 | 0.78                 | 3.28               | 0.75                 | 35.5                 | 6.7                  | 14                   | 7.46                 | 2.4                  |
| M356557            |                                   | 3.18                      | 0.027                | 1.54                 | 7.10               | 70.7                 | 1810                 | 1.83                 | 1.56                 | 2.97               | 1.72                 | 41.4                 | 8.2                  | 30                   | 9.44                 | 43.6                 |
| M356558            |                                   | 2.13                      | 1.680                | 8.42                 | 6.12               | 1030                 | 1050                 | 1.10                 | 5.31                 | 2.57               | 82.5                 | 46.6                 | 23.5                 | 6                    | 9.71                 | 166.0                |
| M356559            |                                   | 2.92                      | <0.005               | 0.02                 | 0.05               | 8                    | 20                   | <0.05                | 0.02                 | 19.50              | 0.14                 | 1.18                 | 1.4                  | <1                   | 0.11                 | 2.5                  |
| M356560            |                                   | 3.73                      | 0.011                | 0.46                 | 7.39               | 21.4                 | 1980                 | 1.42                 | 0.47                 | 2.07               | 0.43                 | 46.7                 | 6.5                  | 11                   | 12.55                | 15.6                 |
| M356561            |                                   | 5.51                      | 0.015                | 1.09                 | 7.00               | 45.8                 | 2720                 | 1.41                 | 1.40                 | 2.76               | 0.96                 | 44.1                 | 7.6                  | 11                   | 12.40                | 70.3                 |
| M356562            |                                   | 3.09                      | 0.049                | 4.86                 | 7.64               | 227                  | 2630                 | 1.51                 | 4.27                 | 2.94               | 12.65                | 58.5                 | 13.9                 | 12                   | 13.45                | 479                  |
| M356563            |                                   | 6.69                      | 0.025                | 3.66                 | 6.77               | 103.5                | 2280                 | 1.35                 | 4.24                 | 2.28               | 3.57                 | 51.0                 | 9.9                  | 11                   | 11.15                | 223                  |
| M356564            |                                   | 0.26                      | 4.57                 | >100                 | 5.29               | 7730                 | 1330                 | 1.20                 | 60.2                 | 1.86               | 219                  | 37.5                 | 9.7                  | 18                   | 12.80                | 1260                 |
| M356565            |                                   | 7.74                      | 0.041                | 2.18                 | 7.13               | 117.5                | 2560                 | 1.18                 | 1.31                 | 2.41               | 1.77                 | 52.6                 | 6.0                  | 11                   | 12.15                | 181.0                |
| M356566            |                                   | 3.79                      | 0.045                | 2.90                 | 7.38               | 151.5                | 1900                 | 1.43                 | 2.34                 | 2.39               | 2.24                 | 52.8                 | 11.9                 | 11                   | 12.20                | 359                  |
| M356567            |                                   | 2.45                      | 1.850                | 13.40                | 5.73               | 561                  | 650                  | 1.12                 | 9.75                 | 3.55               | 145.5                | 47.0                 | 6.0                  | 7                    | 9.04                 | 145.5                |
| M356568            |                                   | 3.40                      | <0.005               | 0.03                 | 0.08               | <5                   | 20                   | 0.05                 | 0.03                 | 20.2               | 0.19                 | 1.32                 | 1.3                  | <1                   | 0.69                 | 2.1                  |
| M356569            |                                   | 6.45                      | 0.011                | 0.27                 | 7.80               | 30.9                 | 1410                 | 1.78                 | 0.21                 | 2.49               | 0.44                 | 65.1                 | 6.0                  | 19                   | 21.1                 | 8.8                  |
| M356570            |                                   | 5.18                      | <0.005               | 0.32                 | 7.54               | 16.3                 | 1490                 | 1.92                 | 0.15                 | 2.06               | 0.40                 | 70.4                 | 6.5                  | 27                   | 27.1                 | 11.3                 |
| M356571            |                                   | 4.41                      | <0.005               | 0.20                 | 7.64               | 28.4                 | 1700                 | 1.89                 | 0.16                 | 2.22               | 0.24                 | 75.1                 | 7.2                  | 30                   | 20.2                 | 10.7                 |
| M356572            |                                   | 2.58                      | 0.373                | 1.90                 | 7.16               | 141.0                | 1250                 | 1.78                 | 1.09                 | 2.31               | 5.43                 | 59.2                 | 8.8                  | 17                   | 22.1                 | 22.9                 |
| M356573            |                                   | 3.45                      | 0.088                | 2.34                 | 7.26               | 69.8                 | 2080                 | 1.54                 | 1.04                 | 2.25               | 13.25                | 48.2                 | 10.4                 | 13                   | 11.70                | 30.0                 |
| M356574            |                                   | <0.02                     | 0.111                | 2.52                 | 7.11               | 70.8                 | 2020                 | 1.48                 | 1.02                 | 2.20               | 13.95                | 46.4                 | 9.6                  | 11                   | 11.05                | 30.9                 |
| M356575            |                                   | 4.00                      | 0.006                | 0.22                 | 7.37               | 12.0                 | 2190                 | 1.43                 | 0.40                 | 2.72               | 0.30                 | 43.6                 | 6.5                  | 13                   | 6.54                 | 7.2                  |
| M356576            |                                   | 2.79                      | 1.820                | 7.33                 | 7.42               | 2570                 | 1410                 | 1.46                 | 2.92                 | 2.53               | 6.49                 | 49.8                 | 15.1                 | 12                   | 8.14                 | 28.6                 |
| M356577            |                                   | 7.40                      | 0.032                | 0.78                 | 7.26               | 43.9                 | 2260                 | 1.49                 | 0.79                 | 2.78               | 1.43                 | 44.9                 | 8.2                  | 16                   | 6.56                 | 18.6                 |
| M356578            |                                   | 3.96                      | 0.010                | 0.21                 | 6.98               | 18.0                 | 2220                 | 1.30                 | 0.48                 | 2.61               | 0.23                 | 42.1                 | 7.9                  | 13                   | 5.55                 | 4.9                  |
| M356579            |                                   | 1.62                      | 0.007                | 0.19                 | 7.50               | 13.1                 | 2330                 | 1.43                 | 0.53                 | 2.64               | 0.18                 | 46.2                 | 9.6                  | 14                   | 5.74                 | 4.6                  |
| M356580            |                                   | 3.69                      | 0.008                | 0.13                 | 7.21               | 12.0                 | 2260                 | 1.67                 | 0.27                 | 2.68               | 0.29                 | 46.0                 | 9.4                  | 12                   | 5.87                 | 7.3                  |
| M356581            |                                   | 7.43                      | <0.005               | 0.15                 | 7.00               | 10.8                 | 2220                 | 1.48                 | 0.31                 | 2.57               | 0.19                 | 45.5                 | 8.1                  | 15                   | 5.27                 | 6.1                  |
| M356582            |                                   | 7.11                      | 0.009                | 0.24                 | 7.19               | 9.8                  | 2150                 | 1.58                 | 0.51                 | 2.64               | 0.54                 | 46.1                 | 7.7                  | 13                   | 7.04                 | 16.2                 |
| M356583            |                                   | 2.03                      | 0.018                | 0.68                 | 6.95               | 73.7                 | 1850                 | 1.40                 | 0.45                 | 2.36               | 2.34                 | 37.0                 | 6.8                  | 11                   | 10.40                | 11.6                 |
| M356584            |                                   | 3.29                      | 2.76                 | 38.5                 | 6.51               | 3110                 | 610                  | 1.28                 | 9.81                 | 1.65               | 303                  | 33.7                 | 27.5                 | 9                    | 10.20                | 1160                 |
| M356585            |                                   | 3.14                      | 0.007                | 0.58                 | 7.07               | 12.3                 | 2140                 | 1.43                 | 0.41                 | 2.59               | 0.59                 | 45.0                 | 8.0                  | 13                   | 5.88                 | 56.4                 |
| M356586            |                                   | 7.76                      | 0.013                | 0.75                 | 7.35               | 16.8                 | 2320                 | 1.45                 | 0.57                 | 2.66               | 0.93                 | 43.9                 | 8.1                  | 13                   | 6.56                 | 59.3                 |
| M356587            |                                   | 2.55                      | 0.037                | 1.69                 | 7.11               | 31.5                 | 1860                 | 1.39                 | 0.71                 | 2.87               | 9.49                 | 47.6                 | 10.2                 | 12                   | 10.10                | 23.6                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2012  
Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219213**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Fe<br>% | ME-MS61<br>Ga<br>ppm | ME-MS61<br>Ge<br>ppm | ME-MS61<br>Hf<br>ppm | ME-MS61<br>In<br>ppm | ME-MS61<br>K<br>% | ME-MS61<br>La<br>ppm | ME-MS61<br>Li<br>ppm | ME-MS61<br>Mg<br>% | ME-MS61<br>Mn<br>ppm | ME-MS61<br>Mo<br>ppm | ME-MS61<br>Na<br>% | ME-MS61<br>Nb<br>ppm | ME-MS61<br>Ni<br>ppm | ME-MS61<br>P<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|
|                    |                                   | 0.01               | 0.05                 | 0.05                 | 0.1                  | 0.005                | 0.01              | 0.5                  | 0.2                  | 0.01               | 5                    | 0.05                 | 0.01               | 0.1                  | 0.2                  | 10                  |
| M356552            |                                   | 3.45               | 19.00                | 0.22                 | 1.3                  | 0.639                | 3.35              | 22.4                 | 8.3                  | 1.01               | 3090                 | 1.70                 | 0.04               | 10.7                 | 4.5                  | 560                 |
| M356553            |                                   | 3.36               | 18.95                | 0.23                 | 1.0                  | 0.705                | 3.36              | 18.8                 | 30.1                 | 0.85               | 2620                 | 1.52                 | 0.04               | 10.6                 | 4.3                  | 570                 |
| M356554            |                                   | 3.57               | 18.15                | 0.24                 | 1.2                  | 0.522                | 3.42              | 23.9                 | 21.5                 | 0.88               | 2780                 | 1.38                 | 0.04               | 10.1                 | 4.1                  | 580                 |
| M356555            |                                   | 6.34               | 15.60                | 0.23                 | 0.8                  | 1.785                | 2.52              | 26.9                 | 23.5                 | 0.84               | 1860                 | 13.50                | 0.03               | 6.3                  | 15.7                 | 420                 |
| M356556            |                                   | 2.88               | 18.20                | 0.24                 | 1.4                  | 0.382                | 3.44              | 17.6                 | 47.1                 | 0.83               | 1650                 | 1.64                 | 0.04               | 10.6                 | 4.4                  | 600                 |
| M356557            |                                   | 4.16               | 17.60                | 0.23                 | 1.5                  | 0.589                | 3.23              | 21.3                 | 44.8                 | 1.14               | 2370                 | 2.31                 | 0.05               | 10.4                 | 7.6                  | 810                 |
| M356558            |                                   | 7.11               | 16.05                | 0.27                 | 0.9                  | 1.590                | 2.71              | 25.0                 | 8.8                  | 0.84               | 7190                 | 3.02                 | 0.04               | 6.8                  | 3.5                  | 480                 |
| M356559            |                                   | 0.48               | 0.30                 | 0.35                 | <0.1                 | <0.005               | 0.02              | 0.6                  | 0.8                  | 11.65              | 199                  | 0.11                 | <0.01              | 0.3                  | 2.7                  | 170                 |
| M356560            |                                   | 3.88               | 18.35                | 0.24                 | 1.1                  | 0.131                | 2.42              | 23.2                 | 52.3                 | 0.95               | 842                  | 1.40                 | 0.46               | 9.1                  | 3.6                  | 650                 |
| M356561            |                                   | 3.48               | 18.00                | 0.24                 | 1.1                  | 0.189                | 2.71              | 21.6                 | 27.0                 | 0.79               | 880                  | 0.94                 | 1.19               | 8.3                  | 3.1                  | 590                 |
| M356562            |                                   | 5.24               | 17.80                | 0.28                 | 1.0                  | 0.702                | 3.15              | 32.6                 | 16.5                 | 1.21               | 1420                 | 11.05                | 0.31               | 6.8                  | 4.1                  | 590                 |
| M356563            |                                   | 4.27               | 16.60                | 0.25                 | 0.9                  | 0.480                | 2.98              | 28.3                 | 44.5                 | 0.98               | 1410                 | 1.29                 | 0.05               | 6.0                  | 5.8                  | 530                 |
| M356564            |                                   | 7.84               | 14.50                | 0.26                 | 1.0                  | 4.97                 | 2.22              | 19.7                 | 33.1                 | 0.60               | 3110                 | 16.55                | 0.08               | 6.2                  | 14.4                 | 430                 |
| M356565            |                                   | 4.16               | 17.15                | 0.22                 | 0.8                  | 0.385                | 3.32              | 29.3                 | 26.3                 | 1.01               | 1910                 | 0.99                 | 0.04               | 6.4                  | 2.8                  | 560                 |
| M356566            |                                   | 3.91               | 17.85                | 0.25                 | 0.8                  | 0.454                | 3.20              | 28.9                 | 42.9                 | 0.93               | 1340                 | 0.87                 | 0.12               | 6.5                  | 4.0                  | 580                 |
| M356567            |                                   | 6.99               | 15.15                | 0.25                 | 0.8                  | 11.90                | 2.69              | 26.2                 | 10.6                 | 1.17               | 8160                 | 4.41                 | 0.03               | 5.7                  | 3.2                  | 470                 |
| M356568            |                                   | 0.47               | 0.39                 | 0.33                 | <0.1                 | 0.017                | 0.04              | 0.7                  | 1.1                  | 11.90              | 222                  | 0.10                 | <0.01              | 0.4                  | 2.5                  | 170                 |
| M356569            |                                   | 2.54               | 21.6                 | 0.27                 | 3.0                  | 0.048                | 2.87              | 33.3                 | 34.4                 | 1.01               | 1150                 | 1.43                 | 0.09               | 11.5                 | 10.8                 | 930                 |
| M356570            |                                   | 2.25               | 21.5                 | 0.28                 | 3.4                  | 0.052                | 2.84              | 37.3                 | 23.4                 | 0.90               | 559                  | 0.41                 | 0.08               | 11.9                 | 15.1                 | 940                 |
| M356571            |                                   | 2.50               | 22.0                 | 0.30                 | 3.8                  | 0.031                | 2.88              | 40.9                 | 35.4                 | 0.95               | 677                  | 0.93                 | 0.09               | 12.2                 | 17.7                 | 980                 |
| M356572            |                                   | 3.50               | 18.70                | 0.25                 | 2.0                  | 0.155                | 2.86              | 33.3                 | 25.5                 | 0.99               | 5360                 | 5.62                 | 0.05               | 8.9                  | 9.7                  | 700                 |
| M356573            |                                   | 3.69               | 18.15                | 0.24                 | 0.9                  | 0.230                | 3.03              | 24.7                 | 37.9                 | 0.86               | 1040                 | 3.50                 | 0.94               | 8.5                  | 3.1                  | 590                 |
| M356574            |                                   | 3.61               | 17.65                | 0.25                 | 0.9                  | 0.228                | 2.95              | 23.8                 | 34.1                 | 0.84               | 1020                 | 3.07                 | 0.93               | 8.2                  | 2.9                  | 580                 |
| M356575            |                                   | 3.42               | 18.00                | 0.22                 | 0.9                  | 0.082                | 2.52              | 21.6                 | 17.1                 | 0.89               | 695                  | 2.07                 | 2.05               | 8.8                  | 2.9                  | 640                 |
| M356576            |                                   | 4.72               | 19.45                | 0.25                 | 0.9                  | 0.208                | 2.93              | 25.6                 | 24.7                 | 0.84               | 808                  | 0.90                 | 1.58               | 8.8                  | 3.2                  | 610                 |
| M356577            |                                   | 3.48               | 18.70                | 0.24                 | 0.9                  | 0.103                | 2.68              | 21.7                 | 22.0                 | 0.93               | 803                  | 0.79                 | 1.97               | 9.1                  | 3.2                  | 660                 |
| M356578            |                                   | 3.22               | 17.55                | 0.24                 | 0.8                  | 0.091                | 2.35              | 20.4                 | 12.3                 | 0.89               | 810                  | 0.84                 | 2.15               | 8.4                  | 3.1                  | 630                 |
| M356579            |                                   | 3.42               | 18.25                | 0.26                 | 0.9                  | 0.083                | 2.42              | 22.9                 | 12.8                 | 0.96               | 806                  | 0.80                 | 2.28               | 8.7                  | 3.4                  | 650                 |
| M356580            |                                   | 3.21               | 18.30                | 0.25                 | 1.1                  | 0.074                | 2.38              | 21.9                 | 11.9                 | 0.93               | 705                  | 1.09                 | 2.24               | 9.7                  | 3.0                  | 640                 |
| M356581            |                                   | 3.01               | 18.30                | 0.24                 | 1.1                  | 0.107                | 2.56              | 22.0                 | 12.2                 | 0.88               | 746                  | 1.06                 | 2.17               | 9.2                  | 3.0                  | 590                 |
| M356582            |                                   | 3.09               | 17.45                | 0.25                 | 1.0                  | 0.061                | 2.54              | 23.2                 | 14.3                 | 0.87               | 664                  | 1.19                 | 1.89               | 8.6                  | 3.0                  | 600                 |
| M356583            |                                   | 2.84               | 16.65                | 0.22                 | 1.0                  | 0.079                | 2.84              | 18.3                 | 28.7                 | 0.67               | 774                  | 0.90                 | 1.38               | 8.1                  | 2.6                  | 560                 |
| M356584            |                                   | 9.56               | 16.75                | 0.29                 | 0.9                  | 4.82                 | 3.05              | 17.1                 | 8.1                  | 0.68               | 2680                 | 1.04                 | 0.07               | 6.9                  | 2.6                  | 480                 |
| M356585            |                                   | 3.03               | 17.00                | 0.24                 | 1.0                  | 0.086                | 2.54              | 22.3                 | 13.8                 | 0.79               | 618                  | 0.96                 | 2.01               | 8.3                  | 3.0                  | 570                 |
| M356586            |                                   | 3.33               | 18.50                | 0.26                 | 1.0                  | 0.104                | 2.63              | 21.5                 | 13.8                 | 0.89               | 763                  | 1.72                 | 2.08               | 9.0                  | 3.2                  | 630                 |
| M356587            |                                   | 3.73               | 18.45                | 0.24                 | 1.0                  | 0.261                | 2.58              | 24.2                 | 22.0                 | 0.85               | 928                  | 1.27                 | 1.21               | 9.1                  | 3.2                  | 630                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2012  
Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219213**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | U       |
|                    |                                   | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     |
|                    |                                   | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.2     | 0.005   | 0.1     |
| M356552            |                                   | 543     | 238     | <0.002  | 1.42    | 6.12    | 7.3     | 1       | 1.9     | 89.7    | 0.79    | 0.08    | 10.0    | 0.196   | 3.5     |
| M356553            |                                   | 119.5   | 234     | <0.002  | 1.08    | 4.58    | 7.3     | 1       | 2.1     | 97.1    | 0.76    | 0.09    | 9.2     | 0.200   | 4.1     |
| M356554            |                                   | 3070    | 259     | <0.002  | 1.46    | 9.96    | 7.9     | 1       | 2.2     | 86.6    | 0.72    | 0.10    | 10.1    | 0.203   | 4.4     |
| M356555            |                                   | 2650    | 169.0   | 0.002   | 4.53    | 88.2    | 8.9     | 2       | 8.0     | 97.4    | 0.48    | 0.39    | 11.0    | 0.176   | 5.4     |
| M356556            |                                   | 52.5    | 198.0   | <0.002  | 0.46    | 3.86    | 7.4     | 1       | 1.4     | 133.0   | 0.75    | 0.06    | 8.6     | 0.208   | 4.2     |
| M356557            |                                   | 64.5    | 200     | <0.002  | 0.65    | 9.83    | 11.3    | 1       | 1.9     | 138.0   | 0.72    | 0.09    | 9.2     | 0.238   | 4.2     |
| M356558            |                                   | 441     | 167.5   | <0.002  | 5.37    | 10.60   | 10.0    | 2       | 5.6     | 91.9    | 0.59    | 0.32    | 12.0    | 0.203   | 4.4     |
| M356559            |                                   | 1.7     | 1.3     | <0.002  | 0.06    | 0.05    | 0.2     | 1       | <0.2    | 48.5    | <0.05   | <0.05   | <0.2    | <0.005  | 0.5     |
| M356560            |                                   | 32.0    | 95.8    | <0.002  | 0.15    | 5.54    | 14.2    | 1       | 1.9     | 190.5   | 0.70    | <0.05   | 11.8    | 0.280   | 4.6     |
| M356561            |                                   | 47.1    | 96.1    | <0.002  | 0.39    | 9.11    | 12.5    | 1       | 1.9     | 288     | 0.67    | 0.10    | 11.1    | 0.247   | 4.1     |
| M356562            |                                   | 230     | 154.0   | 0.002   | 1.45    | 27.3    | 14.4    | 2       | 2.7     | 199.5   | 0.54    | 0.40    | 14.7    | 0.213   | 5.6     |
| M356563            |                                   | 216     | 159.5   | <0.002  | 0.85    | 15.20   | 12.4    | 1       | 2.3     | 190.5   | 0.48    | 0.25    | 12.9    | 0.188   | 4.5     |
| M356564            |                                   | 9240    | 145.0   | 0.002   | 6.92    | 213     | 8.5     | 2       | 8.9     | 132.0   | 0.45    | 0.48    | 9.0     | 0.181   | 5.5     |
| M356565            |                                   | 98.7    | 173.0   | <0.002  | 0.75    | 13.65   | 12.8    | 1       | 2.7     | 206     | 0.47    | 0.16    | 12.0    | 0.218   | 3.6     |
| M356566            |                                   | 86.6    | 176.5   | <0.002  | 0.82    | 27.3    | 13.4    | 1       | 2.1     | 231     | 0.51    | 0.29    | 12.9    | 0.214   | 4.0     |
| M356567            |                                   | 2210    | 186.0   | <0.002  | 5.66    | 16.35   | 9.2     | 2       | 7.8     | 107.0   | 0.44    | 0.43    | 10.1    | 0.182   | 3.3     |
| M356568            |                                   | 3.7     | 3.7     | <0.002  | <0.01   | 0.14    | 0.3     | 1       | <0.2    | 46.8    | <0.05   | <0.05   | <0.2    | <0.005  | 0.6     |
| M356569            |                                   | 18.1    | 97.1    | <0.002  | 0.16    | 11.95   | 6.5     | 1       | 1.7     | 231     | 0.77    | <0.05   | 10.1    | 0.298   | 7.0     |
| M356570            |                                   | 20.6    | 112.0   | <0.002  | 0.05    | 12.30   | 6.9     | 1       | 1.7     | 250     | 0.80    | <0.05   | 12.0    | 0.268   | 5.0     |
| M356571            |                                   | 19.7    | 120.0   | <0.002  | 0.11    | 14.35   | 7.4     | 1       | 1.7     | 234     | 0.80    | <0.05   | 12.8    | 0.283   | 5.0     |
| M356572            |                                   | 224     | 160.5   | <0.002  | 1.10    | 11.25   | 10.1    | 1       | 3.0     | 180.0   | 0.63    | 0.06    | 12.0    | 0.251   | 6.7     |
| M356573            |                                   | 600     | 136.5   | <0.002  | 0.81    | 8.05    | 12.8    | 1       | 3.8     | 332     | 0.66    | 0.11    | 12.1    | 0.259   | 4.6     |
| M356574            |                                   | 660     | 135.0   | <0.002  | 0.81    | 7.63    | 12.4    | 1       | 3.8     | 326     | 0.64    | 0.10    | 12.2    | 0.252   | 4.6     |
| M356575            |                                   | 25.8    | 92.8    | <0.002  | 0.15    | 2.84    | 13.3    | 1       | 1.8     | 390     | 0.64    | <0.05   | 11.3    | 0.282   | 3.7     |
| M356576            |                                   | 1925    | 147.0   | <0.002  | 2.10    | 10.60   | 13.6    | 1       | 7.6     | 313     | 0.66    | 0.21    | 12.1    | 0.262   | 4.1     |
| M356577            |                                   | 77.7    | 99.9    | <0.002  | 0.28    | 4.46    | 14.0    | 1       | 2.3     | 368     | 0.67    | 0.06    | 10.8    | 0.286   | 3.7     |
| M356578            |                                   | 26.1    | 84.1    | <0.002  | 0.30    | 1.94    | 12.7    | 1       | 1.7     | 381     | 0.61    | 0.07    | 10.1    | 0.269   | 3.6     |
| M356579            |                                   | 20.8    | 93.9    | <0.002  | 0.29    | 1.88    | 14.0    | 1       | 1.8     | 400     | 0.63    | 0.08    | 11.5    | 0.279   | 4.1     |
| M356580            |                                   | 23.1    | 88.3    | <0.002  | 0.12    | 1.67    | 13.5    | 1       | 1.9     | 413     | 0.90    | <0.05   | 11.4    | 0.275   | 4.5     |
| M356581            |                                   | 30.7    | 99.8    | <0.002  | 0.10    | 1.61    | 13.3    | 1       | 1.8     | 370     | 0.69    | <0.05   | 11.8    | 0.262   | 4.3     |
| M356582            |                                   | 40.0    | 103.0   | <0.002  | 0.13    | 1.66    | 13.4    | 1       | 2.0     | 375     | 0.64    | <0.05   | 12.3    | 0.263   | 3.9     |
| M356583            |                                   | 212     | 110.5   | <0.002  | 0.35    | 2.43    | 12.1    | 1       | 2.1     | 300     | 0.63    | 0.05    | 10.5    | 0.247   | 4.1     |
| M356584            |                                   | 4040    | 199.5   | <0.002  | 9.04    | 22.5    | 10.7    | 4       | 15.6    | 71.2    | 0.53    | 1.55    | 9.7     | 0.216   | 4.1     |
| M356585            |                                   | 26.4    | 95.8    | <0.002  | 0.18    | 1.28    | 12.5    | 1       | 1.9     | 374     | 0.64    | <0.05   | 12.3    | 0.255   | 4.0     |
| M356586            |                                   | 41.6    | 99.6    | <0.002  | 0.17    | 1.57    | 13.7    | 1       | 2.2     | 379     | 0.66    | 0.07    | 11.4    | 0.275   | 3.9     |
| M356587            |                                   | 456     | 103.0   | <0.002  | 0.85    | 3.25    | 13.7    | 1       | 2.9     | 285     | 0.72    | 0.25    | 11.9    | 0.270   | 4.5     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-OCT-2012  
 Account: ROCKHA

Project: Klaza-129

**CERTIFICATE OF ANALYSIS WH12219213**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 | Ag-OG62<br>Ag<br>ppm<br>1 | Zn-OG62<br>Zn<br>%<br>0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|
| M356552            |                                   | 49                       | 2.8                        | 11.5                       | 1800                      | 39.7                        |                           |                             |
| M356553            |                                   | 51                       | 3.1                        | 10.5                       | 194                       | 32.6                        |                           |                             |
| M356554            |                                   | 52                       | 3.0                        | 11.3                       | 676                       | 36.9                        |                           |                             |
| M356555            |                                   | 53                       | 5.3                        | 9.8                        | 5100                      | 22.9                        |                           |                             |
| M356556            |                                   | 54                       | 1.9                        | 10.3                       | 97                        | 43.9                        |                           |                             |
| M356557            |                                   | 72                       | 2.8                        | 12.2                       | 200                       | 50.7                        |                           |                             |
| M356558            |                                   | 58                       | 4.5                        | 10.4                       | 6070                      | 21.2                        |                           |                             |
| M356559            |                                   | 2                        | 0.1                        | 0.7                        | 19                        | <0.5                        |                           |                             |
| M356560            |                                   | 84                       | 2.5                        | 14.3                       | 82                        | 28.2                        |                           |                             |
| M356561            |                                   | 71                       | 2.5                        | 14.8                       | 136                       | 27.7                        |                           |                             |
| M356562            |                                   | 72                       | 3.6                        | 15.3                       | 1510                      | 25.3                        |                           |                             |
| M356563            |                                   | 66                       | 3.5                        | 12.8                       | 421                       | 21.9                        |                           |                             |
| M356564            |                                   | 51                       | 4.7                        | 9.4                        | >10000                    | 29.7                        | 119                       | 1.615                       |
| M356565            |                                   | 73                       | 4.7                        | 12.4                       | 239                       | 20.7                        |                           |                             |
| M356566            |                                   | 75                       | 3.5                        | 13.1                       | 294                       | 22.0                        |                           |                             |
| M356567            |                                   | 57                       | 6.5                        | 8.8                        | >10000                    | 22.4                        |                           | 1.125                       |
| M356568            |                                   | 2                        | 0.1                        | 0.8                        | 25                        | 0.6                         |                           |                             |
| M356569            |                                   | 49                       | 1.8                        | 12.0                       | 78                        | 114.5                       |                           |                             |
| M356570            |                                   | 50                       | 2.9                        | 11.6                       | 83                        | 131.5                       |                           |                             |
| M356571            |                                   | 56                       | 2.7                        | 12.6                       | 71                        | 150.5                       |                           |                             |
| M356572            |                                   | 62                       | 3.9                        | 13.0                       | 511                       | 72.9                        |                           |                             |
| M356573            |                                   | 72                       | 2.2                        | 13.6                       | 749                       | 22.8                        |                           |                             |
| M356574            |                                   | 70                       | 2.2                        | 13.1                       | 798                       | 21.4                        |                           |                             |
| M356575            |                                   | 79                       | 1.5                        | 15.1                       | 62                        | 21.7                        |                           |                             |
| M356576            |                                   | 73                       | 2.5                        | 15.0                       | 389                       | 23.1                        |                           |                             |
| M356577            |                                   | 85                       | 2.3                        | 16.2                       | 128                       | 21.9                        |                           |                             |
| M356578            |                                   | 76                       | 1.8                        | 15.5                       | 64                        | 19.8                        |                           |                             |
| M356579            |                                   | 79                       | 1.7                        | 16.9                       | 59                        | 20.5                        |                           |                             |
| M356580            |                                   | 77                       | 1.5                        | 17.3                       | 58                        | 24.0                        |                           |                             |
| M356581            |                                   | 75                       | 1.7                        | 16.4                       | 58                        | 24.8                        |                           |                             |
| M356582            |                                   | 74                       | 1.9                        | 15.9                       | 72                        | 25.6                        |                           |                             |
| M356583            |                                   | 69                       | 2.0                        | 13.2                       | 220                       | 22.7                        |                           |                             |
| M356584            |                                   | 60                       | 6.9                        | 10.2                       | >10000                    | 21.7                        |                           | 2.44                        |
| M356585            |                                   | 71                       | 1.7                        | 15.0                       | 86                        | 23.9                        |                           |                             |
| M356586            |                                   | 77                       | 1.6                        | 15.7                       | 125                       | 28.3                        |                           |                             |
| M356587            |                                   | 78                       | 1.6                        | 16.2                       | 1000                      | 22.8                        |                           |                             |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-129

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 1-OCT-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12219213**

| Method             | CERTIFICATE COMMENTS   |
|--------------------|--|
| ME-MS61<br>ME-MS61 | REE's may not be totally soluble in this method.<br>Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL) |