



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219219

Project: Klaza-130

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2012
Account: ROCKHA

Project: Klaza-130

CERTIFICATE OF ANALYSIS WH12219219

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M356037		7.96	0.057	1.04	7.30	40.1	2350	1.42	2.89	2.42	0.23	46.4	7.3	11	10.35	198.5
M356038		7.48	0.098	1.19	7.15	44.4	1340	1.47	1.99	1.89	1.17	48.2	7.6	8	12.25	115.0
M356039		0.26	2.30	25.4	5.68	3160	280	1.32	18.90	2.14	77.4	42.4	10.4	17	13.45	426
M356040		3.96	0.139	1.98	7.30	45.5	1500	1.48	2.04	1.84	1.13	50.3	8.3	8	11.70	262
M356041		3.77	0.025	0.29	7.46	10.3	2360	1.63	0.31	2.07	0.22	49.4	8.4	9	12.10	73.5
M356042		3.00	0.072	0.79	6.73	68.1	1450	1.60	0.95	2.88	1.07	51.9	8.1	6	21.0	75.0
M356043		2.44	<0.005	0.02	0.09	<5	30	0.05	0.02	19.85	0.07	1.23	0.6	<1	0.19	1.8
M356044		6.47	0.017	0.42	6.98	27.4	670	1.84	0.27	2.45	2.39	60.5	6.4	27	15.45	17.8
M356045		8.51	0.005	0.24	6.64	14.8	1270	2.25	0.09	2.59	0.96	53.5	5.3	18	18.35	10.3
M356046		8.63	<0.005	0.13	6.85	9.8	1490	2.05	0.13	2.73	0.40	57.0	5.5	21	18.20	7.5
M356047		<0.02	<0.005	0.12	6.91	10.4	1510	2.26	0.14	2.79	0.45	54.8	5.5	22	18.15	8.3
M356048		8.75	0.009	0.29	6.88	14.9	2000	2.06	0.31	2.85	0.56	51.7	7.2	17	18.70	29.8
M356049		8.01	<0.005	0.02	6.89	7.5	1220	1.96	0.05	3.33	1.10	50.8	6.7	8	22.0	2.7
M356050		0.26	2.25	23.8	5.75	3170	790	1.37	18.65	2.16	73.7	40.5	9.9	17	12.95	430
M356051		7.91	<0.005	0.13	6.84	11.8	1360	2.04	0.13	3.18	1.34	46.2	5.5	10	20.4	9.8
M356052		8.17	<0.005	0.12	7.04	11.7	1050	2.52	0.18	3.39	0.25	50.1	6.9	14	20.3	11.8
M356053		2.87	0.289	4.73	6.64	238	660	2.15	5.75	1.00	2.24	41.6	10.5	8	13.15	403
M356054		2.85	<0.005	0.03	0.08	<5	20	0.08	0.02	20.3	0.05	1.14	0.6	<1	0.18	1.8
M356055		7.20	<0.005	0.22	6.53	20.6	740	2.09	0.08	0.68	0.17	37.3	1.5	4	17.95	2.0
M356056		8.41	<0.005	0.07	7.32	5.7	690	2.41	0.02	0.88	0.14	41.1	1.5	3	21.1	1.4
M356057		6.40	<0.005	0.09	6.98	8.0	710	2.35	0.02	0.86	0.08	39.4	1.4	2	20.4	1.6
M356058		3.69	0.047	0.84	7.69	65.5	1520	2.57	1.61	1.81	0.33	47.1	8.2	9	22.2	185.5
M356059		3.89	0.611	6.01	6.57	307	390	1.66	7.23	1.47	1.19	41.1	7.5	8	14.10	631
M356060		4.11	0.318	4.17	6.44	170.5	490	1.44	6.25	1.61	3.64	37.6	7.6	8	11.65	284
M356061		6.76	0.155	1.07	7.87	29.6	1000	1.62	2.13	2.20	1.73	47.3	8.8	11	11.55	179.5
M356062		5.24	0.135	2.09	6.91	125.0	1280	1.55	13.60	2.76	2.78	48.7	7.2	9	15.80	585
M356063		7.40	0.101	1.02	7.39	28.6	900	1.66	0.96	2.16	2.98	48.5	8.4	9	13.00	176.0
M356064		3.84	0.109	1.48	7.26	57.8	1620	1.70	0.95	2.58	1.18	44.2	8.0	8	15.65	457
M356065		3.14	0.513	13.85	7.05	282	200	1.80	10.10	1.40	8.00	45.2	6.6	9	13.95	1590
M356066		3.41	<0.005	0.34	6.92	18.4	5580	2.18	0.20	2.92	0.70	61.6	4.4	12	25.2	13.2
M356067		1.74	0.010	0.77	6.98	21.3	1680	2.43	0.47	3.10	1.01	58.1	4.4	12	26.5	41.9
M356068		8.16	<0.005	0.13	6.68	15.0	1240	2.09	0.08	3.23	0.51	50.0	5.8	19	10.20	12.3
M356069		7.11	<0.005	0.16	6.78	25.4	2110	1.96	0.10	3.14	0.52	55.4	5.5	19	9.42	8.7
M356070		2.68	0.006	0.28	7.33	24.4	1440	1.93	0.21	3.15	1.11	62.2	7.4	21	10.70	16.9
M356071		5.88	0.024	0.90	7.63	48.5	570	1.77	1.10	2.25	1.33	60.2	6.1	12	21.1	112.5
M356072		3.16	0.300	6.40	6.93	89.2	800	1.40	5.01	2.34	1.10	40.0	8.5	7	20.4	841



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2012
Account: ROCKHA

Project: Klaza-130

CERTIFICATE OF ANALYSIS WH12219219

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M356037		2.86	16.35	0.14	1.2	0.031	2.89	21.6	22.0	0.71	314	1.37	1.02	7.4	2.5	580
M356038		3.32	16.30	0.16	1.2	0.051	3.04	24.5	25.6	0.70	619	2.06	0.36	6.9	2.5	540
M356039		6.34	14.45	0.13	1.0	1.640	2.59	21.0	22.7	0.88	1840	12.80	0.04	5.8	15.7	430
M356040		3.62	17.15	0.13	1.1	0.153	3.16	26.2	55.5	0.83	501	1.39	0.12	7.4	2.7	560
M356041		3.63	16.10	0.16	1.1	0.037	2.95	24.7	40.8	0.79	268	2.29	0.78	7.4	2.5	580
M356042		2.80	14.50	0.15	1.1	0.063	2.63	28.1	38.5	0.92	1900	3.13	0.04	6.6	2.9	530
M356043		0.44	0.23	0.15	<0.1	0.007	0.04	0.6	1.1	12.45	200	0.16	0.01	0.2	1.8	160
M356044		2.14	18.75	0.22	4.3	0.039	2.53	32.9	65.2	0.89	582	1.75	0.05	10.4	14.8	920
M356045		1.89	18.05	0.21	3.0	0.033	2.82	26.1	34.6	0.81	511	0.85	0.05	9.9	10.1	760
M356046		2.14	18.25	0.22	3.6	0.025	2.76	29.0	35.4	0.86	482	0.54	0.05	10.0	11.4	820
M356047		2.17	18.80	0.21	3.6	0.025	2.80	26.2	37.0	0.87	492	0.52	0.05	10.2	11.9	830
M356048		2.42	18.45	0.20	3.3	0.034	2.67	25.3	49.3	0.99	471	1.28	0.05	8.0	8.7	770
M356049		2.49	18.15	0.20	2.4	0.030	2.82	24.0	25.0	1.03	526	0.48	0.15	8.3	4.2	750
M356050		6.35	13.30	0.14	1.0	1.480	2.64	19.9	21.4	0.88	1860	11.90	0.04	5.4	14.8	430
M356051		2.56	17.65	0.17	2.5	0.037	2.89	22.0	31.9	1.02	534	0.54	0.34	8.0	3.9	760
M356052		2.63	19.25	0.17	3.1	0.031	2.81	21.9	62.2	1.11	539	0.92	0.28	7.8	7.1	780
M356053		5.71	20.0	0.14	1.5	0.214	3.10	20.9	23.2	0.57	333	3.07	0.04	7.2	3.9	510
M356054		0.46	0.27	0.15	<0.1	0.008	0.03	0.6	1.1	12.70	199	0.13	<0.01	0.1	1.6	170
M356055		1.17	17.80	0.22	2.6	0.014	2.80	18.0	17.4	0.28	315	0.73	0.05	14.0	1.1	280
M356056		1.37	17.70	0.07	2.7	0.014	2.88	21.5	69.2	0.37	420	0.38	0.05	14.3	1.1	330
M356057		1.21	17.05	0.07	2.5	0.009	2.75	19.7	45.2	0.35	349	1.65	0.06	13.8	1.0	320
M356058		3.17	16.50	0.10	1.0	0.091	3.73	25.6	29.6	0.75	489	3.36	0.15	6.1	2.7	600
M356059		6.21	16.60	0.12	0.9	0.278	2.98	22.3	25.5	0.71	474	1.58	0.03	4.3	2.4	510
M356060		5.64	15.40	0.10	0.8	0.221	3.10	19.9	36.5	0.74	585	5.50	0.06	4.7	2.4	500
M356061		3.74	16.90	0.10	1.0	0.073	3.26	24.8	31.8	0.81	472	3.57	1.26	6.8	2.8	600
M356062		3.15	15.95	0.11	0.9	0.105	2.69	25.6	37.3	0.94	433	5.27	0.32	6.4	2.5	540
M356063		3.13	17.25	0.11	0.9	0.065	2.81	24.4	48.4	0.70	266	7.87	0.66	6.7	2.6	590
M356064		3.10	16.90	0.10	0.9	0.052	3.19	22.4	41.3	0.77	405	2.98	0.58	7.0	2.5	630
M356065		5.39	17.50	0.10	1.1	0.834	3.31	24.7	16.5	0.68	594	3.72	0.05	5.7	2.7	570
M356066		2.19	16.80	0.13	2.7	0.024	3.03	30.7	33.9	0.82	655	2.66	0.05	11.1	3.0	910
M356067		2.29	17.90	0.11	2.6	0.047	3.11	28.8	28.5	0.88	690	2.33	0.06	11.6	3.1	910
M356068		2.33	18.65	0.10	4.3	0.019	2.40	25.2	51.3	0.94	491	0.95	0.75	10.3	7.8	1110
M356069		2.22	18.10	0.12	4.4	0.009	2.34	27.2	42.4	0.90	505	1.82	0.66	10.3	7.7	1090
M356070		2.77	19.00	0.10	4.4	0.024	2.42	29.3	51.8	1.04	621	2.23	0.06	11.2	8.9	1430
M356071		2.97	16.80	0.12	2.1	0.013	3.19	31.3	37.5	0.88	380	2.93	0.06	7.3	3.9	820
M356072		4.80	14.50	0.10	0.8	0.231	2.61	20.2	60.7	0.76	601	3.13	0.06	4.6	3.6	560



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2012
Account: ROCKHA

Project: Klaza-130

CERTIFICATE OF ANALYSIS WH12219219

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M356037		37.3	101.0	<0.002	0.96	13.20	9.9	1	2.6	257	0.76	0.24	16.0	0.240	4.1
M356038		105.5	128.0	<0.002	1.89	14.10	9.8	1	4.6	135.0	0.66	0.18	14.6	0.221	4.5
M356039		2770	160.0	0.002	4.62	94.0	8.2	1	7.7	91.2	0.47	0.40	10.1	0.175	5.1
M356040		47.5	125.0	<0.002	1.53	8.62	10.4	1	5.9	143.5	0.68	0.40	14.1	0.237	3.7
M356041		20.1	121.0	0.002	1.23	8.45	10.7	2	2.3	248	0.68	0.07	14.4	0.239	4.3
M356042		34.5	134.0	<0.002	1.77	19.90	9.3	1	2.7	208	0.61	0.14	12.9	0.215	6.2
M356043		1.5	1.5	<0.002	0.01	0.14	0.2	1	0.2	48.6	<0.05	0.05	0.2	<0.005	0.9
M356044		114.5	92.1	<0.002	0.18	12.30	5.9	1	1.5	316	0.74	<0.05	11.4	0.273	8.1
M356045		95.8	94.7	<0.002	0.12	9.29	5.1	1	1.5	356	0.77	<0.05	10.5	0.237	8.1
M356046		25.1	99.1	<0.002	0.06	9.67	5.4	1	1.4	419	0.79	<0.05	10.8	0.249	4.3
M356047		25.4	90.4	<0.002	0.06	10.10	5.4	1	1.5	428	0.80	<0.05	10.1	0.253	4.3
M356048		22.0	98.0	<0.002	0.21	15.15	7.8	1	2.3	479	0.59	<0.05	8.5	0.286	4.1
M356049		21.2	100.5	0.002	0.03	11.25	7.4	1	1.3	454	0.58	<0.05	8.0	0.279	3.6
M356050		2780	147.5	<0.002	4.66	89.6	7.7	1	7.1	90.9	0.48	0.41	10.2	0.176	5.1
M356051		30.6	94.7	<0.002	0.05	14.10	7.0	1	1.4	499	0.60	<0.05	7.8	0.287	3.9
M356052		25.3	93.7	<0.002	0.07	9.74	8.6	1	1.5	623	0.59	<0.05	7.6	0.303	4.2
M356053		112.0	195.0	0.002	5.45	52.9	9.1	2	26.7	176.0	0.53	0.44	11.0	0.187	6.2
M356054		1.5	1.4	<0.002	0.01	0.14	0.2	1	0.2	49.6	<0.05	<0.05	<0.2	<0.005	0.7
M356055		27.8	118.0	<0.002	0.46	1.98	2.5	<1	1.9	142.5	1.54	<0.05	8.2	0.119	6.0
M356056		30.6	123.5	<0.002	0.07	2.56	2.6	1	2.1	149.0	1.50	<0.05	9.2	0.138	3.8
M356057		30.9	114.0	<0.002	0.19	2.79	2.5	<1	1.7	157.0	1.49	<0.05	9.1	0.129	5.5
M356058		24.7	173.5	<0.002	1.49	22.5	10.0	2	4.3	362	0.51	0.31	14.1	0.224	18.5
M356059		182.0	185.0	<0.002	5.78	43.8	8.5	2	19.7	161.5	0.38	0.56	13.2	0.169	9.0
M356060		201	161.0	<0.002	5.20	39.5	8.4	2	8.4	120.5	0.39	0.68	11.4	0.177	7.3
M356061		129.0	135.0	<0.002	2.02	5.74	10.5	2	4.4	314	0.58	0.40	14.0	0.243	4.3
M356062		98.6	112.0	<0.002	1.60	55.1	9.2	1	4.0	187.5	0.56	0.80	12.9	0.227	4.2
M356063		338	106.5	0.003	1.60	25.7	10.1	2	3.6	237	0.55	0.28	13.3	0.237	4.1
M356064		106.5	115.5	<0.002	1.44	18.95	10.6	1	3.2	257	0.55	0.34	12.2	0.248	3.3
M356065		486	187.0	0.002	5.02	74.7	8.6	1	14.3	125.0	0.45	0.44	13.0	0.192	4.9
M356066		67.5	102.5	<0.002	0.18	13.35	5.4	1	1.5	455	0.76	<0.05	9.7	0.269	6.6
M356067		67.0	94.6	<0.002	0.11	14.65	5.7	1	1.4	442	0.76	<0.05	9.5	0.274	6.1
M356068		31.2	65.6	<0.002	0.04	16.60	4.7	1	1.4	466	0.70	<0.05	8.6	0.318	3.1
M356069		28.5	72.5	<0.002	0.14	14.40	4.9	1	1.5	444	0.69	<0.05	8.8	0.317	3.3
M356070		22.9	61.4	<0.002	0.22	19.85	6.0	2	1.3	429	0.68	0.08	7.9	0.377	3.1
M356071		58.7	140.0	<0.002	1.62	23.4	7.4	2	2.4	212	0.56	0.26	11.4	0.234	4.1
M356072		261	125.5	0.002	3.95	12.80	9.4	4	4.8	186.5	0.32	0.46	9.9	0.190	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2012
 Account: ROCKHA

Project: Klaza-130

CERTIFICATE OF ANALYSIS WH12219219

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M356037		65	3.0	12.9	43	23.5
M356038		63	3.8	11.7	113	23.4
M356039		53	5.3	10.1	5250	24.6
M356040		65	5.7	12.0	128	23.8
M356041		63	2.2	12.9	51	23.7
M356042		59	5.3	12.7	108	24.2
M356043		2	0.1	0.8	15	<0.5
M356044		49	1.4	11.6	204	158.5
M356045		43	1.5	10.7	115	99.5
M356046		46	1.7	10.7	87	116.5
M356047		47	1.7	10.8	91	119.0
M356048		65	2.0	12.6	87	103.5
M356049		64	1.9	12.5	97	73.6
M356050		54	5.2	9.2	5240	23.2
M356051		66	2.0	11.8	96	73.0
M356052		71	1.3	13.3	75	95.8
M356053		55	9.0	10.9	179	40.6
M356054		1	0.1	0.8	14	0.5
M356055		12	1.1	14.1	43	55.6
M356056		15	1.2	14.7	57	55.6
M356057		14	1.4	14.4	41	51.2
M356058		70	5.9	12.8	76	24.2
M356059		57	7.2	10.7	100	18.9
M356060		55	5.3	9.9	242	17.6
M356061		71	3.4	11.6	155	22.5
M356062		65	2.4	12.3	194	19.8
M356063		69	2.3	11.9	209	20.0
M356064		74	2.9	12.5	118	21.9
M356065		59	5.2	8.7	454	28.7
M356066		50	2.0	11.7	90	87.0
M356067		52	1.9	11.8	103	88.5
M356068		53	1.1	7.9	89	163.5
M356069		52	1.2	8.2	86	166.5
M356070		68	1.3	10.3	130	181.5
M356071		61	3.9	10.6	137	63.3
M356072		63	4.8	10.8	97	19.9



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-130

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219219

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)