



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219351

Project: Klaza - 131

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza - 131

CERTIFICATE OF ANALYSIS WH12219351

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M354490		6.17	0.011	0.25	7.16	14.7	2330	1.36	0.55	2.80	0.15	52.4	6.7	24	16.45	87.2
M354491		5.80	<0.005	0.24	7.29	12.3	2360	1.38	0.56	2.60	0.98	53.1	7.3	15	10.70	32.3
M354492		6.12	<0.005	0.23	7.25	14.4	2250	1.41	0.80	2.51	0.16	54.3	8.0	19	9.60	27.8
M354493		7.51	0.046	0.29	6.89	10.5	2090	1.38	1.00	2.52	0.14	40.4	6.3	19	10.55	58.7
M354494		0.26	0.276	99.9	5.37	226	510	0.59	4.98	1.42	24.9	19.95	10.7	64	0.88	6070
M354495		6.59	0.008	0.71	7.01	29.6	2070	1.29	0.84	2.25	1.03	47.1	9.2	13	12.60	68.1
M354496		2.38	0.228	22.0	6.44	675	1390	1.34	4.03	2.62	17.60	46.2	9.2	16	16.80	156.0
M354497		6.95	<0.005	0.23	6.73	11.1	2090	1.44	0.40	2.61	0.28	49.4	6.9	14	14.55	21.7
M354498		3.99	<0.005	0.18	7.03	6.5	2050	1.49	0.43	2.53	0.10	49.5	6.4	16	15.65	24.1
M354499		4.06	0.073	1.17	6.72	139.0	2000	1.32	0.54	2.70	0.99	49.0	6.0	11	15.90	47.8
M354500		2.00	<0.005	0.01	0.09	5	20	0.06	0.02	19.75	0.06	1.16	1.5	<1	0.19	3.7
M354501		7.24	0.448	1.19	7.55	90.4	2070	1.18	1.26	1.60	0.38	51.7	8.2	11	14.60	158.5
M354502		5.12	<0.005	0.15	7.16	6.3	2260	1.38	0.55	2.40	0.15	50.9	7.0	15	15.40	26.6
M354503		2.49	<0.005	0.67	7.20	54.9	1920	1.57	0.57	3.20	0.30	46.6	8.6	9	22.2	16.6
M354504		0.99	<0.005	0.65	7.02	48.9	1230	1.63	0.51	2.98	0.27	46.0	9.2	15	22.1	19.2
M354505		6.90	<0.005	0.13	7.42	4.8	2090	1.48	0.42	2.44	0.10	51.3	6.5	12	13.95	16.4
M354506		7.05	<0.005	0.12	7.54	5.4	2260	1.52	0.44	2.73	0.11	47.8	7.1	15	10.90	16.7
M354507		6.54	<0.005	0.15	7.15	12.0	1980	1.43	0.44	2.42	0.10	46.6	8.9	11	13.70	39.2
M354508		2.73	0.082	1.99	7.00	32.6	2550	1.24	1.75	2.15	0.11	45.9	27.0	16	11.40	862
M354509		3.13	0.007	0.20	7.22	16.9	2240	1.47	0.50	2.43	0.11	49.8	10.4	15	12.60	70.0
M354510		2.21	0.040	1.14	6.94	179.5	1070	1.48	0.84	2.50	0.44	47.8	10.1	15	17.20	105.5
M354511		0.26	4.35	>100	5.30	6990	220	1.01	60.4	2.00	229	32.8	8.3	18	11.45	1295
M354512		7.72	0.007	0.33	7.14	25.8	2370	1.31	0.50	2.27	0.34	46.5	6.9	12	19.00	30.1
M354513		2.97	0.081	2.53	6.85	175.0	1630	1.51	0.74	3.12	1.00	44.3	13.9	16	19.45	267
M354514		3.20	0.052	0.45	6.98	139.5	1260	1.59	0.38	2.55	0.22	41.5	6.9	11	21.5	17.2
M354515		2.73	0.048	0.44	6.63	145.5	1830	1.60	0.50	2.68	0.52	44.9	8.0	21	18.05	28.0
M354516		7.36	<0.005	0.17	6.91	25.6	2540	1.45	0.55	2.67	0.16	42.4	7.4	12	19.85	25.7
M354517		7.04	<0.005	0.30	6.83	10.8	2160	1.61	0.51	2.72	0.37	47.3	7.6	16	16.60	26.9
M354518		6.50	<0.005	0.39	6.93	21.9	2280	1.42	0.47	2.38	1.16	41.7	8.1	11	16.40	26.8
M354519		2.65	1.250	>100	5.88	2050	550	1.20	0.62	2.59	110.5	42.4	10.9	14	13.55	229
M354520		3.76	<0.005	<0.01	0.16	<5	40	0.13	0.03	20.0	0.06	1.21	1.5	1	0.62	5.9
M354521		2.92	1.320	9.84	5.72	3230	1130	1.06	0.84	2.61	21.7	49.0	5.9	16	16.45	24.2
M354522		4.81	0.009	1.03	6.75	50.0	2180	1.50	39.0	2.75	0.36	45.2	8.6	10	22.9	173.5
M354523		6.74	0.015	1.16	6.95	75.1	2110	1.62	1.43	2.65	0.59	46.3	8.6	18	16.35	48.2
M354524		<0.02	0.014	1.00	6.97	67.7	2090	1.65	1.44	2.67	0.60	43.7	8.2	20	16.05	47.4
M354525		6.85	<0.005	0.22	7.27	31.2	2370	1.48	5.32	2.66	0.12	47.3	8.8	13	11.90	153.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza - 131

CERTIFICATE OF ANALYSIS WH12219351

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M354490		3.05	16.60	0.12	1.9	0.068	2.81	25.7	11.2	0.84	833	1.69	1.94	8.9	6.1	800
M354491		3.06	16.35	0.14	1.4	0.063	2.86	26.4	14.9	0.80	944	1.79	2.23	8.8	3.1	640
M354492		2.90	15.90	0.14	1.6	0.048	2.81	27.0	15.1	0.82	778	1.71	2.37	8.6	2.9	620
M354493		2.92	15.55	0.13	1.4	0.075	2.78	19.3	17.0	0.79	731	1.49	2.06	8.8	2.9	610
M354494		5.70	11.75	0.15	1.5	0.459	1.09	9.5	12.8	1.13	1740	23.9	1.62	3.5	27.8	480
M354495		3.00	16.35	0.13	1.5	0.079	2.76	22.7	22.1	0.76	746	1.62	1.66	8.7	3.0	620
M354496		3.39	14.85	0.13	1.2	0.305	2.58	23.4	20.9	0.84	1340	16.25	1.07	7.3	3.6	540
M354497		2.76	15.90	0.13	1.5	0.044	2.84	23.8	13.5	0.74	806	1.36	2.08	8.8	2.8	610
M354498		2.69	15.80	0.13	1.7	0.042	2.76	24.8	13.5	0.74	649	1.44	2.15	8.6	2.8	580
M354499		3.24	15.95	0.14	1.4	0.131	3.05	24.0	36.2	0.87	2220	1.12	1.14	8.3	3.2	600
M354500		0.46	0.44	0.28	<0.1	<0.005	0.04	0.6	1.1	13.00	204	0.23	0.01	0.4	1.3	170
M354501		3.33	17.00	0.14	1.4	0.120	3.45	26.4	29.0	0.59	1520	1.09	0.44	8.6	2.8	620
M354502		2.95	16.10	0.14	1.4	0.055	2.95	25.5	13.7	0.80	651	1.39	2.15	8.7	3.0	630
M354503		2.75	15.85	0.14	1.3	0.046	2.88	24.2	134.5	1.04	1740	2.37	0.08	8.1	3.0	590
M354504		2.67	16.00	0.13	1.4	0.049	3.06	23.1	132.0	0.92	1760	2.44	0.11	8.5	2.9	590
M354505		2.78	16.35	0.14	1.4	0.044	2.80	25.5	32.3	0.68	602	2.14	1.97	8.7	2.9	630
M354506		2.95	16.40	0.14	1.5	0.045	2.82	23.8	19.8	0.82	614	1.27	2.41	8.8	3.0	650
M354507		2.77	16.75	0.14	1.3	0.048	2.95	22.8	28.2	0.65	721	1.69	1.22	8.4	2.9	600
M354508		3.40	15.35	0.15	1.3	0.189	3.41	23.4	30.4	0.74	876	3.45	0.88	7.9	3.9	610
M354509		2.90	15.95	0.15	1.3	0.055	3.06	25.1	47.8	0.75	658	2.33	1.59	8.1	3.0	610
M354510		3.08	15.90	0.14	1.4	0.096	3.06	24.1	104.0	0.81	1900	2.21	0.14	8.0	3.1	590
M354511		7.99	12.45	0.20	1.1	4.90	2.27	16.5	30.5	0.64	3160	15.75	0.08	5.8	14.0	470
M354512		2.93	16.05	0.12	1.7	0.057	3.26	23.1	70.5	0.73	1120	1.11	0.26	8.8	2.8	620
M354513		3.06	14.80	0.13	1.2	0.095	3.58	22.8	68.6	0.94	2540	1.55	0.07	7.6	3.0	560
M354514		2.62	15.95	0.13	1.3	0.042	2.95	20.6	181.0	0.81	1420	1.75	0.07	8.3	2.9	620
M354515		2.84	15.85	0.13	1.3	0.057	3.37	22.1	24.7	0.75	1280	3.29	1.19	8.3	3.0	590
M354516		2.85	16.00	0.13	1.4	0.042	2.85	20.5	20.7	0.73	731	20.5	1.63	8.3	2.8	630
M354517		2.77	16.15	0.14	1.8	0.045	2.86	22.5	36.3	0.76	732	6.59	1.81	9.3	2.9	610
M354518		2.85	15.40	0.14	1.6	0.049	2.70	20.5	25.8	0.69	730	1.86	1.39	8.5	2.8	610
M354519		4.08	14.25	0.15	1.2	0.256	2.48	22.7	45.6	0.86	5580	7.72	0.04	7.0	2.7	500
M354520		0.47	0.68	0.35	<0.1	0.005	0.07	0.6	2.2	13.25	208	0.13	0.01	0.3	1.3	200
M354521		2.98	12.50	0.11	0.9	0.057	1.57	27.2	184.5	0.92	2060	3.17	0.02	6.3	2.7	540
M354522		3.02	16.50	0.14	1.3	0.068	2.70	21.1	80.0	0.86	862	2.16	1.39	9.6	3.1	680
M354523		3.08	16.35	0.14	1.2	0.045	2.58	22.0	33.7	0.82	827	1.72	1.85	9.5	3.3	690
M354524		3.02	16.20	0.14	1.2	0.048	2.59	21.1	33.6	0.81	820	1.89	1.84	9.4	3.8	690
M354525		3.07	16.25	0.14	1.2	0.052	2.64	23.2	21.1	0.83	636	1.43	2.25	8.3	3.2	670



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza - 131

CERTIFICATE OF ANALYSIS WH12219351

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M354490		20.8	110.5	<0.002	0.07	4.67	10.1	2	2.1	402	0.63	<0.05	10.1	0.299	1.25	3.4
M354491		52.2	118.5	<0.002	0.08	2.75	10.3	1	2.1	367	0.66	<0.05	12.4	0.270	1.24	4.0
M354492		22.0	118.5	<0.002	0.08	2.17	10.3	2	2.4	370	0.69	<0.05	14.6	0.257	1.15	4.5
M354493		19.7	110.5	<0.002	0.04	3.20	10.0	1	2.4	326	0.72	<0.05	12.9	0.259	1.15	4.3
M354494		9820	28.6	0.010	2.34	450	11.2	3	2.0	188.5	0.22	1.08	2.1	0.248	0.48	1.5
M354495		68.8	105.5	<0.002	0.11	8.22	10.8	2	3.0	269	0.70	<0.05	12.8	0.267	1.16	4.6
M354496		4600	116.5	0.002	1.27	66.4	9.3	2	3.0	237	0.57	0.21	11.8	0.231	1.59	5.6
M354497		49.6	117.5	<0.002	0.04	2.76	9.8	1	1.9	342	0.73	<0.05	12.7	0.257	1.30	4.4
M354498		20.5	120.5	<0.002	0.01	2.00	10.1	2	1.7	359	0.74	<0.05	14.1	0.250	1.23	4.8
M354499		74.8	137.5	<0.002	0.37	21.0	10.4	2	2.1	220	0.65	<0.05	12.2	0.254	1.77	5.3
M354500		1.5	1.8	<0.002	<0.01	0.05	0.4	1	<0.2	42.6	<0.05	<0.05	<0.2	<0.005	<0.02	0.7
M354501		36.5	168.5	<0.002	0.59	20.4	10.0	1	2.6	146.0	0.69	0.08	14.8	0.258	1.95	4.1
M354502		17.6	127.5	<0.002	0.03	4.54	10.7	1	2.2	345	0.70	<0.05	13.5	0.265	1.35	4.6
M354503		30.5	120.5	<0.002	0.46	18.35	9.9	1	2.7	211	0.65	<0.05	12.8	0.250	2.32	5.5
M354504		26.5	119.5	<0.002	0.40	19.00	9.9	2	3.3	192.5	0.67	<0.05	12.3	0.261	2.30	4.3
M354505		15.7	111.5	<0.002	0.03	5.03	10.8	2	2.0	335	0.71	<0.05	13.9	0.263	1.16	4.1
M354506		16.2	107.5	<0.002	0.04	1.86	11.0	2	2.1	409	0.70	<0.05	13.5	0.272	1.07	4.5
M354507		15.2	107.0	<0.002	0.14	10.10	10.3	1	2.3	244	0.68	<0.05	12.3	0.261	1.32	3.5
M354508		14.6	134.5	<0.002	0.61	11.00	10.0	2	3.3	194.5	0.62	0.09	12.8	0.247	1.73	3.5
M354509		15.5	121.0	<0.002	0.23	6.81	10.7	2	2.3	296	0.59	<0.05	14.7	0.257	1.45	3.6
M354510		26.5	126.0	<0.002	1.00	50.8	9.9	1	2.3	151.5	0.62	<0.05	13.7	0.248	1.99	6.4
M354511		9660	129.5	0.002	7.39	229	6.7	3	9.0	120.0	0.43	0.51	8.2	0.189	2.09	5.1
M354512		20.0	126.0	<0.002	0.25	21.6	10.0	1	2.1	151.0	0.75	<0.05	12.9	0.265	1.78	4.6
M354513		92.4	149.0	<0.002	1.26	94.9	9.0	1	2.1	158.0	0.65	<0.05	11.8	0.231	2.56	4.9
M354514		18.4	115.0	<0.002	0.50	20.9	10.3	2	2.0	177.5	0.65	<0.05	12.0	0.256	2.05	4.1
M354515		31.6	138.0	<0.002	0.33	12.95	9.5	1	2.1	260	0.63	<0.05	12.7	0.247	2.03	3.9
M354516		17.9	114.5	<0.002	0.18	5.71	10.2	1	2.3	327	0.63	<0.05	11.1	0.259	1.57	3.7
M354517		23.9	110.5	<0.002	0.12	5.85	9.8	1	2.2	336	0.86	<0.05	13.0	0.255	1.40	5.0
M354518		38.4	107.5	<0.002	0.13	9.92	9.9	2	1.8	288	0.64	<0.05	12.3	0.260	1.31	4.2
M354519		3960	139.5	<0.002	2.83	316	8.7	2	10.7	122.5	0.58	0.05	10.9	0.208	2.10	8.2
M354520		1.4	4.4	<0.002	<0.01	0.06	0.6	1	<0.2	42.8	<0.05	<0.05	<0.2	0.007	0.03	0.4
M354521		1030	91.5	<0.002	1.29	68.9	8.0	1	4.1	275	0.41	<0.05	13.0	0.209	1.63	8.0
M354522		27.1	122.0	<0.002	0.36	82.2	10.8	2	3.8	326	0.84	0.24	10.6	0.283	1.83	5.1
M354523		35.9	115.0	<0.002	0.41	14.45	11.1	2	2.9	358	0.86	<0.05	10.1	0.285	1.48	4.7
M354524		34.0	112.5	<0.002	0.38	12.95	11.1	2	2.9	357	0.93	<0.05	10.1	0.286	1.46	4.8
M354525		17.4	110.0	<0.002	0.28	2.61	11.0	2	2.7	388	0.63	<0.05	11.4	0.272	1.33	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2012
Account: ROCKHA

Project: Klaza - 131

CERTIFICATE OF ANALYSIS WH12219351

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
M354490		77	2.2	14.9	62	57.1	<1	
M354491		74	2.0	16.1	130	36.9	<1	
M354492		70	1.4	16.9	58	41.6	<1	
M354493		71	3.3	15.4	49	35.2	<1	
M354494		80	0.6	13.9	5030	47.4	100	
M354495		76	3.3	15.8	117	40.4	<1	
M354496		69	6.0	14.5	1170	29.7	23	
M354497		71	1.8	16.0	64	38.8	<1	
M354498		68	1.4	16.4	46	42.4	<1	
M354499		73	2.8	15.7	172	35.8	1	
M354500		3	0.1	0.9	14	0.5	<1	
M354501		71	5.7	14.9	86	38.7	1	
M354502		74	2.3	16.7	48	38.5	<1	
M354503		69	4.1	15.6	54	35.8	1	
M354504		71	3.8	15.1	51	38.4	<1	
M354505		72	1.7	15.6	46	37.0	<1	
M354506		76	1.4	16.7	44	39.0	<1	
M354507		72	3.1	15.0	46	36.0	<1	
M354508		68	5.8	13.2	55	35.7	1	
M354509		71	2.7	14.5	47	37.2	<1	
M354510		70	5.0	13.3	68	38.9	1	
M354511		55	4.3	8.4	>10000	30.9	121	1.620
M354512		73	4.6	15.0	84	44.4	<1	
M354513		64	5.4	14.4	148	30.4	2	
M354514		71	3.7	14.6	55	33.4	<1	
M354515		69	3.6	13.6	101	34.3	<1	
M354516		71	2.9	14.4	52	39.4	<1	
M354517		69	2.7	15.7	68	46.8	<1	
M354518		70	2.5	14.3	120	44.0	<1	
M354519		58	5.0	12.8	6970	30.0	207	
M354520		4	0.1	0.9	16	<0.5	<1	
M354521		58	3.5	12.2	1430	23.4	10	
M354522		80	3.5	17.0	81	30.3	<1	
M354523		81	2.9	16.3	83	29.1	<1	
M354524		79	2.8	16.2	84	28.0	<1	
M354525		75	3.4	15.0	52	30.2	<1	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 131

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219351

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)