



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21-SEP-2012
This copy reported on
25-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219371

Project: Klaza - 102

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188050**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2012
Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12219371

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
N814313		0.34	7.04	127.0	1440	1.52	1.52	1.94	0.69	51.1	56.4	9	20.3	8.8	4.52	17.80
N814314		0.02	7.75	18.1	1870	1.73	5.84	4.46	0.09	45.0	4.5	8	27.3	1.9	5.40	27.7
N814315		0.06	7.51	6.9	890	1.49	1.67	1.49	0.10	59.7	8.0	9	16.50	4.8	3.33	16.75
N814316		0.04	7.36	3.0	2150	1.71	0.08	2.80	0.08	50.4	8.0	11	8.01	3.8	3.04	16.80
N814317		10.65	6.69	1460	1290	1.78	6.71	1.94	46.5	48.0	17.7	19	17.05	112.5	5.37	16.40
N814318		0.09	7.24	8.4	2010	1.48	0.09	2.90	0.22	50.3	7.3	10	7.50	5.2	3.08	15.65
N814319		0.06	7.57	6.0	2320	1.73	0.05	2.80	0.12	50.6	8.3	12	8.09	4.2	3.31	17.40
N814320		0.08	7.60	5.0	2050	1.58	0.19	2.56	0.11	50.9	7.4	11	9.15	4.9	3.15	17.30
N814321		0.91	8.07	56.8	3390	2.00	2.15	2.80	1.04	55.0	5.1	8	28.6	133.0	6.05	26.1
N814322		0.33	7.83	25.7	2440	1.62	2.36	2.62	0.15	48.5	17.6	8	19.35	4.5	5.00	20.6
N814323		0.03	0.09	6	30	0.06	0.04	20.3	0.08	1.49	0.8	<1	0.47	2.5	0.51	0.36
N814324		0.05	6.63	7.6	770	1.36	2.28	3.05	0.11	44.9	6.7	8	14.15	4.4	3.09	15.95
N814325		0.06	7.43	2.8	2300	1.47	0.08	3.00	0.07	45.9	8.0	12	6.37	9.2	3.23	17.05
N814326		0.05	7.52	3.8	2310	1.54	0.08	2.82	0.05	47.3	7.9	13	6.46	3.3	3.23	16.30
N814327		0.04	7.06	4.2	2130	1.55	0.06	2.66	0.06	46.8	7.5	11	5.76	4.2	3.08	15.90
N814328		0.05	7.19	4.3	2100	1.68	0.20	2.97	0.07	47.4	8.6	11	6.24	3.5	3.20	16.65
N814329		0.04	7.18	4.3	2220	1.55	0.16	2.86	0.07	43.7	8.4	10	6.05	4.1	3.18	16.90
N814330		0.04	7.31	4.8	1890	1.66	0.35	2.92	0.09	48.7	8.7	11	8.74	3.7	3.07	18.15
N814331		0.06	7.36	6.8	2120	1.74	0.15	2.88	0.05	45.0	8.1	12	9.82	5.7	3.09	17.00
N814332		27.3	6.15	2890	1640	1.38	22.0	2.32	84.4	44.6	11.1	19	14.60	462	6.89	15.10
N814333		0.19	7.58	15.3	2240	1.63	0.17	2.80	0.37	47.3	8.3	12	9.44	4.5	3.33	17.10
N814334		1.08	6.85	252	1290	1.86	0.43	2.92	3.55	43.0	10.6	9	23.0	7.4	3.63	16.45
N814335		0.05	0.07	5	20	0.07	0.03	20.3	0.11	1.35	0.7	<1	0.32	5.7	0.49	0.26
N814336		0.08	7.55	4.1	2230	1.62	0.09	2.92	0.13	49.6	8.4	11	10.55	4.5	3.28	17.95
N814337		0.07	7.21	5.4	2130	1.67	0.15	2.95	0.09	45.6	7.9	11	7.39	6.0	3.16	17.05
N814338		0.07	6.98	4.5	2030	1.55	0.17	3.09	0.06	39.1	7.7	12	9.55	3.9	3.10	16.25
N814339		0.13	7.09	7.5	1360	1.49	0.56	2.95	0.08	46.0	9.4	10	10.75	2.4	3.35	15.70
N814340		0.06	6.90	4.4	1810	1.46	0.28	2.79	0.12	42.7	7.0	10	10.40	3.9	3.06	15.80
N814341		1.05	6.69	35.1	2320	1.55	1.40	3.35	1.71	47.5	15.8	10	20.7	5.2	3.12	14.25
N814342		0.08	7.03	4.0	2050	1.69	0.14	2.92	0.09	43.4	8.2	12	10.55	2.8	3.08	17.10
N814343		0.04	7.06	3.8	2040	1.60	0.15	2.91	0.08	42.9	8.2	11	10.30	2.4	3.08	16.50
N814344		0.06	7.34	3.5	2360	1.73	0.18	3.01	0.07	45.4	9.3	14	8.45	3.9	3.23	17.50
N814345		0.06	7.00	6.0	1560	1.61	0.64	2.86	0.07	46.0	8.0	12	8.35	2.4	3.28	16.05
N814346		0.06	7.45	5.2	2450	1.80	0.09	2.76	0.10	48.5	7.9	11	7.22	3.7	3.02	16.50
N814347		0.04	7.43	4.0	1970	1.56	0.12	2.77	0.07	44.2	7.5	12	8.81	5.9	3.03	14.90
N814348		0.05	7.36	6.6	1940	1.46	0.21	2.80	0.08	40.6	8.6	13	10.50	6.9	3.26	15.15

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188050**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2012
Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12219371

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
N814313		0.16	1.1	0.288	2.93	25.7	29.2	0.63	2390	1.18	0.10	7.9	4.4	600	91.5
N814314		0.14	1.3	0.613	2.10	20.0	44.3	0.66	1150	0.68	0.54	8.7	1.7	660	24.8
N814315		0.15	1.4	0.119	1.14	29.7	37.9	0.95	709	0.46	1.29	8.2	2.6	630	18.6
N814316		0.14	1.3	0.037	2.42	25.1	18.5	0.81	646	0.57	2.26	7.9	2.6	600	16.9
N814317		0.15	1.4	0.965	2.91	23.5	28.1	0.70	2010	12.50	0.27	7.7	16.7	510	1400
N814318		0.16	1.3	0.034	2.45	24.4	16.2	0.82	655	0.56	2.21	7.3	2.4	580	20.2
N814319		0.16	1.3	0.034	2.58	24.8	18.1	0.94	688	0.58	2.37	8.4	2.8	640	17.7
N814320		0.14	1.4	0.040	2.61	24.7	19.5	0.77	679	0.50	1.96	8.1	2.6	630	19.4
N814321		0.16	1.2	0.437	3.74	25.5	50.3	0.95	2030	0.51	0.08	9.1	3.3	720	46.7
N814322		0.14	1.0	0.241	2.77	23.3	29.9	0.88	1100	0.50	1.25	7.7	3.1	650	15.5
N814323		0.08	<0.1	0.006	0.04	0.7	1.4	12.60	217	0.18	0.01	0.2	1.7	180	1.6
N814324		0.15	1.0	0.163	1.04	22.6	38.9	0.66	644	0.48	0.99	7.0	2.2	550	15.3
N814325		0.14	1.3	0.036	2.38	21.7	16.1	0.82	662	0.46	2.18	8.0	2.8	650	16.6
N814326		0.13	1.2	0.033	2.38	23.7	14.3	0.97	680	0.50	2.31	7.6	2.7	630	16.1
N814327		0.14	1.2	0.031	2.34	22.7	13.7	0.90	639	0.48	2.20	7.5	2.7	600	15.4
N814328		0.13	1.3	0.040	2.43	22.5	13.8	0.87	704	0.53	2.16	7.8	2.7	620	15.3
N814329		0.15	1.5	0.036	2.47	20.6	13.2	0.90	688	0.56	2.19	7.9	2.9	620	15.5
N814330		0.17	1.4	0.040	2.24	23.5	14.2	0.79	669	0.56	2.19	8.7	2.8	630	14.5
N814331		0.16	1.3	0.032	2.48	21.4	13.7	0.79	626	0.60	2.28	8.0	2.7	610	17.1
N814332		0.13	1.0	1.800	2.81	23.7	25.0	0.94	1980	12.80	0.05	5.9	16.1	460	3030
N814333		0.15	1.3	0.040	2.51	22.6	13.5	0.85	680	4.35	2.30	8.2	2.9	630	26.6
N814334		0.15	1.0	0.062	2.77	20.2	61.9	0.83	1620	0.72	0.39	7.4	2.9	570	202
N814335		0.08	<0.1	0.005	0.03	0.6	1.4	12.75	205	0.31	0.01	0.3	1.2	170	3.2
N814336		0.16	1.3	0.036	2.45	24.2	16.4	0.90	720	0.62	2.32	8.4	2.9	630	17.4
N814337		0.16	1.2	0.046	2.60	21.4	12.0	0.86	763	22.3	2.11	8.1	2.8	590	17.3
N814338		0.13	1.2	0.038	2.04	18.4	13.9	0.73	716	0.72	2.22	7.8	2.7	620	16.4
N814339		0.14	1.2	0.078	1.62	21.7	17.2	0.92	948	0.43	2.10	7.5	2.6	600	20.8
N814340		0.15	1.2	0.043	1.87	19.9	46.9	0.79	714	0.47	1.98	7.4	2.5	590	17.3
N814341		0.15	1.0	0.057	2.35	25.1	129.5	1.13	1360	0.59	0.08	6.3	3.1	530	109.0
N814342		0.14	1.2	0.047	1.78	20.5	15.7	0.79	652	0.48	2.36	7.7	2.8	580	15.0
N814343		0.14	1.3	0.043	1.76	20.7	14.9	0.79	651	0.47	2.36	7.5	2.5	590	14.4
N814344		0.17	1.2	0.045	1.91	20.9	18.0	0.92	768	0.50	2.36	8.2	3.1	640	18.1
N814345		0.13	1.0	0.107	1.07	21.9	19.2	0.90	817	0.62	2.59	7.9	2.6	610	14.8
N814346		0.17	1.2	0.036	2.34	23.9	14.2	0.90	698	0.53	2.33	7.8	2.7	590	16.6
N814347		0.13	1.4	0.037	2.28	21.5	16.5	0.86	685	0.88	2.28	9.2	3.2	590	19.2
N814348		0.12	1.5	0.052	2.29	19.6	21.1	0.84	878	0.64	1.98	8.7	3.0	600	18.6

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188050**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2012
Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12219371

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N814313		<0.002	1.39	13.20	11.8	1	3.5	113.5	0.64	<0.05	13.5	0.259	2.78	3.9	76	4.7
N814314		<0.002	0.07	29.8	9.5	1	6.5	411	0.76	<0.05	12.3	0.308	1.73	4.5	156	6.3
N814315		<0.002	0.02	15.95	12.5	1	2.4	257	0.67	<0.05	16.5	0.284	0.80	4.1	74	5.4
N814316		<0.002	0.01	1.34	11.5	<1	1.4	429	0.65	<0.05	13.6	0.266	1.00	4.3	73	0.9
N814317		<0.002	3.11	35.5	9.4	1	6.4	159.0	0.58	0.37	11.9	0.209	2.55	5.0	57	5.5
N814318		<0.002	0.01	1.16	11.0	1	1.2	429	0.63	<0.05	14.1	0.260	0.97	3.9	71	1.2
N814319		<0.002	0.01	1.19	12.2	1	1.4	459	0.67	<0.05	13.4	0.287	0.96	4.0	81	1.2
N814320		<0.002	0.02	3.98	11.5	2	1.4	376	0.67	<0.05	15.2	0.279	1.04	4.3	77	1.9
N814321		<0.002	0.53	30.5	12.9	1	4.0	182.0	0.74	<0.05	13.6	0.306	2.85	4.5	129	6.9
N814322		0.002	0.76	9.87	11.4	1	3.3	166.5	0.63	<0.05	12.2	0.268	1.99	3.2	96	5.6
N814323		<0.002	0.01	0.19	0.5	<1	<0.2	44.2	<0.05	<0.05	0.2	<0.005	0.04	0.5	3	0.1
N814324		<0.002	0.05	12.95	10.1	1	2.5	236	0.62	<0.05	11.1	0.240	0.68	3.5	73	7.8
N814325		<0.002	<0.01	2.39	11.3	1	2.8	447	0.65	<0.05	12.3	0.286	0.88	3.7	78	1.6
N814326		<0.002	0.01	1.00	11.7	1	1.5	464	0.63	<0.05	13.7	0.275	0.92	4.2	75	0.6
N814327		<0.002	0.01	1.13	10.8	1	1.6	427	0.64	<0.05	12.4	0.262	0.95	4.1	72	0.6
N814328		<0.002	0.06	1.34	11.2	1	1.6	407	0.63	<0.05	12.2	0.278	1.02	4.0	75	1.3
N814329		<0.002	0.04	1.02	11.3	1	1.5	426	0.64	<0.05	11.3	0.277	1.00	3.9	75	0.8
N814330		<0.002	0.09	1.72	12.1	1	1.8	388	0.64	<0.05	12.3	0.277	1.06	3.9	74	1.4
N814331		<0.002	0.04	1.26	11.3	1	1.7	432	0.72	<0.05	13.0	0.273	1.02	4.2	74	3.6
N814332		<0.002	4.97	92.7	8.5	1	8.0	96.3	0.46	0.42	11.3	0.188	2.51	5.3	57	5.5
N814333		<0.002	0.03	1.93	11.8	1	1.5	440	0.71	<0.05	12.4	0.284	1.08	4.2	77	2.2
N814334		<0.002	1.04	13.75	10.9	1	1.8	195.0	0.59	<0.05	11.4	0.257	2.74	4.8	72	3.1
N814335		<0.002	0.01	0.18	0.2	1	<0.2	47.9	<0.05	<0.05	0.2	<0.005	0.02	0.6	2	0.1
N814336		<0.002	0.01	1.67	12.1	1	1.4	444	0.69	<0.05	12.6	0.284	0.90	4.3	78	0.9
N814337		0.012	0.05	1.39	11.2	1	1.4	401	0.67	<0.05	12.2	0.272	1.06	4.1	74	1.1
N814338		<0.002	0.02	2.44	10.5	1	1.4	436	0.69	<0.05	11.5	0.273	0.89	3.8	74	1.6
N814339		<0.002	0.08	2.79	11.2	1	1.5	392	0.62	<0.05	10.9	0.264	1.07	3.3	70	3.0
N814340		<0.002	0.01	3.94	10.7	1	1.4	418	0.58	<0.05	10.5	0.261	0.83	3.0	72	2.6
N814341		<0.002	0.61	12.05	10.2	<1	1.3	222	0.49	0.11	12.6	0.233	2.38	4.2	65	5.0
N814342		<0.002	0.01	1.82	11.0	1	1.5	445	0.62	0.07	10.9	0.261	0.82	3.7	70	1.3
N814343		<0.002	0.01	1.77	10.8	<1	1.4	443	0.61	<0.05	11.0	0.259	0.76	3.5	68	1.2
N814344		<0.002	0.03	1.34	12.5	1	1.5	455	0.59	<0.05	10.6	0.281	0.80	3.7	75	1.3
N814345		<0.002	<0.01	2.70	11.5	2	2.0	549	0.60	<0.05	11.3	0.272	0.54	3.7	70	2.4
N814346		<0.002	<0.01	0.97	11.0	1	1.3	476	0.63	<0.05	12.5	0.265	0.87	4.2	71	0.9
N814347		<0.002	<0.01	1.72	11.4	1	1.5	407	0.75	<0.05	13.1	0.264	0.95	4.4	71	1.5
N814348		<0.002	0.07	3.77	10.9	1	1.6	360	0.77	<0.05	11.4	0.272	0.99	4.1	75	1.5

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188050**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2012
 Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12219371

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N814313		15.5	74	25.8
N814314		15.2	41	29.3
N814315		16.6	55	31.7
N814316		15.9	49	27.7
N814317		11.5	2990	38.9
N814318		15.8	45	30.0
N814319		16.7	50	31.1
N814320		15.8	51	33.0
N814321		20.3	108	26.0
N814322		16.0	55	23.5
N814323		0.9	12	<0.5
N814324		15.4	45	24.4
N814325		15.1	52	29.4
N814326		16.2	47	26.2
N814327		15.2	45	26.5
N814328		15.2	46	29.2
N814329		15.4	46	29.2
N814330		16.2	51	33.1
N814331		15.4	48	29.2
N814332		9.7	5740	25.0
N814333		16.0	53	29.1
N814334		13.7	237	25.0
N814335		0.8	15	<0.5
N814336		16.8	55	32.6
N814337		15.7	49	27.4
N814338		13.9	49	26.0
N814339		14.6	55	26.5
N814340		14.6	52	25.7
N814341		13.7	200	25.6
N814342		14.9	48	28.3
N814343		14.8	49	27.9
N814344		16.5	57	28.3
N814345		16.3	56	25.2
N814346		15.9	53	28.7
N814347		18.8	52	35.0
N814348		17.3	61	33.8

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12188050**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 102

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219371

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)