



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23-SEP-2012
This copy reported on
25-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219375

Project: Klaza - 104

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193369**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2012
Account: ROCKHA

Project: Klaza - 104

CERTIFICATE OF ANALYSIS WH12219375

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
N811849		0.49	7.36	8.0	2100	1.53	0.54	2.66	0.27	39.3	8.6	10	15.80	190.0	3.13	16.30
N811850		>100	5.59	8530	290	1.11	60.2	1.95	229	33.8	9.0	17	11.55	1305	8.20	11.85
N811851		0.28	6.82	16.9	2070	1.42	0.57	2.71	0.33	34.4	7.5	9	13.00	27.7	2.92	14.90
N811852		0.54	6.81	43.3	2760	1.24	0.91	4.11	0.22	34.5	8.9	12	25.3	19.7	3.18	15.55
N811853		0.01	0.09	<5	40	<0.05	0.02	20.3	0.07	1.37	1.0	<1	0.23	2.3	0.49	0.27
N811854		0.17	7.24	9.0	730	1.07	0.39	3.33	0.11	36.1	10.3	14	15.00	11.3	3.52	15.75
N811855		0.14	6.97	5.6	650	0.99	0.44	3.36	0.10	31.7	8.7	11	13.05	10.7	3.18	15.20
N811856		1.22	7.23	177.0	540	1.22	1.40	3.32	0.90	42.5	11.3	13	21.7	32.4	3.34	16.05
N811857		0.18	7.18	4.6	1250	1.04	0.48	3.43	0.15	36.5	10.2	13	12.35	14.5	3.33	16.25
N811858		0.58	7.26	3.2	1360	1.11	3.50	3.64	0.13	40.7	8.8	14	12.35	14.0	3.11	15.75
N811859		0.14	7.19	4.3	1040	1.03	0.17	4.43	0.13	40.3	9.6	12	11.60	37.2	3.35	15.80
N811860		0.20	7.03	4.1	960	1.16	0.11	3.65	0.09	32.5	11.2	15	9.28	27.3	3.35	15.80
N811861		0.24	6.93	30.7	750	1.00	0.18	5.07	0.34	36.9	9.3	11	12.90	12.3	3.41	16.20
N811862		0.93	7.59	4.2	840	1.13	0.12	2.84	0.09	35.8	10.5	18	10.10	22.5	3.60	16.40
N811863		0.99	7.09	9.2	730	1.33	0.43	2.95	0.15	32.6	9.7	16	9.43	51.4	3.15	15.75
N811864		2.75	7.14	16.6	750	1.48	0.94	3.79	0.90	31.1	11.3	14	22.1	21.9	3.65	16.60
N811865		1.51	7.75	14.3	800	1.53	0.89	3.38	0.27	48.8	12.4	6	23.2	32.5	4.18	16.40
N811866		0.13	6.92	13.8	1510	1.97	0.05	2.71	0.17	48.7	5.0	5	26.8	2.4	2.52	18.70
N811867		0.06	7.24	13.1	1300	1.72	0.10	2.78	0.20	54.6	5.3	5	25.0	3.5	2.62	19.90
N811868		0.33	6.90	8.0	1360	1.60	0.98	3.31	0.20	34.0	8.2	12	37.3	6.2	3.02	15.60
N811869		0.10	6.74	5.3	1690	1.36	0.26	3.07	0.13	30.8	8.6	10	14.80	41.8	2.91	16.05
N811870		0.33	7.05	27.9	1540	1.37	1.13	2.65	0.79	42.6	7.8	11	25.2	17.3	2.42	15.55
N811871		0.21	6.96	11.3	1110	1.43	0.16	3.26	0.56	33.1	8.2	13	13.55	9.9	2.85	16.55
N811872		0.22	7.65	4.0	1270	1.31	0.32	3.22	0.13	36.9	10.0	17	8.83	18.4	3.37	17.30
N811873		9.69	6.77	1745	550	1.42	6.42	1.97	43.2	45.7	17.5	20	16.50	116.0	5.39	15.30
N811874		0.24	7.50	5.6	1210	1.34	0.32	3.64	0.18	33.2	10.8	17	11.00	66.7	3.53	17.05
N811875		0.56	7.51	4.1	1070	1.23	2.98	3.32	0.16	32.5	8.7	16	14.30	58.6	3.25	15.90
N811876		0.02	0.08	<5	20	<0.05	0.02	20.3	0.07	1.37	1.1	<1	0.25	3.5	0.52	0.28
N811877		0.15	7.05	2.8	1170	1.23	0.32	2.91	0.07	38.4	8.8	19	9.37	26.1	2.95	16.15
N811878		0.16	6.84	3.9	1030	1.12	0.48	3.33	0.10	33.5	8.0	12	12.30	33.8	2.80	15.30
N811879		0.13	6.72	3.6	910	1.11	0.86	2.65	0.09	40.6	6.9	20	9.09	13.5	2.36	14.75
N811880		0.10	7.31	3.3	1250	1.22	0.26	2.64	0.05	43.6	8.3	16	9.96	25.7	2.81	14.85
N811881		0.11	7.53	2.9	1270	1.28	0.28	2.71	0.06	44.7	8.8	13	10.25	26.2	2.91	15.45
N811882		0.24	6.09	13.7	700	1.04	0.56	2.88	0.09	33.8	6.5	11	10.70	58.5	2.16	12.75
N811883		0.06	7.64	3.2	1370	1.47	0.12	2.69	0.05	50.3	7.4	13	9.27	18.9	2.73	16.10
N811884		0.07	7.20	3.0	1270	1.40	0.13	2.68	0.06	42.7	7.0	17	8.25	16.5	2.64	14.70

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193369**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2012
Account: ROCKHA

Project: Klaza - 104

CERTIFICATE OF ANALYSIS WH12219375

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
N811849		0.13	1.7	0.059	2.86	19.3	19.8	0.70	610	4.85	1.60	8.9	2.8	660	21.4	104.0
N811850		0.17	1.0	4.81	2.28	17.0	32.9	0.64	3130	14.65	0.08	5.8	13.4	460	9740	137.0
N811851		0.11	1.5	0.050	2.74	17.4	18.1	0.70	634	17.35	1.85	8.0	2.7	570	33.3	99.1
N811852		0.11	0.9	0.036	1.97	17.3	22.7	0.99	1060	3.17	1.84	8.6	4.7	570	20.0	78.5
N811853		0.06	<0.1	<0.005	0.03	0.7	0.9	13.10	201	0.22	0.01	0.3	1.1	180	2.1	1.5
N811854		0.12	0.6	0.037	1.93	17.7	23.0	1.10	923	0.72	1.25	7.9	5.2	560	15.7	69.8
N811855		0.12	0.6	0.028	1.76	15.5	20.1	0.88	777	0.37	1.66	7.8	4.5	550	13.4	59.1
N811856		0.13	0.6	0.060	2.58	21.9	18.7	1.05	1580	0.80	0.74	7.8	5.4	540	26.2	154.5
N811857		0.14	0.6	0.035	1.95	17.4	21.7	1.16	896	0.72	1.62	8.3	5.3	560	14.6	60.9
N811858		0.15	0.6	0.027	1.89	20.4	21.4	1.12	847	1.06	1.43	7.8	4.9	560	16.4	68.6
N811859		0.15	0.6	0.027	1.76	19.7	23.6	1.27	953	49.7	1.68	8.1	5.1	570	13.4	60.6
N811860		0.14	0.6	0.026	1.74	16.2	20.5	1.16	808	2.14	1.85	8.0	5.4	570	12.8	58.9
N811861		0.14	0.5	0.035	2.33	18.4	14.3	1.50	2220	1.19	1.11	7.4	4.8	520	12.7	109.5
N811862		0.13	0.6	0.037	1.97	17.0	25.1	1.22	859	2.00	1.66	9.7	6.3	710	12.3	63.7
N811863		0.15	0.6	0.027	1.91	15.8	17.3	0.85	797	2.29	2.12	9.6	5.2	590	10.8	79.1
N811864		0.16	0.7	0.038	2.22	14.9	36.8	1.38	1060	4.68	1.07	9.7	5.2	680	35.6	91.0
N811865		0.17	1.0	0.047	2.72	25.5	39.7	1.45	1080	2.82	0.11	8.7	3.8	980	17.6	140.0
N811866		0.16	1.8	0.030	2.55	24.1	94.4	0.83	750	1.11	0.08	9.9	3.0	790	22.7	91.0
N811867		0.17	1.9	0.038	2.78	27.2	76.5	0.92	726	1.49	0.08	10.6	2.7	810	27.0	107.0
N811868		0.16	0.6	0.071	2.42	16.8	33.7	1.17	994	1.53	0.79	7.7	4.5	520	17.2	115.5
N811869		0.16	0.7	0.028	2.20	14.6	71.8	0.84	827	11.50	1.46	9.1	4.8	510	15.3	87.7
N811870		0.16	0.9	0.038	2.63	22.2	48.5	0.94	812	11.75	0.31	9.1	3.9	450	29.5	136.5
N811871		0.16	0.8	0.033	2.35	15.8	25.0	0.92	830	0.71	1.36	8.5	4.4	540	30.2	95.8
N811872		0.14	0.6	0.029	1.94	17.9	20.1	1.03	729	1.48	2.23	8.8	5.4	590	13.6	64.6
N811873		0.17	1.3	0.939	2.85	23.7	25.5	0.72	2080	12.20	0.26	8.0	16.4	510	1380	171.5
N811874		0.16	0.6	0.038	1.90	16.0	25.5	1.25	796	27.1	1.68	8.8	5.6	600	15.7	63.5
N811875		0.15	0.5	0.036	1.76	15.6	20.2	1.19	761	1.42	1.45	9.0	5.1	580	15.9	65.8
N811876		0.07	<0.1	0.005	0.03	0.7	0.9	13.25	233	0.16	0.01	0.2	3.2	160	4.0	1.9
N811877		0.12	0.9	0.028	2.13	18.8	14.9	0.93	691	1.89	2.09	9.7	4.5	500	16.7	72.4
N811878		0.13	0.7	0.032	2.07	16.1	14.1	0.94	800	1.59	1.94	9.1	4.1	500	15.0	74.6
N811879		0.15	0.9	0.028	2.22	21.0	14.1	0.90	695	1.34	1.96	9.9	3.6	440	10.9	115.5
N811880		0.14	0.9	0.027	2.25	22.3	17.4	0.83	592	22.0	2.06	8.6	3.7	470	14.6	83.2
N811881		0.16	0.9	0.030	2.33	23.6	18.3	0.90	619	24.5	2.11	9.1	4.1	470	14.8	91.6
N811882		0.14	0.8	0.021	2.42	17.9	17.3	0.88	1040	1.21	0.67	7.3	3.3	390	9.8	109.0
N811883		0.17	0.8	0.037	2.48	23.9	13.1	0.79	547	0.82	2.24	8.7	4.0	450	13.0	98.4
N811884		0.15	0.8	0.020	2.50	20.8	11.3	0.73	504	6.11	2.13	7.9	3.4	420	13.2	89.4

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193369**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2012
Account: ROCKHA

Project: Klaza - 104

CERTIFICATE OF ANALYSIS WH12219375

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N811849		<0.002	0.09	3.73	10.8	1	2.4	292	0.76	<0.05	11.2	0.269	1.17	3.3	75	2.6
N811850		<0.002	7.21	221	7.5	2	8.6	124.0	0.45	0.56	8.5	0.185	2.19	5.3	52	4.5
N811851		<0.002	0.07	3.07	10.2	1	2.4	360	0.63	<0.05	9.7	0.249	1.22	2.6	68	2.4
N811852		<0.002	0.36	6.82	11.4	1	1.6	329	0.69	0.06	8.2	0.288	1.53	3.4	84	3.8
N811853		<0.002	<0.01	0.07	0.3	1	<0.2	49.8	<0.05	<0.05	<0.2	0.005	0.02	0.6	3	0.1
N811854		<0.002	0.06	4.42	11.6	1	1.6	291	0.62	<0.05	8.6	0.292	1.12	2.3	93	6.4
N811855		<0.002	0.01	4.84	10.6	1	1.4	320	0.65	<0.05	7.1	0.286	0.94	2.5	91	2.5
N811856		<0.002	1.06	17.15	12.4	1	2.0	217	0.58	<0.05	9.4	0.288	2.63	5.1	92	2.7
N811857		<0.002	0.02	3.13	12.0	1	1.6	426	0.66	<0.05	7.6	0.306	0.96	2.3	93	3.1
N811858		<0.002	0.02	2.75	12.4	1	1.4	425	0.64	0.09	9.0	0.298	0.82	2.6	92	6.3
N811859		0.026	0.17	2.93	12.8	2	1.5	580	0.61	<0.05	8.4	0.305	0.66	2.4	97	4.1
N811860		<0.002	0.17	2.00	12.6	1	1.4	501	0.62	<0.05	8.0	0.299	0.67	2.4	93	2.8
N811861		<0.002	0.40	3.64	10.9	1	1.4	349	0.57	<0.05	7.7	0.278	1.36	2.7	92	2.4
N811862		<0.002	0.07	3.66	13.7	1	1.4	403	0.73	<0.05	8.4	0.365	0.80	2.5	123	5.3
N811863		<0.002	0.07	11.85	12.1	1	1.5	282	0.80	<0.05	8.3	0.317	0.92	2.3	93	3.7
N811864		<0.002	0.06	9.47	12.7	1	1.5	254	0.63	<0.05	7.9	0.327	1.54	2.7	108	4.3
N811865		<0.002	0.05	15.10	16.1	1	1.3	228	0.58	<0.05	10.9	0.382	2.11	2.9	131	6.8
N811866		<0.002	0.03	12.40	5.4	1	1.2	354	0.70	<0.05	8.1	0.279	1.59	3.3	43	2.2
N811867		<0.002	0.03	13.90	5.7	1	2.2	418	0.73	<0.05	8.7	0.283	1.87	3.5	43	3.1
N811868		<0.002	0.04	9.03	11.1	1	3.7	312	0.64	<0.05	8.0	0.276	1.99	2.9	87	3.3
N811869		0.008	0.04	6.70	10.9	1	1.5	355	0.79	<0.05	8.5	0.272	1.34	2.7	80	3.7
N811870		0.005	0.11	10.20	10.1	1	1.3	272	1.05	<0.05	12.1	0.250	1.92	6.9	74	4.0
N811871		<0.002	0.05	5.70	11.6	1	1.5	298	0.74	<0.05	8.8	0.295	1.50	2.5	92	2.7
N811872		<0.002	0.01	1.94	12.0	1	1.8	493	0.65	<0.05	8.9	0.313	0.75	2.2	96	3.0
N811873		0.002	3.13	33.8	9.6	1	6.0	155.0	0.64	0.26	11.0	0.214	2.50	5.0	58	5.2
N811874		0.008	0.12	1.70	12.5	1	2.0	724	0.66	<0.05	8.3	0.314	0.73	2.2	98	6.1
N811875		<0.002	0.05	2.68	12.5	1	2.0	659	0.67	0.05	8.5	0.305	0.71	2.2	97	4.3
N811876		<0.002	<0.01	0.08	0.4	1	<0.2	45.4	<0.05	<0.05	0.2	<0.005	<0.02	0.6	2	0.1
N811877		<0.002	0.04	2.03	9.9	1	1.9	425	0.86	<0.05	11.5	0.274	0.88	3.0	83	2.4
N811878		<0.002	0.05	1.73	9.4	1	2.0	405	0.79	<0.05	9.2	0.267	0.82	2.7	83	2.5
N811879		<0.002	0.02	1.95	9.1	1	1.5	282	0.91	<0.05	11.9	0.244	1.14	2.9	69	1.8
N811880		0.008	0.04	1.49	9.3	1	1.2	392	0.77	<0.05	12.2	0.255	0.75	2.6	74	2.7
N811881		0.008	0.04	1.65	9.9	2	1.3	393	0.75	<0.05	13.4	0.264	0.76	2.9	76	2.6
N811882		<0.002	0.10	8.67	8.1	1	1.1	178.0	0.61	<0.05	10.3	0.218	1.31	3.2	61	2.0
N811883		0.003	0.02	1.27	9.9	1	1.3	430	0.68	<0.05	12.9	0.259	0.74	3.5	72	1.6
N811884		0.002	0.03	1.00	8.5	1	1.3	394	0.64	<0.05	13.4	0.242	0.67	4.0	68	2.1

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193369**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2012
 Account: ROCKHA

Project: Klaza - 104

CERTIFICATE OF ANALYSIS WH12219375

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N811849		16.4	44	46.1		
N811850		10.0	>10000	30.6	123	1.625
N811851		13.9	56	41.3		
N811852		15.0	78	19.5		
N811853		1.0	15	0.6		
N811854		14.7	97	11.2		
N811855		14.6	92	10.7		
N811856		15.7	209	10.7		
N811857		15.8	90	11.4		
N811858		16.4	72	10.4		
N811859		18.4	60	10.8		
N811860		14.0	56	11.2		
N811861		15.5	70	11.0		
N811862		14.6	67	12.1		
N811863		12.9	74	11.2		
N811864		14.4	138	17.6		
N811865		17.3	103	28.0		
N811866		12.0	92	51.7		
N811867		13.7	88	56.1		
N811868		12.5	107	11.2		
N811869		12.3	65	13.2		
N811870		13.9	100	18.1		
N811871		12.8	102	14.8		
N811872		14.9	65	12.7		
N811873		13.4	3070	37.8		
N811874		16.2	57	10.7		
N811875		16.3	64	9.7		
N811876		1.0	18	0.5		
N811877		13.8	66	18.2		
N811878		13.9	63	15.4		
N811879		12.6	64	21.1		
N811880		12.4	54	20.4		
N811881		13.4	57	22.0		
N811882		10.7	53	19.0		
N811883		11.1	48	22.8		
N811884		10.1	44	20.2		

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12193369**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 104

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219375

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)