



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1-OCT-2012
Account: ROCKHA

CERTIFICATE WH12219452

Project: Klaza-131

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2012
Account: ROCKHA

Project: Klaza-131

CERTIFICATE OF ANALYSIS WH12219452

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M354418		5.08	0.016	0.68	6.46	108.0	1120	1.49	0.22	2.01	2.73	38.7	7.2	7	20.3	67.1
M354419		2.74	0.032	0.42	7.35	85.3	2050	1.54	0.30	2.77	0.36	48.6	7.1	9	14.25	19.8
M354420		0.26	0.699	9.58	6.48	1665	1420	1.53	6.20	1.93	40.3	43.1	16.6	20	15.65	103.5
M354421		7.52	0.023	1.37	6.10	75.9	860	1.60	0.92	2.16	1.08	38.2	8.8	10	15.80	22.6
M354422		3.80	<0.005	0.58	6.18	44.0	870	1.46	4.31	1.74	0.34	39.2	11.2	10	20.2	49.7
M354423		2.51	0.241	0.59	6.48	441	1430	1.53	0.32	1.18	0.55	45.0	8.7	8	19.05	30.0
M354424		3.97	<0.005	0.13	6.86	13.6	1520	1.66	0.21	1.55	0.17	40.1	5.6	8	19.35	49.7
M354425		2.36	<0.005	0.18	6.29	45.4	1230	1.72	0.59	2.31	0.16	38.9	15.8	7	17.95	7.8
M354426		2.35	<0.005	0.07	0.07	<5	30	0.06	0.02	18.70	0.05	1.29	1.2	<1	0.19	2.4
M354427		7.46	<0.005	0.09	6.63	8.1	1870	1.65	0.15	2.31	0.09	41.2	7.2	13	14.95	9.3
M354428		8.43	<0.005	0.12	6.68	9.6	1990	1.52	0.27	2.40	0.09	44.5	6.9	13	11.75	15.8
M354429		8.51	<0.005	0.13	6.22	13.0	2480	1.62	0.50	2.41	0.13	37.1	7.4	12	11.45	6.8
M354430		8.19	<0.005	0.12	6.82	16.4	2060	1.73	0.45	2.38	0.12	43.9	6.7	12	13.70	6.3
M354431		<0.02	0.034	0.15	6.50	16.7	2020	1.49	0.41	2.38	0.12	39.5	7.1	11	13.55	7.9
M354432		6.05	<0.005	0.10	7.01	16.3	1980	1.68	0.35	2.13	0.17	44.8	7.6	11	16.05	8.5
M354433		2.91	0.019	0.66	6.66	89.6	2540	1.73	0.38	2.20	2.84	46.2	8.3	9	14.25	11.4
M354434		6.72	0.006	0.39	5.95	38.6	280	1.74	0.17	2.24	0.44	44.6	5.3	26	19.05	17.6
M354435		2.24	0.083	1.28	6.47	40.6	1640	1.33	1.21	1.54	0.76	36.1	7.7	11	17.15	19.6
M354436		3.46	<0.005	0.01	0.07	<5	30	0.06	0.03	18.65	0.06	1.18	1.3	<1	0.31	2.4
M354437		6.65	0.007	0.21	6.73	18.3	1920	1.22	0.42	2.28	0.23	43.8	6.5	8	17.85	10.0
M354438		7.35	<0.005	0.11	6.30	17.5	2200	1.31	0.35	2.05	0.18	37.7	7.0	8	16.00	14.5
M354439		8.56	<0.005	0.11	6.64	18.2	1940	1.38	0.52	2.47	0.13	43.7	6.8	9	15.80	9.6
M354440		6.25	0.035	1.94	6.16	96.1	1530	1.50	0.44	2.08	1.73	45.3	8.5	7	22.3	19.1
M354441		8.21	<0.005	0.03	6.95	30.9	570	1.48	0.12	1.62	0.24	61.0	4.8	12	14.20	4.1
M354442		2.74	0.612	1.87	7.41	1185	350	1.15	3.83	3.56	0.78	44.6	25.0	5	12.60	11.9
M354443		4.60	0.079	1.14	6.75	58.4	1840	1.39	4.79	2.34	0.41	48.5	28.7	7	14.60	3.9
M354444		1.67	0.079	1.19	7.05	67.0	1890	1.27	5.28	2.35	0.37	43.3	24.4	6	14.90	3.6
M354445		7.55	<0.005	0.18	7.56	26.1	2330	1.55	0.84	2.52	0.23	50.5	7.5	11	12.50	15.1
M354446		7.70	<0.005	0.24	7.25	29.1	2500	1.41	1.01	2.26	0.23	47.2	8.0	10	12.65	16.1
M354447		7.37	<0.005	0.09	6.44	9.0	2300	1.52	0.46	2.67	0.11	46.5	7.4	13	8.83	12.6
M354448		5.47	<0.005	0.38	6.91	16.6	1990	1.44	0.66	2.71	0.43	48.4	6.6	10	11.05	28.4
M354449		2.80	0.018	2.08	6.44	49.0	1830	1.34	1.30	2.67	1.07	43.8	7.3	8	13.55	167.5
M354450		7.67	<0.005	0.12	6.63	18.5	2130	1.53	0.45	2.65	0.16	50.8	7.1	10	9.28	13.2
M354451		0.26	0.787	9.75	6.59	1795	940	1.40	6.84	1.98	45.3	46.5	16.3	20	17.05	113.5
M354452		6.92	<0.005	0.15	7.04	17.8	2440	1.50	0.64	2.83	0.15	48.6	8.2	10	9.63	40.2
M354453		4.97	<0.005	0.14	6.87	16.5	2190	1.52	0.61	2.87	0.18	48.0	7.7	10	10.60	18.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2012
Account: ROCKHA

Project: Klaza-131

CERTIFICATE OF ANALYSIS WH12219452

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M354418		2.57	14.60	0.11	1.5	0.046	2.75	18.2	85.0	0.28	1900	3.01	0.12	7.3	3.0	530
M354419		3.11	15.20	0.13	1.6	0.049	3.20	26.8	15.6	0.70	1340	6.56	1.69	7.4	2.8	570
M354420		5.23	14.60	0.13	1.4	0.899	2.90	24.3	24.2	0.70	2010	12.00	0.27	7.8	14.3	500
M354421		3.04	15.60	0.13	1.1	0.117	2.02	19.2	47.4	0.54	1200	3.04	0.55	7.1	2.7	530
M354422		3.08	16.10	0.13	1.3	0.113	1.82	19.7	52.1	0.49	1340	0.74	0.15	7.2	4.0	600
M354423		2.92	15.50	0.13	1.2	0.057	2.32	24.5	63.7	0.33	1800	1.36	0.31	6.9	2.5	530
M354424		2.64	15.75	0.13	1.2	0.048	2.55	20.1	53.6	0.39	686	0.61	1.04	7.8	2.3	590
M354425		3.11	15.50	0.15	1.2	0.099	2.05	18.6	33.3	0.64	1000	0.56	0.96	7.1	2.6	540
M354426		0.42	0.28	0.07	<0.1	<0.005	0.02	0.7	1.2	11.70	188	0.28	0.01	0.3	1.9	150
M354427		2.69	15.95	0.14	1.1	0.039	2.51	20.3	22.5	0.67	520	0.58	1.70	7.3	2.9	560
M354428		2.80	15.35	0.14	1.1	0.042	2.59	23.2	13.5	0.76	620	0.72	2.07	7.5	2.7	620
M354429		2.62	15.55	0.13	1.2	0.050	3.09	18.6	9.3	0.64	747	0.66	1.58	7.3	2.7	540
M354430		2.66	15.90	0.15	1.2	0.037	2.72	22.9	18.3	0.65	686	0.84	1.75	7.6	2.7	560
M354431		2.61	15.85	0.14	1.2	0.038	2.70	19.7	18.5	0.62	694	0.90	1.70	7.4	2.8	530
M354432		2.75	16.10	0.15	1.2	0.034	2.73	22.9	23.5	0.65	691	0.87	1.72	7.9	2.7	590
M354433		2.76	16.05	0.15	1.2	0.032	2.56	24.6	27.4	0.73	2420	1.30	1.56	7.1	4.0	540
M354434		1.70	17.15	0.14	3.3	0.023	1.26	24.6	107.0	0.72	1240	1.34	0.03	7.2	17.1	520
M354435		2.57	16.15	0.14	1.2	0.044	2.91	17.9	30.4	0.54	1530	1.00	0.09	7.3	3.8	560
M354436		0.43	0.30	0.07	<0.1	<0.005	0.02	0.6	1.1	11.75	210	0.11	<0.01	0.3	1.8	150
M354437		2.70	14.80	0.14	1.3	0.035	2.68	22.4	28.3	0.71	1250	0.65	0.80	8.0	3.0	580
M354438		2.60	15.50	0.15	1.4	0.035	2.85	18.7	24.8	0.62	837	0.60	0.64	8.3	3.2	580
M354439		2.71	14.75	0.16	1.3	0.035	2.81	22.5	13.9	0.72	699	0.72	1.53	7.9	2.9	570
M354440		2.60	15.25	0.15	1.4	0.042	3.28	22.9	20.2	0.68	2260	1.46	0.42	8.3	3.1	560
M354441		2.24	17.50	0.16	3.2	0.029	0.99	31.9	76.3	0.72	646	1.28	0.04	10.2	4.8	910
M354442		6.91	17.05	0.23	1.4	0.326	3.48	22.8	15.7	1.18	10500	1.17	0.03	7.8	2.8	580
M354443		5.12	18.45	0.19	1.2	0.337	3.85	25.0	19.7	0.96	3150	0.66	0.05	8.6	3.4	620
M354444		5.41	19.30	0.20	1.2	0.359	3.89	21.8	18.3	0.97	3270	0.51	0.05	8.3	3.3	610
M354445		3.13	15.95	0.19	1.3	0.050	2.86	26.2	18.5	0.85	808	0.82	2.21	8.6	3.3	640
M354446		3.01	15.35	0.17	1.3	0.045	2.65	24.3	24.7	0.76	863	0.81	1.64	8.4	3.3	630
M354447		2.86	15.80	0.18	1.4	0.040	2.76	23.3	20.4	0.83	700	1.05	2.31	8.6	3.2	590
M354448		2.70	15.00	0.18	1.5	0.043	2.80	25.6	20.3	0.73	710	0.87	2.10	8.5	2.9	560
M354449		2.81	14.35	0.17	1.5	0.077	2.74	22.1	21.2	0.72	1160	1.35	1.58	8.1	3.4	660
M354450		2.83	15.60	0.17	1.5	0.041	2.73	25.7	15.4	0.80	1300	1.36	2.16	8.4	3.3	610
M354451		5.32	14.55	0.20	1.3	1.020	2.88	24.2	23.6	0.72	2120	14.05	0.28	7.9	16.6	510
M354452		3.02	15.60	0.17	1.3	0.047	2.54	24.3	20.7	0.92	744	3.04	2.42	8.6	3.2	660
M354453		3.12	15.95	0.20	1.3	0.050	2.48	23.6	18.4	0.89	745	2.44	2.37	8.8	3.3	660



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2012
Account: ROCKHA

Project: Klaza-131

CERTIFICATE OF ANALYSIS WH12219452

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M354418		81.5	121.5	<0.002	0.16	42.6	8.6	1	1.5	104.5	0.66	<0.05	11.4	0.238	3.5
M354419		35.7	138.5	0.002	0.23	8.45	9.9	1	1.7	302	0.75	0.05	14.9	0.259	3.0
M354420		1365	161.0	<0.002	3.08	32.5	8.5	1	5.8	147.0	0.59	0.31	11.4	0.210	4.9
M354421		86.8	84.7	<0.002	0.20	24.6	9.6	1	6.4	123.0	0.62	<0.05	10.3	0.237	4.8
M354422		16.5	73.9	<0.002	0.19	45.3	10.8	1	6.5	114.5	0.65	<0.05	9.7	0.252	12.9
M354423		41.8	109.5	<0.002	0.32	38.8	10.6	1	3.9	121.0	0.60	<0.05	12.4	0.229	7.7
M354424		15.7	103.0	<0.002	0.03	17.50	10.4	1	3.5	188.0	0.71	<0.05	12.5	0.246	3.3
M354425		12.1	81.2	<0.002	0.21	13.20	9.4	1	5.2	138.0	0.63	0.05	10.1	0.233	4.9
M354426		0.8	1.2	<0.002	<0.01	0.09	0.2	1	<0.2	49.8	<0.05	<0.05	<0.2	<0.005	0.5
M354427		16.6	87.9	<0.002	0.01	3.43	10.3	1	1.6	298	0.63	<0.05	11.4	0.254	3.3
M354428		16.8	95.8	<0.002	0.03	2.85	10.8	1	1.7	361	0.65	<0.05	11.9	0.259	3.5
M354429		15.1	111.0	<0.002	0.06	3.40	9.4	1	1.5	277	0.69	<0.05	10.2	0.243	3.4
M354430		16.7	108.5	<0.002	0.06	4.23	10.4	1	1.4	303	0.69	<0.05	12.1	0.249	3.7
M354431		16.6	100.5	<0.002	0.06	4.66	10.2	1	1.4	295	0.67	<0.05	10.9	0.246	3.6
M354432		17.9	108.5	<0.002	0.01	7.20	11.1	1	1.4	304	0.70	<0.05	11.9	0.256	3.7
M354433		111.0	111.0	<0.002	0.24	10.15	10.5	1	1.5	305	0.62	<0.05	12.4	0.238	3.3
M354434		31.2	45.4	<0.002	0.11	26.7	5.4	1	1.4	240	0.62	<0.05	9.6	0.224	7.9
M354435		193.5	108.0	<0.002	0.23	23.9	9.8	1	1.5	94.4	0.65	<0.05	9.7	0.241	7.9
M354436		0.7	1.4	<0.002	<0.01	0.10	0.1	1	<0.2	48.9	<0.05	<0.05	<0.2	<0.005	0.5
M354437		19.6	108.5	<0.002	0.21	17.30	10.3	1	1.4	201	0.78	<0.05	13.0	0.250	4.3
M354438		18.7	104.0	<0.002	0.08	13.80	9.8	1	1.8	165.5	0.78	<0.05	12.3	0.253	4.4
M354439		18.0	121.0	<0.002	0.05	4.80	9.9	1	2.0	261	0.75	<0.05	13.2	0.245	3.6
M354440		60.3	142.0	<0.002	0.42	16.55	9.9	1	2.0	125.0	0.80	<0.05	14.4	0.249	5.0
M354441		12.3	35.9	<0.002	0.03	26.2	5.0	1	1.5	147.5	0.82	<0.05	10.1	0.285	3.9
M354442		48.8	188.0	<0.002	3.46	30.2	10.8	1	3.1	72.8	0.80	0.13	13.4	0.246	5.1
M354443		17.5	171.0	<0.002	0.50	13.65	11.3	2	3.1	81.4	0.82	0.18	13.9	0.268	7.1
M354444		15.7	150.5	<0.002	0.40	12.40	10.6	2	3.4	80.3	0.79	0.20	12.9	0.258	8.1
M354445		24.3	123.5	<0.002	0.05	3.85	11.3	1	2.1	376	0.79	<0.05	14.5	0.274	4.8
M354446		21.4	114.0	<0.002	0.10	8.87	11.0	1	2.2	276	0.79	<0.05	13.3	0.268	5.5
M354447		18.7	105.5	<0.002	0.01	1.30	10.5	1	2.1	375	0.83	<0.05	13.7	0.269	4.2
M354448		45.6	119.0	<0.002	0.05	2.65	10.0	1	1.9	329	0.87	<0.05	16.2	0.243	4.8
M354449		266	115.5	<0.002	0.27	19.05	9.5	1	1.9	257	0.83	<0.05	12.5	0.253	5.1
M354450		22.5	111.5	<0.002	0.06	2.85	10.5	1	1.8	352	0.81	<0.05	14.2	0.266	4.8
M354451		1460	172.5	0.002	3.11	35.3	9.4	1	6.5	153.0	0.72	0.33	13.0	0.216	5.8
M354452		20.5	109.0	<0.002	0.03	2.22	11.4	1	1.8	412	0.80	<0.05	12.6	0.286	4.1
M354453		20.5	107.5	<0.002	0.01	2.59	11.6	1	1.9	389	0.82	<0.05	13.0	0.291	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-OCT-2012
 Account: ROCKHA

Project: Klaza-131

CERTIFICATE OF ANALYSIS WH12219452

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M354418		65	3.9	12.6	494	35.7
M354419		70	2.7	15.3	79	35.2
M354420		58	4.9	10.9	2980	37.0
M354421		67	3.4	14.4	131	31.0
M354422		82	3.1	14.8	81	33.6
M354423		66	2.8	15.3	94	35.8
M354424		63	2.8	13.0	59	34.6
M354425		70	3.9	15.6	65	35.4
M354426		2	0.1	0.8	16	0.5
M354427		67	1.1	14.5	42	32.1
M354428		77	1.0	16.1	45	31.7
M354429		64	2.1	13.2	48	33.2
M354430		68	1.2	14.8	47	33.7
M354431		65	1.2	14.3	47	33.6
M354432		71	1.5	15.1	55	32.9
M354433		63	2.6	15.5	339	36.1
M354434		43	1.8	10.8	67	121.0
M354435		66	4.2	13.4	91	37.6
M354436		2	0.1	0.8	16	0.6
M354437		69	3.8	17.1	51	41.6
M354438		69	3.2	16.0	49	44.9
M354439		67	1.4	17.2	44	39.3
M354440		67	3.2	16.0	153	46.4
M354441		46	2.6	10.9	86	124.5
M354442		70	17.0	15.8	118	39.9
M354443		82	10.3	18.8	83	36.9
M354444		84	12.1	18.0	80	36.4
M354445		76	1.7	19.6	65	40.1
M354446		76	2.0	18.3	62	40.2
M354447		72	1.5	18.6	49	41.4
M354448		66	1.3	18.1	82	45.6
M354449		71	2.5	17.7	145	44.7
M354450		72	1.4	18.4	56	44.8
M354451		60	5.1	13.4	3100	42.8
M354452		79	1.8	19.7	56	36.1
M354453		80	3.2	19.5	60	35.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-131

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219452

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)