



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22-SEP-2012
This copy reported on
25-SEP-2012
Account: ROCKHA

CERTIFICATE WH12219776

Project: Klaza-88

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176321**

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12219776

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
N810664		>100	5.23	7640	1040	1.13	59.7	1.88	221	35.7	8.6	17	11.00	1230	7.71
N810665		0.21	6.63	31.2	2280	1.53	0.26	2.87	0.29	40.5	8.5	16	12.25	9.2	3.15
N810666		1.14	6.22	107.5	1460	1.45	0.30	2.96	4.49	45.9	10.3	12	23.3	16.3	2.78
N810667		0.09	6.99	5.9	2430	1.49	0.14	2.82	0.09	42.8	7.7	13	14.35	5.2	2.95
N810668		0.08	7.41	6.0	2290	1.60	0.14	2.72	0.11	51.2	8.3	15	12.15	6.0	3.11
N810669		0.24	6.93	45.9	1720	1.61	0.23	2.67	0.58	45.7	9.5	15	19.00	5.0	2.95
N810670		>100	3.06	5870	140	0.79	77.9	3.08	330	21.8	72.9	9	4.18	1385	16.25
N810671		0.06	0.07	8	30	0.07	0.05	20.2	0.15	1.33	1.0	<1	0.43	2.2	0.48
N810672		1.01	6.47	72.8	300	2.07	0.36	3.48	0.83	59.2	6.7	15	20.7	9.2	2.46
N810673		3.71	6.82	94.0	870	1.68	0.40	4.37	5.79	69.5	6.7	13	12.65	17.7	2.52
N810674		0.21	6.72	21.0	1960	1.83	0.14	3.06	0.52	63.6	5.6	13	21.9	14.4	2.32
N810675		0.46	6.95	21.8	1140	1.76	0.15	3.23	0.64	65.6	6.0	14	32.6	31.0	2.41
N810676		67.9	3.99	1955	210	0.88	58.6	1.29	25.2	58.7	50.5	15	7.24	1615	9.00
N810677		0.08	0.07	<5	40	0.06	0.06	19.55	0.08	1.35	1.1	<1	0.25	2.3	0.46
N810678		0.33	7.12	10.9	2240	1.39	0.34	2.71	0.21	45.6	5.9	13	10.10	15.5	3.20
N810679		0.20	7.18	19.1	2290	1.40	0.28	2.31	0.24	48.8	6.6	15	14.90	6.0	3.34
N810680		1.08	6.93	14.7	2000	1.56	0.18	2.49	0.30	42.9	7.0	11	20.5	14.0	3.07
N810681		0.16	7.25	8.6	2080	1.58	0.13	2.60	0.29	50.6	10.0	15	15.40	7.2	3.18
N810682		0.13	7.34	6.0	2260	1.57	0.08	2.81	0.21	51.1	7.6	12	13.70	8.2	3.09
N810683		0.14	6.97	5.9	2170	1.66	0.11	2.76	0.24	59.6	7.7	16	13.70	9.1	2.97
N810684		3.68	6.67	508	1450	1.42	1.25	3.31	2.11	56.6	9.5	11	14.30	20.1	4.87
N810685		0.35	6.93	25.1	2220	1.48	0.27	2.79	0.45	45.1	8.4	12	14.80	44.9	3.16
N810686		0.87	6.94	323	1420	1.28	0.42	2.60	1.69	49.7	14.4	15	14.20	11.4	4.00
N810687		0.08	7.41	12.8	2240	1.45	0.13	2.50	0.09	52.2	9.9	13	7.58	5.3	3.43
N810688		0.15	7.51	9.0	2170	1.66	0.17	2.67	0.10	52.6	9.0	17	10.15	26.5	3.34
N810689		0.09	7.51	5.5	2220	1.53	0.14	2.70	0.10	57.1	8.6	14	8.55	10.2	3.26
N810690		0.12	6.95	7.1	2020	1.57	0.18	2.54	0.20	55.8	9.3	14	8.32	15.4	2.87
N810691		0.06	7.24	3.5	2180	1.58	0.08	2.73	0.09	54.1	7.9	13	3.94	13.0	3.17
N810692		0.19	7.48	51.9	1210	2.00	0.26	1.91	0.43	49.0	9.4	19	23.1	4.9	3.07
N810693		9.55	6.47	1755	800	1.57	6.41	1.90	42.9	49.8	16.5	21	16.85	108.0	5.13
N810694		0.16	6.12	34.2	1090	1.74	0.29	3.37	0.27	36.9	7.8	17	22.0	4.4	3.01
N810695		0.20	6.65	48.0	1260	1.61	0.38	2.08	0.99	34.8	7.3	13	23.2	5.4	2.97
N810696		0.12	7.53	40.8	1640	1.85	0.18	2.24	0.57	54.6	8.1	13	15.45	4.5	3.02
N810697		0.45	6.13	141.0	1080	2.07	0.51	3.14	5.10	39.4	7.3	13	24.4	7.3	2.84
N810698		0.14	7.30	38.2	1160	1.98	0.10	4.18	0.16	80.6	9.5	32	27.8	18.5	3.52
N810699		0.08	6.34	20.6	2180	1.56	0.25	2.46	0.09	42.6	7.2	10	21.6	5.5	2.68

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176321**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12219776

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5	ppm 0.1
N810664		0.16	1.1	4.71	2.18	17.8	31.8	0.60	2970	14.85	0.08	5.6	13.2	430	9350	143.0
N810665		0.14	1.4	0.044	2.64	18.1	16.1	0.83	1070	2.00	1.67	8.0	3.2	580	35.2	102.5
N810666		0.16	1.4	0.139	2.76	21.5	49.2	0.87	1280	1.75	0.61	8.3	2.9	540	172.0	118.5
N810667		0.15	1.4	0.052	2.59	19.7	8.3	0.72	755	1.40	2.04	8.1	2.9	580	19.0	104.5
N810668		0.19	1.5	0.060	2.63	24.4	9.9	0.84	767	2.09	2.08	8.8	3.3	610	20.5	124.0
N810669		0.16	1.3	0.071	2.84	21.4	37.4	0.71	1290	1.33	1.02	8.6	3.0	590	56.4	125.0
N810670		0.27	0.5	3.07	1.35	11.5	6.4	1.15	3270	1.87	0.02	3.2	2.0	230	>10000	83.0
N810671		0.05	<0.1	0.005	0.03	0.6	1.3	12.65	208	0.10	0.01	0.4	1.2	180	7.6	2.4
N810672		0.17	3.4	0.034	2.62	29.4	37.2	1.29	1080	1.24	0.04	10.4	6.3	960	65.9	153.0
N810673		0.18	2.9	0.063	1.45	36.1	66.8	1.58	1070	2.72	0.03	10.9	5.0	870	497	96.3
N810674		0.17	2.8	0.031	1.64	29.6	86.6	0.86	721	1.46	0.06	12.8	3.7	890	34.8	54.0
N810675		0.18	2.6	0.058	2.70	30.5	39.7	0.80	747	1.43	0.07	12.4	3.5	910	47.5	98.6
N810676		0.25	0.7	1.195	1.57	37.0	25.9	0.41	1040	3.47	0.03	4.9	3.4	320	2110	101.0
N810677		0.07	<0.1	0.005	0.03	0.6	1.1	12.30	203	0.11	0.01	0.3	1.6	180	3.2	1.7
N810678		0.14	1.2	0.099	2.91	20.5	9.5	0.75	736	7.34	1.80	8.5	2.8	630	31.4	121.0
N810679		0.18	1.2	0.118	3.22	23.4	16.7	0.70	1050	4.02	1.31	8.4	2.8	600	23.6	153.5
N810680		0.16	1.2	0.062	2.84	19.3	29.4	0.71	919	1.97	1.56	8.6	2.9	650	31.1	115.0
N810681		0.19	1.2	0.050	2.79	23.9	18.5	0.78	934	1.67	1.81	8.5	3.0	600	21.1	130.0
N810682		0.18	1.2	0.046	2.75	24.0	10.4	0.80	835	1.22	2.13	8.4	3.0	630	34.0	120.0
N810683		0.19	1.2	0.048	2.69	27.6	10.7	0.77	838	1.74	2.01	8.6	3.2	600	32.4	123.5
N810684		0.18	1.0	0.257	2.67	29.8	20.8	1.12	4130	1.32	0.90	6.9	2.7	550	459	151.5
N810685		0.16	1.2	0.062	2.87	20.1	19.9	0.74	875	1.80	1.66	8.4	3.0	620	28.5	111.5
N810686		0.16	1.1	0.132	3.46	24.9	21.5	0.76	3030	2.11	0.25	7.4	2.5	550	40.7	208
N810687		0.17	1.1	0.073	2.91	25.1	14.0	0.86	857	1.28	1.92	8.0	3.5	600	16.3	130.5
N810688		0.18	1.3	0.061	2.58	24.7	16.8	0.85	761	1.88	2.14	9.2	3.2	670	17.9	110.5
N810689		0.18	1.2	0.065	2.85	28.1	11.2	0.83	876	1.96	1.96	8.0	2.9	600	19.5	132.5
N810690		0.18	1.3	0.053	2.58	26.7	12.8	0.75	689	1.75	1.97	8.5	2.9	590	27.6	114.5
N810691		0.17	1.2	0.042	2.52	25.3	12.4	0.87	704	2.46	2.30	8.5	3.2	620	16.9	97.7
N810692		0.16	1.9	0.050	2.40	22.2	67.1	0.21	714	2.54	0.55	9.8	4.7	810	17.5	109.5
N810693		0.18	1.4	0.971	2.86	25.5	26.8	0.67	2000	12.55	0.26	7.7	15.3	490	1315	177.0
N810694		0.15	1.3	0.044	2.57	16.6	50.2	0.20	1160	2.32	0.68	8.3	3.4	580	33.4	104.5
N810695		0.14	1.3	0.045	2.53	15.2	74.3	0.18	902	3.41	0.35	9.1	3.1	640	22.6	110.5
N810696		0.19	1.3	0.036	2.63	26.9	45.8	0.44	667	1.85	1.50	8.6	3.4	630	19.2	121.0
N810697		0.15	1.7	0.036	2.52	17.3	44.9	0.29	1290	2.08	0.33	8.5	4.2	720	67.8	99.7
N810698		0.22	4.7	0.042	2.05	38.0	80.1	0.97	871	1.54	0.10	12.9	12.4	1780	15.2	70.8
N810699		0.15	1.5	0.033	2.19	19.8	44.7	0.70	738	0.86	1.37	8.4	3.1	610	13.4	87.4

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176321**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12219776

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N810664		<0.002	6.79	211	7.4	2	8.3	122.0	0.42	0.49	9.3	0.178	2.17	5.6	50	4.2
N810665		<0.002	0.11	3.11	11.4	1	1.8	339	0.66	<0.05	11.3	0.261	1.43	4.0	74	1.7
N810666		<0.002	0.26	8.12	11.2	1	2.5	217	0.68	0.10	11.5	0.244	2.17	4.4	67	3.0
N810667		<0.002	0.05	1.54	11.5	1	1.5	447	0.63	<0.05	11.2	0.260	1.23	3.8	71	1.3
N810668		<0.002	0.05	1.22	12.5	1	1.7	401	0.71	<0.05	13.7	0.268	1.23	4.5	73	1.6
N810669		<0.002	0.26	3.94	11.5	1	1.9	264	0.72	0.07	12.9	0.262	1.86	4.3	71	2.0
N810670		<0.002	>10.0	217	4.5	4	11.4	85.9	0.23	8.05	5.9	0.106	1.39	2.2	29	4.5
N810671		<0.002	0.01	0.12	0.2	1	<0.2	49.0	<0.05	<0.05	<0.2	<0.005	0.02	0.5	2	0.1
N810672		<0.002	0.53	10.15	7.3	1	1.3	210	0.69	<0.05	9.8	0.274	3.75	4.7	55	4.9
N810673		<0.002	0.69	10.90	6.4	1	1.5	320	0.72	<0.05	11.4	0.256	2.02	7.1	49	4.4
N810674		<0.002	0.10	5.93	6.6	1	1.3	306	0.85	<0.05	9.8	0.258	1.44	5.1	50	2.6
N810675		<0.002	0.05	7.98	6.1	1	1.4	298	0.82	<0.05	9.7	0.261	2.30	4.8	52	1.7
N810676		0.003	9.24	68.9	6.3	2	8.6	85.2	0.34	7.79	7.3	0.139	1.59	3.4	38	3.1
N810677		<0.002	0.01	0.09	0.2	1	<0.2	48.7	<0.05	<0.05	<0.2	<0.005	<0.02	1.4	2	0.1
N810678		<0.002	0.05	3.23	11.6	1	1.9	367	0.68	<0.05	12.3	0.279	1.66	3.9	77	1.2
N810679		<0.002	0.16	4.23	11.3	1	2.2	297	0.68	<0.05	12.8	0.268	1.97	4.3	74	2.6
N810680		<0.002	0.09	4.50	12.2	1	1.6	313	0.65	<0.05	11.4	0.286	1.60	3.4	82	1.8
N810681		<0.002	0.15	2.10	12.4	1	1.7	362	0.65	<0.05	13.6	0.273	1.46	4.0	75	1.6
N810682		<0.002	0.03	1.84	12.4	1	1.6	402	0.64	<0.05	12.5	0.277	1.37	3.7	77	1.2
N810683		<0.002	0.04	1.84	12.5	1	1.6	379	0.63	<0.05	13.9	0.275	1.40	3.8	75	1.2
N810684		<0.002	1.33	10.00	11.1	1	3.4	267	0.53	<0.05	13.0	0.240	1.84	5.2	67	4.6
N810685		<0.002	0.07	3.55	11.6	1	1.6	343	0.67	<0.05	12.0	0.275	1.51	3.4	75	3.3
N810686		<0.002	1.90	8.88	11.2	1	3.1	116.5	0.57	0.06	13.7	0.247	2.72	4.0	69	3.2
N810687		<0.002	0.12	2.00	11.4	1	1.8	354	0.60	<0.05	13.4	0.271	1.37	3.7	73	1.4
N810688		<0.002	0.08	1.61	13.1	1	2.0	390	0.72	<0.05	13.9	0.290	1.19	4.1	81	1.5
N810689		<0.002	0.08	1.97	11.8	1	1.9	353	0.65	<0.05	14.5	0.270	1.34	4.9	75	1.1
N810690		<0.002	0.08	1.17	12.0	1	2.2	347	0.70	<0.05	14.5	0.269	1.19	4.4	73	0.9
N810691		<0.002	0.01	0.61	11.9	1	1.9	403	0.66	<0.05	13.2	0.282	0.94	4.0	77	0.5
N810692		<0.002	0.01	10.40	11.6	1	1.7	112.5	0.75	<0.05	10.5	0.311	1.91	2.9	82	1.6
N810693		<0.002	2.98	33.9	9.3	1	6.0	151.0	0.61	0.29	13.0	0.214	2.60	5.7	58	5.1
N810694		<0.002	0.01	8.21	10.5	1	1.6	151.5	0.66	<0.05	10.0	0.283	1.83	2.8	80	1.1
N810695		<0.002	0.02	10.30	11.6	1	1.8	108.0	0.70	<0.05	9.4	0.301	1.84	2.7	89	2.0
N810696		<0.002	0.02	5.19	12.4	1	1.7	261	0.69	<0.05	14.5	0.279	1.53	2.7	76	0.8
N810697		<0.002	0.03	11.95	9.7	1	1.6	108.0	0.64	<0.05	8.7	0.291	2.00	3.6	71	1.3
N810698		<0.002	0.02	18.50	8.6	1	1.3	362	0.83	<0.05	8.5	0.441	1.83	6.6	85	1.6
N810699		<0.002	0.15	6.57	10.6	1	1.5	151.0	0.70	<0.05	12.3	0.262	1.75	3.9	64	0.9

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176321**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2012
 Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12219776

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
N810664		9.7	>10000	29.9	114		1.670
N810665		15.4	78	29.7			
N810666		15.1	385	31.0			
N810667		15.8	52	31.2			
N810668		18.5	57	32.7			
N810669		16.1	92	30.9			
N810670		5.7	>10000	11.6	181	1.920	2.49
N810671		1.0	25	<0.5			
N810672		13.6	101	122.5			
N810673		13.8	410	97.9			
N810674		13.1	97	86.2			
N810675		13.2	91	83.1			
N810676		7.3	1670	18.9			
N810677		0.9	17	0.5			
N810678		15.7	64	28.1			
N810679		15.9	70	28.2			
N810680		15.9	69	26.6			
N810681		17.2	66	27.8			
N810682		17.3	59	27.9			
N810683		18.0	60	28.7			
N810684		15.5	192	23.8			
N810685		15.4	72	27.6			
N810686		13.8	174	25.1			
N810687		16.0	53	26.0			
N810688		18.7	54	30.9			
N810689		17.5	53	29.1			
N810690		17.4	60	29.4			
N810691		18.0	53	28.3			
N810692		13.9	89	54.3			
N810693		12.3	3040	37.5			
N810694		12.4	65	27.8			
N810695		12.6	138	28.6			
N810696		15.9	90	29.9			
N810697		11.2	345	45.2			
N810698		14.1	77	177.0			
N810699		10.8	51	35.3			

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176321**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-88

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12219776

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)