



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 27-SEP-2012  
This copy reported on  
2-OCT-2012  
Account: ROCKHA

**CERTIFICATE WH12225368**

Project: Klaza-117

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12206339\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-SEP-2012  
Account: ROCKHA

Project: Klaza-117

**CERTIFICATE OF ANALYSIS WH12225368**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
M357119		0.03	7.27	0.9	1280	1.42	0.09	2.47	0.07	44.2	6.7	9	12.65	2.8	2.58	15.45
M357120		0.05	7.01	2.7	1230	1.21	0.11	2.56	0.06	37.0	6.0	9	13.20	5.1	2.50	14.30
M357121		0.09	6.63	6.9	1030	1.11	0.09	2.67	0.11	35.4	6.0	8	17.80	4.2	2.39	13.95
M357122		0.06	6.80	6.0	920	1.07	0.11	2.37	0.18	37.9	5.4	8	18.90	4.6	2.18	13.65
M357123		0.25	6.73	14.8	590	0.97	0.25	2.00	0.33	41.1	5.4	7	15.55	9.0	1.90	12.35
M357124		0.26	6.99	16.5	610	1.09	0.26	2.07	0.34	45.0	6.0	9	17.15	10.3	2.03	13.90
M357125		0.28	6.77	9.2	940	1.25	0.39	2.61	0.39	36.9	6.0	10	17.10	16.2	2.44	14.05
M357126		0.26	6.72	13.5	510	1.06	0.16	3.35	0.26	44.9	5.8	10	17.15	7.1	2.29	13.55
M357127		0.11	6.75	10.1	740	1.19	0.18	2.50	0.23	39.3	5.7	8	18.15	9.3	2.19	13.40
M357128		0.77	6.73	42.1	920	1.20	0.55	2.37	9.75	38.0	5.6	8	16.30	47.6	2.09	13.90
M357129		0.19	6.85	8.6	1550	1.36	0.33	2.70	0.37	37.8	5.7	9	14.20	23.8	2.39	14.10
M357130		9.43	6.53	1540	1230	1.31	6.27	1.84	43.2	42.9	14.8	19	15.60	102.0	5.06	14.30
M357131		1.14	6.82	45.9	800	1.14	0.27	2.48	1.37	48.4	5.0	7	16.55	20.8	2.48	13.40
M357132		1.11	4.20	63.3	3040	0.93	0.25	6.05	4.34	30.5	3.7	4	12.95	5.7	3.55	8.63
M357133		1.50	4.56	130.0	1710	0.98	0.11	4.35	7.64	34.1	4.2	5	12.85	8.8	2.78	9.24
M357134		0.70	6.68	17.8	650	0.99	0.06	2.67	0.39	43.3	6.0	8	17.65	12.2	1.98	13.00
M357135		0.55	6.94	14.5	5480	1.08	0.06	3.52	0.45	45.0	5.5	8	14.50	21.4	2.40	12.60
M357136		0.14	6.94	10.0	1180	1.14	0.09	2.45	0.17	41.3	5.2	9	16.75	10.2	2.29	14.10
M357137		0.18	7.01	10.8	990	1.14	0.09	2.43	0.14	41.7	5.0	8	17.10	11.7	2.30	14.20
M357138		0.57	6.28	18.7	7120	1.00	0.10	3.06	0.61	41.8	4.6	7	17.95	9.9	2.13	11.65
M357139		0.34	6.43	17.2	1370	1.27	0.26	2.81	0.37	43.6	5.3	7	20.4	6.8	2.01	12.60
M357140		0.41	6.99	19.9	560	1.42	0.53	2.41	0.18	47.7	5.9	8	21.3	11.0	2.26	14.20
M357141		0.22	7.12	4.3	1730	1.40	0.58	1.60	0.17	42.8	6.2	8	15.30	11.0	2.37	14.65
M357142		1.78	7.91	10.1	1130	1.77	15.70	6.59	0.42	45.8	9.8	6	27.9	2.4	4.95	26.8
M357143		0.02	0.11	<5	40	0.08	0.05	20.5	0.05	1.54	0.7	<1	0.34	1.4	0.47	0.36
M357144		0.25	6.89	8.6	710	1.53	0.94	2.51	0.44	45.5	5.6	8	20.7	10.8	2.32	13.75
M357145		0.18	7.00	12.8	1210	1.57	0.09	2.47	0.42	42.8	6.3	9	15.75	15.9	2.42	14.90
M357146		38.0	5.98	6060	470	1.38	0.88	2.39	93.0	42.8	5.5	6	16.70	682	5.38	12.35
M357147		0.10	0.05	<5	50	0.06	0.02	21.2	0.18	1.17	0.7	<1	0.17	2.7	0.47	0.20
M357148		0.36	6.56	22.2	840	1.49	0.20	2.29	1.18	40.9	5.1	7	19.00	10.8	2.17	13.55
M357149		1.17	6.44	17.5	770	1.62	0.45	2.86	0.58	39.0	6.4	8	22.1	25.1	2.48	14.05
M357150		0.53	6.26	23.3	480	1.50	0.27	3.23	0.50	42.2	6.7	6	38.1	24.6	2.14	13.45
M357151		0.16	6.56	9.9	1930	1.61	0.25	2.99	0.24	38.4	6.9	6	22.4	17.3	2.35	14.30
M357152		10.50	6.88	1635	1310	1.73	6.35	1.93	44.3	46.5	17.9	20	17.25	115.5	5.29	15.45
M357153		0.13	7.29	4.6	1880	1.74	0.15	2.27	0.15	52.8	5.1	9	14.60	10.3	2.11	14.70
M357154		0.11	7.05	3.2	1800	1.92	0.20	2.55	0.18	44.6	4.9	11	14.45	9.6	2.01	14.60

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12206339\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-SEP-2012  
Account: ROCKHA

Project: Klaza-117

**CERTIFICATE OF ANALYSIS WH12225368**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5	ppm 0.1
M357119		0.10	0.9	0.023	2.48	22.9	15.9	0.67	544	0.35	2.08	9.4	3.5	440	13.3	90.4
M357120		0.09	0.9	0.022	2.45	19.3	21.0	0.68	571	0.35	2.04	9.0	3.2	430	12.5	86.1
M357121		0.11	0.9	0.020	2.31	18.0	49.8	0.71	601	0.32	0.98	8.1	3.2	410	12.4	79.2
M357122		0.09	0.8	0.023	2.15	20.1	64.1	0.66	535	0.31	0.75	8.0	2.8	410	14.3	78.3
M357123		0.08	0.9	0.027	2.10	22.6	77.9	0.69	647	183.0	0.11	7.7	2.9	380	24.7	79.9
M357124		0.11	0.9	0.030	2.17	24.8	87.2	0.70	680	182.0	0.11	8.7	3.5	390	27.1	86.1
M357125		0.09	1.0	0.035	2.39	19.0	32.0	0.74	702	14.55	0.97	8.6	3.4	410	33.2	80.3
M357126		0.09	0.9	0.024	2.33	24.5	53.8	0.94	830	64.1	0.04	8.2	3.2	390	18.5	79.9
M357127		0.11	0.9	0.032	2.41	20.7	37.6	0.79	751	50.6	0.13	8.2	2.8	390	17.5	93.7
M357128		0.09	1.0	0.119	2.58	19.9	30.7	0.70	1210	3.94	0.14	8.5	2.8	400	306	102.5
M357129		0.10	1.0	0.046	1.79	19.3	76.7	0.79	774	7.02	0.62	8.8	3.2	410	29.3	65.0
M357130		0.15	1.3	0.957	2.81	22.1	24.1	0.68	2000	11.95	0.26	7.5	13.8	510	1365	154.5
M357131		0.09	0.9	0.149	2.04	27.3	65.5	0.90	1820	5.33	0.04	8.0	2.8	370	156.5	99.9
M357132		0.10	0.6	0.154	1.85	17.4	15.8	2.23	4580	8.43	0.02	4.8	2.8	220	259	109.0
M357133		0.11	0.6	0.062	2.07	19.7	24.3	1.51	3100	6.76	0.03	5.0	2.7	240	866	135.0
M357134		0.09	0.8	0.019	2.34	24.6	211	0.91	1030	3.56	0.04	7.8	3.2	380	15.8	94.9
M357135		0.10	0.8	0.020	1.53	25.4	138.5	1.17	1140	7.64	0.14	7.9	3.0	420	22.9	73.3
M357136		0.10	0.9	0.021	2.24	21.5	93.3	0.75	694	0.56	0.30	8.8	2.9	430	30.5	78.6
M357137		0.09	0.9	0.019	2.33	21.9	80.4	0.77	738	0.51	0.29	8.7	2.9	420	14.0	87.5
M357138		0.09	0.8	0.029	2.08	23.5	148.5	1.04	1140	5.07	0.03	7.6	2.8	350	65.8	92.7
M357139		0.11	0.7	0.017	2.38	25.8	129.0	1.00	973	1.25	0.04	7.6	2.8	350	25.1	122.0
M357140		0.12	0.9	0.025	2.74	26.6	114.0	0.92	954	3.32	0.04	8.7	3.3	380	16.1	147.0
M357141		0.09	0.8	0.032	2.23	23.1	58.7	0.69	753	1.04	0.57	8.6	3.3	430	16.8	102.5
M357142		0.12	1.1	0.963	3.88	21.6	25.9	0.79	2500	0.26	0.18	10.5	4.3	590	23.7	135.0
M357143		0.11	<0.1	0.009	0.04	0.7	1.6	12.50	209	0.12	0.02	0.3	1.9	200	1.5	2.6
M357144		0.19	0.9	0.067	3.03	25.0	29.0	0.86	992	3.87	0.06	8.9	2.8	370	10.0	160.0
M357145		0.16	0.9	0.030	2.62	21.6	31.7	0.66	610	1.01	1.42	9.1	3.6	420	38.0	105.5
M357146		0.11	0.8	1.450	2.47	24.1	24.6	0.65	2010	2.75	0.24	7.6	2.7	310	7850	153.5
M357147		0.14	<0.1	<0.005	0.02	0.5	1.2	13.00	209	0.14	0.01	0.1	1.7	170	11.3	1.2
M357148		0.17	0.9	0.045	2.33	20.9	46.1	0.57	987	0.93	0.63	8.4	2.9	360	82.5	99.7
M357149		0.15	0.8	0.061	2.79	20.4	27.8	0.79	1970	17.65	0.41	8.6	2.8	370	82.1	121.5
M357150		0.15	0.9	0.033	2.82	22.4	22.1	0.83	1510	107.0	0.05	7.7	2.8	370	53.0	162.0
M357151		0.14	1.0	0.026	2.98	18.6	15.5	0.69	921	1.65	0.74	7.4	2.6	510	15.5	136.5
M357152		0.11	1.2	0.921	2.98	22.7	26.0	0.72	2030	13.50	0.28	8.0	16.8	530	1430	174.5
M357153		0.14	1.4	0.026	3.04	26.3	19.1	0.52	526	1.94	2.01	8.0	2.1	430	22.5	132.0
M357154		0.15	1.3	0.027	3.02	23.3	12.0	0.49	600	3.52	1.85	7.8	2.0	390	20.2	136.0

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12206339\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-SEP-2012  
Account: ROCKHA

Project: Klaza-117

**CERTIFICATE OF ANALYSIS WH12225368**

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
M357119		<0.002	0.01	1.58	8.9	1	1.1	338	0.91	<0.05	15.2	0.246	0.67	2.5	71	1.6
M357120		<0.002	0.04	4.39	8.0	1	1.0	329	0.91	<0.05	13.6	0.234	0.67	2.6	67	1.2
M357121		<0.002	0.07	4.96	7.5	1	1.0	242	0.85	<0.05	14.0	0.228	0.77	3.0	66	2.9
M357122		<0.002	0.07	5.77	7.5	1	1.0	216	0.80	<0.05	14.2	0.226	0.71	3.1	65	2.1
M357123		0.050	0.30	12.80	7.2	1	1.0	118.5	0.84	0.06	16.0	0.207	1.07	4.4	58	6.1
M357124		0.045	0.30	13.70	7.9	1	1.1	128.5	0.92	0.05	17.8	0.217	1.14	4.9	61	6.8
M357125		0.004	0.56	7.76	7.4	1	1.2	244	0.89	0.08	14.2	0.231	1.02	3.6	67	4.0
M357126		0.014	0.24	10.95	7.8	1	1.1	164.0	0.81	<0.05	14.9	0.221	1.39	3.9	63	5.5
M357127		0.017	0.21	17.70	7.3	1	1.1	117.0	0.88	<0.05	14.7	0.216	1.37	4.7	62	4.3
M357128		<0.002	0.26	18.85	7.3	1	1.4	111.5	0.94	0.05	14.9	0.214	1.58	5.2	62	4.5
M357129		0.002	0.24	13.10	7.6	1	1.2	203	0.95	<0.05	14.6	0.225	0.95	4.0	65	5.3
M357130		<0.002	3.05	35.2	8.0	1	5.9	150.5	0.65	0.36	12.5	0.209	2.46	5.3	57	5.8
M357131		<0.002	0.25	17.05	7.4	1	1.3	103.0	0.84	<0.05	17.4	0.205	1.32	5.7	59	5.3
M357132		0.002	0.35	15.35	4.9	1	0.9	115.5	0.46	<0.05	10.7	0.126	1.29	4.2	42	3.9
M357133		<0.002	0.55	20.2	5.2	1	0.8	165.5	0.55	<0.05	11.4	0.136	1.64	8.7	45	3.9
M357134		<0.002	0.29	31.7	7.3	1	1.0	140.0	0.84	<0.05	15.7	0.206	1.33	7.4	58	12.4
M357135		0.002	0.29	17.80	7.2	1	1.0	252	0.79	<0.05	16.2	0.218	0.91	4.5	60	10.1
M357136		<0.002	0.12	18.50	7.8	1	1.2	176.0	0.91	<0.05	15.5	0.229	1.28	4.2	66	7.1
M357137		<0.002	0.12	17.75	8.1	1	1.2	164.0	0.94	<0.05	16.0	0.226	1.35	4.7	66	6.6
M357138		0.002	0.39	10.20	6.8	1	0.9	176.5	0.87	<0.05	16.5	0.191	1.32	5.3	53	12.1
M357139		<0.002	0.24	14.60	7.4	1	0.9	141.0	0.64	<0.05	15.1	0.194	1.77	5.6	55	7.2
M357140		<0.002	0.19	6.85	8.4	1	1.1	112.0	0.77	<0.05	15.6	0.210	2.14	4.7	61	6.2
M357141		<0.002	0.10	7.46	8.6	1	1.2	137.0	0.71	<0.05	14.7	0.236	1.31	2.8	67	3.3
M357142		<0.002	0.34	8.48	9.3	1	26.5	258	0.92	<0.05	15.4	0.293	3.26	17.4	127	4.9
M357143		<0.002	0.01	0.07	0.2	1	0.2	51.6	<0.05	<0.05	0.2	<0.005	<0.02	0.6	3	0.1
M357144		0.002	0.08	9.78	7.9	1	1.4	92.5	0.77	<0.05	16.5	0.202	2.31	4.2	56	3.4
M357145		<0.002	0.04	5.58	8.7	1	1.3	271	0.72	<0.05	12.9	0.231	1.13	2.8	66	2.4
M357146		<0.002	3.97	111.5	7.3	1	1.5	126.5	0.64	<0.05	14.5	0.172	1.73	4.4	50	3.8
M357147		<0.002	<0.01	0.21	0.2	<1	<0.2	52.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	2	0.1
M357148		<0.002	0.16	6.95	7.5	1	1.0	199.0	0.78	<0.05	14.1	0.202	1.37	4.6	57	3.6
M357149		0.002	0.16	12.05	7.5	1	1.4	164.0	0.72	<0.05	13.5	0.201	1.89	3.7	57	11.3
M357150		0.012	0.18	17.15	7.5	1	1.2	121.5	0.60	<0.05	14.9	0.187	2.22	4.0	52	15.3
M357151		<0.002	0.07	12.65	8.3	1	1.3	180.5	0.60	<0.05	11.5	0.215	1.90	3.5	57	2.8
M357152		0.003	3.20	36.4	9.8	1	6.4	158.5	0.60	0.25	12.2	0.220	2.70	5.4	60	5.7
M357153		<0.002	0.02	5.36	7.4	1	1.3	319	0.78	<0.05	16.9	0.184	1.19	5.0	47	2.8
M357154		<0.002	0.03	6.03	7.1	<1	1.2	306	0.76	<0.05	16.8	0.171	1.33	3.9	44	1.6

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12206339\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-SEP-2012  
 Account: ROCKHA

Project: Klaza-117

**CERTIFICATE OF ANALYSIS WH12225368**

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M357119		13.4	39	23.9
M357120		11.9	37	22.8
M357121		11.6	40	22.5
M357122		11.4	40	22.2
M357123		11.2	53	22.7
M357124		12.6	57	26.6
M357125		11.0	75	27.2
M357126		12.3	65	26.1
M357127		10.9	61	25.5
M357128		11.5	1060	28.7
M357129		11.7	81	29.2
M357130		12.2	3040	40.3
M357131		12.5	136	25.4
M357132		10.8	355	16.4
M357133		10.6	733	16.8
M357134		11.4	52	22.6
M357135		13.3	84	22.9
M357136		11.2	52	26.4
M357137		11.6	48	25.3
M357138		12.2	83	21.9
M357139		10.4	63	24.5
M357140		11.4	47	27.2
M357141		10.7	47	27.9
M357142		14.8	119	34.9
M357143		1.0	13	<0.5
M357144		11.8	68	27.0
M357145		10.7	74	28.9
M357146		9.7	9390	25.4
M357147		0.8	21	<0.5
M357148		10.1	135	26.6
M357149		10.2	72	26.9
M357150		11.4	57	31.7
M357151		11.3	65	33.2
M357152		12.1	3170	43.0
M357153		13.1	37	47.3
M357154		12.8	36	40.9

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12206339\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-117

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 27-SEP-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12225368**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)