



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1-OCT-2012
This copy reported on
2-OCT-2012
Account: ROCKHA

CERTIFICATE WH12225369

Project: Klaza-119

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12203759**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2012
Account: ROCKHA

Project: Klaza-119

CERTIFICATE OF ANALYSIS WH12225369

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
M359342		0.13	7.60	7.0	2190	1.81	0.08	2.69	0.13	53.8	9.0	12	8.70	8.6	3.16	17.25
M359343		0.11	7.73	8.2	2390	1.64	0.08	2.71	0.11	56.0	8.2	13	5.12	7.4	3.01	17.30
M359344		0.08	7.43	5.3	2190	1.68	0.07	2.42	0.09	47.7	7.1	12	6.80	5.7	2.74	15.65
M359345		0.08	7.75	7.3	2140	1.87	0.09	2.71	0.09	47.4	7.2	12	9.15	5.0	2.73	16.15
M359346		0.09	7.22	4.2	2100	1.78	0.08	2.50	0.09	45.3	7.2	13	8.41	6.4	2.74	15.45
M359347		0.09	7.32	4.3	2010	1.76	0.10	2.70	0.09	47.4	7.0	11	7.91	5.0	2.63	15.60
M359348		0.09	7.57	3.0	2160	1.77	0.08	2.64	0.08	51.2	7.4	15	5.19	5.2	2.76	16.65
M359349		0.07	7.69	8.1	2210	1.75	0.07	2.66	0.09	53.1	7.5	12	6.14	5.3	2.80	16.60
M359350		0.10	7.42	7.1	2140	1.85	0.07	2.59	0.07	49.2	7.2	12	6.00	5.1	2.70	16.25
M359351		0.09	7.60	5.4	2190	1.73	0.09	2.49	0.08	49.9	6.9	13	5.46	5.2	2.66	15.60
M359352		10.30	6.71	1620	1210	1.65	6.12	1.90	43.1	44.9	17.4	20	16.75	111.0	5.20	14.85
M359353		0.12	7.27	6.6	2190	1.72	0.09	2.54	0.13	48.8	7.4	13	8.45	5.8	2.81	15.45
M359354		0.14	5.87	5.0	1030	1.65	0.07	3.61	0.10	38.7	7.5	9	15.10	4.9	2.70	14.20
M359355		0.07	6.18	4.6	1000	1.59	0.09	3.29	0.08	38.0	7.1	10	14.40	3.9	2.60	14.20
M359356		0.02	0.06	<5	20	0.05	0.03	20.4	0.05	0.99	0.7	<1	0.19	1.5	0.46	0.19
M359357		0.15	7.25	3.5	2010	2.07	0.23	2.54	0.11	47.2	7.9	11	8.94	8.6	2.90	16.05
M359358		0.09	7.16	3.7	2170	1.65	0.10	2.60	0.09	45.0	7.8	13	10.70	5.2	2.87	15.75
M359359		0.09	6.91	3.6	2140	1.74	0.09	2.41	0.09	41.3	7.8	13	9.03	6.2	2.77	15.65
M359360		0.08	7.37	4.8	2210	1.68	0.10	2.39	0.07	46.9	7.4	12	8.76	5.6	2.81	15.50
M359361		0.09	7.42	5.9	2180	1.87	0.08	2.45	0.09	48.9	7.7	13	8.14	5.7	2.87	16.70
M359362		0.09	7.78	6.6	2180	1.54	0.10	2.51	0.08	50.7	8.4	10	8.63	10.3	3.13	17.50
M359363		0.10	7.67	4.7	2220	1.58	0.11	2.55	0.10	45.4	8.1	11	8.34	7.0	3.05	16.80
M359364		0.09	6.89	7.6	1440	2.47	0.34	1.80	0.07	46.9	4.6	11	9.49	3.7	1.94	15.55
M359365		0.07	6.57	5.4	2050	1.79	0.12	2.53	0.09	44.2	7.2	12	8.97	7.0	2.71	16.60
M359366		0.06	7.55	4.9	2360	1.62	0.10	2.70	0.10	46.2	7.6	12	7.17	6.5	2.99	16.75
M359367		0.04	6.79	4.9	1600	1.57	0.09	2.83	0.07	48.1	7.2	10	8.07	4.8	2.79	16.25
M359368		0.08	7.73	6.4	2460	1.68	0.07	2.65	0.10	47.7	8.5	12	7.29	8.1	3.21	17.30
M359369		0.06	7.55	5.9	2220	1.58	0.08	2.76	0.09	47.7	7.5	11	5.94	5.4	2.99	16.25
M359370		0.08	7.75	7.2	2510	1.58	0.06	2.83	0.11	48.6	8.0	13	6.19	5.8	3.20	17.45
M359371		<0.01	0.10	<5	30	0.08	0.03	21.0	0.06	1.36	0.7	<1	0.46	3.8	0.50	0.30
M359372		0.05	7.21	4.0	1230	1.42	0.08	3.23	0.08	51.5	7.5	9	7.54	5.1	2.94	16.20
M359373		0.10	7.69	5.3	2260	1.61	0.11	2.69	0.09	46.8	7.5	11	6.14	5.4	2.95	16.90
M359374		9.72	6.81	1850	770	1.33	6.51	2.01	42.7	49.8	16.6	20	17.30	117.0	5.42	14.50
M359375		0.12	7.73	10.2	2280	1.65	0.12	2.69	0.18	54.1	7.8	11	6.36	10.0	3.02	17.00
M359376		0.07	7.00	4.1	2410	1.55	0.07	2.75	0.10	46.6	7.8	19	5.60	5.7	2.92	16.80
M359377		0.08	7.78	6.5	2360	1.64	0.08	2.82	0.10	51.9	7.8	12	4.08	5.8	3.05	17.35

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12203759**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2012
Account: ROCKHA

Project: Klaza-119

CERTIFICATE OF ANALYSIS WH12225369

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
M359342		0.13	1.3	0.058	2.62	27.5	21.6	0.88	801	0.91	2.27	9.0	3.4	680	19.3
M359343		0.14	1.2	0.047	2.64	27.8	21.5	0.86	711	0.72	2.54	8.7	3.0	650	20.2
M359344		0.13	1.3	0.034	2.66	23.3	21.9	0.80	658	1.13	2.39	8.0	2.7	580	20.2
M359345		0.12	1.5	0.040	2.83	23.3	17.3	0.68	658	0.64	2.28	8.7	2.7	600	20.6
M359346		0.12	1.4	0.034	2.68	21.9	20.6	0.77	644	0.63	2.29	8.2	2.7	570	19.7
M359347		0.14	1.6	0.046	2.76	23.1	16.9	0.72	752	0.60	2.07	8.1	2.5	570	19.1
M359348		0.13	1.5	0.036	2.70	25.4	20.0	0.77	661	0.67	2.37	8.9	2.8	590	20.0
M359349		0.13	1.7	0.033	2.83	26.0	21.1	0.78	710	0.76	2.34	8.7	2.8	590	20.9
M359350		0.12	1.7	0.033	2.77	23.3	19.9	0.74	684	0.65	2.32	8.3	2.8	570	20.5
M359351		0.14	1.4	0.032	2.71	25.3	17.3	0.75	623	0.76	2.41	8.0	2.5	570	19.9
M359352		0.12	1.2	0.884	2.90	23.0	25.2	0.70	2000	13.40	0.27	7.8	16.1	510	1405
M359353		0.11	1.4	0.033	2.67	23.5	16.5	0.77	685	0.99	2.28	8.4	2.9	600	21.4
M359354		0.12	1.2	0.025	2.37	18.4	12.4	0.90	912	0.67	1.48	7.4	2.9	540	16.6
M359355		0.12	1.2	0.032	2.39	17.7	13.7	0.71	897	0.78	1.78	7.9	2.6	570	14.1
M359356		0.16	<0.1	0.005	0.02	0.5	1.1	12.50	202	0.10	0.01	0.1	1.8	160	1.2
M359357		0.20	1.7	0.041	2.55	22.5	13.3	0.78	716	2.52	2.35	9.3	2.8	610	24.7
M359358		0.14	1.3	0.029	2.65	19.9	14.9	0.73	652	43.5	2.26	8.0	3.1	620	22.7
M359359		0.16	1.3	0.045	2.58	20.1	21.6	0.74	630	4.24	2.26	8.2	2.7	590	18.9
M359360		0.14	1.3	0.030	2.57	23.2	25.5	0.73	601	1.23	2.20	8.2	2.5	600	19.1
M359361		0.13	1.3	0.035	2.57	23.8	29.7	0.77	659	1.45	2.52	8.4	2.8	610	18.2
M359362		0.16	1.6	0.039	2.56	25.3	30.6	0.91	739	1.16	2.58	8.4	3.3	690	19.6
M359363		0.14	1.4	0.038	2.62	22.3	30.2	0.82	709	1.38	2.23	7.8	2.7	620	21.2
M359364		0.19	2.6	0.023	3.06	23.0	18.2	0.50	530	3.03	2.47	10.0	1.7	360	28.9
M359365		0.17	1.7	0.036	2.57	20.9	23.8	0.75	675	1.39	2.34	8.2	2.4	560	20.3
M359366		0.16	1.5	0.037	2.59	22.1	28.3	0.89	709	1.33	2.38	7.7	2.4	610	19.7
M359367		0.14	1.6	0.033	2.45	22.6	16.6	0.77	778	1.77	2.26	7.8	2.4	560	18.7
M359368		0.16	1.6	0.045	2.65	23.5	21.2	1.00	783	3.40	2.50	7.7	2.7	650	20.7
M359369		0.18	1.5	0.039	2.56	23.0	20.9	0.87	720	2.25	2.35	7.6	2.3	600	20.6
M359370		0.14	1.6	0.036	2.58	22.6	22.9	0.92	760	1.48	2.48	8.0	2.5	630	21.3
M359371		0.12	<0.1	0.005	0.04	0.7	1.4	12.30	219	0.19	0.01	0.2	2.5	200	2.2
M359372		0.21	1.5	0.039	2.17	26.6	15.7	0.89	782	2.11	2.40	7.2	2.2	590	16.8
M359373		0.19	1.5	0.041	2.53	23.7	20.7	0.84	697	1.10	2.38	7.5	2.2	600	22.0
M359374		0.17	1.4	1.040	2.94	24.5	23.2	0.74	2150	12.55	0.28	7.6	18.0	530	1460
M359375		0.16	1.5	0.040	2.52	26.4	22.5	0.88	722	1.12	2.47	7.8	2.4	620	23.8
M359376		0.16	1.8	0.033	2.55	22.6	25.0	0.81	691	1.20	2.35	7.7	4.0	580	21.6
M359377		0.15	1.4	0.036	2.48	25.8	21.3	0.87	722	1.00	2.44	8.0	2.5	620	21.8

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12203759**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2012
Account: ROCKHA

Project: Klaza-119

CERTIFICATE OF ANALYSIS WH12225369

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
M359342		<0.002	0.01	7.40	12.5	1	1.9	413	0.61	<0.05	12.9	0.283	1.03	5.9	84	0.7
M359343		<0.002	0.01	1.29	11.6	1	1.6	478	0.64	<0.05	14.4	0.266	1.03	5.0	74	0.5
M359344		<0.002	0.01	1.51	10.2	1	1.4	427	0.60	<0.05	13.9	0.250	1.07	4.8	66	0.4
M359345		<0.002	0.02	9.09	10.2	1	1.5	384	0.71	<0.05	15.2	0.255	1.11	5.5	68	0.5
M359346		<0.002	0.01	1.46	10.3	1	1.5	399	0.66	<0.05	14.0	0.246	1.00	5.6	66	0.4
M359347		0.002	0.02	8.68	9.8	1	1.5	368	0.71	<0.05	14.3	0.241	1.06	5.6	64	0.4
M359348		<0.002	<0.01	1.44	10.9	1	1.6	400	0.69	<0.05	15.7	0.251	1.04	5.9	66	0.4
M359349		0.002	0.03	1.93	10.9	1	1.5	407	0.75	<0.05	15.1	0.255	1.14	6.1	68	0.7
M359350		0.002	0.03	1.93	10.0	1	1.5	397	0.74	<0.05	14.0	0.244	1.10	5.9	65	1.0
M359351		<0.002	<0.01	1.01	10.0	1	1.5	425	0.71	<0.05	15.5	0.241	1.02	5.9	64	0.6
M359352		0.002	3.15	35.7	9.2	1	6.3	155.0	0.60	0.27	11.9	0.214	2.68	5.3	58	5.6
M359353		<0.002	0.01	2.98	10.6	1	1.5	397	0.70	<0.05	14.3	0.251	1.04	5.6	69	0.6
M359354		<0.002	0.01	9.77	8.9	1	1.4	282	0.55	<0.05	9.6	0.234	1.21	2.9	63	1.2
M359355		0.004	0.01	8.16	9.4	<1	1.5	277	0.60	<0.05	10.0	0.244	1.24	2.4	63	1.8
M359356		<0.002	<0.01	0.08	0.3	<1	<0.2	39.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.4	2	0.1
M359357		<0.002	<0.01	2.34	11.1	2	1.7	374	0.78	<0.05	15.1	0.255	1.10	5.0	73	2.7
M359358		0.009	0.01	2.86	10.4	1	1.5	406	0.63	<0.05	12.8	0.257	1.09	3.4	72	1.7
M359359		0.002	0.01	1.88	10.3	1	1.5	395	0.62	<0.05	12.5	0.246	0.99	4.6	69	0.9
M359360		<0.002	0.01	3.10	10.4	1	1.5	401	0.64	<0.05	13.3	0.255	0.99	3.9	67	2.2
M359361		<0.002	0.01	3.26	10.8	1	1.7	403	0.55	<0.05	13.4	0.254	0.99	4.1	69	2.6
M359362		<0.002	0.02	3.22	11.5	<1	1.6	406	0.72	<0.05	14.1	0.290	1.04	4.4	77	2.8
M359363		<0.002	0.01	2.55	11.1	1	1.5	405	0.65	<0.05	13.6	0.278	1.06	4.7	74	2.7
M359364		0.002	<0.01	2.87	7.1	1	1.7	255	1.47	<0.05	26.1	0.169	1.63	9.6	42	3.4
M359365		<0.002	<0.01	8.00	10.3	1	1.6	361	0.75	<0.05	13.5	0.257	1.08	5.0	66	1.8
M359366		<0.002	<0.01	1.24	10.4	1	1.6	429	0.68	<0.05	13.6	0.275	0.99	3.9	73	1.2
M359367		<0.002	<0.01	2.59	10.1	1	1.7	307	0.80	<0.05	13.5	0.255	1.05	4.0	68	1.4
M359368		<0.002	0.01	1.99	11.9	1	1.7	451	0.67	<0.05	12.8	0.296	1.09	4.4	84	3.4
M359369		<0.002	0.01	1.56	10.7	1	1.5	414	0.64	<0.05	13.2	0.274	1.00	4.1	71	0.9
M359370		<0.002	0.01	1.28	11.5	1	1.7	453	0.68	<0.05	12.7	0.291	0.95	3.9	77	0.9
M359371		<0.002	<0.01	0.07	0.2	<1	0.2	50.4	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	2	0.1
M359372		<0.002	0.01	2.31	10.7	1	1.5	225	0.64	<0.05	13.4	0.266	1.04	3.3	69	1.7
M359373		<0.002	<0.01	1.46	10.6	<1	1.5	430	0.67	<0.05	13.3	0.267	0.98	4.2	70	0.8
M359374		0.002	3.17	37.8	8.8	2	6.5	152.0	0.71	0.30	13.4	0.219	2.82	5.8	60	5.8
M359375		<0.002	0.01	2.03	11.3	1	1.6	436	0.73	<0.05	14.7	0.273	1.03	4.3	74	1.2
M359376		<0.002	0.01	1.42	11.0	<1	1.6	401	0.69	<0.05	13.4	0.267	0.95	4.4	69	1.0
M359377		<0.002	0.01	1.48	11.4	1	1.7	424	0.70	<0.05	12.7	0.275	0.93	4.5	74	1.9

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12203759**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-OCT-2012
 Account: ROCKHA

Project: Klaza-119

CERTIFICATE OF ANALYSIS WH12225369

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M359342		18.2	62	41.9
M359343		17.9	56	40.2
M359344		15.8	50	42.7
M359345		16.4	51	46.9
M359346		15.9	49	46.6
M359347		15.5	50	55.4
M359348		17.5	50	52.8
M359349		17.7	51	61.2
M359350		16.5	48	60.8
M359351		16.2	47	45.9
M359352		11.7	3110	42.0
M359353		16.5	52	44.5
M359354		12.9	47	41.1
M359355		11.8	47	40.4
M359356		0.7	10	<0.5
M359357		18.0	56	51.2
M359358		14.8	55	41.3
M359359		15.3	51	43.3
M359360		16.0	50	39.0
M359361		16.2	52	44.6
M359362		16.8	61	42.4
M359363		16.2	62	39.0
M359364		17.9	39	59.1
M359365		16.0	57	41.4
M359366		16.2	58	36.4
M359367		15.9	64	36.3
M359368		17.1	68	40.4
M359369		16.1	61	38.7
M359370		16.7	64	39.4
M359371		0.9	17	<0.5
M359372		15.3	69	35.8
M359373		16.1	60	37.2
M359374		12.8	3150	41.5
M359375		18.2	66	35.3
M359376		16.2	61	42.0
M359377		17.4	63	36.1

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12203759**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-119

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12225369

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)