



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 5-OCT-2012  
This copy reported on  
11-OCT-2012  
Account: ROCKHA

**CERTIFICATE WH12230220**

Project: Klaza-128

P.O. No.: Batch 7

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-OCT-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12216608\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2012  
Account: ROCKHA

Project: Klaza-128

**CERTIFICATE OF ANALYSIS WH12230220**

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
M354362		0.058	1.40	6.32	97.1	450	1.36	1.45	1.97	9.84	45.0	8.7	7	8.73	300	4.96
M354363		0.018	0.69	7.10	82.8	800	1.44	0.69	1.48	0.84	50.4	8.7	7	11.70	298	3.10
M354364		0.099	2.57	5.86	151.0	610	1.09	2.05	0.95	2.86	35.8	32.9	9	4.59	577	8.65
M354365		<0.005	0.04	0.08	<5	60	0.05	0.04	20.6	0.07	1.39	0.6	<1	0.15	3.8	0.48
M354366		0.046	0.92	7.15	94.4	1060	1.30	1.18	1.49	0.38	48.1	14.8	8	8.34	296	5.03
M354367		0.100	7.38	6.03	407	400	0.90	2.86	0.74	1.73	47.2	35.0	9	5.57	2130	8.60
M354368		0.033	0.64	6.94	101.0	1070	1.19	1.03	1.24	1.02	44.3	12.6	11	7.92	308	5.33
M354369		0.019	0.42	7.08	34.4	900	1.29	0.79	1.39	0.53	45.0	12.3	9	7.38	161.0	3.92
M354370		0.018	0.38	7.11	31.7	1590	1.31	0.75	1.38	0.50	45.0	11.7	10	7.38	151.0	3.77
M354371		0.028	0.64	7.00	67.5	620	1.37	0.78	1.40	1.07	37.3	9.1	9	9.98	206	3.36
M354372		0.023	0.91	7.19	73.4	340	1.48	1.93	1.28	0.28	48.7	9.5	8	11.55	410	3.62
M354373		0.016	0.93	7.25	71.6	920	1.46	2.10	1.39	0.40	51.7	11.6	10	10.70	386	4.49
M354374		0.113	3.29	6.93	218	150	1.29	2.65	0.63	2.20	50.5	23.6	8	7.98	696	8.55
M354375		0.019	0.79	7.09	51.3	880	1.26	1.77	1.40	0.57	46.2	10.7	10	9.74	255	4.95
M354376		0.288	>100	5.42	228	580	0.71	4.98	1.42	25.4	19.00	11.6	62	0.87	6180	5.73
M354377		0.014	0.69	6.69	19.5	280	1.35	0.91	2.13	0.53	35.7	8.9	9	10.45	247	3.51
M354378		0.030	0.74	6.86	36.1	270	1.48	1.46	2.27	8.23	34.7	7.1	8	12.80	149.0	4.17
M354379		0.015	0.39	6.52	9.0	390	1.54	0.72	3.00	0.44	35.7	8.0	8	12.30	174.5	3.18
M354380		0.042	0.31	6.81	6.0	840	1.59	0.67	2.20	0.33	40.8	7.8	9	10.55	124.5	2.60
M354381		0.159	1.30	7.18	14.9	800	1.39	1.41	2.57	1.48	36.0	10.9	115	11.10	716	4.94
M354382		0.389	2.01	7.11	19.6	660	1.54	1.30	2.26	1.00	33.2	9.9	58	12.10	1080	4.16
M354383		0.172	2.18	7.08	38.8	840	1.53	1.79	3.17	0.61	39.4	7.9	78	15.75	1315	3.95
M354384		2.30	25.8	5.80	3120	1470	1.37	18.95	2.17	81.0	45.3	10.6	17	14.50	446	6.55
M354385		0.010	0.38	7.51	16.5	540	1.68	0.81	1.76	0.47	45.7	7.9	9	11.30	277	3.53
M354386		0.009	0.60	7.22	39.8	500	1.40	4.73	2.15	0.48	43.3	10.6	9	11.10	379	4.01
M354387		0.009	0.63	7.35	66.0	920	1.34	1.06	1.74	0.33	51.0	7.8	7	13.90	358	3.28
M354388		0.466	25.2	5.11	248	340	1.11	66.0	1.39	2.31	30.1	9.0	5	8.12	269	9.61
M354389		<0.005	0.12	0.10	<5	20	0.06	0.10	19.00	0.05	0.95	0.8	<1	0.51	3.0	0.45
M354390		0.019	0.70	6.88	83.7	770	1.25	1.26	1.31	0.46	44.4	9.0	8	10.35	331	3.89
M354391		0.086	4.59	6.58	234	360	1.19	5.65	1.55	1.04	43.9	11.9	8	8.42	1365	5.63
M354392		0.012	0.49	7.39	35.8	630	1.35	0.87	1.74	0.42	45.4	6.6	8	11.20	183.5	3.22
M354393		0.012	0.40	7.28	23.4	590	1.22	0.91	1.62	0.53	43.5	7.2	8	9.68	139.0	3.11
M354394		0.011	0.40	7.05	9.8	470	1.50	0.76	2.06	0.41	42.3	6.3	10	10.35	143.5	2.90
M354395		0.016	0.55	6.54	26.4	320	1.31	0.92	2.36	2.59	37.5	11.1	7	9.38	196.0	3.73
M354396		0.017	0.39	7.29	20.9	600	1.33	0.76	2.24	0.35	41.7	6.4	7	11.20	138.5	2.93
M354397		0.015	0.52	7.16	18.3	360	1.59	1.02	2.32	0.55	49.2	7.5	8	13.75	260	3.52

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12216608\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2012  
Account: ROCKHA

Project: Klaza-128

**CERTIFICATE OF ANALYSIS WH12230220**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
M354362		12.10	0.14	0.6	0.168	2.91	24.6	15.0	0.91	793	6.52	0.04	4.0	3.2	460
M354363		13.75	0.15	0.8	0.055	3.03	26.1	26.6	0.78	377	7.58	0.05	5.2	2.5	520
M354364		12.35	0.17	0.5	0.372	2.92	15.4	11.7	0.57	319	19.30	0.05	2.3	4.2	440
M354365		0.22	0.13	<0.1	<0.005	0.04	0.7	1.4	13.15	205	0.13	<0.01	0.2	1.7	250
M354366		14.55	0.18	0.7	0.094	3.37	23.3	13.6	0.81	387	7.13	0.06	2.9	3.3	520
M354367		14.30	0.19	0.5	0.629	2.93	25.3	11.3	0.50	373	8.43	0.06	2.3	3.9	440
M354368		13.50	0.16	0.7	0.115	3.11	23.9	16.5	0.70	278	16.15	0.05	3.0	3.2	550
M354369		13.25	0.16	0.7	0.063	3.30	21.9	17.1	0.79	226	25.1	0.21	3.9	2.9	520
M354370		12.90	0.17	0.7	0.061	3.38	21.7	17.0	0.78	225	25.0	0.21	3.8	2.7	520
M354371		13.80	0.14	0.7	0.083	3.34	18.1	11.2	0.78	300	11.60	0.37	3.5	2.8	550
M354372		14.35	0.16	0.9	0.102	3.27	25.4	24.9	0.83	317	15.65	0.05	4.7	3.0	520
M354373		13.70	0.17	0.7	0.093	3.28	26.1	16.7	0.78	291	7.22	0.06	4.1	3.0	520
M354374		15.25	0.18	0.7	0.239	3.30	26.0	13.6	0.51	398	10.60	0.06	3.3	3.6	500
M354375		13.60	0.19	0.7	0.068	3.15	22.8	16.8	0.76	305	9.98	0.05	3.7	2.7	530
M354376		11.60	0.14	1.4	0.420	1.16	9.2	13.1	1.12	1760	24.4	1.59	3.2	28.3	460
M354377		13.65	0.15	0.7	0.070	3.29	15.9	13.2	0.68	186	7.51	0.66	4.5	2.8	510
M354378		14.65	0.15	0.7	0.296	3.23	14.9	25.2	0.67	287	9.18	0.38	4.4	2.7	540
M354379		13.65	0.15	0.7	0.059	2.47	15.5	16.7	0.76	225	6.87	0.83	4.6	2.6	520
M354380		14.00	0.14	0.7	0.044	2.45	19.3	13.5	0.85	161	5.74	1.07	4.8	3.2	550
M354381		16.20	0.13	1.7	0.181	3.68	18.7	28.3	1.66	367	14.50	0.08	4.9	36.3	630
M354382		19.25	0.15	1.6	0.202	3.66	17.3	22.7	1.11	475	3.22	0.08	5.1	23.0	640
M354383		18.30	0.14	1.5	0.217	3.32	20.7	23.2	1.51	689	8.04	0.05	5.5	27.4	630
M354384		14.15	0.15	1.1	1.770	2.69	26.2	23.1	0.91	1900	13.10	0.04	6.0	16.3	430
M354385		15.55	0.15	0.9	0.079	3.48	21.3	17.4	0.91	145	6.84	0.29	5.1	3.2	560
M354386		12.90	0.14	0.9	0.111	3.22	20.8	19.6	0.87	206	7.15	0.17	4.8	3.1	530
M354387		13.75	0.13	0.7	0.085	3.14	24.8	14.7	0.89	273	7.27	0.05	4.6	2.8	520
M354388		10.80	0.14	0.4	0.137	2.28	12.7	13.8	0.71	612	8.39	0.03	2.3	4.0	440
M354389		0.26	0.10	<0.1	0.006	0.05	0.5	1.2	12.35	203	0.30	<0.01	0.1	2.6	160
M354390		13.65	0.16	0.9	0.101	2.87	20.7	23.0	0.79	281	6.62	0.05	4.0	2.7	480
M354391		15.95	0.16	0.7	0.269	2.95	20.7	19.6	0.71	329	5.24	0.04	3.5	2.8	480
M354392		14.60	0.14	0.8	0.069	3.29	20.9	18.3	0.76	209	2.35	0.28	5.0	3.2	570
M354393		14.35	0.14	0.7	0.061	3.24	19.0	16.4	0.69	178	4.21	0.33	4.2	2.6	550
M354394		13.80	0.17	0.7	0.054	3.00	18.5	17.2	0.76	174	16.45	0.81	4.9	2.3	550
M354395		14.35	0.16	0.6	0.050	2.75	15.6	18.0	0.64	251	2.41	0.08	4.5	2.6	560
M354396		15.25	0.14	0.6	0.045	3.16	18.4	24.4	0.82	280	4.62	0.08	5.2	2.5	560
M354397		15.00	0.14	0.7	0.068	3.34	24.9	27.6	0.86	234	2.35	0.58	6.0	2.7	600

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12216608\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2012  
Account: ROCKHA

Project: Klaza-128

**CERTIFICATE OF ANALYSIS WH12230220**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M354362		144.0	0.004	5.05	58.1	7.9	4	8.0	45.1	0.38	0.21	11.7	0.142	2.32	3.7	53
M354363		141.5	0.004	2.82	42.9	9.6	3	4.7	88.2	0.48	0.10	12.4	0.177	2.16	2.8	61
M354364		146.0	0.004	9.57	148.0	8.5	9	11.9	29.2	0.20	0.17	9.0	0.102	1.86	3.4	57
M354365		1.5	0.003	0.02	0.54	0.1	1	0.2	47.3	<0.05	<0.05	<0.2	<0.005	0.02	0.6	2
M354366		152.5	0.003	5.04	24.7	9.4	5	8.6	52.6	0.27	0.21	13.3	0.122	2.10	2.7	64
M354367		141.5	0.004	9.30	96.6	7.6	7	12.5	30.3	0.19	1.03	11.3	0.099	1.61	3.5	54
M354368		143.5	0.007	5.46	16.20	8.7	5	7.2	55.4	0.30	0.12	13.0	0.121	2.05	4.8	56
M354369		138.5	0.006	3.85	6.87	9.6	4	6.9	107.5	0.32	0.13	12.3	0.142	1.72	3.7	62
M354370		136.5	0.010	3.72	6.58	9.4	4	6.6	103.5	0.33	0.12	11.4	0.140	1.68	3.6	64
M354371		143.0	0.002	3.26	16.45	8.9	4	6.4	114.5	0.34	0.14	12.5	0.138	2.10	4.5	60
M354372		156.5	0.004	3.56	15.45	9.6	4	7.0	57.9	0.41	0.40	13.1	0.159	1.97	3.6	59
M354373		147.0	0.003	4.56	16.95	9.3	5	5.9	56.4	0.36	0.42	12.8	0.151	1.93	3.0	60
M354374		154.5	0.002	9.55	98.5	9.1	11	11.2	20.4	0.30	0.27	12.6	0.131	2.05	4.4	66
M354375		136.5	0.003	5.16	17.30	8.9	5	7.2	53.0	0.35	0.20	12.5	0.137	1.75	3.0	59
M354376		30.1	0.015	2.28	450	11.4	3	2.0	189.5	0.22	1.18	2.0	0.247	0.50	1.4	78
M354377		122.5	0.004	3.46	4.17	9.0	4	6.1	355	0.38	0.09	11.8	0.156	1.55	3.9	61
M354378		135.5	0.003	4.13	5.95	9.8	5	9.6	180.5	0.39	0.22	12.1	0.155	1.96	4.7	61
M354379		94.7	0.004	3.23	3.13	8.5	4	5.2	176.0	0.43	0.13	11.8	0.149	1.32	4.5	56
M354380		96.1	0.003	2.51	4.74	8.8	2	4.0	182.0	0.47	0.14	12.3	0.157	1.37	5.7	58
M354381		154.5	0.003	4.09	14.45	11.1	4	6.4	139.5	0.46	0.17	8.0	0.216	1.97	4.4	93
M354382		146.0	0.003	3.24	29.1	9.1	3	5.4	171.0	0.45	0.21	8.8	0.190	2.03	4.9	74
M354383		149.0	0.004	2.91	76.2	9.8	4	6.4	184.0	0.49	0.38	8.7	0.220	2.31	4.3	81
M354384		168.0	0.003	4.71	92.7	7.8	1	8.1	92.1	0.48	0.40	10.3	0.182	2.31	5.5	54
M354385		135.5	0.003	3.23	12.60	10.0	3	4.8	144.0	0.49	0.12	13.2	0.162	1.71	6.4	65
M354386		125.5	0.003	4.07	14.60	8.9	4	5.1	109.5	0.50	1.32	15.2	0.153	1.67	4.3	59
M354387		137.0	0.005	3.17	29.9	8.6	3	4.5	85.1	0.42	0.11	14.0	0.162	2.13	4.0	58
M354388		115.0	0.003	>10.0	89.8	7.0	10	11.3	38.6	0.20	2.42	9.4	0.085	1.68	4.7	44
M354389		3.2	0.003	0.02	0.36	0.3	1	<0.2	37.6	<0.05	<0.05	<0.2	<0.005	0.03	0.5	3
M354390		129.5	0.003	3.82	49.7	8.7	4	5.6	53.0	0.44	0.13	14.9	0.132	1.82	3.5	54
M354391		156.5	0.003	5.76	224	8.6	5	13.1	40.5	0.31	0.31	12.2	0.134	1.96	4.3	53
M354392		125.5	0.003	2.91	19.05	9.6	3	5.2	124.5	0.42	0.12	13.0	0.173	1.69	3.5	59
M354393		116.5	0.004	2.86	13.95	8.8	4	5.9	123.0	0.39	0.10	12.2	0.156	1.58	3.7	60
M354394		121.5	0.003	2.75	3.79	9.1	3	5.1	190.5	0.42	0.10	12.3	0.168	1.50	5.1	57
M354395		102.0	<0.002	3.77	16.75	9.3	4	6.5	90.1	0.37	0.12	9.9	0.152	1.45	6.2	58
M354396		112.0	0.002	2.70	19.35	9.6	3	5.0	113.0	0.44	0.13	12.8	0.177	1.62	3.7	61
M354397		123.0	0.002	3.23	5.92	10.7	3	5.1	215	0.48	0.14	12.3	0.216	1.52	5.6	71

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12216608\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-OCT-2012  
 Account: ROCKHA

Project: Klaza-128

**CERTIFICATE OF ANALYSIS WH12230220**

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M354362		11.8	7.6	985	19.5	
M354363		8.5	11.1	105	22.7	
M354364		12.3	10.3	259	16.7	
M354365		0.1	0.9	16	<0.5	
M354366		9.0	9.0	53	18.9	
M354367		8.8	9.1	161	17.1	
M354368		8.1	10.4	112	19.7	
M354369		10.3	10.9	61	20.8	
M354370		10.1	10.6	61	19.5	
M354371		7.3	10.0	117	20.0	
M354372		10.5	11.2	38	24.7	
M354373		9.6	10.9	50	21.4	
M354374		12.3	11.2	194	20.3	
M354375		9.4	10.8	73	19.8	
M354376		0.5	14.0	5010	59.4	103
M354377		9.6	10.7	61	21.4	
M354378		8.2	11.3	634	22.1	
M354379		7.0	12.9	51	20.7	
M354380		5.9	10.5	45	21.1	
M354381		9.2	9.8	184	52.4	
M354382		7.3	10.1	150	51.1	
M354383		6.8	10.3	100	50.5	
M354384		4.7	9.8	5360	26.1	
M354385		7.6	12.6	55	24.4	
M354386		8.8	11.8	49	22.6	
M354387		6.7	11.4	48	19.5	
M354388		9.3	11.8	215	14.7	
M354389		0.1	0.7	12	<0.5	
M354390		8.9	10.6	57	22.5	
M354391		13.4	9.9	110	19.6	
M354392		8.2	11.9	57	23.8	
M354393		6.9	11.3	62	20.7	
M354394		8.6	12.6	49	20.0	
M354395		6.4	13.0	227	18.1	
M354396		6.2	13.2	55	19.6	
M354397		6.5	12.1	65	21.3	

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12216608\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-128

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 5-OCT-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12230220**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)