



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 1
Finalized Date: 6-AUG-2012
This copy reported on
7-AUG-2012
Account: COUDES

CERTIFICATE WH12167238

Project:
P.O. No.:
This report is for 221 Soil samples submitted to our lab in Whitehorse, YT, Canada
on 20-JUL-2012.

The following have access to data associated with this certificate:

D. JACOB

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|-------------------------------|------------|
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |

To: COUREUR DES BOIS
ATTN: D. JACOB
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | PGM-ICP23 Au ppm | PGM-ICP23 Pt ppm | PGM-ICP23 Pd ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|------------------------|------------------------|------------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| HIT 234 | | 0.20 | 0.016 | <0.005 | 0.002 | 0.2 | 0.52 | 2 | 10 | 170 | <0.5 | <2 | 5.73 | <0.5 | 3 | 19 |
| HIT 235 | | 0.20 | 0.001 | <0.005 | 0.001 | 0.2 | 0.71 | <2 | <10 | 210 | <0.5 | 2 | 1.43 | <0.5 | 5 | 25 |
| HIT 236 | | 0.34 | 0.003 | <0.005 | <0.001 | 0.2 | 1.17 | 3 | <10 | 170 | <0.5 | <2 | 0.54 | <0.5 | 8 | 56 |
| HIT 237 | | 0.19 | 0.002 | <0.005 | 0.001 | <0.2 | 0.51 | <2 | 10 | 150 | <0.5 | <2 | 5.32 | 0.7 | 2 | 11 |
| HIT 238 | | 0.32 | 0.003 | <0.005 | 0.001 | <0.2 | 1.03 | 5 | <10 | 140 | <0.5 | <2 | 1.03 | <0.5 | 7 | 55 |
| HIT 239 | | 0.16 | 0.013 | <0.005 | 0.003 | 0.3 | 0.36 | 2 | <10 | 70 | <0.5 | <2 | 3.89 | 0.8 | 3 | 13 |
| HIT 240 | | 0.47 | 0.003 | <0.005 | <0.001 | <0.2 | 1.28 | 6 | <10 | 110 | <0.5 | <2 | 0.38 | <0.5 | 7 | 62 |
| HIT 241 | | 0.39 | 0.001 | <0.005 | <0.001 | 0.2 | 1.40 | 5 | <10 | 130 | <0.5 | <2 | 0.43 | <0.5 | 10 | 71 |
| HIT 242 | | 0.19 | 0.004 | <0.005 | 0.002 | 0.2 | 0.47 | <2 | <10 | 130 | <0.5 | <2 | 3.48 | 1.3 | 2 | 7 |
| HIT 243 | | 0.21 | 0.006 | <0.005 | 0.002 | 0.2 | 1.47 | 6 | <10 | 240 | <0.5 | <2 | 1.65 | 0.6 | 10 | 95 |
| HIT 244 | | 0.28 | 0.005 | <0.005 | 0.002 | 0.3 | 0.87 | 6 | <10 | 300 | <0.5 | <2 | 2.02 | 0.7 | 9 | 36 |
| HIT 245 | | 0.37 | 0.003 | <0.005 | <0.001 | <0.2 | 1.53 | 5 | <10 | 150 | <0.5 | <2 | 0.56 | <0.5 | 14 | 157 |
| HIT 246 | | 0.32 | 0.004 | <0.005 | 0.005 | 1.3 | 2.00 | 6 | <10 | 290 | 0.7 | <2 | 1.86 | 0.9 | 15 | 84 |
| HIT 247 | | 0.28 | 0.003 | <0.005 | <0.001 | <0.2 | 1.97 | 12 | <10 | 90 | <0.5 | <2 | 0.41 | 1.2 | 18 | 87 |
| HIT 248 | | 0.41 | 0.006 | <0.005 | <0.001 | <0.2 | 1.91 | 13 | <10 | 130 | <0.5 | <2 | 0.35 | <0.5 | 13 | 111 |
| HIT 260 | | 0.63 | 0.009 | <0.005 | 0.001 | <0.2 | 0.94 | 5 | <10 | 100 | <0.5 | <2 | 0.40 | <0.5 | 7 | 58 |
| HIT 261 | | 0.45 | 0.004 | <0.005 | 0.006 | <0.2 | 1.62 | 7 | <10 | 160 | <0.5 | <2 | 0.19 | 0.5 | 8 | 71 |
| HIT 262 | | 0.34 | 0.002 | <0.005 | 0.002 | <0.2 | 1.85 | 10 | <10 | 160 | <0.5 | <2 | 0.63 | 0.5 | 11 | 54 |
| HIT 263 | | 0.52 | <0.001 | <0.005 | 0.004 | <0.2 | 1.53 | 4 | <10 | 260 | <0.5 | <2 | 0.80 | 1.7 | 57 | 178 |
| HIT 264 | | 0.61 | 0.007 | <0.005 | 0.002 | <0.2 | 2.94 | 4 | <10 | 340 | 0.5 | <2 | 2.05 | <0.5 | 26 | 147 |
| HIT 265 | | 0.49 | 0.004 | <0.005 | 0.001 | <0.2 | 1.97 | 9 | <10 | 100 | <0.5 | <2 | 0.23 | <0.5 | 15 | 99 |
| HIT 266 | | 0.42 | 0.008 | <0.005 | 0.006 | 0.4 | 1.77 | 14 | <10 | 200 | <0.5 | 2 | 2.54 | 0.5 | 19 | 80 |
| HIT 267 | | 0.38 | 0.005 | <0.005 | 0.004 | 0.6 | 2.18 | 20 | <10 | 130 | <0.5 | <2 | 1.17 | <0.5 | 17 | 87 |
| HIT 268 | | 0.42 | 0.005 | <0.005 | 0.001 | <0.2 | 1.86 | 7 | <10 | 90 | <0.5 | <2 | 0.26 | <0.5 | 11 | 79 |
| HIT 269 | | 0.42 | 0.005 | <0.005 | 0.001 | 0.4 | 1.56 | 5 | <10 | 100 | <0.5 | <2 | 0.18 | <0.5 | 9 | 74 |
| HIT 270 | | 0.56 | 0.005 | <0.005 | 0.001 | <0.2 | 1.60 | 10 | <10 | 60 | <0.5 | <2 | 0.14 | <0.5 | 19 | 230 |
| HIT 271 | | 0.45 | 0.004 | <0.005 | 0.002 | 0.4 | 2.02 | 10 | <10 | 190 | <0.5 | <2 | 0.73 | <0.5 | 14 | 123 |
| HIT 272 | | 0.43 | 0.006 | <0.005 | 0.004 | 0.3 | 1.22 | 15 | <10 | 100 | <0.5 | <2 | 0.88 | 0.7 | 21 | 179 |
| HIT 273 | | 0.49 | 0.005 | <0.005 | 0.002 | <0.2 | 1.26 | 6 | <10 | 120 | <0.5 | <2 | 0.53 | <0.5 | 17 | 248 |
| HIT 274 | | 0.47 | 0.005 | <0.005 | 0.003 | 0.2 | 1.53 | 21 | <10 | 140 | <0.5 | <2 | 0.62 | <0.5 | 22 | 279 |
| HIT 275 | | 0.27 | 0.006 | <0.005 | 0.003 | <0.2 | 0.16 | 73 | 10 | 260 | <0.5 | <2 | 3.00 | <0.5 | 4 | 21 |
| HIT 276 | | 0.30 | 0.005 | <0.005 | 0.003 | 0.2 | 1.57 | 6 | <10 | 210 | <0.5 | <2 | 0.67 | <0.5 | 27 | 243 |
| HIT 277 | | 0.41 | 0.003 | 0.009 | 0.001 | 0.4 | 1.59 | 7 | <10 | 180 | <0.5 | <2 | 0.35 | <0.5 | 24 | 157 |
| HIT 278 | | 0.38 | 0.005 | <0.005 | 0.002 | 0.4 | 2.63 | 12 | <10 | 340 | <0.5 | <2 | 0.92 | <0.5 | 27 | 192 |
| HIT 279 | | 0.51 | 0.003 | <0.005 | 0.002 | <0.2 | 1.44 | 7 | <10 | 110 | <0.5 | <2 | 0.33 | <0.5 | 25 | 236 |
| HIT 280 | | 0.39 | 0.004 | <0.005 | 0.001 | <0.2 | 0.88 | 4 | <10 | 110 | <0.5 | <2 | 0.39 | <0.5 | 25 | 250 |
| HIT 281 | | 0.59 | 0.004 | <0.005 | 0.001 | <0.2 | 0.90 | 4 | <10 | 90 | <0.5 | <2 | 0.43 | <0.5 | 26 | 257 |
| HIT 282 | | 0.45 | 0.035 | <0.005 | 0.002 | <0.2 | 1.00 | 5 | 10 | 100 | <0.5 | <2 | 0.33 | <0.5 | 36 | 295 |
| HIT 336 | | 0.44 | 0.003 | <0.005 | 0.001 | <0.2 | 1.26 | 6 | <10 | 160 | <0.5 | <2 | 0.54 | <0.5 | 9 | 80 |
| HIT 337 | | 0.40 | 0.006 | <0.005 | 0.001 | <0.2 | 1.36 | 6 | <10 | 130 | <0.5 | <2 | 0.30 | <0.5 | 7 | 80 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 2 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| HIT 234 | | 19 | 0.66 | <10 | <1 | 0.03 | <10 | 0.56 | 373 | <1 | 0.04 | 29 | 840 | <2 | 0.45 | <2 |
| HIT 235 | | 17 | 1.01 | <10 | <1 | 0.03 | <10 | 0.18 | 679 | <1 | 0.04 | 19 | 450 | <2 | 0.06 | <2 |
| HIT 236 | | 9 | 1.78 | <10 | <1 | 0.05 | 10 | 0.48 | 578 | <1 | 0.02 | 38 | 370 | 3 | 0.01 | <2 |
| HIT 237 | | 21 | 0.50 | <10 | <1 | 0.02 | <10 | 0.28 | 312 | <1 | 0.05 | 31 | 1110 | <2 | 0.19 | <2 |
| HIT 238 | | 23 | 1.62 | <10 | <1 | 0.03 | 10 | 0.40 | 447 | <1 | 0.03 | 43 | 220 | 3 | 0.04 | <2 |
| HIT 239 | | 22 | 0.41 | <10 | <1 | 0.03 | <10 | 0.12 | 216 | <1 | 0.03 | 22 | 960 | <2 | 0.28 | <2 |
| HIT 240 | | 10 | 2.17 | <10 | <1 | 0.06 | 10 | 0.52 | 278 | <1 | 0.02 | 31 | 290 | <2 | 0.01 | <2 |
| HIT 241 | | 13 | 2.74 | 10 | <1 | 0.06 | 10 | 0.51 | 287 | <1 | 0.02 | 35 | 260 | 5 | 0.01 | <2 |
| HIT 242 | | 11 | 0.44 | <10 | <1 | 0.03 | <10 | 0.08 | 115 | <1 | 0.03 | 10 | 990 | <2 | 0.23 | <2 |
| HIT 243 | | 45 | 2.27 | <10 | <1 | 0.06 | 10 | 0.83 | 826 | <1 | 0.04 | 83 | 850 | 3 | 0.08 | <2 |
| HIT 244 | | 45 | 1.33 | <10 | <1 | 0.04 | 10 | 0.35 | 2610 | <1 | 0.05 | 90 | 1020 | <2 | 0.11 | <2 |
| HIT 245 | | 19 | 2.61 | 10 | <1 | 0.06 | 10 | 0.98 | 553 | <1 | 0.02 | 73 | 280 | 3 | 0.01 | <2 |
| HIT 246 | | 83 | 2.44 | 10 | <1 | 0.04 | 20 | 0.59 | 1245 | <1 | 0.04 | 128 | 1010 | 5 | 0.05 | <2 |
| HIT 247 | | 31 | 3.19 | 10 | <1 | 0.05 | 10 | 0.66 | 322 | 1 | 0.02 | 55 | 250 | 5 | 0.02 | <2 |
| HIT 248 | | 37 | 3.01 | 10 | <1 | 0.04 | 10 | 1.01 | 399 | <1 | 0.02 | 54 | 280 | 2 | 0.01 | <2 |
| HIT 260 | | 13 | 1.78 | <10 | <1 | 0.03 | 10 | 0.68 | 248 | <1 | 0.02 | 44 | 570 | 2 | 0.01 | <2 |
| HIT 261 | | 23 | 2.92 | 10 | <1 | 0.05 | 10 | 0.58 | 370 | <1 | 0.01 | 35 | 700 | 4 | 0.05 | <2 |
| HIT 262 | | 41 | 2.38 | 10 | 1 | 0.06 | 10 | 0.58 | 892 | 1 | 0.02 | 32 | 1530 | 7 | 0.10 | <2 |
| HIT 263 | | 60 | 3.15 | <10 | <1 | 0.08 | 10 | 1.51 | 3840 | 1 | 0.03 | 133 | 2700 | 7 | 0.20 | <2 |
| HIT 264 | | 58 | 3.03 | 10 | <1 | 0.21 | 40 | 4.17 | 673 | <1 | 0.05 | 180 | 5070 | 7 | 0.03 | <2 |
| HIT 265 | | 28 | 2.96 | <10 | <1 | 0.04 | 10 | 1.05 | 424 | <1 | 0.02 | 67 | 640 | 4 | 0.05 | <2 |
| HIT 266 | | 103 | 3.45 | <10 | 1 | 0.04 | 10 | 1.02 | 1475 | <1 | 0.03 | 81 | 1360 | <2 | 0.19 | <2 |
| HIT 267 | | 89 | 3.44 | 10 | <1 | 0.06 | 10 | 1.13 | 854 | <1 | 0.01 | 62 | 1390 | 13 | 0.11 | 2 |
| HIT 268 | | 29 | 3.18 | 10 | <1 | 0.04 | 10 | 0.90 | 520 | <1 | 0.01 | 43 | 960 | 5 | 0.08 | <2 |
| HIT 269 | | 17 | 1.82 | <10 | <1 | 0.03 | <10 | 0.42 | 566 | 1 | 0.01 | 22 | 2020 | 5 | 0.12 | <2 |
| HIT 270 | | 21 | 3.49 | 10 | <1 | 0.03 | <10 | 1.88 | 430 | <1 | 0.01 | 150 | 420 | 5 | 0.02 | <2 |
| HIT 271 | | 51 | 2.90 | 10 | <1 | 0.04 | 10 | 1.29 | 467 | <1 | 0.02 | 112 | 1390 | 6 | 0.08 | <2 |
| HIT 272 | | 47 | 2.20 | <10 | <1 | 0.03 | 10 | 1.07 | 170 | 6 | 0.03 | 174 | 1130 | 3 | 0.31 | <2 |
| HIT 273 | | 23 | 2.13 | <10 | <1 | 0.04 | 10 | 2.57 | 293 | <1 | 0.02 | 285 | 590 | 4 | 0.04 | <2 |
| HIT 274 | | 31 | 5.07 | <10 | <1 | 0.03 | 10 | 2.28 | 481 | 2 | 0.02 | 258 | 1070 | 3 | 0.05 | 2 |
| HIT 275 | | 15 | 12.25 | <10 | <1 | 0.02 | <10 | 0.23 | 945 | 4 | 0.02 | 233 | 1370 | <2 | 0.84 | 3 |
| HIT 276 | | 32 | 3.14 | <10 | <1 | 0.04 | 10 | 3.91 | 567 | <1 | 0.03 | 485 | 740 | 5 | 0.04 | <2 |
| HIT 277 | | 32 | 2.92 | <10 | <1 | 0.04 | <10 | 2.76 | 560 | <1 | 0.03 | 288 | 830 | 5 | 0.04 | <2 |
| HIT 278 | | 66 | 3.97 | 10 | 1 | 0.08 | 10 | 1.96 | 974 | <1 | 0.02 | 330 | 950 | 9 | 0.05 | <2 |
| HIT 279 | | 27 | 3.21 | <10 | <1 | 0.04 | 10 | 3.76 | 440 | <1 | 0.02 | 335 | 460 | 4 | 0.02 | 2 |
| HIT 280 | | 11 | 2.98 | <10 | <1 | 0.03 | 10 | 3.75 | 339 | <1 | 0.02 | 380 | 390 | 4 | 0.03 | <2 |
| HIT 281 | | 13 | 2.90 | <10 | <1 | 0.03 | 10 | 4.28 | 411 | <1 | 0.02 | 389 | 500 | <2 | 0.03 | <2 |
| HIT 282 | | 20 | 3.26 | <10 | <1 | 0.04 | 10 | 5.69 | 521 | <1 | 0.02 | 574 | 480 | 2 | 0.02 | <2 |
| HIT 336 | | 18 | 2.18 | <10 | <1 | 0.04 | 10 | 0.91 | 311 | <1 | 0.01 | 65 | 370 | 3 | 0.02 | <2 |
| HIT 337 | | 13 | 2.12 | <10 | <1 | 0.03 | 10 | 0.81 | 211 | 1 | 0.01 | 56 | 320 | 4 | 0.01 | 2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| HIT 234 | | 1 | 278 | <20 | 0.02 | <10 | <10 | 16 | <10 | 17 |
| HIT 235 | | 1 | 67 | <20 | 0.04 | <10 | <10 | 23 | <10 | 22 |
| HIT 236 | | 3 | 27 | <20 | 0.07 | <10 | <10 | 41 | <10 | 28 |
| HIT 237 | | <1 | 281 | <20 | 0.02 | <10 | <10 | 12 | <10 | 13 |
| HIT 238 | | 3 | 61 | <20 | 0.06 | <10 | <10 | 41 | <10 | 21 |
| HIT 239 | | <1 | 170 | <20 | 0.01 | <10 | <10 | 9 | <10 | 9 |
| HIT 240 | | 3 | 17 | <20 | 0.07 | <10 | <10 | 49 | <10 | 38 |
| HIT 241 | | 3 | 22 | <20 | 0.10 | <10 | <10 | 72 | <10 | 53 |
| HIT 242 | | <1 | 253 | <20 | 0.02 | <10 | <10 | 9 | <10 | 18 |
| HIT 243 | | 4 | 72 | <20 | 0.05 | <10 | <10 | 49 | <10 | 63 |
| HIT 244 | | 2 | 94 | <20 | 0.03 | <10 | <10 | 27 | <10 | 25 |
| HIT 245 | | 5 | 32 | <20 | 0.09 | <10 | <10 | 62 | <10 | 54 |
| HIT 246 | | 5 | 117 | <20 | 0.07 | <10 | <10 | 54 | <10 | 59 |
| HIT 247 | | 5 | 29 | <20 | 0.10 | <10 | <10 | 75 | <10 | 93 |
| HIT 248 | | 5 | 18 | <20 | 0.07 | <10 | <10 | 67 | <10 | 75 |
| HIT 260 | | 3 | 19 | <20 | 0.07 | <10 | <10 | 43 | <10 | 32 |
| HIT 261 | | 1 | 17 | <20 | 0.05 | <10 | <10 | 63 | <10 | 67 |
| HIT 262 | | 2 | 30 | <20 | 0.03 | <10 | <10 | 51 | <10 | 71 |
| HIT 263 | | 1 | 34 | <20 | 0.01 | <10 | <10 | 54 | <10 | 118 |
| HIT 264 | | 6 | 220 | <20 | 0.16 | <10 | <10 | 63 | <10 | 54 |
| HIT 265 | | 2 | 15 | <20 | 0.05 | <10 | <10 | 57 | <10 | 51 |
| HIT 266 | | 5 | 81 | <20 | 0.03 | <10 | <10 | 85 | <10 | 60 |
| HIT 267 | | 6 | 48 | <20 | 0.03 | <10 | <10 | 74 | <10 | 82 |
| HIT 268 | | 1 | 17 | <20 | 0.03 | <10 | <10 | 60 | <10 | 52 |
| HIT 269 | | <1 | 17 | <20 | <0.01 | <10 | <10 | 49 | <10 | 35 |
| HIT 270 | | 4 | 9 | <20 | 0.07 | <10 | <10 | 75 | <10 | 53 |
| HIT 271 | | 4 | 40 | <20 | 0.03 | <10 | <10 | 56 | <10 | 62 |
| HIT 272 | | 3 | 42 | <20 | 0.03 | <10 | <10 | 70 | <10 | 36 |
| HIT 273 | | 4 | 24 | <20 | 0.04 | <10 | <10 | 41 | <10 | 32 |
| HIT 274 | | 6 | 33 | <20 | 0.04 | <10 | <10 | 65 | <10 | 42 |
| HIT 275 | | <1 | 140 | <20 | <0.01 | <10 | 10 | 8 | <10 | 58 |
| HIT 276 | | 7 | 36 | <20 | 0.05 | <10 | <10 | 48 | <10 | 44 |
| HIT 277 | | 5 | 21 | <20 | 0.04 | <10 | <10 | 47 | <10 | 61 |
| HIT 278 | | 7 | 46 | <20 | 0.05 | <10 | <10 | 81 | <10 | 92 |
| HIT 279 | | 5 | 21 | <20 | 0.06 | <10 | <10 | 54 | <10 | 49 |
| HIT 280 | | 3 | 18 | <20 | 0.06 | <10 | <10 | 41 | <10 | 33 |
| HIT 281 | | 3 | 17 | <20 | 0.05 | <10 | <10 | 39 | <10 | 40 |
| HIT 282 | | 5 | 18 | <20 | 0.05 | <10 | <10 | 43 | <10 | 32 |
| HIT 336 | | 4 | 24 | <20 | 0.09 | <10 | <10 | 49 | <10 | 32 |
| HIT 337 | | 3 | 13 | <20 | 0.08 | <10 | <10 | 51 | <10 | 28 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | PGM-ICP23 Au ppm | PGM-ICP23 Pt ppm | PGM-ICP23 Pd ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|------------------------|------------------------|------------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| HIT 338 | | 0.32 | 0.010 | <0.005 | 0.001 | <0.2 | 1.51 | 5 | <10 | 180 | <0.5 | <2 | 0.72 | <0.5 | 11 | 84 |
| HIT 339 | | 0.37 | 0.003 | <0.005 | 0.001 | <0.2 | 1.29 | 7 | <10 | 130 | <0.5 | <2 | 0.39 | <0.5 | 10 | 117 |
| HIT 340 | | 0.43 | 0.005 | <0.005 | 0.001 | 0.2 | 1.38 | 7 | <10 | 110 | <0.5 | <2 | 0.41 | <0.5 | 18 | 214 |
| HIT 341 | | 0.43 | 0.005 | <0.005 | 0.001 | <0.2 | 1.17 | 5 | <10 | 110 | <0.5 | <2 | 0.39 | <0.5 | 10 | 117 |
| HIT 342 | | 0.54 | 0.002 | <0.005 | 0.001 | 0.2 | 1.58 | 6 | <10 | 150 | <0.5 | <2 | 0.40 | <0.5 | 11 | 103 |
| HIT 343 | | 0.40 | 0.002 | <0.005 | 0.001 | <0.2 | 1.21 | 5 | <10 | 130 | <0.5 | <2 | 0.44 | <0.5 | 8 | 97 |
| HIT 344 | | 0.23 | 0.005 | <0.005 | 0.001 | 0.3 | 1.57 | 5 | <10 | 270 | <0.5 | <2 | 0.78 | <0.5 | 7 | 74 |
| HIT 345 | | 0.27 | 0.005 | <0.005 | 0.002 | <0.2 | 1.72 | 8 | <10 | 380 | 0.5 | <2 | 0.97 | <0.5 | 13 | 86 |
| HIT 346 | | 0.38 | 0.004 | <0.005 | 0.001 | <0.2 | 1.37 | 8 | <10 | 260 | <0.5 | <2 | 0.67 | <0.5 | 8 | 79 |
| HIT 355 | | 0.30 | 0.004 | <0.005 | 0.003 | <0.2 | 1.11 | 5 | <10 | 130 | <0.5 | <2 | 0.21 | <0.5 | 21 | 175 |
| HIT 356 | | 0.29 | 0.002 | <0.005 | 0.001 | <0.2 | 1.12 | 5 | <10 | 130 | <0.5 | <2 | 0.19 | <0.5 | 23 | 182 |
| HIT 357 | | 0.34 | 0.006 | <0.005 | 0.001 | <0.2 | 1.16 | 4 | <10 | 130 | <0.5 | <2 | 0.20 | <0.5 | 23 | 180 |
| HIT 358A | | 0.31 | 0.002 | <0.005 | 0.001 | <0.2 | 1.15 | 7 | <10 | 130 | <0.5 | <2 | 0.20 | <0.5 | 22 | 174 |
| HIT 358B | | 0.50 | 0.004 | <0.005 | 0.001 | <0.2 | 1.46 | 6 | 10 | 100 | <0.5 | <2 | 0.36 | <0.5 | 38 | 529 |
| HIT 359A | | 0.33 | 0.003 | <0.005 | 0.001 | <0.2 | 1.09 | 5 | <10 | 120 | <0.5 | <2 | 0.20 | <0.5 | 20 | 170 |
| HIT 359B | | 0.60 | 0.005 | <0.005 | 0.001 | <0.2 | 1.54 | 4 | <10 | 180 | <0.5 | <2 | 0.28 | <0.5 | 32 | 274 |
| HIT 360 | | 0.50 | 0.003 | <0.005 | 0.001 | <0.2 | 1.00 | 5 | <10 | 110 | <0.5 | <2 | 0.18 | <0.5 | 19 | 180 |
| HIT 361 | | 0.51 | 0.003 | <0.005 | 0.001 | <0.2 | 1.63 | 8 | <10 | 130 | <0.5 | <2 | 0.27 | <0.5 | 19 | 270 |
| HIT 362 | | 0.62 | 0.003 | <0.005 | 0.001 | 0.2 | 1.63 | 7 | <10 | 150 | <0.5 | <2 | 0.22 | <0.5 | 19 | 237 |
| HIT 363 | | 0.28 | 0.007 | <0.005 | 0.004 | 1.4 | 3.03 | 11 | <10 | 160 | <0.5 | <2 | 0.56 | 0.5 | 31 | 348 |
| HIT 364 | | 0.51 | 0.005 | <0.005 | 0.002 | 0.4 | 1.98 | 5 | <10 | 100 | <0.5 | <2 | 0.50 | <0.5 | 31 | 377 |
| HIT 365 | | 0.42 | 0.005 | <0.005 | 0.004 | 0.6 | 1.76 | 7 | <10 | 140 | <0.5 | <2 | 0.44 | <0.5 | 10 | 149 |
| HIT 366 | | 0.46 | 0.019 | <0.005 | 0.001 | <0.2 | 1.73 | 5 | <10 | 110 | <0.5 | <2 | 0.30 | <0.5 | 23 | 328 |
| HIT 367 | | 0.68 | 0.003 | <0.005 | 0.002 | <0.2 | 1.37 | 3 | <10 | 50 | <0.5 | <2 | 0.38 | <0.5 | 25 | 400 |
| HIT 368 | | 0.59 | 0.001 | <0.005 | <0.001 | <0.2 | 0.43 | <2 | <10 | 30 | <0.5 | <2 | 0.19 | <0.5 | 2 | 13 |
| HIT 369 | | 0.67 | 0.005 | <0.005 | 0.001 | <0.2 | 2.44 | 15 | <10 | 60 | <0.5 | <2 | 0.29 | <0.5 | 28 | 312 |
| HIT 370 | | 0.51 | 0.004 | <0.005 | 0.002 | 0.2 | 1.94 | 7 | <10 | 150 | <0.5 | <2 | 0.49 | <0.5 | 11 | 187 |
| HIT 371 | | 0.64 | 0.003 | <0.005 | 0.001 | <0.2 | 1.28 | 10 | <10 | 70 | <0.5 | <2 | 0.20 | <0.5 | 18 | 235 |
| HIT 372 | | 0.44 | 0.001 | <0.005 | <0.001 | <0.2 | 0.33 | <2 | <10 | 50 | <0.5 | <2 | 0.07 | <0.5 | 3 | 31 |
| HIT 373 | | 0.33 | 0.001 | <0.005 | <0.001 | <0.2 | 0.66 | 2 | <10 | 130 | <0.5 | <2 | 0.17 | <0.5 | 44 | 340 |
| HIT 374 | | 0.47 | 0.002 | <0.005 | 0.002 | <0.2 | 0.60 | 2 | <10 | 80 | <0.5 | <2 | 0.16 | <0.5 | 11 | 164 |
| HIT 375 | | 0.48 | 0.003 | <0.005 | 0.001 | <0.2 | 0.84 | 5 | <10 | 90 | <0.5 | <2 | 0.18 | <0.5 | 54 | 511 |
| HIT 376 | | 0.49 | 0.003 | <0.005 | 0.001 | <0.2 | 0.86 | 6 | <10 | 90 | <0.5 | <2 | 0.19 | <0.5 | 53 | 523 |
| HIT 377 | | 0.38 | 0.003 | <0.005 | 0.002 | 0.2 | 1.08 | 3 | <10 | 140 | <0.5 | <2 | 0.20 | <0.5 | 12 | 152 |
| HIT 378 | | 0.29 | 0.018 | 0.012 | 0.005 | 0.2 | 1.67 | 7 | <10 | 240 | <0.5 | <2 | 0.30 | <0.5 | 30 | 278 |
| HIT 379 | | 0.64 | 0.008 | <0.005 | 0.001 | 0.2 | 0.99 | 4 | <10 | 60 | <0.5 | <2 | 0.16 | <0.5 | 33 | 346 |
| HIT 380 | | 0.52 | 0.004 | <0.005 | 0.001 | <0.2 | 1.00 | 3 | <10 | 70 | <0.5 | <2 | 0.18 | <0.5 | 43 | 326 |
| HIT 382 | | 0.56 | 0.003 | <0.005 | 0.001 | <0.2 | 1.56 | 7 | <10 | 220 | <0.5 | <2 | 0.44 | <0.5 | 10 | 99 |
| HIT 383 | | 0.76 | 0.004 | <0.005 | <0.001 | <0.2 | 1.55 | 5 | <10 | 220 | <0.5 | <2 | 0.38 | <0.5 | 9 | 74 |
| HIT 384 | | 0.72 | 0.006 | <0.005 | <0.001 | <0.2 | 1.25 | 4 | <10 | 180 | <0.5 | <2 | 0.62 | <0.5 | 9 | 72 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| HIT 338 | | 25 | 2.37 | 10 | <1 | 0.04 | 10 | 0.69 | 408 | <1 | 0.02 | 72 | 300 | 5 | 0.02 | <2 |
| HIT 339 | | 20 | 2.38 | <10 | <1 | 0.05 | 10 | 1.08 | 312 | <1 | 0.02 | 80 | 280 | 4 | 0.01 | <2 |
| HIT 340 | | 21 | 2.76 | <10 | <1 | 0.05 | 10 | 1.84 | 480 | <1 | 0.02 | 146 | 390 | 4 | 0.01 | <2 |
| HIT 341 | | 14 | 2.10 | <10 | <1 | 0.04 | 10 | 1.19 | 311 | <1 | 0.01 | 79 | 280 | 4 | 0.01 | <2 |
| HIT 342 | | 18 | 2.49 | 10 | <1 | 0.05 | 10 | 1.14 | 408 | <1 | 0.02 | 68 | 500 | 4 | 0.01 | <2 |
| HIT 343 | | 14 | 2.09 | <10 | <1 | 0.04 | 10 | 1.05 | 283 | <1 | 0.02 | 63 | 420 | 4 | 0.01 | <2 |
| HIT 344 | | 31 | 1.98 | 10 | <1 | 0.04 | 10 | 0.73 | 358 | <1 | 0.02 | 51 | 940 | 5 | 0.05 | <2 |
| HIT 345 | | 39 | 2.37 | 10 | <1 | 0.05 | 10 | 0.75 | 505 | <1 | 0.02 | 74 | 940 | 6 | 0.06 | <2 |
| HIT 346 | | 23 | 1.89 | <10 | <1 | 0.04 | 10 | 0.72 | 894 | <1 | 0.02 | 55 | 750 | 4 | 0.04 | <2 |
| HIT 355 | | 10 | 2.82 | <10 | <1 | 0.04 | 10 | 2.22 | 373 | <1 | 0.01 | 216 | 370 | 4 | 0.03 | <2 |
| HIT 356 | | 10 | 2.86 | <10 | <1 | 0.03 | 10 | 2.46 | 398 | <1 | 0.01 | 241 | 380 | 4 | 0.02 | 2 |
| HIT 357 | | 10 | 2.87 | <10 | <1 | 0.04 | 10 | 2.54 | 393 | <1 | 0.01 | 242 | 330 | 5 | 0.02 | <2 |
| HIT 358A | | 10 | 2.82 | <10 | <1 | 0.04 | 10 | 2.33 | 395 | <1 | 0.01 | 225 | 330 | 4 | 0.02 | <2 |
| HIT 358B | | 20 | 3.60 | <10 | <1 | 0.04 | 10 | 5.32 | 564 | <1 | 0.02 | 357 | 290 | 4 | 0.03 | <2 |
| HIT 359A | | 10 | 2.74 | <10 | <1 | 0.03 | 10 | 2.20 | 358 | <1 | 0.01 | 208 | 300 | 4 | 0.02 | 2 |
| HIT 359B | | 16 | 3.05 | <10 | <1 | 0.04 | 10 | 2.56 | 495 | <1 | 0.02 | 262 | 240 | 5 | 0.03 | <2 |
| HIT 360 | | 13 | 2.46 | <10 | <1 | 0.04 | <10 | 1.48 | 428 | <1 | 0.01 | 138 | 250 | 7 | 0.02 | <2 |
| HIT 361 | | 28 | 3.18 | <10 | <1 | 0.04 | 10 | 2.23 | 524 | <1 | 0.01 | 164 | 620 | 5 | 0.03 | <2 |
| HIT 362 | | 22 | 3.25 | <10 | <1 | 0.05 | 10 | 1.83 | 598 | <1 | 0.02 | 147 | 700 | 4 | 0.03 | <2 |
| HIT 363 | | 77 | 4.68 | 10 | <1 | 0.06 | 10 | 2.26 | 978 | <1 | 0.02 | 245 | 840 | 9 | 0.06 | <2 |
| HIT 364 | | 59 | 3.60 | <10 | <1 | 0.03 | 10 | 3.42 | 716 | <1 | 0.02 | 251 | 650 | <2 | 0.05 | <2 |
| HIT 365 | | 57 | 2.81 | 10 | <1 | 0.04 | 10 | 0.90 | 498 | <1 | 0.01 | 104 | 1550 | 6 | 0.09 | <2 |
| HIT 366 | | 22 | 3.95 | 10 | <1 | 0.03 | <10 | 2.23 | 514 | <1 | 0.01 | 144 | 320 | 5 | 0.02 | <2 |
| HIT 367 | | 32 | 3.19 | <10 | <1 | 0.02 | 10 | 4.46 | 404 | <1 | 0.02 | 379 | 420 | <2 | 0.02 | <2 |
| HIT 368 | | 11 | 0.63 | <10 | <1 | 0.03 | <10 | 0.15 | 44 | <1 | 0.03 | 8 | 710 | <2 | 0.02 | <2 |
| HIT 369 | | 43 | 4.03 | 10 | <1 | 0.02 | <10 | 3.25 | 623 | <1 | 0.01 | 196 | 320 | <2 | 0.02 | <2 |
| HIT 370 | | 39 | 2.42 | <10 | <1 | 0.04 | 10 | 1.75 | 256 | <1 | 0.02 | 178 | 1200 | <2 | 0.06 | <2 |
| HIT 371 | | 20 | 3.31 | <10 | <1 | 0.04 | 10 | 1.86 | 348 | <1 | 0.01 | 149 | 410 | 2 | 0.01 | <2 |
| HIT 372 | | 2 | 0.62 | <10 | <1 | 0.02 | <10 | 0.42 | 55 | <1 | 0.03 | 59 | 220 | <2 | 0.02 | <2 |
| HIT 373 | | 6 | 3.86 | <10 | <1 | 0.05 | <10 | 2.18 | 567 | <1 | 0.02 | 332 | 370 | 2 | 0.03 | <2 |
| HIT 374 | | 5 | 1.95 | <10 | <1 | 0.02 | 10 | 1.00 | 137 | <1 | 0.02 | 132 | 180 | <2 | 0.02 | <2 |
| HIT 375 | | 8 | 4.60 | <10 | <1 | 0.02 | 10 | 5.72 | 511 | <1 | 0.02 | 572 | 340 | <2 | 0.02 | <2 |
| HIT 376 | | 9 | 4.73 | <10 | <1 | 0.02 | 10 | 5.64 | 502 | <1 | 0.02 | 578 | 320 | <2 | 0.02 | <2 |
| HIT 377 | | 23 | 2.08 | <10 | <1 | 0.05 | 10 | 2.43 | 229 | <1 | 0.03 | 501 | 1130 | <2 | 0.06 | <2 |
| HIT 378 | | 30 | 3.35 | <10 | <1 | 0.06 | 10 | 4.52 | 743 | <1 | 0.02 | 779 | 1460 | <2 | 0.07 | <2 |
| HIT 379 | | 8 | 3.81 | <10 | <1 | 0.02 | <10 | 4.47 | 348 | <1 | 0.02 | 407 | 120 | <2 | 0.01 | <2 |
| HIT 380 | | 10 | 3.66 | <10 | <1 | 0.02 | 10 | 5.10 | 365 | <1 | 0.02 | 540 | 90 | 3 | 0.02 | <2 |
| HIT 382 | | 19 | 2.51 | <10 | <1 | 0.05 | 10 | 0.77 | 287 | <1 | 0.02 | 60 | 400 | 4 | 0.02 | <2 |
| HIT 383 | | 16 | 2.25 | <10 | <1 | 0.04 | 10 | 0.81 | 236 | <1 | 0.02 | 56 | 400 | 3 | 0.02 | <2 |
| HIT 384 | | 15 | 2.08 | <10 | <1 | 0.04 | 10 | 0.88 | 292 | <1 | 0.02 | 53 | 240 | 2 | 0.02 | <2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 |
| HIT 338 | | 4 | 25 | <20 | 0.08 | <10 | <10 | 55 | <10 |
| HIT 339 | | 4 | 18 | <20 | 0.07 | <10 | <10 | 50 | <10 |
| HIT 340 | | 5 | 19 | <20 | 0.08 | <10 | <10 | 57 | <10 |
| HIT 341 | | 4 | 16 | <20 | 0.08 | <10 | <10 | 49 | <10 |
| HIT 342 | | 4 | 19 | <20 | 0.09 | <10 | <10 | 58 | <10 |
| HIT 343 | | 4 | 20 | <20 | 0.09 | <10 | <10 | 52 | <10 |
| HIT 344 | | 4 | 41 | <20 | 0.05 | <10 | <10 | 48 | <10 |
| HIT 345 | | 4 | 52 | <20 | 0.06 | <10 | <10 | 53 | <10 |
| HIT 346 | | 4 | 33 | <20 | 0.06 | <10 | <10 | 45 | <10 |
| HIT 355 | | 3 | 14 | <20 | 0.07 | <10 | <10 | 45 | <10 |
| HIT 356 | | 3 | 13 | <20 | 0.06 | <10 | <10 | 43 | <10 |
| HIT 357 | | 4 | 14 | <20 | 0.07 | <10 | <10 | 43 | <10 |
| HIT 358A | | 3 | 14 | <20 | 0.07 | <10 | <10 | 45 | <10 |
| HIT 358B | | 5 | 15 | <20 | 0.06 | <10 | <10 | 57 | <10 |
| HIT 359A | | 3 | 14 | <20 | 0.07 | <10 | <10 | 45 | <10 |
| HIT 359B | | 5 | 17 | <20 | 0.08 | <10 | <10 | 55 | <10 |
| HIT 360 | | 3 | 12 | <20 | 0.08 | <10 | <10 | 51 | <10 |
| HIT 361 | | 4 | 15 | <20 | 0.05 | <10 | <10 | 56 | <10 |
| HIT 362 | | 2 | 15 | <20 | 0.04 | <10 | <10 | 58 | <10 |
| HIT 363 | | 13 | 31 | <20 | 0.07 | <10 | <10 | 88 | <10 |
| HIT 364 | | 9 | 19 | <20 | 0.06 | <10 | <10 | 68 | <10 |
| HIT 365 | | 6 | 24 | <20 | 0.04 | <10 | <10 | 71 | <10 |
| HIT 366 | | 5 | 24 | <20 | 0.11 | <10 | <10 | 79 | <10 |
| HIT 367 | | 6 | 19 | <20 | 0.09 | <10 | <10 | 53 | <10 |
| HIT 368 | | <1 | 12 | <20 | 0.04 | <10 | <10 | 16 | <10 |
| HIT 369 | | 10 | 11 | <20 | 0.07 | <10 | <10 | 94 | <10 |
| HIT 370 | | 4 | 18 | <20 | 0.03 | <10 | <10 | 48 | <10 |
| HIT 371 | | 4 | 11 | <20 | 0.07 | <10 | <10 | 57 | <10 |
| HIT 372 | | <1 | 8 | <20 | 0.02 | <10 | <10 | 11 | <10 |
| HIT 373 | | 2 | 13 | <20 | 0.07 | <10 | <10 | 42 | <10 |
| HIT 374 | | 2 | 10 | <20 | 0.07 | <10 | <10 | 35 | <10 |
| HIT 375 | | 3 | 9 | <20 | 0.05 | <10 | <10 | 45 | <10 |
| HIT 376 | | 3 | 9 | <20 | 0.06 | <10 | <10 | 47 | <10 |
| HIT 377 | | 4 | 16 | <20 | 0.03 | <10 | <10 | 22 | <10 |
| HIT 378 | | 6 | 24 | <20 | 0.03 | <10 | <10 | 37 | <10 |
| HIT 379 | | 3 | 9 | <20 | 0.07 | <10 | <10 | 51 | <10 |
| HIT 380 | | 3 | 11 | <20 | 0.06 | <10 | <10 | 41 | <10 |
| HIT 382 | | 5 | 23 | <20 | 0.10 | <10 | <10 | 56 | <10 |
| HIT 383 | | 4 | 20 | <20 | 0.09 | <10 | <10 | 54 | <10 |
| HIT 384 | | 4 | 26 | <20 | 0.09 | <10 | <10 | 47 | <10 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 4 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | PGM-ICP23 Au ppm | PGM-ICP23 Pt ppm | PGM-ICP23 Pd ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|------------------------|------------------------|------------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| HIT 385 | | 0.56 | 0.001 | <0.005 | 0.001 | <0.2 | 1.40 | 5 | <10 | 190 | <0.5 | <2 | 0.81 | <0.5 | 11 | 90 |
| HIT 386 | | 0.56 | 0.002 | <0.005 | 0.001 | <0.2 | 1.29 | 5 | <10 | 180 | <0.5 | <2 | 0.84 | <0.5 | 7 | 89 |
| HIT 389 | | 0.43 | 0.004 | <0.005 | 0.001 | <0.2 | 1.21 | 4 | <10 | 150 | <0.5 | <2 | 0.68 | <0.5 | 9 | 83 |
| HIT 390 | | 0.59 | 0.003 | <0.005 | <0.001 | 0.2 | 1.28 | 3 | <10 | 150 | <0.5 | <2 | 0.42 | <0.5 | 9 | 69 |
| HIT 391 | | 0.48 | 0.002 | <0.005 | <0.001 | <0.2 | 1.51 | 6 | <10 | 110 | <0.5 | <2 | 0.36 | <0.5 | 9 | 81 |
| HIT 392 | | 0.58 | 0.003 | <0.005 | 0.002 | <0.2 | 0.99 | 4 | <10 | 170 | <0.5 | <2 | 0.64 | <0.5 | 7 | 63 |
| HIT 393 | | 0.57 | 0.003 | <0.005 | 0.001 | <0.2 | 1.21 | 5 | <10 | 160 | <0.5 | <2 | 0.63 | <0.5 | 11 | 69 |
| HIT 394 | | 0.42 | 0.003 | <0.005 | 0.001 | <0.2 | 1.26 | 6 | <10 | 200 | <0.5 | <2 | 0.81 | <0.5 | 9 | 67 |
| HIT 395 | | 0.55 | 0.003 | <0.005 | 0.001 | <0.2 | 1.04 | 4 | <10 | 120 | <0.5 | <2 | 0.36 | <0.5 | 6 | 50 |
| HIT 396 | | 0.36 | 0.004 | <0.005 | 0.001 | 0.2 | 1.41 | 5 | <10 | 210 | <0.5 | <2 | 0.76 | <0.5 | 7 | 74 |
| HIT 397 | | 0.53 | 0.005 | <0.005 | <0.001 | <0.2 | 1.15 | 4 | <10 | 110 | <0.5 | <2 | 0.38 | <0.5 | 8 | 61 |
| HIT 398 | | 0.54 | 0.004 | <0.005 | 0.001 | 0.2 | 1.28 | 7 | <10 | 150 | <0.5 | <2 | 0.46 | <0.5 | 9 | 61 |
| HIT 399 | | 0.62 | 0.007 | <0.005 | 0.001 | <0.2 | 1.00 | 3 | <10 | 140 | <0.5 | <2 | 0.57 | <0.5 | 9 | 74 |
| HIT 410 | | 0.26 | 0.010 | 0.012 | 0.006 | 0.2 | 3.98 | 15 | <10 | 320 | 0.7 | <2 | 0.53 | <0.5 | 38 | 452 |
| HIT 411 | | 0.38 | 0.005 | <0.005 | 0.001 | <0.2 | 1.07 | 4 | <10 | 90 | <0.5 | <2 | 0.31 | <0.5 | 16 | 232 |
| HIT 412 | | 0.40 | 0.003 | <0.005 | 0.001 | <0.2 | 1.38 | 10 | <10 | 110 | <0.5 | 2 | 0.12 | <0.5 | 12 | 182 |
| HIT 413 | | 0.33 | 0.002 | <0.005 | 0.001 | <0.2 | 1.18 | 8 | <10 | 110 | <0.5 | <2 | 0.13 | <0.5 | 8 | 133 |
| HIT 414 | | 0.32 | 0.008 | <0.005 | 0.002 | <0.2 | 1.76 | 15 | <10 | 110 | <0.5 | <2 | 0.18 | <0.5 | 21 | 254 |
| HIT 415 | | 0.40 | 0.004 | <0.005 | 0.001 | <0.2 | 2.16 | 23 | <10 | 50 | <0.5 | 2 | 0.19 | 0.7 | 24 | 201 |
| HIT 416 | | 0.37 | 0.005 | <0.005 | 0.001 | <0.2 | 1.72 | 9 | <10 | 130 | <0.5 | <2 | 0.23 | <0.5 | 16 | 147 |
| HIT 417 | | 0.43 | 0.003 | <0.005 | 0.001 | <0.2 | 1.26 | 6 | <10 | 160 | <0.5 | <2 | 0.19 | <0.5 | 22 | 226 |
| HIT 418 | | 0.37 | 0.004 | <0.005 | 0.001 | <0.2 | 1.27 | 8 | <10 | 170 | <0.5 | <2 | 0.19 | <0.5 | 19 | 181 |
| HIT 419 | | 0.38 | 0.002 | <0.005 | 0.001 | <0.2 | 1.04 | 7 | <10 | 110 | <0.5 | 2 | 0.18 | <0.5 | 29 | 329 |
| HIT 420 | | 0.47 | 0.006 | <0.005 | 0.003 | <0.2 | 1.02 | 7 | 10 | 120 | <0.5 | 2 | 0.26 | <0.5 | 56 | 556 |
| HIT 421 | | 0.42 | 0.049 | 0.005 | 0.001 | <0.2 | 1.25 | 11 | 10 | 160 | <0.5 | <2 | 0.23 | <0.5 | 33 | 522 |
| HIT 422 | | 0.39 | 0.018 | <0.005 | 0.002 | <0.2 | 1.03 | 6 | <10 | 130 | <0.5 | 2 | 0.20 | <0.5 | 40 | 362 |
| HIT 423 | | 0.21 | 0.001 | <0.005 | 0.001 | <0.2 | 0.58 | 3 | <10 | 130 | <0.5 | 2 | 0.30 | <0.5 | 9 | 74 |
| HIT 424 | | 0.36 | 0.003 | <0.005 | 0.002 | <0.2 | 1.29 | 4 | <10 | 210 | <0.5 | 2 | 0.28 | <0.5 | 26 | 256 |
| HIT 426 | | 0.48 | 0.006 | <0.005 | 0.002 | <0.2 | 0.98 | <2 | <10 | 110 | <0.5 | 2 | 0.22 | <0.5 | 37 | 274 |
| HIT 427 | | 0.47 | 0.176 | <0.005 | 0.001 | <0.2 | 0.73 | 5 | <10 | 70 | <0.5 | 2 | 0.20 | <0.5 | 32 | 280 |
| HIT 428 | | 0.39 | 0.003 | <0.005 | 0.003 | <0.2 | 1.19 | 5 | <10 | 190 | <0.5 | 2 | 0.35 | <0.5 | 26 | 231 |
| HIT 429 | | 0.41 | 0.002 | <0.005 | 0.001 | <0.2 | 1.01 | 2 | <10 | 160 | <0.5 | <2 | 0.21 | <0.5 | 45 | 304 |
| HIT 430 | | 0.45 | 0.003 | <0.005 | <0.001 | <0.2 | 1.74 | 25 | <10 | 120 | <0.5 | 2 | 0.43 | <0.5 | 12 | 73 |
| HIT 431 | | 0.61 | 0.004 | <0.005 | <0.001 | <0.2 | 1.54 | 22 | <10 | 100 | <0.5 | <2 | 0.29 | <0.5 | 9 | 66 |
| HIT 432 | | 0.59 | 0.004 | <0.005 | 0.001 | <0.2 | 1.63 | 13 | <10 | 150 | <0.5 | <2 | 0.31 | <0.5 | 11 | 75 |
| HIT 433 | | 0.55 | 0.005 | <0.005 | 0.002 | 0.3 | 1.40 | 8 | <10 | 140 | <0.5 | <2 | 0.51 | 0.9 | 14 | 63 |
| HIT 434 | | 0.64 | 0.004 | <0.005 | 0.001 | <0.2 | 1.62 | 8 | <10 | 130 | <0.5 | <2 | 0.27 | <0.5 | 9 | 62 |
| HIT 435 | | 0.64 | 0.002 | <0.005 | 0.001 | <0.2 | 1.68 | 9 | <10 | 80 | <0.5 | <2 | 0.16 | 0.6 | 8 | 55 |
| HIT 436 | | 0.57 | 0.004 | <0.005 | 0.001 | <0.2 | 1.67 | 17 | <10 | 140 | <0.5 | <2 | 0.34 | 1.8 | 12 | 74 |
| HIT 437 | | 0.59 | 0.006 | <0.005 | 0.002 | <0.2 | 1.53 | 8 | <10 | 110 | <0.5 | <2 | 0.81 | <0.5 | 16 | 68 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| HIT 385 | | 18 | 2.34 | <10 | <1 | 0.06 | 10 | 1.14 | 374 | <1 | 0.02 | 54 | 260 | 3 | 0.03 | <2 |
| HIT 386 | | 14 | 2.05 | <10 | <1 | 0.04 | 10 | 0.95 | 204 | <1 | 0.03 | 59 | 200 | 2 | 0.03 | <2 |
| HIT 389 | | 23 | 2.01 | <10 | <1 | 0.07 | 10 | 0.81 | 326 | <1 | 0.02 | 58 | 610 | 8 | 0.03 | <2 |
| HIT 390 | | 17 | 2.01 | <10 | <1 | 0.05 | 10 | 0.64 | 357 | <1 | 0.02 | 45 | 300 | 4 | 0.02 | <2 |
| HIT 391 | | 14 | 2.67 | 10 | <1 | 0.03 | <10 | 0.90 | 183 | <1 | 0.02 | 66 | 240 | 2 | 0.02 | <2 |
| HIT 392 | | 15 | 1.66 | <10 | <1 | 0.04 | 10 | 0.65 | 329 | <1 | 0.02 | 42 | 620 | 2 | 0.03 | <2 |
| HIT 393 | | 14 | 2.12 | <10 | <1 | 0.04 | 10 | 0.89 | 336 | <1 | 0.03 | 46 | 500 | 3 | 0.02 | <2 |
| HIT 394 | | 18 | 1.99 | <10 | <1 | 0.04 | 10 | 0.65 | 498 | <1 | 0.02 | 40 | 430 | 2 | 0.03 | <2 |
| HIT 395 | | 17 | 1.73 | <10 | <1 | 0.03 | 10 | 0.49 | 215 | <1 | 0.01 | 27 | 330 | <2 | 0.02 | <2 |
| HIT 396 | | 17 | 2.17 | <10 | <1 | 0.05 | 10 | 0.61 | 477 | <1 | 0.02 | 30 | 770 | 3 | 0.05 | <2 |
| HIT 397 | | 12 | 1.93 | <10 | <1 | 0.03 | 10 | 0.77 | 242 | <1 | 0.02 | 40 | 210 | 2 | 0.02 | <2 |
| HIT 398 | | 21 | 2.31 | <10 | <1 | 0.04 | 10 | 0.75 | 319 | <1 | 0.02 | 46 | 330 | 3 | 0.01 | <2 |
| HIT 399 | | 12 | 1.89 | <10 | <1 | 0.03 | 10 | 0.87 | 251 | <1 | 0.03 | 56 | 620 | 2 | 0.02 | <2 |
| HIT 410 | | 107 | 5.45 | 10 | <1 | 0.10 | 10 | 3.24 | 1095 | <1 | 0.02 | 444 | 2690 | 6 | 0.13 | <2 |
| HIT 411 | | 19 | 2.00 | <10 | <1 | 0.02 | 10 | 2.32 | 283 | 1 | 0.02 | 178 | 310 | 4 | 0.03 | <2 |
| HIT 412 | | 19 | 3.11 | 10 | <1 | 0.03 | 10 | 0.96 | 438 | 1 | 0.01 | 86 | 290 | 6 | 0.02 | <2 |
| HIT 413 | | 11 | 2.13 | 10 | <1 | 0.03 | <10 | 0.90 | 280 | 1 | 0.01 | 49 | 560 | 5 | 0.04 | <2 |
| HIT 414 | | 31 | 3.72 | 10 | <1 | 0.03 | <10 | 1.78 | 481 | 1 | 0.01 | 133 | 400 | 7 | 0.04 | 2 |
| HIT 415 | | 35 | 3.86 | 10 | <1 | 0.03 | <10 | 1.48 | 540 | 2 | 0.01 | 83 | 470 | 9 | 0.04 | 4 |
| HIT 416 | | 24 | 2.77 | <10 | <1 | 0.03 | 10 | 1.60 | 394 | 1 | 0.01 | 132 | 450 | 7 | 0.03 | <2 |
| HIT 417 | | 21 | 2.86 | <10 | <1 | 0.03 | 10 | 2.27 | 461 | 1 | 0.02 | 300 | 340 | 5 | 0.03 | <2 |
| HIT 418 | | 15 | 2.64 | <10 | <1 | 0.03 | 10 | 1.87 | 406 | 1 | 0.01 | 182 | 130 | 5 | 0.02 | <2 |
| HIT 419 | | 11 | 3.59 | <10 | <1 | 0.03 | 10 | 2.71 | 394 | <1 | 0.03 | 294 | 250 | 6 | 0.03 | <2 |
| HIT 420 | | 23 | 3.84 | <10 | <1 | 0.04 | 10 | 7.37 | 855 | <1 | 0.02 | 929 | 390 | 5 | <0.01 | <2 |
| HIT 421 | | 17 | 3.92 | <10 | <1 | 0.04 | 10 | 4.22 | 631 | <1 | 0.02 | 558 | 640 | 5 | 0.04 | <2 |
| HIT 422 | | 16 | 3.83 | <10 | <1 | 0.03 | 10 | 6.02 | 492 | <1 | 0.02 | 666 | 450 | 5 | 0.03 | <2 |
| HIT 423 | | 6 | 1.12 | <10 | <1 | 0.03 | <10 | 0.93 | 123 | <1 | 0.05 | 159 | 620 | 3 | 0.05 | <2 |
| HIT 424 | | 15 | 2.92 | <10 | <1 | 0.04 | 10 | 4.38 | 333 | <1 | 0.03 | 484 | 540 | 6 | 0.04 | <2 |
| HIT 426 | | 16 | 3.30 | <10 | <1 | 0.03 | 10 | 6.45 | 457 | <1 | 0.03 | 647 | 280 | 4 | 0.02 | <2 |
| HIT 427 | | 12 | 2.89 | <10 | <1 | 0.02 | 10 | 5.05 | 394 | <1 | 0.02 | 563 | 200 | 4 | 0.02 | <2 |
| HIT 428 | | 31 | 2.74 | <10 | <1 | 0.04 | 10 | 3.71 | 466 | <1 | 0.04 | 484 | 720 | 5 | 0.07 | <2 |
| HIT 429 | | 10 | 3.71 | <10 | <1 | 0.03 | <10 | 4.06 | 466 | 1 | 0.01 | 451 | 320 | 5 | 0.02 | <2 |
| HIT 430 | | 35 | 2.88 | <10 | <1 | 0.06 | 10 | 0.71 | 568 | 1 | 0.01 | 47 | 380 | 8 | 0.04 | <2 |
| HIT 431 | | 28 | 2.45 | <10 | <1 | 0.04 | 10 | 0.72 | 320 | 1 | 0.01 | 49 | 180 | 5 | 0.02 | <2 |
| HIT 432 | | 35 | 2.91 | <10 | <1 | 0.05 | 10 | 0.94 | 319 | 2 | 0.01 | 71 | 220 | 7 | 0.03 | 2 |
| HIT 433 | | 54 | 2.78 | <10 | <1 | 0.04 | 10 | 0.66 | 502 | 3 | 0.01 | 54 | 1080 | 8 | 0.07 | 2 |
| HIT 434 | | 26 | 2.42 | <10 | <1 | 0.04 | 10 | 0.74 | 247 | 1 | 0.01 | 39 | 480 | 6 | 0.03 | <2 |
| HIT 435 | | 28 | 2.46 | <10 | <1 | 0.03 | 10 | 0.62 | 240 | 2 | 0.01 | 30 | 550 | 7 | 0.05 | <2 |
| HIT 436 | | 45 | 3.15 | <10 | <1 | 0.04 | 10 | 0.58 | 565 | 2 | 0.01 | 35 | 860 | 7 | 0.08 | 2 |
| HIT 437 | | 47 | 2.59 | <10 | <1 | 0.04 | 10 | 0.72 | 521 | 2 | 0.02 | 44 | 870 | 9 | 0.06 | 2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 4 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| HIT 385 | | 5 | 34 | <20 | 0.09 | <10 | <10 | 58 | <10 | 35 |
| HIT 386 | | 4 | 36 | <20 | 0.08 | <10 | <10 | 45 | <10 | 29 |
| HIT 389 | | 3 | 30 | <20 | 0.06 | <10 | <10 | 46 | <10 | 39 |
| HIT 390 | | 4 | 19 | <20 | 0.08 | <10 | <10 | 47 | <10 | 56 |
| HIT 391 | | 3 | 18 | <20 | 0.10 | <10 | <10 | 68 | <10 | 44 |
| HIT 392 | | 3 | 30 | <20 | 0.06 | <10 | <10 | 41 | <10 | 33 |
| HIT 393 | | 4 | 30 | <20 | 0.09 | <10 | <10 | 53 | <10 | 35 |
| HIT 394 | | 4 | 46 | <20 | 0.06 | <10 | <10 | 48 | <10 | 43 |
| HIT 395 | | 3 | 21 | <20 | 0.06 | <10 | <10 | 40 | <10 | 34 |
| HIT 396 | | 4 | 43 | <20 | 0.06 | <10 | <10 | 47 | <10 | 53 |
| HIT 397 | | 4 | 18 | <20 | 0.08 | <10 | <10 | 47 | <10 | 34 |
| HIT 398 | | 4 | 22 | <20 | 0.08 | <10 | <10 | 51 | <10 | 42 |
| HIT 399 | | 4 | 28 | <20 | 0.07 | <10 | <10 | 44 | <10 | 36 |
| HIT 410 | | 20 | 34 | <20 | 0.04 | <10 | <10 | 115 | <10 | 96 |
| HIT 411 | | 4 | 17 | <20 | 0.06 | <10 | <10 | 43 | <10 | 33 |
| HIT 412 | | 3 | 13 | <20 | 0.09 | <10 | <10 | 67 | <10 | 47 |
| HIT 413 | | 1 | 13 | <20 | 0.05 | <10 | <10 | 51 | <10 | 60 |
| HIT 414 | | 4 | 13 | <20 | 0.07 | <10 | <10 | 72 | <10 | 71 |
| HIT 415 | | 5 | 11 | <20 | 0.10 | <10 | <10 | 87 | <10 | 73 |
| HIT 416 | | 4 | 17 | <20 | 0.08 | <10 | <10 | 58 | <10 | 44 |
| HIT 417 | | 5 | 17 | <20 | 0.06 | <10 | <10 | 45 | <10 | 42 |
| HIT 418 | | 3 | 15 | <20 | 0.07 | <10 | <10 | 48 | <10 | 36 |
| HIT 419 | | 3 | 12 | <20 | 0.09 | <10 | <10 | 54 | <10 | 38 |
| HIT 420 | | 6 | 18 | <20 | 0.05 | <10 | <10 | 44 | <10 | 31 |
| HIT 421 | | 6 | 19 | <20 | 0.08 | <10 | <10 | 52 | <10 | 41 |
| HIT 422 | | 4 | 13 | <20 | 0.05 | <10 | <10 | 43 | <10 | 33 |
| HIT 423 | | 1 | 21 | <20 | 0.04 | <10 | <10 | 18 | <10 | 15 |
| HIT 424 | | 5 | 21 | <20 | 0.05 | <10 | <10 | 42 | <10 | 33 |
| HIT 426 | | 5 | 13 | <20 | 0.05 | <10 | <10 | 38 | <10 | 27 |
| HIT 427 | | 4 | 11 | <20 | 0.05 | <10 | <10 | 35 | <10 | 20 |
| HIT 428 | | 4 | 24 | <20 | 0.06 | <10 | <10 | 40 | <10 | 31 |
| HIT 429 | | 3 | 15 | <20 | 0.05 | <10 | <10 | 42 | <10 | 37 |
| HIT 430 | | 6 | 28 | <20 | 0.07 | <10 | <10 | 48 | <10 | 86 |
| HIT 431 | | 5 | 20 | <20 | 0.06 | <10 | <10 | 41 | <10 | 53 |
| HIT 432 | | 3 | 17 | <20 | 0.08 | <10 | <10 | 58 | <10 | 81 |
| HIT 433 | | 4 | 56 | <20 | 0.03 | <10 | <10 | 48 | <10 | 89 |
| HIT 434 | | 3 | 23 | <20 | 0.04 | <10 | <10 | 43 | <10 | 53 |
| HIT 435 | | 2 | 12 | <20 | 0.04 | <10 | <10 | 47 | <10 | 67 |
| HIT 436 | | 1 | 25 | <20 | 0.03 | <10 | <10 | 52 | <10 | 89 |
| HIT 437 | | 3 | 45 | <20 | 0.04 | <10 | <10 | 50 | <10 | 66 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | PGM-ICP23 Au ppm | PGM-ICP23 Pt ppm | PGM-ICP23 Pd ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|------------------------|------------------------|------------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| HIT 438 | | 0.62 | 0.006 | <0.005 | 0.002 | 0.2 | 1.53 | 7 | <10 | 120 | <0.5 | <2 | 0.50 | <0.5 | 13 | 71 |
| HIT 439 | | 0.68 | 0.008 | <0.005 | 0.002 | 0.3 | 1.93 | 15 | <10 | 190 | <0.5 | <2 | 0.39 | <0.5 | 18 | 102 |
| HIT 440 | | 0.42 | 0.001 | <0.005 | 0.001 | <0.2 | 1.31 | 10 | <10 | 150 | <0.5 | <2 | 0.55 | 1.9 | 14 | 54 |
| HIT 441 | | 0.52 | 0.002 | <0.005 | <0.001 | <0.2 | 1.28 | 11 | <10 | 130 | <0.5 | <2 | 0.54 | 1.3 | 14 | 55 |
| HIT 442 | | 0.54 | 0.005 | <0.005 | 0.001 | 0.2 | 1.91 | 11 | <10 | 190 | <0.5 | <2 | 0.33 | <0.5 | 13 | 71 |
| HIT 443 | | 0.69 | 0.004 | <0.005 | 0.001 | 0.2 | 1.87 | 21 | <10 | 190 | <0.5 | <2 | 0.32 | <0.5 | 15 | 72 |
| HIT 444 | | 0.58 | 0.008 | <0.005 | <0.001 | <0.2 | 1.65 | 8 | <10 | 180 | <0.5 | <2 | 0.35 | <0.5 | 11 | 60 |
| HIT 445 | | 0.53 | 0.003 | <0.005 | <0.001 | 0.2 | 1.54 | 17 | <10 | 100 | <0.5 | <2 | 0.41 | <0.5 | 15 | 47 |
| HIT 446 | | 0.56 | 0.021 | <0.005 | 0.003 | 1.7 | 2.50 | 13 | <10 | 250 | 0.7 | <2 | 1.11 | 2.4 | 19 | 78 |
| HIT 447 | | 0.52 | 0.006 | <0.005 | <0.001 | 0.3 | 1.95 | 10 | <10 | 200 | <0.5 | <2 | 0.62 | 0.9 | 13 | 65 |
| HIT 448 | | 0.54 | 0.006 | <0.005 | 0.002 | 0.2 | 1.89 | 12 | <10 | 170 | <0.5 | <2 | 0.57 | 0.6 | 15 | 92 |
| HIT 449 | | 0.59 | 0.007 | <0.005 | 0.003 | 0.6 | 2.03 | 8 | <10 | 230 | 0.5 | <2 | 0.83 | 0.9 | 18 | 101 |
| HIT 460 | | 0.30 | 0.008 | <0.005 | 0.003 | <0.2 | 0.94 | 6 | <10 | 120 | <0.5 | <2 | 0.33 | <0.5 | 48 | 362 |
| HIT 461 | | 0.34 | 0.003 | <0.005 | 0.003 | <0.2 | 0.98 | 8 | <10 | 140 | <0.5 | <2 | 0.42 | <0.5 | 43 | 263 |
| HIT 462 | | 0.43 | 0.002 | <0.005 | 0.003 | <0.2 | 0.98 | 7 | <10 | 120 | <0.5 | <2 | 0.28 | <0.5 | 47 | 279 |
| HIT 463 | | 0.35 | 0.004 | <0.005 | 0.001 | <0.2 | 1.21 | 6 | <10 | 210 | <0.5 | <2 | 0.24 | <0.5 | 63 | 391 |
| HIT 464 | | 0.34 | 0.006 | <0.005 | 0.003 | <0.2 | 0.87 | 14 | <10 | 100 | <0.5 | <2 | 0.22 | <0.5 | 60 | 394 |
| HIT 465 | | 0.47 | 0.010 | 0.005 | 0.002 | <0.2 | 1.01 | 10 | <10 | 150 | <0.5 | <2 | 0.23 | <0.5 | 46 | 307 |
| HIT 466 | | 0.31 | 0.014 | 0.005 | 0.003 | <0.2 | 0.83 | 8 | <10 | 100 | <0.5 | <2 | 0.22 | <0.5 | 50 | 332 |
| HIT 467 | | 0.42 | 0.015 | <0.005 | 0.002 | <0.2 | 0.97 | 6 | <10 | 70 | <0.5 | <2 | 0.21 | <0.5 | 55 | 399 |
| HIT 468 | | 0.30 | 0.014 | <0.005 | 0.002 | <0.2 | 1.27 | 6 | <10 | 170 | <0.5 | <2 | 0.34 | <0.5 | 49 | 287 |
| HIT 469 | | 0.33 | 0.004 | <0.005 | 0.003 | <0.2 | 1.00 | 3 | <10 | 90 | <0.5 | <2 | 0.25 | <0.5 | 43 | 278 |
| HIT 470 | | 0.41 | 0.002 | <0.005 | 0.003 | <0.2 | 0.95 | 4 | <10 | 100 | <0.5 | <2 | 0.28 | <0.5 | 57 | 294 |
| HIT 471 | | 0.40 | 0.004 | <0.005 | 0.002 | <0.2 | 1.01 | 4 | <10 | 100 | <0.5 | <2 | 0.26 | <0.5 | 41 | 253 |
| HIT 472 | | 0.33 | 0.002 | <0.005 | 0.002 | <0.2 | 0.88 | 2 | <10 | 140 | <0.5 | <2 | 0.32 | <0.5 | 60 | 249 |
| HIT 473 | | 0.47 | 0.034 | <0.005 | 0.003 | <0.2 | 1.07 | 4 | <10 | 110 | <0.5 | <2 | 0.22 | <0.5 | 56 | 272 |
| HIT 474 | | 0.42 | 0.004 | <0.005 | 0.002 | <0.2 | 1.24 | 5 | <10 | 110 | <0.5 | <2 | 0.27 | <0.5 | 55 | 333 |
| HIT 475 | | 0.65 | 0.005 | <0.005 | 0.001 | <0.2 | 1.08 | 4 | <10 | 120 | <0.5 | <2 | 0.26 | <0.5 | 15 | 159 |
| HIT 476 | | 0.63 | 0.027 | <0.005 | 0.002 | <0.2 | 0.90 | 5 | <10 | 100 | <0.5 | <2 | 0.27 | <0.5 | 33 | 369 |
| HIT 477 | | 0.47 | 0.003 | <0.005 | 0.001 | <0.2 | 1.52 | 7 | <10 | 160 | <0.5 | <2 | 0.22 | <0.5 | 36 | 615 |
| HIT 478 | | 0.60 | 0.003 | <0.005 | 0.001 | <0.2 | 0.93 | 3 | <10 | 80 | <0.5 | <2 | 0.21 | <0.5 | 37 | 400 |
| HIT 479 | | 0.65 | 0.003 | <0.005 | 0.002 | <0.2 | 1.37 | 9 | <10 | 140 | <0.5 | <2 | 0.18 | <0.5 | 84 | 943 |
| HIT 480 | Empty Bag | | | | | | | | | | | | | | | |
| HIT 481 | | 0.53 | 0.002 | <0.005 | 0.001 | <0.2 | 0.97 | 4 | <10 | 140 | <0.5 | <2 | 0.41 | <0.5 | 14 | 158 |
| HIT 482 | | 0.43 | 0.002 | <0.005 | 0.003 | <0.2 | 1.47 | 6 | <10 | 200 | <0.5 | <2 | 0.29 | <0.5 | 15 | 137 |
| HIT 483 | | 0.53 | 0.002 | <0.005 | 0.001 | <0.2 | 1.08 | 6 | <10 | 110 | <0.5 | <2 | 0.26 | <0.5 | 20 | 177 |
| HIT 484 | | 0.67 | 0.006 | <0.005 | 0.002 | <0.2 | 0.89 | 5 | <10 | 100 | <0.5 | <2 | 0.28 | <0.5 | 23 | 194 |
| HIT 485 | | 0.48 | 0.005 | <0.005 | 0.002 | <0.2 | 1.10 | 7 | <10 | 140 | <0.5 | <2 | 0.22 | <0.5 | 31 | 290 |
| HIT 486 | | 0.71 | 0.058 | <0.005 | 0.003 | <0.2 | 0.89 | 7 | <10 | 100 | <0.5 | <2 | 0.20 | <0.5 | 40 | 334 |
| HIT 487 | | 0.64 | 0.013 | <0.005 | 0.003 | <0.2 | 0.88 | 8 | <10 | 90 | <0.5 | <2 | 0.18 | <0.5 | 41 | 339 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 5 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| HIT 438 | | 44 | 2.54 | <10 | <1 | 0.04 | 10 | 0.82 | 454 | 1 | 0.02 | 52 | 670 | 8 | 0.05 | <2 |
| HIT 439 | | 87 | 3.56 | <10 | <1 | 0.04 | 10 | 1.22 | 684 | 2 | 0.02 | 64 | 190 | 9 | 0.03 | 3 |
| HIT 440 | | 39 | 2.43 | <10 | <1 | 0.08 | 10 | 0.51 | 808 | 2 | 0.01 | 44 | 500 | 7 | 0.05 | <2 |
| HIT 441 | | 37 | 2.47 | <10 | <1 | 0.08 | 10 | 0.53 | 692 | 1 | 0.01 | 43 | 500 | 7 | 0.05 | 2 |
| HIT 442 | | 41 | 3.04 | <10 | <1 | 0.04 | 10 | 0.91 | 473 | 2 | 0.02 | 45 | 280 | 9 | 0.03 | 2 |
| HIT 443 | | 40 | 3.13 | <10 | <1 | 0.04 | 10 | 0.87 | 486 | 2 | 0.02 | 49 | 270 | 8 | 0.03 | 2 |
| HIT 444 | | 30 | 2.64 | <10 | <1 | 0.04 | 10 | 0.74 | 427 | 2 | 0.02 | 35 | 360 | 8 | 0.03 | <2 |
| HIT 445 | | 35 | 2.93 | <10 | <1 | 0.05 | 10 | 0.56 | 755 | 2 | 0.01 | 28 | 560 | 11 | 0.04 | <2 |
| HIT 446 | | 72 | 3.93 | <10 | <1 | 0.05 | 30 | 0.86 | 1325 | 6 | 0.02 | 73 | 1150 | 15 | 0.07 | 4 |
| HIT 447 | | 34 | 3.00 | 10 | <1 | 0.04 | 10 | 0.74 | 533 | 3 | 0.01 | 44 | 590 | 12 | 0.05 | 3 |
| HIT 448 | | 53 | 3.38 | 10 | 1 | 0.05 | 10 | 1.03 | 480 | 1 | 0.02 | 59 | 600 | 6 | 0.04 | <2 |
| HIT 449 | | 83 | 3.37 | 10 | 1 | 0.06 | 10 | 1.19 | 904 | 2 | 0.03 | 90 | 930 | 7 | 0.07 | <2 |
| HIT 460 | | 20 | 4.00 | <10 | 1 | 0.04 | 10 | 5.68 | 656 | <1 | 0.02 | 661 | 540 | 3 | 0.06 | <2 |
| HIT 461 | | 18 | 3.73 | <10 | 1 | 0.04 | 10 | 4.96 | 678 | <1 | 0.03 | 697 | 640 | 4 | 0.08 | <2 |
| HIT 462 | | 15 | 3.68 | <10 | 1 | 0.04 | 10 | 5.98 | 635 | <1 | 0.03 | 631 | 380 | 4 | 0.04 | <2 |
| HIT 463 | | 13 | 4.97 | <10 | 1 | 0.05 | 10 | 3.70 | 1155 | <1 | 0.02 | 512 | 1470 | 4 | 0.10 | <2 |
| HIT 464 | | 15 | 4.48 | <10 | 1 | 0.03 | 10 | 4.64 | 958 | <1 | 0.02 | 608 | 670 | 3 | 0.05 | <2 |
| HIT 465 | | 17 | 3.63 | <10 | 1 | 0.02 | 10 | 5.18 | 698 | <1 | 0.02 | 573 | 430 | 3 | 0.04 | <2 |
| HIT 466 | | 16 | 3.79 | <10 | 1 | 0.03 | 10 | 6.49 | 730 | <1 | 0.02 | 758 | 470 | 2 | 0.05 | <2 |
| HIT 467 | | 14 | 4.32 | <10 | 1 | 0.03 | 10 | 6.25 | 591 | <1 | 0.02 | 697 | 280 | 3 | 0.04 | <2 |
| HIT 468 | | 21 | 3.96 | <10 | <1 | 0.05 | 10 | 5.87 | 757 | <1 | 0.03 | 713 | 840 | 4 | 0.08 | <2 |
| HIT 469 | | 16 | 3.64 | <10 | 1 | 0.04 | 10 | 6.00 | 567 | <1 | 0.03 | 654 | 310 | 2 | 0.04 | <2 |
| HIT 470 | | 18 | 4.02 | <10 | 1 | 0.08 | 10 | 6.94 | 771 | <1 | 0.03 | 749 | 460 | 3 | 0.05 | <2 |
| HIT 471 | | 19 | 3.56 | <10 | 1 | 0.04 | 10 | 6.21 | 548 | <1 | 0.03 | 652 | 260 | 4 | 0.03 | <2 |
| HIT 472 | | 12 | 3.64 | <10 | <1 | 0.03 | 10 | 6.47 | 775 | <1 | 0.02 | 633 | 880 | 3 | 0.08 | <2 |
| HIT 473 | | 19 | 3.91 | <10 | <1 | 0.06 | 10 | 7.74 | 740 | <1 | 0.03 | 877 | 390 | 3 | 0.04 | <2 |
| HIT 474 | | 19 | 3.64 | <10 | 1 | 0.05 | 10 | 5.92 | 770 | <1 | 0.02 | 785 | 670 | 3 | 0.06 | <2 |
| HIT 475 | | 12 | 2.22 | <10 | 1 | 0.06 | 10 | 1.53 | 365 | <1 | 0.02 | 138 | 360 | 3 | 0.03 | <2 |
| HIT 476 | | 13 | 2.54 | <10 | 1 | 0.03 | 10 | 5.99 | 565 | <1 | 0.03 | 635 | 290 | 2 | 0.02 | <2 |
| HIT 477 | | 21 | 3.81 | <10 | 1 | 0.07 | 10 | 6.15 | 549 | <1 | 0.03 | 617 | 920 | 4 | 0.05 | <2 |
| HIT 478 | | 8 | 3.19 | <10 | 1 | 0.03 | 10 | 5.09 | 407 | <1 | 0.02 | 407 | 170 | 3 | 0.02 | <2 |
| HIT 479 | | 16 | 5.32 | <10 | <1 | 0.05 | 10 | 6.37 | 888 | <1 | 0.03 | 608 | 580 | 5 | 0.02 | <2 |
| HIT 480 | | | | | | | | | | | | | | | | |
| HIT 481 | | 12 | 1.93 | <10 | 1 | 0.04 | 10 | 2.65 | 255 | <1 | 0.03 | 200 | 540 | 2 | 0.04 | <2 |
| HIT 482 | | 22 | 2.76 | 10 | 1 | 0.06 | 10 | 1.72 | 464 | <1 | 0.02 | 230 | 950 | 5 | 0.04 | <2 |
| HIT 483 | | 11 | 2.51 | <10 | 1 | 0.05 | 10 | 2.95 | 376 | <1 | 0.02 | 242 | 380 | 3 | 0.02 | <2 |
| HIT 484 | | 15 | 2.64 | <10 | <1 | 0.04 | 10 | 3.73 | 351 | <1 | 0.02 | 372 | 380 | 4 | 0.02 | <2 |
| HIT 485 | | 16 | 3.41 | <10 | 1 | 0.04 | 10 | 4.90 | 480 | <1 | 0.02 | 590 | 610 | 2 | 0.04 | <2 |
| HIT 486 | | 17 | 3.57 | <10 | <1 | 0.03 | 10 | 5.55 | 561 | <1 | 0.02 | 683 | 350 | 3 | 0.03 | <2 |
| HIT 487 | | 16 | 3.69 | <10 | <1 | 0.03 | 10 | 5.63 | 584 | <1 | 0.03 | 717 | 460 | 3 | 0.04 | <2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 5 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| HIT 438 | | 3 | 31 | <20 | 0.04 | <10 | <10 | 51 | <10 | 50 |
| HIT 439 | | 10 | 26 | <20 | 0.05 | <10 | <10 | 63 | <10 | 93 |
| HIT 440 | | 3 | 55 | <20 | 0.06 | <10 | <10 | 45 | <10 | 114 |
| HIT 441 | | 3 | 56 | <20 | 0.06 | <10 | <10 | 45 | <10 | 99 |
| HIT 442 | | 5 | 28 | <20 | 0.05 | <10 | <10 | 59 | <10 | 68 |
| HIT 443 | | 5 | 28 | <20 | 0.05 | <10 | <10 | 58 | <10 | 67 |
| HIT 444 | | 4 | 32 | <20 | 0.05 | <10 | <10 | 54 | <10 | 53 |
| HIT 445 | | 5 | 28 | <20 | 0.05 | <10 | <10 | 47 | <10 | 59 |
| HIT 446 | | 12 | 60 | <20 | 0.04 | <10 | <10 | 91 | <10 | 189 |
| HIT 447 | | 4 | 34 | <20 | 0.05 | <10 | <10 | 63 | <10 | 96 |
| HIT 448 | | 5 | 39 | <20 | 0.04 | <10 | <10 | 62 | <10 | 91 |
| HIT 449 | | 7 | 60 | <20 | 0.05 | <10 | <10 | 63 | <10 | 102 |
| HIT 460 | | 6 | 18 | <20 | 0.05 | <10 | <10 | 38 | <10 | 33 |
| HIT 461 | | 5 | 22 | <20 | 0.04 | <10 | <10 | 35 | <10 | 34 |
| HIT 462 | | 6 | 17 | <20 | 0.05 | <10 | <10 | 37 | <10 | 32 |
| HIT 463 | | 4 | 20 | <20 | 0.04 | <10 | <10 | 48 | <10 | 77 |
| HIT 464 | | 7 | 13 | <20 | 0.04 | <10 | <10 | 39 | <10 | 35 |
| HIT 465 | | 6 | 16 | <20 | 0.04 | <10 | <10 | 39 | <10 | 29 |
| HIT 466 | | 5 | 15 | <20 | 0.04 | <10 | <10 | 33 | <10 | 29 |
| HIT 467 | | 6 | 14 | <20 | 0.05 | <10 | <10 | 44 | <10 | 34 |
| HIT 468 | | 6 | 23 | <20 | 0.05 | <10 | <10 | 41 | <10 | 45 |
| HIT 469 | | 6 | 16 | <20 | 0.05 | <10 | <10 | 39 | <10 | 31 |
| HIT 470 | | 6 | 17 | <20 | 0.05 | <10 | <10 | 39 | <10 | 41 |
| HIT 471 | | 6 | 17 | <20 | 0.06 | <10 | <10 | 40 | <10 | 32 |
| HIT 472 | | 4 | 23 | <20 | 0.03 | <10 | <10 | 33 | <10 | 33 |
| HIT 473 | | 6 | 15 | <20 | 0.05 | <10 | <10 | 37 | <10 | 35 |
| HIT 474 | | 5 | 16 | <20 | 0.04 | <10 | <10 | 37 | <10 | 41 |
| HIT 475 | | 4 | 17 | <20 | 0.08 | <10 | <10 | 45 | <10 | 33 |
| HIT 476 | | 5 | 18 | <20 | 0.06 | <10 | <10 | 39 | <10 | 27 |
| HIT 477 | | 7 | 17 | <20 | 0.05 | <10 | <10 | 47 | <10 | 46 |
| HIT 478 | | 3 | 14 | <20 | 0.07 | <10 | <10 | 50 | <10 | 29 |
| HIT 479 | | 5 | 17 | <20 | 0.08 | <10 | <10 | 76 | <10 | 99 |
| HIT 480 | | | | | | | | | | |
| HIT 481 | | 3 | 22 | <20 | 0.06 | <10 | <10 | 37 | <10 | 39 |
| HIT 482 | | 4 | 23 | <20 | 0.06 | <10 | <10 | 46 | <10 | 45 |
| HIT 483 | | 4 | 17 | <20 | 0.07 | <10 | <10 | 42 | <10 | 62 |
| HIT 484 | | 4 | 17 | <20 | 0.06 | <10 | <10 | 40 | <10 | 29 |
| HIT 485 | | 5 | 17 | <20 | 0.04 | <10 | <10 | 40 | <10 | 40 |
| HIT 486 | | 6 | 15 | <20 | 0.04 | <10 | <10 | 37 | <10 | 31 |
| HIT 487 | | 6 | 13 | <20 | 0.04 | <10 | <10 | 36 | <10 | 32 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 6 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | PGM-ICP23 Au ppm | PGM-ICP23 Pt ppm | PGM-ICP23 Pd ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|------------------------|------------------------|------------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| HIT 488 | | 0.86 | 0.011 | 0.005 | 0.003 | <0.2 | 0.98 | 5 | <10 | 110 | <0.5 | <2 | 0.27 | <0.5 | 46 | 315 |
| HIT 489 | | 0.60 | 0.004 | <0.005 | 0.002 | <0.2 | 1.87 | 3 | <10 | 390 | <0.5 | <2 | 0.90 | <0.5 | 35 | 290 |
| HIT 490 | | 0.62 | 0.011 | <0.005 | 0.003 | <0.2 | 1.18 | 4 | <10 | 160 | <0.5 | <2 | 0.36 | <0.5 | 34 | 272 |
| HIT 491 | | 0.60 | 0.031 | <0.005 | 0.002 | <0.2 | 0.87 | 6 | <10 | 80 | <0.5 | <2 | 0.21 | <0.5 | 29 | 277 |
| HIT 492 | | 0.54 | 0.003 | <0.005 | 0.003 | <0.2 | 1.36 | 3 | <10 | 200 | <0.5 | <2 | 0.30 | <0.5 | 34 | 238 |
| HIT 493 | | 0.73 | 0.005 | <0.005 | 0.002 | <0.2 | 1.15 | 4 | <10 | 160 | <0.5 | <2 | 0.26 | <0.5 | 33 | 237 |
| HIT 494 | | 0.54 | 0.003 | <0.005 | 0.002 | <0.2 | 1.15 | 5 | <10 | 160 | <0.5 | <2 | 0.27 | <0.5 | 41 | 244 |
| HIT 495 | | 0.56 | 0.006 | <0.005 | 0.002 | <0.2 | 1.59 | 6 | 10 | 190 | <0.5 | <2 | 0.25 | <0.5 | 34 | 306 |
| HIT 496 | | 0.50 | 0.003 | <0.005 | 0.002 | <0.2 | 1.37 | 4 | <10 | 190 | <0.5 | <2 | 0.26 | <0.5 | 32 | 241 |
| HIT 497 | | 0.64 | 0.006 | <0.005 | 0.003 | <0.2 | 1.25 | 5 | 10 | 160 | <0.5 | <2 | 0.26 | <0.5 | 38 | 248 |
| HIT 498 | | 0.70 | 0.004 | <0.005 | 0.003 | <0.2 | 0.95 | 3 | <10 | 90 | <0.5 | <2 | 0.14 | <0.5 | 51 | 312 |
| HIT 499 | | 0.62 | 0.003 | <0.005 | 0.001 | <0.2 | 1.15 | <2 | <10 | 100 | <0.5 | <2 | 0.14 | <0.5 | 32 | 265 |
| HIT 1014A | | 0.45 | 0.002 | <0.005 | 0.002 | <0.2 | 1.01 | 3 | <10 | 150 | <0.5 | <2 | 0.26 | <0.5 | 22 | 151 |
| HIT 1014B | | 0.64 | 0.004 | <0.005 | 0.001 | <0.2 | 0.96 | 4 | <10 | 130 | <0.5 | <2 | 0.22 | <0.5 | 27 | 179 |
| HIT 1015 | | 0.50 | 0.006 | <0.005 | 0.001 | <0.2 | 0.95 | 3 | <10 | 140 | <0.5 | <2 | 0.24 | <0.5 | 23 | 163 |
| HIT 1016 | | 0.53 | 0.003 | <0.005 | 0.001 | <0.2 | 1.00 | 4 | <10 | 140 | <0.5 | <2 | 0.24 | <0.5 | 14 | 110 |
| HIT 1017 | | 0.42 | 0.003 | <0.005 | 0.001 | <0.2 | 0.99 | 6 | <10 | 170 | <0.5 | <2 | 0.24 | <0.5 | 18 | 148 |
| HIT 1018 | | 0.37 | 0.014 | <0.005 | 0.001 | <0.2 | 1.13 | 6 | <10 | 140 | <0.5 | <2 | 0.26 | <0.5 | 31 | 203 |
| HIT 1019 | | 0.53 | 0.005 | <0.005 | 0.002 | <0.2 | 1.10 | 4 | <10 | 150 | <0.5 | <2 | 0.25 | <0.5 | 19 | 219 |
| HIT 1020 | | 0.44 | 0.005 | <0.005 | 0.001 | <0.2 | 1.12 | 3 | 10 | 150 | <0.5 | <2 | 0.21 | <0.5 | 29 | 158 |
| HIT 1021 | | 0.46 | 0.046 | <0.005 | 0.001 | <0.2 | 1.19 | 4 | <10 | 140 | <0.5 | <2 | 0.21 | <0.5 | 17 | 130 |
| HIT 1022 | | 0.50 | 0.003 | 0.005 | 0.002 | <0.2 | 1.13 | 5 | 10 | 140 | <0.5 | <2 | 0.21 | <0.5 | 49 | 230 |
| HIT 1023 | | 0.51 | 0.002 | <0.005 | <0.001 | <0.2 | 1.18 | 6 | <10 | 130 | <0.5 | <2 | 0.22 | <0.5 | 13 | 102 |
| HIT 1024 | | 0.51 | 0.002 | <0.005 | 0.001 | <0.2 | 1.03 | 5 | <10 | 140 | <0.5 | <2 | 0.22 | <0.5 | 41 | 161 |
| HIT 1025 | | 0.57 | 0.002 | <0.005 | 0.001 | <0.2 | 0.83 | 5 | 10 | 120 | <0.5 | <2 | 0.20 | <0.5 | 30 | 186 |
| HIT 1026 | | 0.36 | 0.005 | <0.005 | 0.001 | <0.2 | 1.28 | 6 | <10 | 210 | <0.5 | <2 | 0.26 | <0.5 | 35 | 188 |
| HIT 1027 | | 0.46 | 0.002 | <0.005 | 0.001 | <0.2 | 1.03 | 5 | 10 | 160 | <0.5 | <2 | 0.23 | <0.5 | 47 | 238 |
| HIT 1028 | | 0.41 | 0.002 | <0.005 | 0.001 | <0.2 | 1.21 | 4 | <10 | 140 | <0.5 | <2 | 0.24 | <0.5 | 22 | 139 |
| HIT 1029 | | 0.42 | 0.002 | <0.005 | 0.001 | <0.2 | 1.11 | 4 | <10 | 230 | <0.5 | <2 | 0.28 | <0.5 | 35 | 200 |
| HIT 1030 | | 0.41 | 0.003 | <0.005 | 0.004 | <0.2 | 0.39 | 2 | 10 | 60 | <0.5 | <2 | 0.14 | <0.5 | 75 | 271 |
| HIT 1031 | | 0.48 | 0.003 | <0.005 | 0.002 | <0.2 | 0.95 | 3 | <10 | 120 | <0.5 | <2 | 0.27 | <0.5 | 34 | 151 |
| HIT 1032 | | 0.39 | 0.005 | <0.005 | 0.001 | <0.2 | 1.13 | 8 | <10 | 180 | <0.5 | <2 | 0.25 | <0.5 | 26 | 167 |
| HIT 1033 | | 0.33 | 0.006 | <0.005 | 0.003 | <0.2 | 1.07 | 4 | <10 | 170 | <0.5 | <2 | 0.37 | <0.5 | 20 | 180 |
| HIT 1034 | | 0.52 | 0.003 | <0.005 | 0.001 | <0.2 | 1.37 | 6 | <10 | 130 | <0.5 | <2 | 0.20 | <0.5 | 11 | 79 |
| HIT 1035 | | 0.32 | 0.003 | <0.005 | 0.001 | <0.2 | 1.26 | 5 | <10 | 180 | <0.5 | <2 | 0.24 | <0.5 | 37 | 171 |
| HIT 1036 | | 0.38 | 0.003 | <0.005 | 0.001 | <0.2 | 0.97 | <2 | <10 | 120 | <0.5 | <2 | 0.20 | <0.5 | 40 | 153 |
| HIT 1037 | | 0.35 | 0.003 | <0.005 | 0.001 | <0.2 | 0.98 | 3 | <10 | 130 | <0.5 | <2 | 0.20 | <0.5 | 36 | 212 |
| HIT 1038 | | 0.41 | 0.007 | <0.005 | 0.001 | <0.2 | 0.82 | 5 | <10 | 100 | <0.5 | <2 | 0.23 | <0.5 | 42 | 173 |
| HIT 1039 | | 0.53 | 0.004 | <0.005 | 0.002 | <0.2 | 0.73 | 4 | <10 | 100 | <0.5 | <2 | 0.22 | <0.5 | 29 | 188 |
| HIT 1040 | | 0.43 | 0.010 | <0.005 | 0.002 | <0.2 | 0.95 | 3 | 10 | 110 | <0.5 | <2 | 0.21 | <0.5 | 49 | 242 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 6 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| HIT 488 | | 20 | 3.67 | <10 | <1 | 0.04 | 10 | 7.35 | 637 | <1 | 0.03 | 851 | 260 | 3 | 0.02 | <2 |
| HIT 489 | | 25 | 4.35 | <10 | 1 | 0.04 | 20 | 6.55 | 588 | <1 | 0.03 | 710 | 2320 | 3 | 0.04 | <2 |
| HIT 490 | | 22 | 3.40 | <10 | 1 | 0.04 | 10 | 5.78 | 524 | <1 | 0.03 | 667 | 720 | 3 | 0.07 | <2 |
| HIT 491 | | 15 | 3.26 | <10 | <1 | 0.03 | 10 | 5.47 | 386 | <1 | 0.02 | 514 | 350 | 3 | 0.03 | <2 |
| HIT 492 | | 22 | 3.59 | <10 | 1 | 0.05 | 10 | 4.02 | 576 | <1 | 0.03 | 521 | 1040 | 3 | 0.08 | <2 |
| HIT 493 | | 18 | 3.33 | <10 | <1 | 0.04 | 10 | 4.46 | 503 | <1 | 0.03 | 551 | 460 | 2 | 0.04 | <2 |
| HIT 494 | | 18 | 3.56 | <10 | 1 | 0.05 | 10 | 5.28 | 627 | <1 | 0.03 | 626 | 750 | 4 | 0.07 | <2 |
| HIT 495 | | 25 | 4.16 | <10 | <1 | 0.06 | 10 | 5.68 | 490 | <1 | 0.03 | 645 | 810 | 5 | 0.06 | <2 |
| HIT 496 | | 22 | 3.65 | <10 | 1 | 0.04 | 10 | 4.88 | 523 | <1 | 0.03 | 521 | 870 | 3 | 0.06 | <2 |
| HIT 497 | | 21 | 3.13 | <10 | <1 | 0.04 | 10 | 4.48 | 547 | <1 | 0.02 | 596 | 490 | 3 | 0.03 | <2 |
| HIT 498 | | 10 | 3.63 | <10 | <1 | 0.02 | <10 | 6.13 | 552 | <1 | 0.02 | 667 | 290 | 3 | 0.02 | <2 |
| HIT 499 | | 8 | 3.34 | <10 | <1 | 0.02 | 10 | 3.69 | 391 | <1 | 0.02 | 390 | 190 | 4 | 0.02 | <2 |
| HIT 1014A | | 12 | 2.47 | <10 | <1 | 0.03 | 10 | 2.87 | 462 | <1 | 0.02 | 300 | 390 | 2 | 0.03 | <2 |
| HIT 1014B | | 11 | 2.58 | <10 | <1 | 0.03 | 10 | 3.28 | 481 | <1 | 0.02 | 318 | 330 | 3 | 0.02 | <2 |
| HIT 1015 | | 11 | 2.64 | <10 | <1 | 0.03 | 10 | 2.95 | 452 | <1 | 0.02 | 308 | 300 | 3 | 0.03 | <2 |
| HIT 1016 | | 10 | 2.21 | <10 | <1 | 0.03 | 10 | 1.94 | 306 | <1 | 0.02 | 167 | 240 | 3 | 0.02 | <2 |
| HIT 1017 | | 9 | 2.39 | <10 | <1 | 0.03 | 10 | 1.90 | 381 | <1 | 0.02 | 200 | 230 | 5 | 0.02 | <2 |
| HIT 1018 | | 9 | 2.93 | <10 | 1 | 0.03 | 10 | 3.24 | 437 | <1 | 0.02 | 293 | 220 | 4 | 0.02 | <2 |
| HIT 1019 | | 15 | 2.84 | <10 | <1 | 0.03 | 10 | 3.66 | 350 | <1 | 0.02 | 338 | 690 | 3 | 0.03 | <2 |
| HIT 1020 | | 11 | 2.72 | <10 | <1 | 0.03 | 10 | 3.74 | 455 | <1 | 0.02 | 449 | 260 | 4 | 0.02 | <2 |
| HIT 1021 | | 12 | 2.47 | <10 | <1 | 0.03 | 10 | 2.06 | 417 | <1 | 0.02 | 222 | 320 | 3 | 0.02 | <2 |
| HIT 1022 | | 15 | 3.58 | <10 | <1 | 0.03 | 10 | 6.55 | 628 | <1 | 0.02 | 724 | 280 | 2 | 0.02 | <2 |
| HIT 1023 | | 9 | 2.46 | <10 | <1 | 0.02 | 10 | 1.72 | 260 | <1 | 0.02 | 153 | 150 | 4 | 0.01 | <2 |
| HIT 1024 | | 15 | 3.08 | <10 | <1 | 0.03 | 10 | 4.87 | 592 | <1 | 0.02 | 689 | 540 | 4 | 0.05 | <2 |
| HIT 1025 | | 13 | 2.73 | <10 | <1 | 0.02 | 10 | 4.70 | 426 | <1 | 0.02 | 550 | 310 | 2 | 0.03 | <2 |
| HIT 1026 | | 15 | 3.22 | <10 | <1 | 0.03 | 10 | 2.37 | 650 | <1 | 0.02 | 333 | 470 | 5 | 0.04 | <2 |
| HIT 1027 | | 16 | 3.59 | <10 | <1 | 0.03 | 10 | 5.70 | 798 | <1 | 0.02 | 695 | 770 | 3 | 0.06 | <2 |
| HIT 1028 | | 14 | 2.95 | <10 | <1 | 0.03 | 10 | 2.87 | 410 | <1 | 0.02 | 336 | 360 | 5 | 0.03 | <2 |
| HIT 1029 | | 17 | 3.49 | <10 | <1 | 0.03 | 10 | 4.70 | 675 | <1 | 0.02 | 616 | 1010 | 5 | 0.06 | <2 |
| HIT 1030 | | 10 | 3.66 | <10 | <1 | 0.02 | 10 | 16.05 | 618 | <1 | 0.02 | 1840 | 300 | <2 | 0.03 | <2 |
| HIT 1031 | | 14 | 3.04 | <10 | <1 | 0.03 | 10 | 6.09 | 501 | <1 | 0.03 | 683 | 640 | 4 | 0.03 | <2 |
| HIT 1032 | | 11 | 2.81 | <10 | 1 | 0.03 | 10 | 3.11 | 467 | <1 | 0.02 | 302 | 270 | 4 | 0.02 | <2 |
| HIT 1033 | | 19 | 2.87 | <10 | <1 | 0.03 | 10 | 3.72 | 368 | <1 | 0.03 | 484 | 1060 | 4 | 0.08 | <2 |
| HIT 1034 | | 14 | 2.15 | <10 | <1 | 0.02 | 10 | 1.22 | 291 | <1 | 0.02 | 117 | 100 | 2 | 0.01 | <2 |
| HIT 1035 | | 13 | 3.22 | <10 | <1 | 0.04 | 10 | 3.15 | 682 | <1 | 0.02 | 432 | 520 | 5 | 0.04 | <2 |
| HIT 1036 | | 12 | 3.38 | <10 | <1 | 0.03 | 10 | 4.94 | 516 | <1 | 0.02 | 775 | 470 | 3 | 0.03 | <2 |
| HIT 1037 | | 9 | 3.22 | <10 | <1 | 0.02 | 10 | 3.89 | 475 | <1 | 0.02 | 385 | 250 | 4 | 0.03 | <2 |
| HIT 1038 | | 13 | 2.90 | <10 | <1 | 0.03 | 10 | 5.27 | 590 | <1 | 0.03 | 593 | 540 | 4 | 0.03 | <2 |
| HIT 1039 | | 11 | 2.68 | <10 | <1 | 0.02 | 10 | 4.57 | 419 | <1 | 0.02 | 483 | 350 | 2 | 0.02 | <2 |
| HIT 1040 | | 13 | 3.41 | <10 | <1 | 0.03 | 10 | 6.07 | 623 | <1 | 0.02 | 648 | 270 | 4 | 0.03 | <2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 6 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-AUG-2012
 Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| HIT 488 | | 6 | 16 | <20 | 0.05 | <10 | <10 | 39 | <10 | 33 |
| HIT 489 | | 9 | 176 | <20 | 0.15 | <10 | <10 | 63 | <10 | 53 |
| HIT 490 | | 6 | 20 | <20 | 0.04 | <10 | <10 | 41 | <10 | 45 |
| HIT 491 | | 4 | 14 | <20 | 0.05 | <10 | <10 | 38 | <10 | 28 |
| HIT 492 | | 6 | 25 | <20 | 0.05 | <10 | <10 | 46 | <10 | 53 |
| HIT 493 | | 6 | 19 | <20 | 0.05 | <10 | <10 | 45 | <10 | 37 |
| HIT 494 | | 5 | 21 | <20 | 0.04 | <10 | <10 | 39 | <10 | 49 |
| HIT 495 | | 7 | 18 | <20 | 0.05 | <10 | <10 | 51 | <10 | 53 |
| HIT 496 | | 5 | 19 | <20 | 0.05 | <10 | <10 | 46 | <10 | 51 |
| HIT 497 | | 7 | 17 | <20 | 0.06 | <10 | <10 | 42 | <10 | 37 |
| HIT 498 | | 3 | 9 | <20 | 0.05 | <10 | <10 | 38 | <10 | 25 |
| HIT 499 | | 3 | 11 | <20 | 0.07 | <10 | <10 | 45 | <10 | 31 |
| HIT 1014A | | 4 | 16 | <20 | 0.06 | <10 | <10 | 42 | <10 | 27 |
| HIT 1014B | | 4 | 14 | <20 | 0.05 | <10 | <10 | 38 | <10 | 26 |
| HIT 1015 | | 4 | 15 | <20 | 0.06 | <10 | <10 | 42 | <10 | 28 |
| HIT 1016 | | 3 | 14 | <20 | 0.07 | <10 | <10 | 41 | <10 | 26 |
| HIT 1017 | | 3 | 15 | <20 | 0.08 | <10 | <10 | 48 | <10 | 24 |
| HIT 1018 | | 3 | 15 | <20 | 0.07 | <10 | <10 | 50 | <10 | 28 |
| HIT 1019 | | 4 | 18 | <20 | 0.05 | <10 | <10 | 41 | <10 | 41 |
| HIT 1020 | | 4 | 14 | <20 | 0.06 | <10 | <10 | 40 | <10 | 28 |
| HIT 1021 | | 4 | 14 | <20 | 0.06 | <10 | <10 | 42 | <10 | 30 |
| HIT 1022 | | 6 | 13 | <20 | 0.06 | <10 | <10 | 41 | <10 | 27 |
| HIT 1023 | | 3 | 13 | <20 | 0.08 | <10 | <10 | 51 | <10 | 26 |
| HIT 1024 | | 4 | 16 | <20 | 0.05 | <10 | <10 | 34 | <10 | 38 |
| HIT 1025 | | 4 | 14 | <20 | 0.05 | <10 | <10 | 33 | <10 | 29 |
| HIT 1026 | | 5 | 18 | <20 | 0.06 | <10 | <10 | 48 | <10 | 34 |
| HIT 1027 | | 5 | 16 | <20 | 0.05 | <10 | <10 | 37 | <10 | 38 |
| HIT 1028 | | 5 | 14 | <20 | 0.08 | <10 | <10 | 46 | <10 | 36 |
| HIT 1029 | | 5 | 19 | <20 | 0.05 | <10 | <10 | 39 | <10 | 70 |
| HIT 1030 | | 4 | 8 | <20 | 0.02 | <10 | <10 | 13 | <10 | 34 |
| HIT 1031 | | 5 | 16 | <20 | 0.06 | <10 | <10 | 34 | <10 | 37 |
| HIT 1032 | | 4 | 16 | <20 | 0.08 | <10 | <10 | 47 | <10 | 28 |
| HIT 1033 | | 4 | 19 | <20 | 0.04 | <10 | <10 | 37 | <10 | 53 |
| HIT 1034 | | 4 | 11 | <20 | 0.09 | <10 | <10 | 50 | <10 | 32 |
| HIT 1035 | | 5 | 15 | <20 | 0.06 | <10 | <10 | 44 | <10 | 37 |
| HIT 1036 | | 4 | 13 | <20 | 0.06 | <10 | <10 | 34 | <10 | 39 |
| HIT 1037 | | 3 | 16 | <20 | 0.07 | <10 | <10 | 46 | <10 | 27 |
| HIT 1038 | | 4 | 15 | <20 | 0.05 | <10 | <10 | 32 | <10 | 41 |
| HIT 1039 | | 4 | 13 | <20 | 0.05 | <10 | <10 | 34 | <10 | 24 |
| HIT 1040 | | 6 | 13 | <20 | 0.05 | <10 | <10 | 38 | <10 | 27 |



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 7 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

| Sample Description | Method Analyte Units LOR | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | |
|-----------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----|
| | | Recvd Wt. | Au | Pt | Pd | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr |
| | | kg | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| HIT 1041 | | 0.49 | 0.004 | <0.005 | 0.002 | <0.2 | 1.57 | 5 | 10 | 80 | <0.5 | <2 | 0.38 | <0.5 | 38 | 269 |
| HIT 1054 | | 0.38 | 0.006 | 0.013 | 0.011 | <0.2 | 0.50 | 70 | 10 | 80 | <0.5 | <2 | 0.11 | <0.5 | 125 | 561 |
| HIT 1058 | | 0.42 | 0.001 | <0.005 | <0.001 | <0.2 | 1.04 | 2 | <10 | 1800 | <0.5 | <2 | 5.69 | <0.5 | 8 | 3 |
| 546193, 6719507 - 310 | | 0.32 | 0.011 | <0.005 | 0.008 | 0.2 | 2.02 | 17 | <10 | 260 | 0.5 | <2 | 0.36 | 1.2 | 57 | 303 |
| 546105, 6719604 - 311 | | 0.27 | 0.008 | 0.012 | 0.003 | 0.9 | 1.85 | 16 | <10 | 160 | 0.5 | <2 | 1.40 | 1.2 | 39 | 57 |
| 546006, 6719713 - 312 | | 0.30 | 0.005 | <0.005 | 0.002 | 0.7 | 2.21 | 17 | <10 | 200 | 0.5 | <2 | 0.34 | 0.9 | 18 | 143 |
| 545903, 6719832 - 313 | | 0.34 | 0.004 | <0.005 | 0.002 | 0.4 | 2.78 | 37 | <10 | 120 | 0.5 | <2 | 0.25 | 0.7 | 23 | 182 |
| 545813, 6719951 - 314 | | 0.37 | 0.004 | <0.005 | 0.002 | 0.2 | 1.40 | 13 | <10 | 80 | <0.5 | <2 | 0.39 | <0.5 | 12 | 87 |
| 545715, 6720062 - 315 | | 0.44 | 0.035 | <0.005 | 0.002 | 0.2 | 2.63 | 25 | <10 | 130 | <0.5 | <2 | 0.23 | 0.6 | 26 | 222 |
| 545614, 6720176 - 316 | | 0.50 | 0.004 | <0.005 | 0.003 | <0.2 | 1.91 | 11 | 10 | 120 | <0.5 | <2 | 0.30 | <0.5 | 31 | 418 |
| 545517, 6720287 - 317 | | 0.39 | 0.004 | <0.005 | 0.002 | 0.4 | 2.46 | 42 | <10 | 120 | 0.5 | <2 | 0.24 | 0.5 | 33 | 133 |
| 545415, 6720398 - 318 | | 0.47 | 0.007 | <0.005 | 0.003 | 0.3 | 2.25 | 18 | <10 | 90 | <0.5 | <2 | 0.36 | 0.5 | 27 | 296 |
| 545326, 6720509 - 319 | | 0.36 | 0.003 | 0.005 | 0.002 | 0.2 | 1.86 | 9 | <10 | 100 | <0.5 | <2 | 0.48 | <0.5 | 25 | 341 |
| 545226, 6720628 - 320 | | 0.42 | 0.007 | <0.005 | 0.002 | 0.2 | 1.64 | 14 | <10 | 100 | <0.5 | <2 | 0.39 | <0.5 | 24 | 275 |
| 545118, 6720754 - 321 | | 0.43 | 0.006 | <0.005 | 0.002 | <0.2 | 1.95 | 12 | <10 | 120 | <0.5 | <2 | 0.35 | <0.5 | 26 | 330 |
| 545027, 6720850 - 322 | | 0.41 | 0.003 | <0.005 | 0.002 | <0.2 | 1.18 | 9 | <10 | 70 | <0.5 | <2 | 0.19 | <0.5 | 31 | 279 |
| 544931, 6720968 - 323 | | 0.46 | 0.004 | <0.005 | <0.001 | <0.2 | 2.17 | 10 | <10 | 140 | <0.5 | <2 | 0.19 | <0.5 | 28 | 325 |
| 544643, 6721325 - 326 | | 0.25 | 0.024 | 0.005 | 0.003 | <0.2 | 1.17 | 4 | 10 | 140 | <0.5 | <2 | 0.52 | <0.5 | 37 | 320 |
| 544541, 6721428 - 327 | | 0.46 | 0.004 | <0.005 | 0.003 | <0.2 | 0.99 | 3 | 10 | 110 | <0.5 | <2 | 0.56 | <0.5 | 33 | 323 |
| 544435, 6721536 - 328 | | 0.48 | 0.006 | 0.008 | 0.002 | <0.2 | 1.05 | 7 | 10 | 90 | <0.5 | <2 | 0.38 | <0.5 | 36 | 366 |
| 544350, 6721657 - 329 | | Empty Bag | | | | | | | | | | | | | | |



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 7 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 7 - C
Total # Pages: 7 (A - C)
Finalized Date: 6-AUG-2012
Account: COUDES

CERTIFICATE OF ANALYSIS WH12167238

[illegible]