



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS  
3 RYDER PLACE  
WHITEHORSE YT Y1A 5T5

Page: 1  
Finalized Date: 8-AUG-2012  
This copy reported on  
9-AUG-2012  
Account: COUDES

**CERTIFICATE WH12170194**

Project:  
P.O. No.:  
This report is for 8 Rock samples submitted to our lab in Whitehorse, YT, Canada on 20-JUL-2012.

The following have access to data associated with this certificate:

D. JACOB

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: COUREUR DES BOIS  
ATTN: D. JACOB  
3 RYDER PLACE  
WHITEHORSE YT Y1A 5T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS  
 3 RYDER PLACE  
 WHITEHORSE YT Y1A 5T5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 8-AUG-2012  
 Account: COUDES

**CERTIFICATE OF ANALYSIS WH12170194**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppm	PGM-ICP23 Pt ppm	PGM-ICP23 Pd ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm
		0.02	0.001	0.005	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
M010434		2.49	0.003	0.011	0.008	<0.2	0.14	3	10	<10	<0.5	2	0.03	<0.5	90	325
M010435		2.67	0.002	0.006	0.002	<0.2	0.22	<2	10	<10	<0.5	2	0.01	<0.5	90	1035
M010436		1.46	0.002	0.008	0.001	<0.2	4.57	<2	10	<10	<0.5	<2	0.04	<0.5	52	258
M010437		2.71	0.004	0.014	0.008	<0.2	0.17	22	10	10	<0.5	2	0.14	<0.5	86	567
M010438		1.63	0.003	0.011	0.003	<0.2	1.07	3	50	<10	<0.5	2	0.01	<0.5	70	658
M010439		2.20	0.005	0.006	0.002	<0.2	1.34	3	<10	100	<0.5	<2	0.09	<0.5	8	18
M010440		2.26	0.002	<0.005	0.001	<0.2	0.40	4	<10	10	<0.5	<2	1.33	<0.5	4	26
M010441		2.42	0.003	0.007	0.003	<0.2	2.38	<2	<10	20	<0.5	<2	0.51	<0.5	21	51



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS  
 3 RYDER PLACE  
 WHITEHORSE YT Y1A 5T5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 8-AUG-2012  
 Account: COUDES

**CERTIFICATE OF ANALYSIS WH12170194**

Sample Description	Method Analyte Units LOR	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2
M010434		6	4.95	<10	<1	<0.01	<10	20.2	715	<1	<0.01	1975	10	<2	<0.01	<2
M010435		12	5.62	<10	<1	<0.01	<10	21.7	632	<1	<0.01	1935	10	<2	<0.01	<2
M010436		2	2.54	<10	<1	<0.01	<10	14.40	268	<1	<0.01	1775	<10	<2	0.01	<2
M010437		12	4.79	<10	<1	<0.01	<10	18.50	819	<1	<0.01	1690	10	<2	0.01	<2
M010438		6	4.06	<10	<1	<0.01	<10	18.30	546	<1	0.01	1800	10	<2	0.04	<2
M010439		79	3.60	10	<1	0.17	10	1.02	239	<1	0.04	18	620	8	0.71	<2
M010440		7	1.01	<10	<1	0.03	<10	0.30	152	<1	0.01	13	90	<2	0.02	4
M010441		114	5.21	10	1	0.17	<10	1.94	464	<1	0.03	26	360	<2	1.26	4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS  
 3 RYDER PLACE  
 WHITEHORSE YT Y1A 5T5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 8-AUG-2012  
 Account: COUDES

**CERTIFICATE OF ANALYSIS WH12170194**

Sample Description	Method Analyte Units LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
M010434		7	<1	<20	<0.01	<10	<10	11	<10	17
M010435		9	<1	<20	<0.01	<10	<10	23	<10	16
M010436		3	<1	<20	<0.01	<10	<10	13	<10	17
M010437		8	<1	<20	<0.01	<10	<10	17	<10	19
M010438		6	<1	<20	<0.01	<10	<10	24	<10	15
M010439		2	9	<20	0.01	<10	<10	38	<10	56
M010440		1	35	<20	0.03	<10	<10	14	<10	12
M010441		6	20	<20	0.25	<10	<10	86	<10	91