

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING

at the

HIDDEN PROPERTY

Hid 1-12 YC19262-YC19273
13-22 YE15110-YE15117

NTS 105F 06

Latitude 61°26'N; Longitude 133°22'W

Field work performed on September 1, 2012

located in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

N. Bueckert, B.Sc. Geology

May 2013

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	4
MINERALIZATION	6
SOIL PANNING	7
SOIL GEOCHEMISTRY	8
DIAMOND DRILLING	9
GEOPHYSICS	10
DISCUSSION AND CONCLUSIONS	11
REFERENCES	12

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	CERTIFICATES OF ANALYSIS

TABLES

I	Cub JV Comparison Data	2
II	Regional Lithological Units	4

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	In Pocket
6	Historical Compilation and 2012 Rock Sample Locations	7
7	Sample Locations	8
8	Tungsten Geochemistry	8
9	Tin Geochemistry	8
10	Copper Geochemistry	8
11	Zinc Geochemistry	8
12	Silver Geochemistry	8
13	Molybdenum Geochemistry	8
14	Bismuth Geochemistry	8
15	Gold Geochemistry	8
16	Cross Section	9
17	Electromagnetic Anomalies - Late Time dB/dt Channel Image	10
18	Total Magnetic Intensity and Geology	10

INTRODUCTION

The Hidden property covers a tungsten prospect in the Big Salmon Range of southern Yukon. The property is wholly owned by Strategic Metals Ltd.

This report describes a geochemical program conducted on September 1, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author interpreted the results of the program and his Statement of Qualifications is given in Appendix I. The work was conducted at a cost of \$10,477.27, as shown on the Statement of Expenditures in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Hidden property is located approximately 75 km southwest of Ross River in southern Yukon. It lies on NTS map sheet 105F 06 at latitude 61°26'N and longitude 133°22'W, as shown on Figure 1.

The property consists of 22 contiguous mineral claims registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Claim data are listed below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Hid 1-12	YC19262-YC19273	March 7, 2020*
13-22	YE15110-YE15117	October 3, 2013

*Expiry dates include 2012 work which has been filed for assessment credit but not yet accepted.

In 2012, access to and from the property was provided by a Hughes 500D helicopter operated by Trans North helicopters from a temporary base at the Faro airport, which is located 85 km north of the property. The property lies 14 km west of the South Canol Road.

HISTORY AND PREVIOUS WORK

In mid 1970s, Union Carbide conducted reconnaissance-scale stream sediment sampling in the vicinity of the Hidden property (Deklirk and Traynor, 2005). Many tungsten anomalies were identified but most were not followed up.

In 1978, Cub Joint Venture (Cub JV) a syndicate of Union Carbide Canada Limited, Cassiar Asbestos Corporation Limited and Highland-Crow Resources Ltd., was formed to conduct tungsten exploration utilizing the earlier Union Carbide data. Cub JV staked claims in the area of the current Hidden property after it found a tungsten bearing skarn (Discovery Showing). Exploration work in 1978 included soil panning and geochemical sampling, limited mapping, hand trenching, and ground magnetic and electromagnetic surveys. This work outlined nearly coincident tungsten-in-soil and scheelite panning anomalies (Abbott and Cathro, 1978).

In 1979, Cub JV expanded its claim block and completed eight diamond drill holes totalling 915 m at the Discovery Showing and in an area up to 500 m north of it. Prospecting identified

STRATEGIC METALS LTD.



FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION
HIDDEN PROPERTY


0 200 km

FILE:../2012/HIDDEN/F1-PropertyLocation.wor

DATE: MAY 2013

-  Road
-  Community





several skarn zones between Discovery Showing and Nigel Peak, on the eastern side of the property (Figure 2). Later that year, geological mapping, additional panning and soil geochemical sampling were performed south of the 1978 survey area (Abbott and Cathro, 1979). This work resulted in the southward expansion of the scheelite panning and tungsten-in-soil anomalies.

In 1981, Cub JV contracted W.A. Barclay Exploration Services of Toronto, Ontario to conduct a proton magnetometer survey over the core of the nearly coincident panning and geochemical anomalies. Cub JV also performed petrographic studies of samples taken from the 1978 trenches near Discovery Showing (Main and Cathro, 1981). The magnetometer survey outlined several faults and porphyry dykes, while the petrographic study identified vein-hosted scheelite mineralization within metamorphosed sediments.

The final work program by Cub JV was done in 1984. It included: three hand trenches in areas with high tungsten panning values; localized ultraviolet night lamping surveys; and, the collection of scheelite-bearing soil samples from previously panned sites so that panning results could be compared to geochemical values (Main, 1984). The comparative data is shown in the table below. The Cub JV claims lapsed in 1988.

Table I – Cub JV Comparison Data

1979 Panning Result (# scheelite grains)	1984 Soil Geochemistry (%WO₃)
16,600	0.067
1,500	0.056
22,000	0.090
20,000	0.073
17,000	0.180
9,000	0.298
5,000	0.032
25,000	0.078

In 2001, Strategic Metals staked the Hid 1-12 claims to cover the core of Cub JV's work area.

In 2003, Strategic Metals resampled the 1978 trenches, dug two new trenches, and performed a soil geochemical survey to assess the tungsten and emerald potential of the property (Eaton, 2003). Although one small pale green opaque beryl was found and anomalous values for beryllium and vanadium were identified in soil, no follow up work was completed.

In 2007, Strategic Metals contracted Geotech Ltd. of Aurora, Ontario to conduct helicopter-borne magnetic and versatile time domain electromagnetic (VTEM) surveys across the property (Eaton 2007). Two magnetic and two electromagnetic anomalies were identified in the vicinities of the Discovery Showing and the 1979 panning and soil geochemical anomalies. One of the electromagnetic anomalies was not completely delineated and appears to continue south of the survey boundary.

In 2010, Strategic Metals expanded the Hidden property to cover the projected extension of the electromagnetic anomaly to the south.

GEOMORPHOLOGY

The Hidden property is located in the Big Salmon Range within southern part of the Pelly Mountains. It is drained by several creeks which flow into the Big Salmon River, a major tributary of the Yukon River. The claims cover rugged sub-alpine and alpine terrain on the flanks of Nigel Peak. Local elevations range from about 1200 on the northwestern edge of the property to 1853 m atop Nigel Peak.

Tree line is at about 1450 m. Vegetation ranges from thick stands of black spruce near creeks, through stunted spruce, poplar and buckbrush near tree line. Grassy hillsides and open talus slopes occur at higher elevations.

REGIONAL GEOLOGY

The Hidden property is situated in an area 65 km southwest of the Tintina Fault where components of Cassiar Platform, Yukon-Tanana Terrane and Slide Mountain Terrane are dismembered and rearranged by thrust and high angle faults (Figure 3). Regional-scale folding and faulting occurred in Late Paleozoic and Early Mesozoic times when various island arc, oceanic and continental margin sequences were accreted to the western side of the North American craton. Granitic stocks and batholiths of the Cassiar Suite were emplaced in the region during the Mid-Cretaceous (Mortensen et al, 2000).

Figure 4 illustrates regional geology as compiled by Gordey and Makepeace (2003) and updated by the Yukon Geological Survey (2013).

The oldest unit in the Hidden area comprises siliciclastic and metamorphic rocks of the Upper Proterozoic to Lower Cambrian Ingenika Group. These rocks are discontinuously overlain by Lower Cambrian Rosella Group. Both units are locally fossiliferous limestone and dolostone. are overlain by Ordovician to Lower Devonian Road River Group sooty shales and siliciclastics. A regional-scale, north-northeasterly trending fault that crosses the west-central part of the Hidden property juxtaposes Road River Group to the west against a package of interdigitized Upper Devonian to Lower Mississippian Earn Group siliciclastic rocks and Middle Silurian to Middle Devonian Askin Group carbonates to the east. A Mid-Cretaceous Cassiar Suite pluton (the Nisutlin Batholith) intrudes Road River Group rocks on, and immediately north of, the property. The batholith is cut by a northwesterly elongated stock of Mid-Cretaceous Selwyn Suite and late porphyry dykes that are too small to show at regional-scale. The regional units are further described in Table II below.

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING



HIDDEN PROPERTY

FILE: P:/HIDDEN.cdr

DATE: APRIL 2013

Taken from Colpron, M. and Nelson, J.L., 2011





MID-CRETACEOUS	
mKqS	SELWYN SUITE: Intermediate intrusives
mKqC	CASSIAR SUITE: Intermediate intrusives
MIDDLE SILURIAN TO MIDDLE DEVONIAN	
SDA2	ASKIN: Carbonates and orthoquartzite
UPPER DEVONIAN TO LOWER MISSISSIPPIAN	
DMEC1	EARN - CASSIAR: Bedded siliciclastics and chert grit to conglomerate
DMEC1?	EARN - CASSIAR: Bedded siliciclastics and chert grit to conglomerate
ORDOVICIAN TO LOWER DEVONIAN	
ODRC2	ROAD RIVER - CASSIAR: Sooty, calcareous shale and siliciclastics
LOWER CAMBRIAN	
ICR	ROSELLA: Fossiliferous limestone and dolomite
UPPER PROTEROZOIC TO LOWER CAMBRIAN	
PCI4	INGENIKA: Schist, quartzite, and marine clastics
— Fault	

STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 4

REGIONAL GEOLOGY

HIDDEN PROPERTY

0 5 km

UTM ZONE 8, NAD 83, 105F/06

FILE: ...2012/HIDDEN/F4-RegionalGeology.wor DATE: MAY 2013

Table II – Regional Lithological Units (*Yukon Geological Survey, 2013*)

Unit Name	Map Name	Age	Description
Selwyn Suite	mKqS	Mid-Cretaceous	Equigranular to porphyritic (potassium feldspar) biotite ± hornblende ± muscovite granite, quartz monzonite and granodiorite; porphyritic biotite hornblende granite with large smoky grey quartz phenocrysts and locally potassium feldspar phenocrysts.
Cassiar Suite	mKqC	Mid-Cretaceous	Medium to coarse grained, equigranular to porphyritic granite and biotite quartz monzonite; biotite-hornblende quartz monzonite and granodiorite.
Earn Group	DMEC1/ DMEC1 ?	Upper Devonian to Lower Mississippian	Recessive, dark grey, thin bedded, black siliceous slate with interbeds and members of quartz-chert greywacke, chert granule grit and chert pebble to cobble conglomerate; may include lenses of intermediate to felsic volcanoclastic rocks.
Road River Group	ODRC2	Upper Silurian to Devonian	Recessive, dark grey to black sooty limey or dolomitic thin bedded to platy graphitic siltstone and fine grained impure quartzite with interbedded graphitic silty shale.
Askin Group	SDA2	Middle Silurian to Middle Devonian	Medium grey to buff weathering, medium to thick bedded dolomite, silty and sandy dolomite, limestone; medium to thick bedded, medium grained mature orthoquartzite; dolomitized laminated mudstone and dolomite with vugs, birdseye and fenestral cavities.
Rosella Formation	ICR	Lower Cambrian	Resistant, thick bedded to massive limestone and argillaceous limestone; local archaeocyathid buildups, trilobite fragments, oolites, and pisolites; pisolitic massive dolomite and limestone; marble, calc-silicate, calcareous phyllite and minor schist.
Ingenika Group	PCI4	Upper Proterozoic to Lower Cambrian	Thin bedded slate, siltstone, quartzite and minor limestone with local medium to coarse grained, feldspathic sandstone to orthoquartzite; muscovite biotite ± garnet schist, micaceous quartzite, minor amphibolite and marble; rare granodiorite gneiss.

PROPERTY GEOLOGY

Property-scale mapping was performed in 1979 on behalf of Cub JV (Abbott and Cathro, 1979). The total mapped area extends four kilometres west and three kilometres east of the current property boundaries. Geology in the immediate vicinity of the Hidden property is shown on Figure 5.

Property stratigraphy is at least 1300 m thick and was sub-divided into six map units by Cub JV. These units mostly correlate to regional lithologies and are described from oldest to youngest, in the paragraphs below.

Ordovician to Silurian (Askin Group)

OSc: Massive dolomite, characteristically white with black bands. The unit is at least 100 m thick and only exposed in drill core and on a few outcrops near the Discovery Showing.

OSsl: Recessively weathered, black, graphitic calcareous slate with minor fetid limestone that gradationally overlies unit OSc. The Discovery Showing may be hosted by fetid grey limestone near the top of this unit. This unit is approximately 200 m thick.

OSDqc: Grey to green silty shale interbedded with black graphitic shale and distinctive, thinly laminated silty limestone. These rocks undergo marked lateral facies changes and some lithologies are similar to those within other units. This unit is approximately 500 m thick.

Oss: Recessively rusty weathered, black non-calcareous slate that gradationally overlies unit OSDqc. A monograptus found in slate on the southeast side of Nigel Peak is probably Silurian in age. This unit is about 100 m thick.

Silurian (Road River Group)

Sd: Massive, light grey, sandy dolomite interbedded with lenses of massive grey quartzite. This unit is about 300 m thick and similar the dolomite that comprises unit OSc.

Upper Devonian to Mississippian (Earn Group)

uDMs: Black, graphitic, non-calcareous, siliceous slate. These rocks are separated from the other units by a major fault and are believed to belong to a separate stratigraphic package. The exposed section of this unit is at least 300 m thick.

Cretaceous (Cassiar Suite)

Kqm: Porphyritic granodiorite and quartz monzonite. These rocks are part of the Nisutlin Batholith, the southern margin of which underlies the northwestern corner of the property. The contact is sharp and dips sharply southwest.

Cretaceous/Tertiary (?) (Selwyn Suite?)

KTfp: Dark brown, feldspar porphyry containing vesicles and calcite filled amygdules. Two north-trending, steeply dipping dykes about 10 m wide cut stratigraphy at a high angle in the central part of the claim block. These rocks belong to a suite of Mid Cretaceous or Tertiary subvolcanic dykes and associated flows. A small isolated exposure of quartz-biotite-feldspar porphyry located about 800 m due south of Nigel Peak could be unit Kqm or KTfp (it is shown on the maps as Kqm).

In general, the sedimentary units are mildly deformed by open, upright, northwest-trending folds with amplitudes ranging up to 100 m. A penetrative cleavage dips southwesterly, sub-parallel to bedding in fine grained clastic rocks, but there is no evidence that it is accompanied by large scale folds.

The dominant structural elements on the property are north-trending normal faults, but similarities between some rock types and limited bedrock exposures makes recognition of these structures difficult. The largest displacement occurs along the westernmost fault where more than 1000 m of normal offset is inferred. Some movement on the faults appears to postdate emplacement of the batholith as evidenced by offsets on the margin of the Nisutlin Batholith and the presence of airphoto lineaments that can be traced from the wallrocks into the batholith (Abbott and Cathro, 1981). The porphyry dykes strike parallel to the faults suggesting that the two may be related.

MINERALIZATION

Historical prospecting and trenching discovered and delineated scheelite-rich skarn and stockwork vein zones on the Hidden property. Tungsten mineralization occurs in two main styles:

- 1) Diopside-garnet-quartz±pyrrhotite skarn where angular to subhedral grains of scheelite, diopside and minor garnet occur in a quartz groundmass with irregular interstitial sulphide blebs; and,
- 2) Stockwork quartz-scheelite veining with ubiquitous diopside and bleached envelopes that are two to five times the vein width.

The **Discovery Showing** covers an area of felsenmeer 40 m long and 30 m wide, which contains mineralized skarn blocks that are typically 0.3 to 1 m in diameter and a few slabs up to one metre thick and five metres across. The showing was originally interpreted as frost heaved outcrop; however, trenching showed that the blocks are rotated and occur within an unmineralized talus field. Mineralization at the showing consists of scheelite-rich diopside-garnet-pyrrhotite skarn.

Mineralized skarn blocks at the Discovery Showing are coated with a thick layer of brown limonite on weathered surfaces. Fresh surfaces comprise massive to weakly banded, dark to medium green, fine grained siliceous skarn. Reddish brown garnets measuring one to two millimetres across occur as disseminations in some areas. Up to 5% pyrrhotite is disseminated throughout most of the skarn blocks, while chalcopyrite is a minor component. Scheelite forms subhedral grains ranging from one to five millimetres across and is fairly evenly disseminated throughout the skarn, but occasionally segregated into poorly defined bands. A chip sample of this material graded 1.32% WO₃ over 1.5 m. A specimen taken in 2003 from Trench 78-1 returned 1.57 % WO₃, 79.6 bismuth, and 12 ppb gold, and a specimen from Trench 78-2 returned and 3.70% WO₃, 167 ppm bismuth and 24 ppb gold.

A second type of mineralized rock, which was given the field name altered skarn is moderately abundant within the float at the Discovery Showing. The altered skarn occurs as both concordant and discordant bands up to several centimetres wide within diopside-garnet-quartz skarn. In

hand specimen it is soft, crumbly and intensely fractured. White laths of pyroxene up to one centimetre long give the rock an igneous appearance, but thin sections from the 1981 petrographic study show that the rock is a skarn composed of scheelite and pyroxene in a quartz groundmass. A composite chip sample, which was taken across the float train and included both skarn types, reportedly averaged 1.2% WO_3 .

Prospecting in the early 1980s located several other areas where mineralized skarn is developed along faults and adjacent to porphyry dykes in silty limestone and dolomite, or where widely spaced scheelite bearing quartz veinlets form a broad stockwork zone. The exposed skarns typically grade less than 0.2% WO_3 and contain little or no magnetite or sulphide mineralization. A stockwork zone of quartz-scheelite veins and veinlets covers an area about 850 by 350 m between the Discovery Showing and Nigel Peak (Figure 6). Mapping and petrographic studies done in 1981 indicate that the entire area exhibits pervasive calc-silicate alteration. The sedimentary host rock exhibits two to three mineralized fractures per metre on most outcrops. The mineralized fracture system has not been systematically sampled to establish its average grade.







Hand trenching in 1984 was successful in exposing tungsten-rich skarns, and workers observed that mineralization was more abundant than originally thought. Samples from historical trenches that exposed mineralized bedrock or float, graded between 0.3 and 2.8% WO_3 . In 2003, a sample from a trench dug beside a historical trench graded 0.06% WO_3 .


In 2012, four specimen samples of weakly veined metasedimentary rock were collected along contour soil lines (Figure 6). No samples of skarn were collected in 2012. Rock sample sites were recorded using hand-held GPS units and were marked with flagging tape labelled with the sample number. Samples to be analyzed were sent to a preparation laboratory operated by ALS Minerals in Whitehorse. Each sample was dried, fine crushed to better than 70% passing - 2 mm and then a 250 g split was pulverized to better than 85% passing 75 micron. The fine fractions were sent to ALS Minerals in North Vancouver, BC, where they were analyzed for gold using fire assay followed by inductively coupled plasma-atomic emission spectroscopy analysis (Au-ICP21) and analyzed for 51 other elements using an aqua regia digestion and inductively coupled plasma-atomic emission spectroscopy analysis (ME-MS41).

Results from the 2012 rocks were subdued for all elements of interest. The highest tungsten value was 340 ppm.

SOIL PANNING

Due to the resistant nature of scheelite, soil panning was used as an alternate exploration technique in 1978 and 1979 over a large area that includes the northern half of the current claim block. Pan sample spacing varied from 50 m intervals on lines spaced 100 to 200 m apart, to 25 m intervals on lines spaced 50 m apart. Sampling was done along pace- and compass-controlled lines between cut or marked baselines. Each sample comprised about 2.5 kg of soil and/or talus fines, which were panned to a concentrate and lamped with an ultraviolet light so that the scheelite grains could be counted. The main area of anomalous response is shown on Figure 6.

-  >200 grains of scheelite per pan
-  >2000 grains of scheelite per pan
-  stockwork scheelite mineralization
-  2012 rock sample location
-  Historical drill hole
-  Trench





STRATEGIC METALS LTD.
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 FIGURE 6
**HISTORICAL COMPILATION AND
 2012 ROCK SAMPLE LOCATIONS**
 HIDDEN PROPERTY

0 500 m

UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m

FILE: ...2012/HIDDEN/F5-HistoricalCompilation...wor DATE: MAY 2013



A 1900 m long by 500 to 1000 m wide area defined by greater than 200 grains of scheelite per pan was identified on the Hidden property (Abbott, 1979). The Discovery Showing is located in the northern part of this area and is marked by an isolated sample that yielded over 10,000 grains per pan. A large area of very anomalous response (>2000 grains of scheelite per pan) begins about 100 m south of the Discovery Showing within the broad anomaly described above. This strongly anomalous core area is about 1000 m long and 300 m wide. Within this core, there are several clusters of samples that contained greater than 10,000 scheelite grains per pan. The core area is situated at and above treeline where outcrop is relatively common and soil cover is usually about one metre thick. Most of the scheelite is likely locally derived, although downslope dispersion has probably expanded the anomaly in northerly and westerly directions.

The core panning area approximately coincides with an extensive stockwork system of scheelite-bearing veinlets hosted by silicified wallrocks. Many of the highest panning values occur along the surface trace of high angle faults and dykes that have narrow skarn zones developed adjacent to them. These faults form broad recessive linears and are mostly blanketed with talus from adjacent wallrocks.

SOIL GEOCHEMISTRY

A number of soil geochemical surveys have been performed within the area now covered by the Hidden property. Pre-2000 samples were analyzed for tungsten±copper±molybdenum±lead, while more recent samples have been analyzed by multi-element techniques. Sample locations for 2012 are illustrated on Figure 7. Results for tungsten, tin, silver, zinc, copper, bismuth, molybdenum and gold are illustrated on Figures 8 through 15.

In the late 1970s, Cub JV conducted systematic soil sampling along the southern margin of the Nisutlin Batholith. The sampling was done on a grid that was six kilometres long and up to two kilometres wide. In most areas, samples were taken at 50 m intervals on lines spaced 200 m apart. Over much of the current Hidden property, line spacing was tightened to 100 m and in the vicinity of the Discovery Showing, sample density was further tightened to 25 m intervals on lines spaced 50 m apart.

Historical sampling showed good contrast for tungsten, copper and lead values, but molybdenum values were low, with the exception of a few scattered values exceeding 10 ppm. The area between Nigel Peak and the Discovery Showing contains the greatest concentration of strongly anomalous tungsten (>400 ppm), copper (>100 ppm) and lead (>25 ppm) values. Of the four metals, tungsten is by far the most enriched relative to regional backgrounds. Unfortunately, the techniques used to measure tungsten in the 1978 and 1979 surveys had upper threshold limits of 800 ppm and 400 ppm, respectively. No overlimit analyses were done.



In 2003, Strategic Metals collected a total of 68 soil samples on a contour line and a 100 m by 100 m grid near Nigel Peak in search of emerald pathfinder elements — vanadium and beryllium. Beryllium background values were found to be high (3 to 10 ppm) with a peak value of 171 ppm near the Discovery Showing. Vanadium values were also uncommonly high, with a peak value of 906 ppm in the vicinity of the Discovery Showing.

STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 7


**SOIL SAMPLE LOCATIONS
HIDDEN PROPERTY**





UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m


FILE: ...2012/HIDDEN/F7-SoilSampleLocations.wor


DATE: MAY 2013











Soil Zinc (ppm)

- $\geq 2,000 < 3,150$
- $\geq 1,000 < 2,000$
- $\geq 500 < 1,000$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $\geq 0 < 100$

STRATEGIC METALS LTD.
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 FIGURE 11

ZINC SOIL GEOCHEMISTRY
HIDDEN PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m

FILE: ...2012/HIDDEN/F8-Zinc.wor DATE: MAY 2013


T.N.


1°54'


21° 49' E

Grid north
Magnetic north

Annual change decreasing 22.9'







6,813,000 mN

6,812,000 mN

6,811,000 mN

6,810,000 mN

585,000 mE

586,000 mE


587,000 mE


588,000 mE

589,000 mE

Property boundary

Hidden Anomaly





Soil Gold (ppb)


- ≥50 <73
- ≥20 <50
- ≥10 <20
- ≥5 <10
- ≥0 <5

STRATEGIC METALS LTD.
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 FIGURE 15
GOLD SOIL GEOCHEMISTRY
HIDDEN PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m

FILE: ...2012/HIDDEN/F15-Gold.wor DATE: MAY 2013



In 2012, Strategic Metals collected a total of 155 soil samples at 50 m spacings along contour lines that partially overlapped the historical work area. All soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. A hand held soil auger was used to collect material from as deep in the soil profile as ground conditions allowed, which typically ranged from 20 to 50 cm depth. Samples were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals in Whitehorse, where they were dried, screened to -180 microns, then sent to ALS Minerals laboratory in North Vancouver, where they were dissolved by four acid digestion and analyzed for 48 elements by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS61). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

The historical and recent geochemical surveys delineated a broad multi-elemental geochemical anomaly, which has been named the Hidden Anomaly. It encompasses a 1400 by 1000 m area centred between the Discovery Showing and Nigel Peak. This anomaly comprises moderately to very strongly anomalous values for tungsten (up to 4100 ppm), silver (up to 11.6 ppm), molybdenum (up to 43.8 ppm), copper (up to 533 ppm), and bismuth (up to 686 ppm). Gold and tin were generally weaker with peak values of 73 ppb gold and 31.7 ppm tin. A cluster of very strong silver, zinc, and molybdenum values occurs at the western edge of the Hidden Anomaly, proximal to a regional-scale north-trending fault. Areas of strongly to very strongly anomalous tungsten geochemistry are localized along fault zones and adjacent to porphyry dykes in sandy dolomite (Sd) and 'wavy banded' limestone (OSDqc). Moderately to strongly anomalous tungsten values for a broader zone that coincides with the area of stockwork quartz-scheelite veining. Elevated bismuth geochemistry is well distributed across the anomaly.


Molybdenum values are relatively subdued throughout much of the Hidden Anomaly; however a string of five contour samples along the eastern edge of the property returned between 5 and 25.3 ppm molybdenum. These samples are underlain by 'wavy banded' limestone (OSDqc) adjacent to a fault-bounded block containing sandy dolomite (Sd).

DIAMOND DRILLING


In 1979, eight holes totaling 915 m were completed (Figure 6). Three holes (DDH-79-1, DDH-79-2 and DDH-79-3) were drilled at different dip angles from a pad located uphill from the Discovery Showing. These holes tested the apparent host stratigraphy down dip from mineralized float. Hole (DDH-79-5) was positioned such that it could scissor beneath the showing. The remaining holes were drilled north of the Discovery Showing. Figure 16 illustrates three possible cross section interpretations for the Discovery Showing drill results.

Holes DDH-79-1, DDH-79-2 and DDH-79-3 intersected black limestone and weakly developed siliceous diopside skarn containing only traces of scheelite. Bedding angles in the holes suggest that the stratigraphy is nearly horizontal. Therefore, assuming the mineralization is stratigraphically controlled, it has limited lateral extent (Interpretation A), or it is derived from a source located uphill from the drill holes (Interpretation B). Hole DDH-79-5 intersected a fault zone that assayed 0.95% WO₃ across 2.13 m. Rocks within and adjacent to the fault are


CROSS SECTION
LOOKING EAST
(INTERPRETATION A)



CROSS SECTION
LOOKING EAST
(INTERPRETATION B)



CROSS SECTION
LOOKING EAST
(INTERPRETATION C)



- uDMs slate
- OSDqc wavy banded limestone
- OSsl graphitic limestone and black calcareous shale
- OSc banded dolomite
- skarn
- fault
- geological contact
- diamond drill hole

STRATEGIC METALS LTD.	
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
FIGURE 16	
CROSS SECTION	
HIDDEN PROPERTY	
FILE: ...2012/HIDDEN/F16-CrossSection.wor	DATE: MAY 2013

described as veined and brecciated skarn; however, no skarn was noted in the remainder of the hole. Thus, the skarn mineralization could be developed in a narrow band within and along the margins of a vein fault (Interpretation C). Assuming Interpretation C is correct, the fault would likely strike northeasterly and dip about 60° to the north. It would extend updip from the intersection in DDH-79-5 to a point immediately uphill of the Discovery Showing float train, but downhill from the collars of DDH-79-1, DDH-79-2, DDH-79-3. Mineralogical variations between the skarn observed in the drill hole and the majority of the mineralized float boulders may be due to differing wallrock chemistry.

The remaining holes were drilled to the north and east of the showing to test panning anomalies and to obtain geological information. The holes intersected minor dark green, siliceous skarn and infrequent grains of scheelite. No core from these holes were assayed.




GEOPHYSICS

In 1978, Cub JV carried out preliminary ground magnetic and electromagnetic surveys in an approximately 1300 by 900 m area on the current Hid claims. The magnetic survey outlined six anomalies, which ranged from 80 to 980 gammas above background. These anomalies were not closely correlated to panning or geochemical anomalies. The Discovery Showing exhibited a magnetic low response (50 gammas below background), while the electromagnetic survey identified four very low frequency electromagnetic (VLF-EM) conductors. These conductors could not be directly correlated to mineralization; however one anomaly lies 40 m to the east of the Discovery Showing.

In 1981, W.A. Barclay Exploration Services conducted a proton magnetometer survey across the core of the scheelite panning anomaly. Well defined magnetic anomalies were found to correlate to faults and dacite dykes associated with localized skarn zones; however, the data was not professionally interpreted (Main and Cathro, 1981).

In 2007, Geotech Ltd. flew magnetic and versatile-time domain electromagnetics (VTEM) geophysical surveys over the Hid 1-12 claims. Figure 17 illustrates electromagnetics, while Figure 18 shows interpreted magnetic data. The VTEM survey outlined two moderately conductive anomalies. These features have been tentatively interpreted as sulphide-bearing skarn zones. The northern conductor is located 300 to 500 m south of the intrusive contact. It is 750 m long, and responds as a thick plate dipping shallowly to the southeast. This feature is enigmatic because it appears to extend without break across a major fault that juxtaposes limestone and shale. The southern conductor is 500 m long and has been interpreted as a thick plate dipping northwest. This conductor appears to be underlain by limestone and its trace parallels a nearby, folded contact. This anomaly lies in an area that has only been sampled at a cursory level.

The magnetic survey produced total magnetic field values with only 50 nT variation, which is characterized as quiet behavior. The Discovery Showing is marked by a subtle moderate magnetic low, which lies peripheral to a cluster of large magnetic highs. A number of other scattered magnetic highs occur throughout the survey area, but no follow up work has been done.



STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 17

**ELECTROMAGNETIC ANOMALIES
LATE TIME dB/dT CHANNEL IMAGE
HIDDEN PROPERTY**

0 1 km

UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m

FILE: ...2012/HIDDEN/F17-Electromagnetic...wor

DATE: MAY 2013

- Historical drill hole
- Mineral showing
- Stockwork scheelite mineralization
- Hidden Anomaly

STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 18



TOTAL MAGNETIC INTENSITY AND GEOLOGY HIDDEN PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m

FILE: ...2012/HIDDEN/F17-TMI_and_geology.wor

DATE: MAY 2013



- Historical drill hole
- Mineral showing
- Stockwork scheelite mineralization
- >2000 grains of scheelite per pan
- Hidden Anomaly

- Geological boundary - defined, approximate
- Fault - defined with dip direction
- Bedding orientation
- Anticline
- Syncline

0.192
0.055
0.044
0.038
0.034
0.031
0.028
0.026
0.023
0.020
0.018
0.015
0.011
0.002

AS
nT/m

© VTEM anomaly

Cretaceous and/or Tertiary
KTfp Dacite porphyry dikes
Kqm Quartz monzonite

Upper Devonian and Mississippian
uDMs Slate

Ordovician, Silurian and Devonian
Sd Sandy dolomite
OSs Slate
OSDqc Limestone
OSsl Limestone and shale
OSc Banded dolomite

DISCUSSION AND CONCLUSIONS

The Hidden property covers a broad zone of strongly elevated tungsten-in-soil geochemistry in calc-silicate altered carbonate and siliciclastic rocks of Cassiar Platform.

Mineralization on the property has been placed in two categories: 1) diopside-garnet-quartz±pyrrhotite skarn, and 2) quartz-scheelite stockwork veins. Most of the known mineralization lies within the area of strongest geochemical response. Surface work and drilling have identified variable results for tungsten, but have not adequately explained soil geochemical anomalies. Tungsten grades within skarn samples were generally higher than those from stockwork vein zones.

A useful model for the Hidden property could be the Northern Dancer (formerly known as Logtung) tungsten-molybdenum deposit, located 180 km to the southeast in the same belt of intrusions. This deposit has a measured resource of 130.2 million tonnes grading 0.114% WO₃ and 0.030% MoS₂ (Largo, 2011). It is centred on a small Cretaceous-Tertiary dyke swarm. Compilation of old exploration data from Northern Dancer identified general zoning away from molybdenum in the core toward tungsten on the fringes. This work also showed that recessively weathered, steeply dipping, sheeted veins, which cut the stockwork zone, host much higher than deposit average grade mineralization and comprise a considerable proportion of total mineralization. Beryllium and bismuth minerals are often present in the veins, especially in the more distal part of the system. Skarn zones host only a small percentage of mineralization at Northern Dancer but, where intersected, often grade between 0.3 and 1% WO₃ (Wengznowski, 2004). The relationship between the skarns and the steeply dipping veins is uncertain.

Based on observed lithologies, styles of mineralization and soil geochemical response, it is possible that the Hidden property represents a shallow level of erosion within a large hydrothermal system, which could include Northern Dancer type mineralization at a greater depth.

Future exploration on the Hidden property should include additional soil sampling with multi-element analyses and hand trenching or hand pitting at the sites of strongly anomalous tungsten values. The trenching and pitting should be designed to provide additional data concerning the styles of mineralization, stratigraphic affinities and structural orientations. Drill sites should be selected after this data is available to further test the Discovery Showing and the core of the geochemical anomaly.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



N. Bueckert, B.Sc.

REFERENCES

- Abbott, J.G.
1979 Report on Geological Mapping, Diamond Drilling, Geochemical and Panning Surveys; Assessment Report 090961.
- Abbott, J.G and Cathro, R.J.
1978 1978 Final Report, Cub Joint Venture, pp. 42-49; Report accessed through Archer Cathro's proprietary library.
- Abbott, J.G and Cathro, R.J.
1979 1979 Final Report, Cub Joint Venture, pp. 44-51; Report accessed through Archer Cathro's proprietary library.
- Colpron, M. and Nelson, J. L.
2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).
- Deklirk and Traynor
2005 Yukon Minfile 105f 129: http://ygsftp.gov.yk.ca/publications/minfile/text_files/105F/105F129.pdf.
- Eaton, W.D.
2003 Assessment report describing Prospecting, Soil Sampling and Hand Trenching at the Hidden Property; prepared for Strategic Metals Ltd.
- Eaton, W.D.
2007 Assessment report describing VTEM and Magnetic Surveys at the Hidden Property; prepared for Strategic Metals Ltd.
- Gordey, S.P. and Makepeace, A.J. (compilers)
2003 Yukon digital geology, version 2.0; Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Largo Resources
2011 Northern Dancer Properties: <http://www.largoresources.com/projects/northern-dancer/default.aspx>.
- Main, C.A.
1984 Hand Trenching and Sampling program, Hidden 5 Claim; Cub Joint Venture p. 12; Assessment Report 091582.
- Main, C.A. and Cathro, R.J.
1981 1981 Final Report, Cub Joint Venture, pp. 81-88; Report accessed through Archer Cathro's proprietary library.

Mortensen J.K., Hart C.J.R., Murphy D.C. and Heffernan S.

2000 Temporal Evolution of Early and Mid-Cretaceous Magmatism in the Tintina Gold Belt; in the Tintina Gold Belt: Concepts, Exploration and Discoveries; B.C. and Yukon Chamber of Mines, Special Volume 2, pp. 49-57.

Wengzynowski, W.A.

2004 Geology, Mineralization, Geochemical and Geophysics, Logtung Property, Southern Yukon; technical report for Strategic Metals Ltd.

Yukon Geological Survey

2013 MapViewer Online <http://mapservices.gov.yk.ca/Mining/WebMap.aspx>.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Nicholas Bueckert, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2012 with a B.Sc. Honours in Geological Sciences.
2. From 2011 to present, I have been actively engaged in mineral exploration in Yukon Territory.
3. I have interpreted all data resulting from this work.

A handwritten signature in black ink, appearing to read 'N. Bueckert', with a long horizontal flourish extending to the right.

N. Bueckert, B.Sc.

APPENDIX II
STATEMENT OF EXPENDITURES

Statement of Expenditures
Hid 1-22 Mineral Claims
October 29, 2012

Labour

H. Burrell (geologist) September 2012 – 1 day @ \$765/day	\$ 856.80
S. Drechsler (geologist) September 2012 – 1 day @ \$765/day	856.80
J. Thomson-Gladish (field assistant) September 2012 – 1 day @ \$391/day	<u>437.92</u>
	2,151.52

Expenses (including management)

Field room and board – 3 mandays @ \$180/manday	653.18
Trans North – 1.2 hours Hughes 500D @ \$1035/hour plus fuel	1,700.32
ALS Chemex	<u>5,972.25</u>
	8,325.75

Total	<u>\$10,477.27</u>
-------	--------------------

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 16- SEP- 2012
 Account: MTT

CERTIFICATE WH12206285

Project: Hidden
 P.O. No.:
 This report is for 4 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2- SEP- 2012.
 The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	HEATHER SMITH
-------------	----------------	---------------


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%< 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- SEP- 2012
 Account: MTT

Project: Hidden

CERTIFICATE OF ANALYSIS WH12206285

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
G006034		0.21	<0.001	0.01	0.27	2	<0.2	<10	10	0.13	0.10	16.85	0.16	1.87	1.8	<1
G006035		0.39	0.003	0.05	3.63	3	<0.2	<10	10	1.25	2.68	13.65	0.23	34.6	12.0	19
G006237		0.98	0.003	0.77	3.81	6.6	<0.2	<10	30	4.67	16.45	2.66	0.13	51.3	19.1	29
G006238		0.46	<0.001	0.03	0.60	<2	<0.2	<10	50	0.16	0.12	15.40	0.20	7.05	1.5	6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- SEP- 2012
 Account: MTT

Project: Hidden

CERTIFICATE OF ANALYSIS WH12206285

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
G006034		0.96	7.9	0.69	0.96	<0.05	<0.02	<0.01	0.017	0.06	1.0	6.1	0.18	843	0.38	0.01
G006035		0.76	23.8	1.62	15.10	0.69	0.42	<0.01	0.080	0.01	19.7	25.5	0.33	475	1.88	<0.01
G006237		0.77	481	5.48	12.90	0.16	0.14	0.08	0.042	0.07	29.4	19.6	0.48	258	4.19	0.41
G006238		0.97	5.9	0.57	1.71	<0.05	<0.02	<0.01	0.012	0.13	3.3	14.6	0.23	385	0.12	0.04

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- SEP- 2012
 Account: MTT

Project: Hidden

CERTIFICATE OF ANALYSIS WH12206285

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
G006034		<0.05	1.8	100	4.3	6.4	0.001	<0.01	0.09	1.4	0.3	0.2	912	<0.01	<0.01	<0.2
G006035		0.17	18.0	390	7.5	1.5	<0.001	<0.01	0.08	2.5	0.5	6.5	156.5	0.01	0.03	6.9
G006237		0.89	34.7	700	3.5	9.2	0.002	3.88	0.08	1.6	3.7	2.8	237	0.02	0.40	11.1
G006238		0.20	2.9	150	5.6	10.3	<0.001	0.01	<0.05	1.5	0.4	0.5	741	<0.01	<0.01	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- SEP- 2012
 Account: MTT

Project: Hidden

CERTIFICATE OF ANALYSIS WH12206285

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
G006034		<0.005	0.03	0.58	5	0.38	14.55	5	<0.5
G006035		0.088	0.02	0.92	22	1.31	10.20	130	14.5
G006237		0.095	0.07	1.30	50	340	6.69	86	2.9
G006238		0.020	0.06	0.13	5	1.35	13.20	8	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- SEP- 2012
Account: MTT

Project: Hidden

CERTIFICATE OF ANALYSIS WH12206285

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Samples with Ca > 10% on ICP- MS As. ICP- AES As results reported (2 ppm DL) Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 20- SEP- 2012
 Account: MTT

CERTIFICATE WH12206287

Project: HIDDEN
 P.O. No.:
 This report is for 155 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- SEP- 2012.
 The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	HEATHER SMITH
-------------	----------------	---------------


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME- MS61	48 element four acid ICP- MS
Au- ICP21	Au 30g FA ICP- AES Finish ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
ZZ44408		0.16	0.004	0.10	6.57	2.3	810	4.07	11.25	2.97	0.57	47.5	11.8	71	14.30	64.4
ZZ44409		0.28	0.021	<0.01	7.52	1.4	910	3.93	8.10	3.18	0.45	61.0	12.1	83	16.75	52.2
ZZ44410		0.19	<0.001	<0.01	7.77	2.2	780	2.73	3.32	3.54	0.27	47.8	14.3	74	16.65	33.5
ZZ44411		0.24	0.001	<0.01	6.93	1.1	1010	2.85	4.18	3.43	0.86	96.6	11.4	69	13.00	36.1
ZZ44412		0.24	0.013	0.03	7.88	2.2	1260	3.86	10.35	3.31	0.88	71.0	14.8	72	22.2	45.7
ZZ44413		0.19	<0.001	<0.01	5.96	4.5	1210	2.43	4.64	2.01	0.27	73.0	11.1	67	12.20	33.2
ZZ44414		0.17	0.001	<0.01	5.90	2.0	1200	2.82	4.06	3.43	1.93	59.6	9.1	76	9.83	45.4
ZZ44415		0.18	0.005	<0.01	7.21	1.6	840	2.31	5.39	5.61	0.24	97.8	14.3	68	14.55	29.6
ZZ44416		0.20	0.002	<0.01	7.00	9.3	520	2.07	1.22	4.09	0.17	76.0	17.1	60	12.25	28.2
ZZ44417		0.17	0.002	0.13	7.81	6.2	560	1.72	2.08	4.99	0.15	57.5	25.3	65	11.55	46.6
ZZ44418		0.18	0.001	0.13	7.88	4.0	750	2.22	3.95	4.08	0.47	63.7	18.8	67	13.00	46.4
ZZ44419		0.17	0.003	0.12	7.41	5.1	650	2.11	2.85	4.20	0.17	56.6	25.7	69	10.20	44.0
ZZ44420		0.18	0.002	0.12	7.69	6.5	870	2.34	1.76	2.84	0.54	63.0	17.0	74	12.70	36.4
ZZ44421		0.19	0.002	0.09	7.94	4.3	940	2.19	4.10	3.58	0.28	66.4	19.5	70	13.60	42.5
ZZ44422		0.15	0.001	0.11	7.95	4.6	850	2.30	2.16	2.56	0.36	51.9	21.9	61	13.35	50.7
ZZ44423		0.14	<0.001	0.10	7.14	2.9	830	2.56	3.92	2.57	0.53	70.0	15.0	69	12.75	39.7
ZZ44424		0.15	0.003	0.10	5.76	2.5	1020	2.85	17.60	2.61	3.53	79.8	11.8	71	7.70	39.3
ZZ44425		0.15	<0.001	0.11	7.25	21.7	740	2.07	0.93	3.02	0.37	58.3	17.4	68	8.95	37.2
ZZ32526		0.14	0.005	0.06	7.45	5.2	550	1.94	0.99	3.89	0.24	61.3	16.6	63	8.99	22.3
ZZ32527		0.19	0.001	0.13	7.27	94.0	880	1.82	0.73	5.43	0.22	66.4	18.5	55	7.82	38.9
ZZ32528		0.17	<0.001	0.12	7.19	4.6	590	1.78	1.64	3.29	0.19	60.4	23.6	58	10.65	37.1
ZZ32529		0.14	<0.001	0.08	7.60	5.0	620	1.82	2.34	3.79	0.31	59.2	19.3	65	9.87	34.7
ZZ32530		0.16	0.001	0.08	7.53	3.9	670	2.01	1.49	3.33	0.15	73.3	16.0	63	10.25	31.3
ZZ32531		0.21	<0.001	0.08	7.22	4.2	930	2.35	3.61	3.59	0.90	68.8	10.9	68	13.45	32.8
ZZ32532		0.19	<0.001	0.09	7.41	3.8	1110	2.57	2.50	3.29	0.32	55.4	10.0	58	14.80	37.2
ZZ32533		0.17	0.010	0.15	7.71	3.8	1210	2.93	16.95	2.94	0.36	98.0	20.4	64	14.35	110.0
ZZ32534		0.17	0.005	0.41	6.94	23.4	1600	3.59	22.9	2.50	0.99	64.2	17.3	59	15.10	68.4
ZZ32535		0.19	<0.001	0.20	7.84	6.4	1150	2.48	1.29	2.14	0.92	62.4	14.6	35	5.66	53.4
ZZ32536		0.16	0.002	0.13	8.28	3.9	1290	2.70	2.46	2.71	0.58	66.2	17.1	76	18.95	45.4
ZZ32537		0.21	0.001	0.33	6.74	8.3	1940	2.62	5.41	2.33	3.54	67.4	14.2	80	17.10	58.4
ZZ32538		0.16	<0.001	0.11	6.91	5.0	1590	2.51	2.11	2.45	0.53	67.6	16.0	77	12.10	41.4
ZZ32539		0.19	0.001	0.12	7.03	4.1	1320	2.22	2.08	2.63	0.35	75.7	13.7	70	10.75	32.3
ZZ32540		0.21	<0.001	0.10	5.87	2.4	1180	1.82	1.87	3.74	0.29	62.9	13.9	59	8.20	27.5
ZZ32541		0.19	<0.001	0.15	6.99	2.7	1920	2.33	2.08	3.13	0.55	73.9	14.4	62	12.55	30.3
ZZ32542		0.19	0.002	0.09	7.15	2.2	1420	2.36	1.96	3.71	0.77	64.1	13.0	63	13.20	28.9
ZZ32543		0.16	0.002	0.13	6.84	3.2	1560	2.02	1.64	3.59	0.66	77.9	16.7	65	14.20	31.0
ZZ32544		0.15	0.002	0.11	7.05	4.1	980	2.20	1.15	1.93	0.28	78.6	12.5	63	10.35	22.7
ZZ32545		0.23	0.001	0.07	7.48	4.0	990	2.32	0.91	2.20	0.22	67.7	13.4	64	9.97	20.9
ZZ32546		0.30	0.001	0.08	7.82	1.9	1270	2.92	2.65	2.82	0.14	68.8	16.3	67	15.15	29.1
ZZ32547		0.21	0.001	0.08	6.72	1.7	930	1.75	1.03	1.95	0.24	54.4	10.3	42	7.24	19.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
ZZ44408	2.94	18.15	0.12	2.0	0.076	1.61	28.2	75.7	1.64	518	2.55	0.46	10.5	45.8	1180
ZZ44409	3.73	24.2	0.15	2.1	0.110	2.08	32.4	93.8	2.04	436	1.51	0.51	13.4	50.4	820
ZZ44410	3.81	24.3	0.15	2.3	0.076	1.90	25.4	110.5	2.23	386	0.78	0.82	12.9	37.8	910
ZZ44411	3.09	19.15	0.15	2.5	0.087	1.93	50.2	70.3	2.17	345	1.00	0.35	14.7	48.5	800
ZZ44412	3.79	22.7	0.16	2.2	0.118	2.03	36.6	116.5	2.44	657	1.01	0.57	12.8	40.5	1090
ZZ44413	2.97	18.25	0.13	2.1	0.069	1.60	36.5	73.2	1.51	313	2.44	0.52	13.5	37.2	890
ZZ44414	2.51	16.80	0.12	2.4	0.079	1.97	31.6	51.7	1.76	330	1.11	0.28	15.2	67.0	1060
ZZ44415	3.50	20.2	0.17	2.4	0.096	1.76	51.8	81.9	2.24	425	0.82	0.39	13.7	35.8	820
ZZ44416	3.67	18.35	0.14	1.6	0.052	1.46	39.5	82.3	1.70	492	0.56	0.67	10.8	33.3	690
ZZ44417	4.76	21.0	0.16	1.8	0.046	1.64	31.0	85.0	2.07	570	0.79	0.81	12.3	52.9	770
ZZ44418	4.07	20.4	0.16	1.9	0.065	1.82	34.5	95.0	1.85	443	1.04	0.84	12.3	46.3	800
ZZ44419	4.68	21.7	0.17	1.6	0.043	1.78	28.8	81.9	1.78	601	0.67	0.88	11.7	45.0	590
ZZ44420	3.74	20.5	0.18	1.9	0.057	1.51	32.1	92.6	1.84	592	0.82	0.85	12.5	40.0	820
ZZ44421	4.14	23.1	0.16	2.5	0.068	1.87	33.5	116.0	1.99	500	0.97	0.97	13.5	47.0	690
ZZ44422	3.79	21.6	0.18	2.2	0.049	1.98	23.5	104.5	1.59	549	0.93	1.26	11.1	38.9	870
ZZ44423	3.35	19.65	0.18	2.0	0.056	1.64	35.1	87.1	1.61	372	1.99	0.78	11.9	42.3	1010
ZZ44424	3.08	15.60	0.17	2.1	0.080	1.49	38.3	45.2	1.35	643	4.02	0.79	12.5	47.4	1350
ZZ44425	3.64	18.65	0.14	2.0	0.046	1.38	29.8	73.7	1.99	525	0.97	0.72	10.9	40.3	890
ZZ32526	3.65	20.3	0.15	2.3	0.050	1.08	31.2	72.1	1.98	444	0.62	0.77	12.4	36.1	460
ZZ32527	4.00	19.70	0.15	2.0	0.055	1.47	34.3	60.9	2.23	437	0.87	1.39	11.2	41.3	610
ZZ32528	4.39	18.50	0.17	1.7	0.047	1.48	30.0	77.6	2.02	596	0.93	1.07	10.7	46.2	660
ZZ32529	4.04	20.0	0.17	1.8	0.055	1.43	30.3	77.8	1.87	501	0.80	0.83	12.4	45.6	700
ZZ32530	4.05	20.4	0.17	2.0	0.058	1.58	40.1	75.5	2.03	428	0.75	0.70	12.2	38.9	730
ZZ32531	3.32	19.25	0.20	2.1	0.054	1.93	38.2	78.9	2.13	328	1.08	0.43	12.6	43.4	1030
ZZ32532	3.05	18.90	0.18	2.3	0.045	1.87	31.1	86.3	1.92	373	1.15	0.80	10.9	31.0	1260
ZZ32533	4.01	21.9	0.22	2.7	0.078	1.97	51.2	89.6	2.07	541	1.07	0.43	12.4	38.7	940
ZZ32534	3.15	20.7	0.19	2.8	0.071	1.98	34.2	96.9	2.50	559	9.82	0.45	17.1	165.0	880
ZZ32535	3.61	19.60	0.17	2.9	0.043	2.04	30.9	41.7	1.40	454	25.3	1.52	10.9	76.0	1130
ZZ32536	4.08	23.7	0.19	2.1	0.064	2.33	32.1	116.0	2.12	441	2.24	0.94	14.5	45.9	720
ZZ32537	3.55	20.5	0.22	2.5	0.072	1.92	34.7	93.4	2.35	466	25.3	0.54	14.7	127.0	2340
ZZ32538	3.90	19.05	0.19	2.5	0.052	2.03	32.9	85.2	2.01	499	5.22	0.56	14.8	51.8	1150
ZZ32539	3.34	18.50	0.15	2.3	0.045	1.67	37.9	81.5	1.93	474	5.13	0.77	13.9	46.0	1110
ZZ32540	2.94	15.75	0.17	2.1	0.038	1.50	32.7	70.6	1.50	637	0.99	0.49	10.4	30.7	1240
ZZ32541	3.46	18.30	0.20	2.4	0.046	1.92	37.8	79.1	2.02	467	2.50	0.74	12.5	66.1	930
ZZ32542	3.47	18.50	0.20	1.9	0.045	1.89	32.8	81.7	2.02	464	1.81	0.62	12.2	64.7	1030
ZZ32543	3.60	18.75	0.18	2.9	0.047	1.91	40.6	86.7	1.86	461	1.49	0.68	12.6	54.5	680
ZZ32544	3.15	18.70	0.19	1.7	0.054	1.53	39.3	69.3	1.51	391	1.32	0.72	12.5	35.4	1200
ZZ32545	3.59	19.70	0.18	2.3	0.041	1.72	32.0	76.7	1.80	445	1.26	0.99	12.9	32.6	820
ZZ32546	3.76	24.0	0.18	2.2	0.058	2.24	33.8	98.5	2.24	421	0.66	0.54	14.7	36.5	650
ZZ32547	2.61	18.00	0.15	2.5	0.031	1.80	29.5	51.2	1.12	791	1.14	1.44	9.2	18.7	1090



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Pb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
ZZ44408		6.8	121.5	<0.002	0.11	0.46	10.7	2	4.8	263	0.75	0.13	11.6	0.281	0.67	5.0
ZZ44409		9.3	107.0	<0.002	0.03	0.33	12.2	2	6.6	415	0.89	0.10	12.0	0.349	0.80	4.1
ZZ44410		9.6	98.7	<0.002	0.04	0.28	12.6	2	4.5	401	0.85	0.05	10.4	0.355	0.76	2.9
ZZ44411		7.9	127.0	<0.002	0.02	0.37	11.8	2	6.3	415	0.99	0.07	15.2	0.337	0.69	3.8
ZZ44412		9.7	209	<0.002	0.04	0.40	14.1	2	6.6	329	0.91	0.11	13.4	0.336	1.07	2.4
ZZ44413		9.8	108.0	<0.002	0.09	0.59	10.9	2	6.6	197.0	0.92	0.07	10.5	0.344	0.64	3.0
ZZ44414		11.4	113.5	<0.002	0.05	0.41	9.2	2	5.1	275	0.94	0.07	11.7	0.295	0.79	4.8
ZZ44415		8.9	129.0	<0.002	0.04	0.36	12.8	2	7.5	481	0.93	0.07	16.1	0.335	0.59	2.7
ZZ44416		11.1	136.5	<0.002	0.08	0.18	12.0	2	3.2	392	0.74	<0.05	13.4	0.286	0.61	2.0
ZZ44417		11.9	114.5	0.003	0.06	0.25	13.8	2	3.3	404	0.81	0.05	11.9	0.349	0.69	2.0
ZZ44418		10.5	102.5	0.002	0.05	0.27	12.0	1	5.7	448	0.85	<0.05	12.5	0.352	0.71	2.3
ZZ44419		12.2	68.5	<0.002	0.04	0.17	11.4	1	4.6	444	0.83	<0.05	11.0	0.357	0.78	1.8
ZZ44420		13.6	75.3	0.002	0.06	0.29	12.1	1	3.8	297	0.79	<0.05	11.1	0.362	0.62	3.1
ZZ44421		12.0	90.6	<0.002	0.04	0.23	12.5	1	5.7	412	0.86	0.06	12.1	0.393	0.86	3.2
ZZ44422		11.0	83.1	0.004	0.06	0.35	10.8	2	2.7	368	0.74	<0.05	9.6	0.328	0.72	2.7
ZZ44423		9.8	105.0	0.002	0.10	0.34	11.9	1	3.4	268	0.75	0.05	11.9	0.322	0.72	3.0
ZZ44424		9.4	102.5	<0.002	0.09	0.54	10.1	2	4.8	257	0.85	0.20	11.5	0.327	0.54	4.0
ZZ44425		11.9	77.1	0.003	0.07	0.28	11.0	2	2.8	320	0.70	<0.05	11.4	0.326	0.53	3.3
ZZ32526		12.8	71.6	<0.002	0.04	0.18	11.9	2	3.2	398	0.78	0.05	12.3	0.326	0.54	2.0
ZZ32527		12.9	84.1	0.002	0.02	0.23	11.9	2	2.9	441	0.72	<0.05	11.5	0.313	0.52	2.0
ZZ32528		10.9	95.1	<0.002	0.06	0.18	11.8	2	3.3	366	0.73	<0.05	12.2	0.311	0.68	2.0
ZZ32529		12.5	92.8	0.003	0.06	0.20	12.3	2	3.9	398	0.83	<0.05	12.1	0.341	0.61	2.0
ZZ32530		10.4	95.0	<0.002	0.04	0.24	12.7	2	3.8	338	0.81	<0.05	13.1	0.338	0.67	2.1
ZZ32531		7.9	131.5	0.002	0.06	0.38	11.8	1	4.8	378	0.79	<0.05	12.7	0.333	0.80	3.5
ZZ32532		7.0	106.0	0.002	0.08	0.33	10.4	1	4.1	400	0.76	<0.05	10.8	0.308	0.83	2.3
ZZ32533		7.9	142.5	0.003	0.04	0.69	12.9	2	6.9	345	0.81	0.34	14.7	0.342	0.78	3.6
ZZ32534		11.4	134.5	0.005	0.05	4.19	9.7	2	7.4	249	1.06	0.28	12.6	0.316	0.73	10.6
ZZ32535		10.4	67.5	0.002	0.07	0.66	7.8	2	3.5	406	0.68	<0.05	11.0	0.306	0.61	18.4
ZZ32536		10.3	105.0	0.003	0.04	0.35	13.5	1	5.4	323	0.94	0.05	11.4	0.395	1.08	3.4
ZZ32537		13.8	134.5	0.003	0.08	0.67	12.5	2	8.7	194.0	0.94	<0.05	10.2	0.396	0.82	9.1
ZZ32538		12.1	125.0	0.003	0.07	0.51	12.6	2	6.7	246	0.93	<0.05	10.6	0.414	0.78	3.8
ZZ32539		11.3	90.9	<0.002	0.07	0.46	12.4	2	5.2	241	0.95	<0.05	11.9	0.396	0.67	6.0
ZZ32540		10.0	82.3	0.002	0.12	0.24	10.8	2	3.6	303	0.66	<0.05	9.8	0.290	0.62	2.5
ZZ32541		16.6	110.0	0.002	0.06	0.41	11.5	2	4.7	280	0.81	<0.05	12.5	0.346	0.79	4.4
ZZ32542		12.7	111.5	0.002	0.06	0.30	11.6	2	6.1	349	0.77	<0.05	11.9	0.337	0.68	3.7
ZZ32543		12.8	126.5	0.002	0.07	0.40	12.1	2	4.6	328	0.81	<0.05	12.2	0.336	0.73	3.0
ZZ32544		13.9	87.3	0.002	0.10	0.65	12.0	1	4.1	211	0.87	<0.05	12.0	0.362	0.59	2.5
ZZ32545		14.0	77.6	<0.002	0.06	0.64	11.9	1	4.1	278	0.88	<0.05	10.8	0.440	0.63	2.1
ZZ32546		10.5	109.0	<0.002	0.01	0.31	13.4	1	4.0	347	0.94	0.06	11.0	0.374	0.88	1.8
ZZ32547		10.4	71.5	0.003	0.07	0.42	8.6	1	2.8	347	0.62	<0.05	8.2	0.309	0.48	2.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
ZZ44408		160	16.5	17.4	150	68.0
ZZ44409		191	7.6	18.6	197	75.1
ZZ44410		117	10.5	17.3	154	80.5
ZZ44411		283	11.1	19.8	246	87.9
ZZ44412		130	11.5	22.9	184	73.5
ZZ44413		149	10.9	16.0	101	73.5
ZZ44414		330	4.7	21.7	337	91.9
ZZ44415		106	4.4	20.2	142	80.8
ZZ44416		61	1.9	17.2	84	55.4
ZZ44417		83	3.1	20.9	96	52.9
ZZ44418		107	7.0	18.0	141	60.4
ZZ44419		79	2.5	15.8	97	47.1
ZZ44420		129	3.3	15.4	123	67.5
ZZ44421		123	12.0	14.0	137	81.6
ZZ44422		89	6.4	12.8	106	65.8
ZZ44423		142	15.3	14.9	114	63.2
ZZ44424		209	80.8	16.6	201	67.0
ZZ44425		129	2.1	16.8	102	62.4
ZZ32526		137	1.9	17.6	85	77.4
ZZ32527		98	3.1	19.1	85	66.0
ZZ32528		88	4.8	20.0	93	53.8
ZZ32529		94	16.4	19.1	105	56.0
ZZ32530		102	5.7	19.2	92	58.0
ZZ32531		165	52.5	17.1	177	68.1
ZZ32532		115	5.4	14.6	117	69.6
ZZ32533		138	53.5	19.0	141	68.1
ZZ32534		422	43.5	24.2	323	89.8
ZZ32535		206	6.6	18.9	288	99.9
ZZ32536		141	7.1	17.0	187	71.1
ZZ32537		610	15.8	29.3	757	83.6
ZZ32538		177	22.2	21.2	143	70.8
ZZ32539		173	10.9	19.4	128	70.8
ZZ32540		82	20.2	19.6	88	54.6
ZZ32541		189	5.5	20.0	158	63.6
ZZ32542		144	5.2	22.4	217	61.2
ZZ32543		135	13.1	20.3	159	64.1
ZZ32544		110	3.4	16.0	105	54.4
ZZ32545		120	6.8	14.2	109	62.3
ZZ32546		99	8.4	16.6	92	74.7
ZZ32547		79	12.5	12.5	82	78.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units	LOR	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
ZZ32548		0.24	0.002	0.10	8.15	1.8	960	2.44	1.06	2.25	0.16	63.7	13.4	68	11.00	32.4
ZZ32549		0.19	0.005	0.10	6.76	1.4	1050	2.86	21.2	3.03	0.21	74.8	11.6	45	9.83	31.7
ZZ32550		0.21	0.002	0.12	7.20	2.6	1210	2.27	2.28	2.95	0.22	65.8	10.5	52	9.77	30.7
ZZ32551		0.24	0.003	0.09	7.49	3.4	1200	2.73	6.46	2.91	0.34	96.4	12.1	73	9.88	33.6
ZZ32552		0.27	0.004	0.11	7.47	3.8	1170	2.94	7.64	3.11	0.21	103.5	13.1	71	10.45	35.8
ZZ32553		0.17	0.005	0.14	7.21	3.5	1060	3.11	8.52	3.06	0.32	96.1	11.7	74	10.60	35.4
ZZ32554		0.24	0.005	0.14	6.97	5.0	940	3.39	12.75	3.09	0.28	81.3	11.7	73	10.05	40.1
ZZ32555		0.19	0.003	0.19	7.26	6.8	960	5.17	10.45	2.64	0.24	42.9	11.3	61	12.45	44.0
ZZ32556		0.15	0.007	0.18	7.42	6.7	870	4.81	15.60	2.69	0.34	70.4	12.5	71	14.70	34.8
ZZ32557		0.17	0.011	0.19	7.66	2.1	770	6.05	28.7	3.46	0.16	87.1	15.7	76	12.65	39.6
ZZ32558		0.18	0.002	0.14	7.34	4.9	1050	2.54	3.02	2.54	0.33	75.3	12.3	70	10.40	27.1
ZZ32559		0.19	0.002	0.12	7.87	3.0	1140	2.47	4.74	2.80	0.20	129.5	14.2	71	11.90	34.4
ZZ32560		0.24	0.001	0.13	8.51	2.0	670	2.36	1.45	2.21	0.11	79.4	15.0	69	11.10	31.3
ZZ32561		0.18	0.004	0.14	8.18	2.2	690	3.02	12.10	2.33	0.14	68.8	14.6	72	12.05	27.1
ZZ32562		0.28	0.003	0.13	8.06	3.8	1010	2.34	4.05	2.43	0.25	75.2	17.7	74	13.60	30.9
ZZ32563		0.20	0.001	0.11	7.56	3.8	860	1.82	0.68	2.21	0.29	63.1	12.7	45	6.27	26.0
ZZ32564		0.18	0.001	0.12	8.42	3.9	1020	2.62	1.03	2.69	0.21	90.5	17.0	84	13.30	24.9
ZZ32565		0.18	0.001	0.13	7.47	5.0	1070	2.14	0.91	1.96	0.17	73.5	13.2	74	10.00	19.3
ZZ32566		0.19	0.001	0.15	8.41	11.0	1000	2.28	1.06	2.72	0.17	85.9	24.3	88	15.70	38.4
ZZ32567		0.17	0.001	0.17	8.51	3.9	890	4.02	2.37	2.99	0.16	80.5	22.2	88	14.70	34.8
ZZ32651		0.20	0.013	0.17	6.21	11.1	930	4.27	24.5	2.37	0.99	41.9	9.7	61	6.07	57.3
ZZ32652		0.18	0.006	0.14	5.39	3.6	1000	3.10	24.2	1.51	1.53	66.9	9.2	67	7.66	39.4
ZZ32653		0.14	0.005	0.22	5.86	2.0	810	4.31	27.9	2.04	3.82	46.6	19.8	55	7.45	83.1
ZZ32654		0.22	0.006	0.56	6.79	3.5	810	3.79	17.75	2.67	11.60	65.0	39.0	86	10.90	250
ZZ32655		0.21	0.012	0.51	6.56	3.1	850	5.37	34.1	3.15	12.40	69.9	23.2	95	10.50	131.0
ZZ32656		0.18	0.005	1.14	6.40	4.1	850	3.24	9.08	3.32	8.67	61.2	18.6	103	18.75	115.5
ZZ32657		0.15	0.001	0.30	6.40	1.8	970	1.60	3.55	2.39	1.73	40.6	10.7	68	7.73	44.4
ZZ32658		0.18	0.007	0.45	6.38	4.3	930	4.51	13.50	2.49	2.78	50.0	13.2	92	12.85	126.0
ZZ32659		0.17	0.002	0.19	7.42	6.0	920	2.28	3.67	3.25	0.55	82.4	18.5	66	14.15	41.5
ZZ32660		0.22	0.004	0.26	7.12	2.6	1180	3.41	12.20	2.65	0.93	52.6	11.0	80	13.65	59.5
ZZ32661		0.18	0.005	0.20	7.58	1.6	930	3.36	8.28	2.93	0.84	87.3	24.6	70	16.40	80.8
ZZ32662		0.21	0.006	0.31	6.78	2.7	1180	7.94	19.95	4.05	1.29	73.8	21.7	70	12.25	79.8
ZZ32663		0.19	0.035	0.65	6.09	5.6	860	16.30	299	2.42	1.87	59.5	19.4	72	14.00	127.0
ZZ32664		0.25	0.017	0.26	5.97	4.7	970	10.70	122.5	2.58	1.35	63.8	13.1	68	10.60	77.7
ZZ32665		0.24	0.014	0.20	6.56	3.2	1350	7.99	39.9	2.66	0.90	55.4	13.5	50	8.50	74.8
ZZ32666		0.22	0.015	0.67	6.29	4.8	1190	13.20	109.5	2.48	1.59	86.8	14.9	69	11.70	102.0
ZZ32667		0.23	0.005	0.17	6.76	2.4	1050	7.30	27.8	2.06	0.51	42.3	9.2	47	6.59	53.2
ZZ32668		0.26	0.007	0.32	5.96	1.9	2380	19.30	34.8	5.86	0.39	55.8	8.1	55	8.99	31.1
ZZ32669		0.24	0.007	0.26	6.82	3.5	1880	14.60	47.1	3.38	0.87	79.3	13.1	65	12.05	55.5
ZZ32670		0.22	0.073	1.17	5.27	11.2	1320	23.8	329	2.66	0.15	57.0	12.0	62	9.81	326

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
ZZ32548	3.58	22.9	0.19	2.2	0.038	1.77	32.9	74.2	1.62	377	0.69	0.67	12.5	34.4	630
ZZ32549	3.01	17.60	0.18	2.1	0.047	1.69	37.6	61.0	1.36	507	1.00	1.05	9.9	24.3	780
ZZ32550	3.12	19.35	0.19	2.3	0.046	1.83	34.2	73.8	1.49	484	0.94	1.17	11.3	26.4	1270
ZZ32551	3.51	19.15	0.22	2.2	0.081	1.82	52.3	63.1	1.66	529	1.66	0.83	14.0	39.7	1010
ZZ32552	3.50	20.9	0.23	2.2	0.081	1.76	54.0	72.0	1.74	549	1.60	0.90	14.6	39.3	980
ZZ32553	3.24	20.8	0.15	2.3	0.100	1.78	52.7	68.4	1.69	498	1.58	0.87	14.5	39.4	850
ZZ32554	3.31	20.8	0.17	2.2	0.115	1.75	45.6	71.9	1.66	485	1.34	0.91	14.3	37.4	850
ZZ32555	3.05	22.4	0.14	2.3	0.101	1.64	25.8	83.0	1.83	531	2.41	1.00	11.2	47.8	970
ZZ32556	3.48	22.6	0.18	2.0	0.127	1.76	41.0	94.3	1.96	557	1.61	0.71	13.1	45.7	960
ZZ32557	4.21	25.5	0.18	2.1	0.164	1.88	48.9	104.0	2.10	700	0.91	0.56	14.1	40.0	680
ZZ32558	3.22	22.0	0.16	2.2	0.062	1.65	39.7	74.5	1.55	455	1.17	0.94	14.1	35.4	1360
ZZ32559	3.61	23.8	0.21	2.1	0.081	1.84	71.8	74.6	1.69	502	1.07	0.77	14.4	34.6	850
ZZ32560	3.75	26.7	0.19	2.5	0.051	1.93	43.0	101.5	1.79	429	0.60	0.70	13.9	35.9	620
ZZ32561	3.41	24.7	0.16	2.1	0.046	1.75	35.7	76.6	1.56	438	0.63	0.58	12.9	36.7	720
ZZ32562	3.79	25.8	0.20	2.3	0.053	1.98	39.1	95.7	1.88	479	1.08	0.93	15.7	40.2	1310
ZZ32563	3.42	22.0	0.17	2.4	0.041	1.68	31.2	52.6	1.40	529	1.40	1.54	11.0	24.6	850
ZZ32564	4.21	27.3	0.21	2.3	0.060	1.83	45.2	104.5	2.23	554	0.97	0.66	15.7	43.2	910
ZZ32565	3.57	21.9	0.16	2.1	0.051	1.53	37.6	77.4	1.65	467	1.42	0.92	13.7	34.2	1160
ZZ32566	4.38	28.9	0.22	2.2	0.062	2.53	41.4	114.0	2.16	502	0.69	0.56	16.3	45.2	660
ZZ32567	4.95	29.7	0.20	2.3	0.087	1.93	36.5	118.5	2.06	666	0.69	0.59	17.7	47.2	700
ZZ32651	2.72	19.15	0.13	1.8	0.134	1.14	22.0	43.6	1.33	468	4.61	0.30	11.6	125.0	1200
ZZ32652	2.95	18.70	0.14	2.0	0.096	1.31	36.0	39.2	1.05	367	5.85	0.61	12.6	53.9	1970
ZZ32653	3.26	17.20	0.13	2.0	0.095	1.29	24.4	35.8	1.14	578	6.95	0.80	9.5	92.9	1930
ZZ32654	6.49	17.60	0.25	1.9	0.200	1.63	35.2	50.7	1.42	658	25.8	0.37	10.5	293	1230
ZZ32655	4.52	21.0	0.20	2.3	0.196	1.50	39.9	61.6	1.64	810	12.75	0.39	12.8	185.5	1270
ZZ32656	4.77	19.65	0.21	2.1	0.140	1.73	35.3	86.9	2.66	587	15.70	0.58	11.1	138.0	1250
ZZ32657	2.93	19.85	0.12	2.4	0.063	1.84	22.0	44.6	1.23	397	4.96	1.19	9.6	58.9	1380
ZZ32658	3.07	19.90	0.16	2.0	0.121	1.61	37.3	70.7	1.63	623	3.21	0.37	9.5	89.9	1520
ZZ32659	3.44	21.5	0.20	1.9	0.058	1.84	44.2	95.3	1.78	518	1.75	0.78	12.6	52.8	1090
ZZ32660	3.15	21.5	0.16	2.2	0.112	1.91	30.5	73.0	2.02	437	1.82	0.33	12.1	77.6	840
ZZ32661	3.99	25.6	0.21	2.1	0.120	2.11	46.7	87.1	2.00	780	1.65	0.57	12.6	55.8	830
ZZ32662	3.14	21.3	0.20	2.7	0.125	1.77	41.5	45.9	1.90	824	7.95	0.23	14.3	116.5	980
ZZ32663	3.99	22.9	0.15	2.4	0.143	1.46	34.2	74.1	1.63	1270	9.63	0.43	13.4	122.5	1220
ZZ32664	3.06	20.5	0.16	2.6	0.127	1.38	36.3	61.0	1.74	983	4.74	0.37	15.1	99.9	1060
ZZ32665	3.04	20.9	0.16	2.6	0.108	1.85	30.0	56.3	1.66	724	7.20	1.08	12.0	75.6	1070
ZZ32666	3.60	22.5	0.17	2.4	0.194	1.57	47.7	65.4	1.76	1160	8.56	0.42	15.0	104.0	1120
ZZ32667	2.72	22.2	0.14	2.5	0.125	1.58	22.5	45.1	1.34	662	3.56	1.11	11.6	60.7	880
ZZ32668	2.59	24.6	0.15	2.6	0.198	1.31	30.3	62.0	4.17	1140	3.40	0.23	16.1	105.5	830
ZZ32669	3.58	26.3	0.18	2.4	0.192	1.74	41.8	79.0	2.63	1040	3.55	0.49	15.8	70.4	820
ZZ32670	10.35	28.4	0.27	1.7	0.246	1.91	31.8	64.0	1.64	1560	6.84	0.49	14.0	27.4	2280



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Pb	Pb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
ZZ32548		8.3	77.6	<0.002	0.04	0.38	12.5	1	3.3	332	0.80	<0.05	10.7	0.360	0.66	2.3
ZZ32549		8.9	102.5	0.002	0.06	0.36	10.2	1	4.1	410	0.65	0.13	11.7	0.300	0.64	2.0
ZZ32550		10.4	83.2	0.002	0.07	0.45	10.8	2	3.6	387	0.72	<0.05	10.9	0.347	0.58	4.5
ZZ32551		11.6	91.3	0.002	0.03	0.52	12.9	2	6.6	363	0.96	0.07	14.5	0.410	0.74	3.3
ZZ32552		12.0	97.4	0.002	0.04	0.55	14.0	2	7.3	364	0.97	0.15	14.4	0.415	0.67	3.5
ZZ32553		9.9	108.0	<0.002	0.03	0.53	15.2	2	6.4	401	1.01	0.10	14.0	0.379	0.66	3.4
ZZ32554		9.3	91.3	<0.002	0.03	0.54	14.1	2	6.0	383	1.02	0.17	11.9	0.365	0.65	3.2
ZZ32555		8.6	82.8	<0.002	0.05	0.60	12.0	2	5.1	313	0.77	0.13	9.4	0.313	0.58	4.1
ZZ32556		8.7	138.5	<0.002	0.05	0.55	14.3	2	5.7	274	0.87	0.18	12.2	0.348	0.72	3.2
ZZ32557		8.9	105.0	0.002	0.03	0.33	14.5	2	5.7	356	0.99	0.40	13.4	0.368	0.74	2.4
ZZ32558		10.9	90.0	<0.002	0.07	0.54	13.9	2	4.6	309	1.00	0.05	11.1	0.370	0.58	2.9
ZZ32559		9.7	122.5	<0.002	0.02	0.43	16.1	2	6.1	404	0.97	0.06	15.8	0.382	0.71	2.3
ZZ32560		9.9	101.0	<0.002	0.02	0.21	14.4	2	4.1	436	0.97	<0.05	13.0	0.380	0.74	2.1
ZZ32561		11.9	85.0	<0.002	0.05	0.29	14.0	2	3.1	303	0.88	0.09	11.1	0.355	0.65	1.8
ZZ32562		12.4	99.8	<0.002	0.04	0.47	14.9	2	4.7	320	1.04	0.06	11.4	0.425	0.68	2.1
ZZ32563		11.4	68.9	<0.002	0.05	0.53	12.2	2	2.6	419	0.77	<0.05	8.0	0.417	0.42	1.9
ZZ32564		13.9	91.5	<0.002	0.05	0.43	16.1	2	6.8	266	1.08	<0.05	13.1	0.452	0.83	2.1
ZZ32565		17.9	81.8	<0.002	0.06	0.68	13.9	2	4.3	238	1.00	<0.05	10.4	0.415	0.65	2.1
ZZ32566		13.1	106.5	<0.002	0.03	0.48	17.7	2	5.5	338	1.12	<0.05	13.0	0.454	0.97	1.9
ZZ32567		13.9	67.6	<0.002	0.03	0.29	16.6	2	8.7	374	1.18	<0.05	11.5	0.471	0.85	2.0
ZZ32651		5.1	67.7	<0.002	0.08	0.51	8.0	2	4.5	244	0.76	0.16	8.8	0.229	0.32	4.8
ZZ32652		8.8	84.0	0.002	0.11	0.61	10.6	2	4.7	180.5	0.85	0.22	10.3	0.321	0.40	4.3
ZZ32653		6.9	86.9	<0.002	0.15	0.40	9.1	2	3.4	336	0.63	0.21	8.7	0.279	0.46	5.3
ZZ32654		10.6	101.0	0.003	0.18	0.50	10.2	8	3.4	329	0.65	0.22	12.6	0.272	0.82	13.4
ZZ32655		9.5	99.0	0.002	0.11	0.54	11.7	4	5.3	259	0.84	0.28	12.1	0.304	0.70	10.3
ZZ32656		10.7	122.0	0.002	0.13	0.55	14.7	5	5.1	264	0.71	0.11	12.1	0.317	1.06	9.5
ZZ32657		7.3	84.1	<0.002	0.11	0.38	10.6	3	2.7	416	0.63	0.07	6.7	0.341	0.68	4.0
ZZ32658		8.5	108.0	<0.002	0.12	0.46	12.4	3	4.1	192.5	0.64	0.13	12.1	0.264	0.75	10.6
ZZ32659		9.9	131.0	<0.002	0.10	0.43	12.7	2	4.4	343	0.87	0.05	12.5	0.341	0.70	3.2
ZZ32660		7.8	115.5	<0.002	0.05	0.34	11.7	2	4.7	329	0.79	0.14	10.9	0.300	0.69	4.9
ZZ32661		9.2	138.0	<0.002	0.03	0.38	14.5	2	6.3	552	0.84	0.10	12.5	0.339	0.90	2.9
ZZ32662		7.0	105.0	<0.002	0.03	0.59	9.6	2	8.4	667	0.91	0.18	10.8	0.300	0.62	9.1
ZZ32663		47.6	107.0	0.009	0.05	0.84	10.3	2	10.0	239	0.81	1.36	9.8	0.285	0.73	9.2
ZZ32664		14.9	100.0	0.003	0.03	0.83	9.9	2	10.5	301	0.91	0.73	10.2	0.306	0.58	7.9
ZZ32665		8.7	92.8	0.002	0.04	0.64	8.9	2	6.1	377	0.76	0.24	8.7	0.286	0.58	8.1
ZZ32666		33.2	112.0	0.005	0.05	0.88	10.8	2	11.6	220	0.91	0.69	11.3	0.318	0.66	7.5
ZZ32667		8.6	68.0	<0.002	0.05	0.57	8.1	2	5.1	325	0.75	0.20	7.5	0.273	0.40	3.7
ZZ32668		12.4	96.8	0.003	0.02	0.81	10.3	2	12.2	174.5	0.97	0.22	9.8	0.335	0.48	7.0
ZZ32669		10.7	105.5	0.004	0.03	0.66	11.5	2	9.9	348	0.97	0.31	11.9	0.328	0.71	5.3
ZZ32670		8.7	116.0	0.023	0.31	1.08	10.4	6	8.1	166.5	0.70	1.03	12.3	0.283	0.93	7.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
ZZ32548		96	5.2	15.4	84	69.8
ZZ32549		72	152.5	15.7	80	66.5
ZZ32550		100	9.9	17.6	93	78.3
ZZ32551		160	20.8	20.3	139	64.2
ZZ32552		143	40.5	20.5	121	72.8
ZZ32553		134	28.4	19.9	124	79.8
ZZ32554		119	17.6	18.4	120	75.0
ZZ32555		176	16.7	16.2	142	82.5
ZZ32556		131	80.4	17.6	157	73.8
ZZ32557		113	196.5	15.7	151	68.5
ZZ32558		109	19.9	15.6	116	75.7
ZZ32559		99	16.8	19.9	92	73.5
ZZ32560		90	7.3	20.0	95	88.1
ZZ32561		94	17.0	15.7	82	71.4
ZZ32562		119	8.2	15.0	147	82.5
ZZ32563		99	4.9	14.7	98	81.7
ZZ32564		133	5.6	15.5	139	81.3
ZZ32565		123	7.1	14.4	105	70.4
ZZ32566		128	13.4	15.7	112	75.2
ZZ32567		122	9.4	15.9	140	81.6
ZZ32651		278	120.0	15.0	374	65.3
ZZ32652		172	203	14.9	139	73.7
ZZ32653		191	53.5	13.6	324	73.9
ZZ32654		511	126.5	30.4	1250	72.6
ZZ32655		588	26.9	31.7	1190	86.3
ZZ32656		682	11.1	41.0	790	77.0
ZZ32657		403	4.7	14.9	291	87.4
ZZ32658		434	7.7	26.7	383	70.6
ZZ32659		135	7.6	16.7	145	66.5
ZZ32660		272	6.4	20.5	305	81.0
ZZ32661		151	42.3	20.8	192	76.1
ZZ32662		396	16.7	26.3	305	104.5
ZZ32663		330	990	22.3	324	87.0
ZZ32664		295	244	21.6	233	94.0
ZZ32665		230	141.0	16.4	217	98.5
ZZ32666		266	470	20.8	376	90.7
ZZ32667		225	56.7	13.2	251	90.2
ZZ32668		509	141.0	31.2	194	96.7
ZZ32669		334	403	20.4	237	88.8
ZZ32670		181	2880	13.6	171	60.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
ZZ32671		0.21	0.013	0.27	6.79	2.2	1310	14.60	53.5	2.86	0.40	58.8	16.5	59	8.69	74.9
ZZ32672		0.21	0.018	0.39	6.93	11.7	2210	30.1	67.9	4.22	4.41	64.4	24.5	73	9.88	177.5
ZZ32673		0.27	0.052	0.80	5.30	43.1	1310	91.5	295	5.05	6.22	46.6	31.9	60	5.29	443
ZZ32674		0.18	0.003	0.52	5.74	1.7	2960	10.35	30.4	3.24	0.87	62.1	13.8	58	16.15	37.7
ZZ32675		0.19	0.004	1.17	4.54	3.1	2090	8.07	37.4	2.89	5.05	39.4	13.9	51	16.85	89.9
ZZ32676		0.21	0.004	0.33	6.12	37.8	1500	5.89	6.60	2.62	3.06	90.5	23.2	39	6.94	54.8
ZZ32677		0.17	0.004	0.18	5.65	11.2	2110	4.26	15.15	2.62	1.67	39.1	9.1	30	3.65	38.3
ZZ32678		0.25	0.007	0.23	6.57	11.8	950	6.93	27.9	2.67	3.46	69.2	24.5	59	9.96	137.5
ZZ32679		0.22	0.007	0.29	6.47	4.5	1290	6.41	32.0	2.37	7.83	69.0	23.5	74	11.90	132.0
ZZ32680		0.25	0.013	0.35	6.19	10.9	3520	24.3	59.4	4.86	6.83	71.1	29.6	74	13.10	154.5
ZZ32681		0.23	0.019	0.28	5.99	8.7	1540	18.30	83.6	4.26	0.85	93.2	16.3	60	8.49	88.5
ZZ32682		0.21	0.010	2.46	6.43	3.5	940	10.80	78.2	2.56	22.2	59.0	14.5	85	16.15	85.9
ZZ32683		0.20	0.007	0.68	6.49	7.5	1300	8.62	35.2	2.66	3.96	52.9	9.8	80	13.25	67.6
ZZ32684		0.20	0.013	0.66	7.06	10.3	1150	18.40	57.0	2.48	1.82	70.4	17.4	73	21.2	84.0
ZZ32685		0.21	0.013	0.66	6.73	5.9	990	15.30	71.9	3.38	1.48	84.4	11.8	74	17.10	66.8
ZZ32686		0.18	0.011	0.62	7.45	2.9	940	9.15	35.4	2.30	1.85	47.1	13.2	76	17.05	77.9
ZZ32687		0.24	0.011	0.74	6.44	8.1	970	13.90	67.8	2.62	1.16	67.8	12.0	72	12.65	77.6
ZZ32688		0.22	0.011	1.41	7.73	5.9	1010	14.45	77.8	2.16	1.49	76.9	14.8	75	14.50	116.0
ZZ32689		0.18	0.006	0.29	5.96	4.4	1260	6.33	31.3	2.06	0.49	53.9	13.3	63	10.85	46.6
ZZ32690		0.21	0.007	0.27	6.80	7.6	1290	9.78	51.8	2.74	0.47	64.4	17.2	83	10.90	61.4
ZZ32691		0.21	0.004	0.15	4.99	1.2	890	1.96	3.04	4.05	1.37	60.8	10.8	53	7.70	25.5
ZZ32692		0.16	0.005	0.21	6.09	1.4	1110	3.12	9.80	3.72	0.44	56.7	14.5	61	11.85	32.1
ZZ32693		0.18	0.005	0.36	4.96	2.4	1040	3.98	19.55	3.68	0.91	48.3	13.7	57	10.45	41.3
ZZ32694		0.21	0.003	0.31	7.01	3.5	1160	6.51	30.5	2.63	0.77	65.6	12.3	67	10.35	51.1
ZZ32695		0.24	0.031	2.73	6.50	3.5	840	21.3	132.0	2.29	0.61	54.9	14.1	74	13.05	198.0
ZZ32696		0.18	0.020	1.44	6.28	6.8	570	18.00	96.9	2.59	1.33	71.4	16.5	59	14.15	232
ZZ32697		0.21	0.030	4.05	6.56	7.3	680	21.1	249	2.67	4.66	90.1	22.1	65	16.75	344
ZZ32698		0.21	0.016	1.68	6.35	75.6	780	13.05	88.5	2.80	1.67	68.8	16.3	67	20.1	160.5
ZZ32699		0.17	0.014	1.00	7.17	6.4	870	9.81	64.7	2.01	1.94	49.7	19.7	39	10.05	188.0
ZZ32700		0.20	0.017	1.59	6.58	3.2	930	15.60	112.0	2.22	1.38	67.5	15.1	68	14.95	157.5
ZZ33818		0.19	0.025	2.69	7.18	22.9	1030	19.85	166.0	2.18	1.26	66.8	17.8	78	21.5	208
ZZ33819		0.23	0.020	0.37	7.62	4.2	700	19.55	87.0	3.64	0.45	77.3	14.1	83	14.05	103
ZZ33820		0.28	0.014	0.73	7.16	12.8	1000	14.95	45.3	3.15	2.35	91.7	17.5	71	16.20	105.0
ZZ32767		0.26	0.018	0.70	6.15	15.6	790	74.6	89.1	3.26	8.62	64.7	28.3	93	38.7	203
ZZ32768		0.35	0.007	0.30	6.57	5.2	1390	11.65	30.8	2.56	0.58	72.0	12.7	89	11.80	62.2
ZZ32769		0.31	0.010	0.52	6.59	5.7	730	16.55	47.8	2.56	13.90	86.8	46.1	81	41.2	180.5
ZZ32770		0.23	0.004	0.81	6.45	4.5	1240	13.80	43.1	1.91	23.2	61.1	15.1	74	15.20	83.7
ZZ32771		0.27	0.022	11.60	5.61	3.8	840	185.5	261	2.01	39.8	78.1	18.0	64	25.3	395
ZZ32772		0.27	0.005	0.83	6.74	6.8	1180	18.70	27.7	2.11	3.14	83.3	13.3	62	13.10	56.4
ZZ32773		0.27	0.004	1.98	6.07	6.2	1040	22.5	41.0	2.84	25.6	80.7	18.8	73	32.6	130.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
ZZ32671	4.05	25.5	0.16	2.4	0.194	1.59	28.4	60.2	2.19	1420	6.01	0.43	17.6	71.0	510
ZZ32672	5.56	26.5	0.21	2.2	0.399	2.12	35.8	66.4	2.15	1920	6.08	0.49	15.1	51.7	2690
ZZ32673	9.84	32.3	0.23	1.4	0.742	0.79	23.6	30.7	1.56	4530	43.8	0.16	15.5	124.0	1820
ZZ32674	2.66	21.6	0.19	2.7	0.137	1.75	30.7	74.3	3.68	997	7.29	0.41	12.2	123.0	990
ZZ32675	2.75	18.75	0.18	2.1	0.168	1.38	23.1	63.0	3.28	1970	12.20	0.22	7.5	139.0	1390
ZZ32676	3.77	18.40	0.25	3.8	0.080	1.72	48.9	27.9	1.72	1000	10.70	1.23	19.0	201	3360
ZZ32677	2.33	17.30	0.17	2.3	0.101	1.58	20.3	30.6	1.69	445	6.50	1.20	9.1	88.7	1270
ZZ32678	3.98	20.5	0.20	2.0	0.192	1.43	35.6	42.4	1.29	752	19.75	0.36	11.6	159.5	1290
ZZ32679	3.55	19.35	0.20	2.0	0.184	1.55	37.3	56.6	1.57	780	19.95	0.68	13.8	148.0	1170
ZZ32680	4.94	23.1	0.23	2.6	0.396	2.10	38.4	64.0	3.22	1850	8.56	0.34	19.2	137.5	1750
ZZ32681	4.13	22.3	0.20	2.3	0.228	1.80	52.2	50.8	2.22	1660	4.64	0.47	17.8	59.6	1390
ZZ32682	3.55	25.5	0.18	2.4	0.515	1.66	34.7	67.2	1.71	2570	4.65	0.30	13.0	131.0	1310
ZZ32683	3.19	20.9	0.18	2.1	0.208	1.87	29.1	66.8	1.72	713	4.10	0.37	13.5	75.3	1000
ZZ32684	4.22	23.9	0.22	1.9	0.231	2.11	39.9	92.1	1.83	1400	3.44	0.65	13.3	64.8	800
ZZ32685	4.09	23.6	0.23	1.9	0.247	1.77	47.4	73.1	1.83	1190	3.00	0.49	15.2	48.5	600
ZZ32686	3.63	23.3	0.19	2.1	0.138	2.00	28.3	80.5	1.73	645	2.41	0.63	12.1	52.3	820
ZZ32687	3.84	22.2	0.19	1.9	0.221	1.66	35.7	62.8	1.55	1060	4.54	0.55	14.3	45.1	1170
ZZ32688	4.33	25.5	0.22	2.1	0.216	2.00	41.5	84.8	1.60	935	3.36	0.60	15.3	46.1	650
ZZ32689	3.15	18.70	0.17	1.7	0.115	1.66	28.3	60.9	1.57	584	5.07	0.50	11.7	50.1	1110
ZZ32690	3.94	21.9	0.20	1.8	0.164	1.78	34.9	65.5	1.87	876	4.58	0.50	13.6	59.7	970
ZZ32691	2.46	14.30	0.20	1.2	0.048	1.54	31.5	49.1	1.14	669	0.98	0.51	9.5	23.4	1550
ZZ32692	3.13	17.80	0.20	1.6	0.056	1.92	31.8	76.0	1.64	514	1.38	0.59	11.1	31.5	920
ZZ32693	3.10	14.95	0.17	1.3	0.067	1.60	27.8	56.8	1.37	669	3.23	0.45	9.1	35.0	1310
ZZ32694	3.36	21.6	0.20	2.0	0.105	2.08	33.3	63.8	1.57	549	2.29	0.98	12.8	43.4	780
ZZ32695	5.05	27.0	0.20	1.9	0.199	1.51	30.9	66.1	1.50	1180	7.23	0.44	15.3	46.8	1350
ZZ32696	5.37	23.3	0.23	1.5	0.293	1.42	42.7	61.8	1.39	1300	3.97	0.47	12.6	38.0	1090
ZZ32697	7.69	26.3	0.27	1.6	0.434	1.55	53.8	74.6	1.58	1480	6.08	0.46	15.1	50.8	990
ZZ32698	4.89	23.8	0.20	1.8	0.247	1.64	41.5	82.4	1.86	1180	7.51	0.36	13.7	54.5	920
ZZ32699	3.99	21.6	0.20	2.3	0.128	1.92	26.9	49.3	1.07	804	12.80	1.67	9.4	50.1	970
ZZ32700	4.91	22.1	0.20	2.2	0.177	1.77	38.5	61.5	1.59	818	6.15	0.48	15.8	51.2	1030
ZZ33818	5.34	26.2	0.23	2.0	0.200	2.06	39.0	100.5	1.94	1140	13.70	0.58	15.0	100.5	920
ZZ33819	4.63	27.1	0.23	1.9	0.273	1.45	46.0	72.9	1.89	1500	2.82	0.62	14.1	35.9	990
ZZ33820	4.67	24.8	0.25	1.9	0.286	1.92	51.8	87.3	1.79	1830	3.75	0.89	13.5	48.5	900
ZZ32767	8.04	33.7	0.27	1.7	0.331	2.50	36.4	102.5	2.25	3090	4.32	0.37	27.9	105.0	1650
ZZ32768	3.47	20.4	0.19	2.1	0.141	1.85	41.7	81.7	2.18	863	3.78	0.56	14.9	55.4	710
ZZ32769	7.42	28.6	0.30	1.8	0.248	2.75	43.8	102.0	1.96	2240	10.60	0.76	25.1	125.5	2030
ZZ32770	3.97	22.3	0.21	1.9	0.182	1.82	32.9	69.5	1.51	1010	5.97	0.81	15.5	54.2	2260
ZZ32771	7.92	22.3	0.22	1.8	1.085	1.86	49.1	99.1	1.90	2530	13.70	0.72	19.0	135.0	1430
ZZ32772	3.76	19.05	0.15	1.9	0.138	1.64	42.9	62.5	1.72	687	4.61	0.79	14.1	61.1	1290
ZZ32773	5.43	22.7	0.24	2.3	0.650	2.18	45.8	112.0	3.54	1180	24.6	0.43	18.8	110.0	1920



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		Pb	Pb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	
ZZ32671	6.2	83.3	0.006	0.04	0.29	11.0	2	7.8	221	1.02	0.22	9.1	0.328	0.61	4.2	
ZZ32672	7.8	115.0	0.006	0.04	0.91	13.3	3	14.6	385	0.87	0.29	12.2	0.361	0.83	13.8	
ZZ32673	6.0	52.5	0.041	0.04	2.34	7.5	6	17.0	345	0.62	1.07	7.0	0.241	0.65	39.6	
ZZ32674	28.7	125.5	0.003	0.07	0.60	10.9	2	12.8	197.0	0.71	0.19	9.5	0.305	0.82	10.5	
ZZ32675	49.3	117.5	0.005	0.09	0.72	8.8	3	11.1	168.5	0.47	0.29	8.3	0.184	0.80	16.6	
ZZ32676	13.8	83.3	0.002	0.08	0.30	13.8	3	5.3	344	0.97	0.06	9.1	0.454	0.56	15.7	
ZZ32677	7.5	57.3	0.002	0.10	0.38	7.4	2	4.6	352	0.56	0.09	6.2	0.255	0.35	7.0	
ZZ32678	8.0	76.1	0.005	0.08	0.65	8.8	4	5.2	291	0.71	0.15	12.3	0.242	0.43	9.2	
ZZ32679	14.8	75.7	0.002	0.09	0.60	11.1	3	6.1	245	0.91	0.19	12.4	0.303	0.52	11.6	
ZZ32680	11.2	138.0	0.007	0.04	0.87	11.4	4	15.8	385	1.05	0.32	10.7	0.402	0.84	13.2	
ZZ32681	8.7	95.6	0.011	0.03	0.95	11.4	2	9.5	318	0.93	0.40	12.6	0.341	0.67	8.5	
ZZ32682	71.3	138.0	<0.002	0.07	1.04	11.5	2	25.8	189.0	0.76	0.41	11.9	0.268	0.94	7.3	
ZZ32683	16.1	115.0	0.002	0.07	0.71	10.9	2	12.0	224	0.81	0.23	11.1	0.281	0.77	5.5	
ZZ32684	15.6	183.0	0.003	0.05	0.78	12.4	2	15.2	256	0.77	0.33	12.0	0.291	1.00	4.4	
ZZ32685	22.8	139.0	0.007	0.04	1.03	12.8	2	17.2	335	0.88	0.37	13.9	0.314	0.82	4.0	
ZZ32686	13.2	145.0	0.002	0.07	0.54	13.0	2	7.4	289	0.76	0.24	11.0	0.305	0.92	3.8	
ZZ32687	18.1	115.0	0.006	0.08	1.17	12.1	2	14.8	233	0.86	0.39	12.4	0.307	0.70	4.3	
ZZ32688	26.3	129.5	0.010	0.06	1.63	13.2	2	13.7	255	0.88	0.45	13.5	0.328	0.92	3.9	
ZZ32689	9.7	93.7	0.002	0.09	0.67	10.8	2	6.4	197.5	0.74	0.25	8.8	0.284	0.70	3.6	
ZZ32690	19.7	106.0	0.005	0.07	1.02	12.7	2	9.2	229	0.86	0.34	11.2	0.331	0.74	4.4	
ZZ32691	9.6	80.1	<0.002	0.13	0.34	9.9	2	3.3	229	0.63	<0.05	9.1	0.252	0.47	1.9	
ZZ32692	11.7	95.2	<0.002	0.11	0.27	11.2	2	3.1	243	0.70	0.08	9.9	0.264	0.67	2.7	
ZZ32693	12.8	85.1	0.003	0.14	0.40	9.5	2	3.9	215	0.56	0.14	8.3	0.223	0.61	5.7	
ZZ32694	16.9	91.0	0.004	0.06	0.58	11.6	2	6.1	295	0.79	0.19	11.1	0.308	0.64	2.9	
ZZ32695	29.5	112.5	0.006	0.11	0.91	11.5	3	14.3	235	0.89	0.90	11.1	0.287	0.70	4.6	
ZZ32696	25.5	122.5	0.008	0.08	0.79	11.9	3	13.8	303	0.72	0.69	11.4	0.273	0.75	4.0	
ZZ32697	79.6	139.0	0.014	0.14	1.19	12.2	4	20.7	247	0.81	1.23	15.7	0.282	0.91	6.0	
ZZ32698	38.2	150.0	0.005	0.09	2.25	12.8	3	14.7	197.5	0.81	0.57	12.2	0.301	0.88	6.1	
ZZ32699	29.8	92.1	0.005	0.11	1.15	8.3	3	5.5	431	0.55	0.37	8.0	0.252	0.58	5.9	
ZZ32700	33.3	129.5	0.009	0.13	1.32	11.7	3	13.5	204	0.88	0.79	11.0	0.324	0.85	4.6	
ZZ33818	53.5	175.5	0.010	0.12	2.78	12.0	3	17.9	220	0.85	0.98	12.6	0.291	1.09	9.2	
ZZ33819	12.5	86.3	0.005	0.04	1.35	13.9	2	11.6	402	0.82	0.51	13.6	0.334	0.66	3.6	
ZZ33820	25.8	121.5	0.008	0.04	1.03	13.3	3	25.4	322	0.82	0.31	12.7	0.346	0.91	4.5	
ZZ32767	12.4	239	0.012	0.02	1.00	25.4	4	25.5	112.0	1.24	0.39	8.7	1.070	2.64	6.2	
ZZ32768	11.7	102.5	0.004	0.02	0.68	12.1	2	10.2	263	0.95	0.20	12.5	0.351	0.82	5.2	
ZZ32769	14.3	292	0.003	0.05	0.66	25.5	5	13.4	130.5	1.44	0.24	9.7	1.140	3.01	8.7	
ZZ32770	23.6	126.0	0.003	0.08	0.74	14.5	3	7.6	179.5	0.99	0.18	10.5	0.446	0.97	5.7	
ZZ32771	162.0	197.0	0.028	0.13	1.29	12.9	4	24.5	154.0	0.98	1.32	9.5	0.563	1.67	19.8	
ZZ32772	19.5	100.0	0.004	0.06	0.72	12.7	2	7.3	221	0.89	0.16	10.8	0.426	0.76	4.0	
ZZ32773	30.9	215	0.005	0.08	2.46	16.8	4	31.7	143.0	1.13	0.28	9.3	0.661	2.42	7.3	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
ZZ32671		313	670	17.3	281	94.8
ZZ32672		153	620	19.9	682	79.5
ZZ32673		343	4100	20.4	891	55.9
ZZ32674		497	20.4	29.9	209	100.0
ZZ32675		518	29.2	34.4	481	75.4
ZZ32676		280	17.5	35.0	595	153.0
ZZ32677		306	19.4	16.2	621	81.2
ZZ32678		225	421	18.9	778	74.2
ZZ32679		315	53.0	17.5	1820	71.7
ZZ32680		507	550	30.5	841	106.0
ZZ32681		309	1030	23.1	222	89.3
ZZ32682		313	95.9	27.8	1480	89.7
ZZ32683		282	175.5	17.1	788	75.7
ZZ32684		205	315	16.3	620	69.4
ZZ32685		203	650	16.7	349	67.6
ZZ32686		185	141.0	13.7	276	74.3
ZZ32687		197	580	15.0	356	67.3
ZZ32688		172	910	14.8	284	75.6
ZZ32689		193	196.0	13.4	178	62.7
ZZ32690		231	402	16.0	228	62.5
ZZ32691		66	26.1	19.5	121	40.9
ZZ32692		90	89.1	16.1	108	55.1
ZZ32693		115	206	16.6	145	47.5
ZZ32694		146	361	14.9	214	72.2
ZZ32695		192	570	14.2	269	64.3
ZZ32696		117	780	16.1	323	54.4
ZZ32697		149	1380	18.4	788	58.8
ZZ32698		190	411	19.5	376	65.7
ZZ32699		139	460	12.0	339	84.8
ZZ32700		225	880	16.2	281	79.1
ZZ33818		256	930	18.7	353	72.5
ZZ33819		124	530	15.1	285	67.8
ZZ33820		171	740	18.8	418	68.1
ZZ32767		732	1180	37.1	763	69.2
ZZ32768		336	323	18.6	252	72.2
ZZ32769		667	167.5	39.6	1560	82.8
ZZ32770		203	232	19.8	748	66.7
ZZ32771		301	3480	45.3	3150	66.3
ZZ32772		183	372	20.1	372	63.1
ZZ32773		399	373	43.4	2120	86.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
ZZ32774		0.27	0.003	0.59	6.21	34.8	1240	10.10	14.65	3.14	3.23	54.7	24.7	58	24.5	78.6
ZZ32775		0.29	0.006	0.47	6.15	7.4	1210	23.7	42.9	2.85	4.10	94.6	15.9	61	21.7	79.3
ZZ32776		0.28	0.003	0.42	6.44	5.4	1290	11.85	31.3	2.93	3.00	70.6	12.6	64	13.70	55.0
ZZ32777		0.27	0.003	0.47	6.63	8.6	1400	9.62	35.5	2.74	4.18	86.1	14.8	72	18.30	72.2
ZZ32778		0.27	0.004	0.43	6.79	8.2	1120	6.30	23.7	2.30	2.10	67.0	14.8	65	14.45	61.9
ZZ32779		0.22	0.002	0.31	6.94	6.2	1100	4.55	14.00	2.34	0.92	62.1	11.5	47	9.32	40.4
ZZ32780		0.23	0.003	0.27	6.44	8.0	1320	5.64	20.5	2.76	1.29	75.1	12.7	65	17.00	38.3
ZZ32781		0.26	0.003	0.39	7.17	8.7	1250	6.91	32.4	2.31	1.83	92.7	16.6	67	18.20	66.2
ZZ32782		0.25	0.002	0.25	7.00	7.1	1090	3.77	7.63	2.20	0.51	61.8	11.2	48	11.65	29.6
ZZ32783		0.28	0.001	0.21	6.97	7.4	1030	4.82	8.67	2.08	0.33	80.8	15.0	61	21.1	43.2
ZZ32784		0.28	0.002	0.21	6.79	10.5	1300	4.32	9.88	2.50	0.99	92.1	15.6	68	15.70	37.9
ZZ32785		0.29	0.002	0.39	6.69	6.5	1000	4.12	14.25	1.86	0.42	54.4	8.4	34	7.65	41.2
ZZ32786		0.22	0.003	0.50	6.52	7.9	1070	6.71	35.0	1.87	1.95	60.3	10.8	54	12.45	65.3
ZZ32787		0.21	0.002	0.32	6.91	2.9	830	3.08	12.10	2.11	0.67	43.0	7.8	16	4.32	38.0
ZZ32788		0.17	0.005	0.56	6.79	6.1	980	5.06	22.6	2.45	2.09	56.6	10.0	36	9.29	55.4
ZZ32789		0.30	0.009	0.32	7.49	7.4	1100	10.65	40.7	2.39	0.81	49.5	13.8	70	16.90	57.1
ZZ32790		0.19	0.007	0.18	8.08	10.3	1100	6.98	22.4	2.15	0.19	47.4	16.1	81	17.45	43.9
ZZ32791		0.25	0.004	0.16	7.51	7.5	1270	5.03	11.75	1.93	0.27	83.3	15.5	79	16.15	33.7
ZZ32792		0.33	0.006	0.19	7.70	8.4	1220	5.82	20.5	2.45	0.42	90.5	16.1	75	15.45	48.1
ZZ32793		0.25	0.005	0.16	7.53	4.8	1090	4.44	11.20	2.98	0.29	111.5	16.2	64	13.20	43.5
ZZ32794		0.27	0.002	0.14	7.93	3.9	1000	3.06	4.50	2.97	0.28	76.9	16.8	62	11.65	43.9
ZZ32795		0.24	0.005	0.14	7.90	2.7	870	2.74	2.19	2.85	0.14	81.4	15.4	58	12.65	30.6
ZZ32796		0.18	0.002	0.16	7.91	3.8	960	2.98	5.26	2.61	0.27	63.6	14.9	65	15.25	28.2
ZZ32797		0.28	0.002	0.18	7.80	5.8	1120	2.35	1.98	2.38	0.41	78.3	15.8	76	13.90	22.5
ZZ32798		0.26	0.002	0.20	7.76	5.6	1120	2.55	1.24	2.35	0.30	71.3	16.2	77	16.85	25.0
ZZ32799		0.27	0.002	0.16	7.89	3.7	1020	2.93	5.34	2.55	0.27	83.3	15.5	75	15.15	24.9
ZZ32800		0.24	0.003	0.15	7.73	2.6	770	4.13	7.76	2.42	0.14	58.7	14.6	73	14.50	35.0
ZZ32501		0.21	0.005	0.17	7.84	4.6	690	3.71	8.35	2.98	0.08	50.0	14.5	76	18.50	29.1
ZZ32502		0.23	0.004	0.14	7.69	1.6	710	3.86	5.59	3.02	0.10	76.0	16.1	74	17.90	36.7
ZZ32503		0.31	0.003	0.13	7.99	3.8	760	3.42	4.82	3.50	0.11	82.7	16.4	71	16.90	31.8
ZZ32504		0.31	0.005	0.15	8.08	1.8	780	3.84	8.43	3.63	0.11	98.9	13.8	71	11.85	32.4
ZZ32505		0.25	0.008	0.13	7.97	3.2	860	4.05	10.65	2.97	0.14	85.4	16.3	75	14.60	42.5
ZZ32506		0.23	0.002	0.13	7.06	4.3	960	2.44	1.99	2.09	0.26	75.7	11.2	64	9.69	20.9
ZZ32507		0.18	0.001	0.08	8.10	5.6	1120	3.10	7.19	2.56	0.25	46.2	13.4	75	11.80	40.6
ZZ32508		0.25	0.005	0.07	7.03	2.8	1080	2.28	2.98	2.34	0.31	61.3	11.7	62	8.57	27.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
ZZ32774	5.87	20.1	0.22	1.4	0.119	2.91	27.7	123.0	3.51	807	8.36	0.62	16.1	39.6	1340
ZZ32775	4.81	20.1	0.19	2.1	0.185	1.81	49.0	68.8	2.14	1140	6.59	0.80	17.8	65.0	1310
ZZ32776	3.94	20.2	0.17	2.3	0.160	1.93	36.4	79.4	2.37	842	5.69	0.95	15.9	63.5	1170
ZZ32777	4.80	21.2	0.21	2.2	0.165	2.12	45.2	77.8	2.47	777	11.30	0.67	17.1	98.4	1500
ZZ32778	3.84	20.5	0.15	2.2	0.107	1.88	34.6	66.1	1.75	659	7.26	0.87	12.9	87.1	1250
ZZ32779	3.22	20.4	0.16	2.5	0.078	1.92	33.0	51.4	1.44	590	5.25	1.44	11.7	52.6	1140
ZZ32780	3.45	18.75	0.17	1.9	0.096	1.81	38.6	66.8	2.43	626	4.11	0.67	13.8	53.6	1080
ZZ32781	4.80	22.4	0.20	2.0	0.152	2.03	45.9	75.8	2.01	825	8.13	0.76	16.5	70.1	1450
ZZ32782	3.59	21.2	0.18	2.3	0.076	1.88	31.2	67.9	1.59	607	3.38	1.30	13.6	32.9	960
ZZ32783	4.98	23.1	0.23	1.9	0.091	2.04	40.0	93.5	1.99	658	3.70	0.99	20.5	35.1	1870
ZZ32784	3.92	21.2	0.20	2.1	0.091	1.91	49.8	76.0	1.78	741	5.43	0.81	15.5	51.4	1350
ZZ32785	2.72	19.65	0.15	2.5	0.075	1.74	30.8	43.7	1.08	550	3.49	1.55	10.1	26.5	1140
ZZ32786	4.03	23.0	0.17	2.1	0.123	1.74	32.3	60.5	1.37	693	3.64	0.92	13.5	31.2	1230
ZZ32787	2.28	19.25	0.14	2.8	0.066	1.84	23.6	32.1	0.77	636	2.37	2.15	7.2	12.6	850
ZZ32788	2.86	19.50	0.16	2.3	0.095	1.77	33.5	52.3	1.16	626	3.05	1.48	10.0	29.4	1010
ZZ32789	3.86	24.3	0.17	2.3	0.175	1.79	27.3	92.3	2.05	917	4.59	0.84	12.6	52.9	970
ZZ32790	4.24	26.4	0.19	2.2	0.163	1.67	25.9	112.0	2.35	898	3.03	0.75	13.5	58.9	1040
ZZ32791	4.10	23.3	0.20	2.1	0.093	1.75	45.4	86.2	1.89	673	2.23	0.72	15.9	43.3	1370
ZZ32792	4.23	23.3	0.21	2.1	0.122	1.83	48.9	87.5	1.98	923	2.57	0.86	14.4	44.9	990
ZZ32793	3.97	22.2	0.22	2.2	0.103	1.87	61.8	72.6	1.86	701	1.83	0.87	14.6	42.5	790
ZZ32794	3.72	22.7	0.20	2.3	0.069	1.83	41.1	80.1	1.71	614	1.49	1.15	13.5	45.1	920
ZZ32795	3.57	23.5	0.22	2.2	0.051	2.10	42.8	83.5	1.70	418	1.00	1.11	12.6	33.9	770
ZZ32796	3.61	22.8	0.20	2.3	0.058	1.84	33.9	111.0	1.84	515	1.17	1.08	13.5	38.9	1030
ZZ32797	3.82	22.8	0.20	2.0	0.052	1.66	38.4	104.0	2.03	416	1.90	0.84	15.6	47.1	740
ZZ32798	3.99	23.3	0.20	1.9	0.058	1.95	33.8	108.0	2.09	480	2.09	0.82	14.8	49.3	650
ZZ32799	3.74	23.2	0.21	1.9	0.061	1.89	42.3	105.0	1.99	463	1.14	0.73	14.2	42.6	910
ZZ32800	3.52	22.4	0.19	1.9	0.067	1.64	36.9	89.4	1.82	516	0.70	0.51	11.9	40.1	890
ZZ32501	3.73	23.8	0.20	1.8	0.091	1.71	30.8	99.1	2.02	460	0.55	0.46	12.4	38.2	650
ZZ32502	3.92	24.0	0.20	2.0	0.070	1.92	40.1	113.0	2.12	444	0.55	0.52	13.1	41.4	610
ZZ32503	3.76	23.9	0.21	2.0	0.093	2.01	47.9	97.0	1.97	450	0.52	0.46	14.3	40.5	760
ZZ32504	3.70	23.4	0.21	2.1	0.103	1.97	59.7	83.9	1.94	447	0.46	0.49	13.8	38.7	690
ZZ32505	3.87	24.8	0.21	2.0	0.098	1.87	46.7	93.7	2.01	549	0.76	0.66	13.3	41.3	610
ZZ32506	3.11	20.6	0.18	2.1	0.053	1.57	40.7	74.8	1.49	516	1.89	0.96	12.6	32.8	1460
ZZ32507	3.70	22.4	0.15	2.1	0.067	1.75	25.7	91.6	1.76	492	1.44	0.91	11.8	44.1	1080
ZZ32508	3.21	19.90	0.16	2.1	0.055	1.69	32.1	68.2	1.48	497	1.47	1.06	11.6	33.7	1170

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Pb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
ZZ32774		9.6	155.0	0.003	0.07	74.4	25.1	3	8.0	167.0	0.96	0.10	4.8	0.977	1.41	5.0
ZZ32775		21.5	126.0	0.009	0.06	7.71	15.0	3	11.5	233	1.08	0.24	10.8	0.610	1.23	7.0
ZZ32776		16.4	106.0	0.006	0.06	0.78	13.5	2	8.2	247	0.99	0.16	9.2	0.517	1.00	5.5
ZZ32777		18.2	137.5	0.007	0.06	1.34	15.6	3	9.3	211	1.07	0.19	10.6	0.578	1.29	6.1
ZZ32778		14.1	113.0	0.003	0.07	0.94	12.3	3	6.3	236	0.83	0.18	10.0	0.390	0.97	5.7
ZZ32779		12.3	85.5	0.002	0.05	1.01	11.2	2	4.9	360	0.79	0.12	8.5	0.387	0.72	4.1
ZZ32780		28.3	108.5	0.002	0.04	1.99	13.6	2	6.8	222	1.01	0.12	10.6	0.438	0.77	4.3
ZZ32781		19.4	135.0	0.004	0.06	1.73	15.7	3	10.1	215	1.05	0.23	11.3	0.551	1.19	4.4
ZZ32782		18.4	82.6	<0.002	0.04	1.86	12.9	2	5.4	316	0.99	0.07	8.4	0.492	0.74	2.8
ZZ32783		16.0	127.0	<0.002	0.04	1.75	18.1	3	6.4	196.0	1.33	0.10	8.3	0.773	1.00	2.4
ZZ32784		17.1	123.5	<0.002	0.07	2.63	15.3	3	6.6	215	1.02	0.10	11.4	0.533	0.97	4.1
ZZ32785		13.0	75.1	<0.002	0.07	1.07	9.2	2	4.8	366	0.69	0.13	7.8	0.322	0.48	2.8
ZZ32786		18.0	101.0	0.004	0.08	1.36	11.9	2	8.2	237	0.88	0.27	8.9	0.432	0.64	2.8
ZZ32787		11.3	58.6	<0.002	0.07	0.60	6.7	2	2.7	488	0.49	0.11	6.3	0.252	0.35	2.2
ZZ32788		16.2	83.5	<0.002	0.07	0.93	9.4	2	5.4	352	0.67	0.16	8.5	0.300	0.52	2.9
ZZ32789		14.8	99.6	<0.002	0.05	0.78	12.7	2	8.1	268	0.87	0.26	9.3	0.362	0.79	3.7
ZZ32790		12.5	86.0	<0.002	0.04	0.62	14.8	2	7.0	228	0.87	0.19	9.5	0.383	0.75	4.0
ZZ32791		14.8	109.0	<0.002	0.08	0.89	15.7	2	6.7	183.0	1.07	0.14	12.6	0.472	0.73	3.4
ZZ32792		14.3	109.0	0.002	0.05	0.62	15.1	2	7.5	260	0.96	0.18	13.0	0.455	0.77	3.3
ZZ32793		12.3	115.5	0.002	0.03	0.60	15.4	2	5.5	342	0.96	0.18	14.3	0.443	0.72	2.7
ZZ32794		12.7	84.9	<0.002	0.05	0.47	13.1	2	4.4	379	0.88	0.07	10.8	0.380	0.58	2.4
ZZ32795		11.1	102.5	<0.002	0.02	0.34	12.9	2	3.7	421	0.83	<0.05	12.4	0.369	0.70	2.0
ZZ32796		13.9	95.1	<0.002	0.05	0.47	13.6	2	4.9	356	0.91	0.05	10.0	0.398	0.74	2.2
ZZ32797		18.0	71.2	<0.002	0.04	0.65	15.1	2	4.8	270	1.04	<0.05	10.9	0.485	0.76	2.1
ZZ32798		19.2	92.9	<0.002	0.03	0.65	14.4	2	5.8	277	0.95	<0.05	10.5	0.444	0.97	2.0
ZZ32799		14.1	111.0	<0.002	0.04	0.44	14.4	2	5.5	292	0.93	<0.05	13.3	0.405	0.73	2.2
ZZ32800		8.7	100.5	<0.002	0.08	0.27	13.5	2	4.0	234	0.78	0.10	11.5	0.337	0.64	2.1
ZZ32501		9.5	127.0	<0.002	0.05	0.22	14.0	2	5.8	266	0.82	0.07	10.5	0.350	0.63	2.1
ZZ32502		8.2	107.5	<0.002	0.03	0.25	14.8	2	5.8	304	0.88	0.07	12.4	0.363	0.79	1.8
ZZ32503		9.2	117.5	<0.002	0.01	0.22	15.4	2	6.1	480	0.92	0.06	13.3	0.372	0.67	2.1
ZZ32504		9.0	107.5	<0.002	0.02	0.21	15.6	2	6.2	369	0.93	0.09	15.1	0.366	0.61	2.5
ZZ32505		8.3	89.8	<0.002	0.01	0.31	15.1	2	4.9	390	0.89	0.15	13.1	0.365	0.77	2.2
ZZ32506		13.4	81.5	<0.002	0.09	0.54	12.5	2	4.2	264	0.85	<0.05	11.2	0.371	0.50	2.4
ZZ32507		12.4	85.6	<0.002	0.06	0.53	11.8	2	4.5	341	0.85	0.09	10.3	0.346	0.74	3.0
ZZ32508		10.7	73.6	<0.002	0.06	0.48	10.7	2	4.2	323	0.86	0.05	9.5	0.351	0.59	2.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2012
 Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
ZZ32774		233	190.5	28.6	405	45.1
ZZ32775		249	980	27.2	536	74.8
ZZ32776		262	580	24.7	531	80.5
ZZ32777		339	710	33.6	644	75.1
ZZ32778		244	223	22.2	380	78.3
ZZ32779		189	191.5	18.8	205	85.3
ZZ32780		180	204	25.2	261	60.4
ZZ32781		246	340	26.1	414	72.8
ZZ32782		154	60.5	17.3	194	75.4
ZZ32783		168	66.9	28.8	158	68.0
ZZ32784		201	90.6	25.5	215	71.5
ZZ32785		121	91.5	14.1	127	84.7
ZZ32786		147	410	14.9	237	70.7
ZZ32787		57	24.9	10.1	125	96.0
ZZ32788		102	56.0	15.6	228	78.6
ZZ32789		172	85.6	16.4	269	73.3
ZZ32790		168	27.7	16.9	222	73.8
ZZ32791		149	79.4	20.4	158	69.9
ZZ32792		146	132.5	19.1	183	67.0
ZZ32793		121	178.5	23.4	135	71.5
ZZ32794		108	16.9	21.7	122	79.3
ZZ32795		96	14.8	16.1	106	76.8
ZZ32796		114	10.4	18.4	146	77.7
ZZ32797		157	10.3	16.5	147	66.8
ZZ32798		159	7.2	15.9	161	66.5
ZZ32799		143	6.7	16.8	139	64.7
ZZ32800		106	14.8	15.4	117	62.6
ZZ32501		95	7.5	14.9	132	62.0
ZZ32502		94	30.8	16.2	109	63.9
ZZ32503		103	7.4	19.4	114	67.4
ZZ32504		106	25.9	21.6	124	66.3
ZZ32505		110	74.2	17.6	105	66.7
ZZ32506		112	44.4	15.9	116	71.3
ZZ32507		136	12.2	16.5	143	73.8
ZZ32508		117	8.9	16.5	112	73.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- SEP- 2012
Account: MTT

Project: HIDDEN

CERTIFICATE OF ANALYSIS WH12206287


Method	CERTIFICATE COMMENTS
ME- MS61	REE's may not be totally soluble in this method.



- Historical drill hole
- Trench
- Mineral showing
- Skarn zone (approximate)
- Geological boundary - defined, approximate
- Fault - defined with dip direction
- Bedding orientation
- Anticline
- Syncline

- CRETACEOUS AND/OR TERTIARY**
- KTfp Dacite porphyry dikes - dark brown, with vesicles and calcite filled amygdulites
 - Kqm Nisutlin Batholith - quartz monzonite
- UPPER DEVONIAN AND MISSISSIPPIAN**
- uDMs Slate - Minor Siltstone - black, non-calcareous
- ORDOVICIAN, SILURIAN AND DEVONIAN**
- Sd Sandy Dolomite - massive, light grey and tremolite - diopside skarn; interbedded massive grey quartzite
 - OSs Slate, black, graptolitic, weathers rusty
 - OSDqc Limestone, light grey, "wavy banded", pellet texture, with interbedded green-grey silty shale
 - OSsl Graphitic limestone and black calcareous shale
 - Osc Banded Dolomite - white, massive, with thin black bands

- Geological boundary - defined, approximate
 - Fault - defined with dip direction
 - Bedding orientation
 - Anticline
 - Syncline
- Cretaceous and/or Tertiary**
- KTfp Dacite porphyry dikes
 - Kqm Quartz monzonite
- Upper Devonian and Mississippian**
- uDMs Slate
- Ordovician, Silurian and Devonian**
- Sd Sandy dolomite
 - OSs Slate
 - OSDqc Limestone
 - OSsl Limestone and shale
 - Osc Banded dolomite



STRATEGIC METALS LTD.
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 FIGURE 5
PROPERTY GEOLOGY
 HIDDEN PROPERTY

0 500m
 UTM ZONE 8, NAD 83, 105F/06, Contour line intervals 20 m

FILE: 2012/HIDDEN/F5-PropertyGeology.wor DATE: MAY 2013