



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 26-JUN-2012

Account: RANSIL

CERTIFICATE WH12138330

Project: Keg-Hammer

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-JUN-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**

ATTN: JOAN MARIACHER

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay on sample L845506 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUN-2012
Account: RANSIL

Project: Keg-Hammer

CERTIFICATE OF ANALYSIS WH12138330

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L845501		7.92	<0.005		7	0.15	7.44	0.9	520	7.27	0.91	1.09	0.07	66.7	2.5	12
L845502		4.14	<0.005		8	0.14	7.88	1.6	560	5.74	0.63	0.70	0.07	74.2	2.2	7
L845503		4.34	<0.005		8	6.22	8.03	0.7	590	5.84	0.79	0.61	0.08	74.8	2.4	8
L845504		3.52	<0.005		5	0.18	7.89	<0.2	580	6.96	0.68	1.21	0.02	72.4	2.6	13
L845505		3.04	<0.005		11	0.73	7.54	1.0	540	9.31	0.60	1.10	0.27	73.2	2.8	10
L845506		0.06		7.20	663	>100	0.25	>10000	120	0.05	0.15	0.01	252	3.38	0.4	15
L845507		2.25	0.020		42	>100	7.00	892	360	3.58	2.68	0.23	7.67	64.6	5.4	7
L845508		1.65	0.050		21	>100	6.31	1840	450	3.95	0.46	0.24	3.05	57.9	2.4	7
L845509		5.00	<0.005		6	2.85	7.79	10.7	470	5.47	0.89	0.77	0.25	69.8	2.4	8
L845510		4.57	<0.005		6	1.65	7.81	7.6	620	5.13	0.55	0.83	0.04	73.7	2.4	9
L845511		4.88	<0.005		6	0.49	7.90	3.1	560	6.33	0.48	0.66	0.08	76.7	2.4	8
L845512		5.61	<0.005		<5	0.20	0.09	5	20	0.05	0.02	22.1	0.08	1.50	1.5	1
L845513		5.08	<0.005		8	0.23	7.56	0.5	580	5.52	0.53	1.09	0.03	80.1	2.5	11
L845514		7.98	<0.005		5	0.32	7.79	3.3	600	5.92	0.56	0.89	0.05	76.6	2.5	8
L845515		7.36	<0.005		6	0.23	7.66	5.8	590	5.88	0.59	0.70	0.04	78.0	2.4	8
L845516		4.84	<0.005		6	0.78	7.70	6.7	590	6.27	0.64	0.86	0.16	74.9	2.5	8
L845517		1.93	<0.005		12	1.99	7.94	22.5	560	6.50	0.55	0.36	0.63	76.7	2.2	6
L845518		4.63	<0.005		6	0.64	7.65	6.2	550	5.50	0.54	0.50	0.47	77.3	2.2	8
L845519		2.36	<0.005		10	0.72	7.72	7.9	550	5.68	0.54	0.51	0.47	81.8	2.2	7
L845520		1.97	<0.005		12	29.8	6.68	418	280	6.63	0.44	0.14	5.34	70.7	5.6	6
L845521		4.04	<0.005		8	0.81	7.98	10.8	510	6.16	0.56	0.15	0.32	83.9	1.4	7
L845522		4.45	<0.005		9	0.34	7.75	5.5	580	6.41	0.48	0.23	0.05	85.4	3.7	7
L845523		4.51	<0.005		9	0.44	7.27	11.6	390	6.47	0.53	0.19	0.08	78.4	2.3	7
L845524		4.68	<0.005		<5	0.05	0.09	<5	20	0.06	0.10	21.5	0.09	1.44	1.6	1
L845525		3.03	<0.005		8	0.40	7.42	40.3	230	4.85	0.41	0.21	0.11	92.9	0.9	13
L845526		1.58	0.059		40	>100	3.62	424	100	6.02	0.19	0.10	0.98	41.4	2.6	10
L845527		3.71	0.007		18	25.5	7.16	202	290	4.39	0.36	0.09	0.20	70.4	0.4	10
L845528		0.25	0.095		<5	59.4	5.10	2740	580	0.81	3.97	6.82	123.0	26.5	11.4	41
L845529		1.21	<0.005		9	0.78	7.27	179.5	400	5.08	0.42	0.12	0.22	68.7	2.4	6
L845530		1.61	0.018		9	1.82	3.14	151.0	70	3.64	0.18	0.10	0.32	29.4	2.2	9
L845531		2.04	<0.005		6	2.41	6.36	104.0	100	5.47	0.50	0.64	0.28	58.4	2.7	9
L845532		3.20	<0.005		8	0.98	7.29	23.2	290	5.81	0.60	0.31	0.12	68.7	2.3	11
L845533		<0.02	<0.005		7	0.95	7.14	22.7	290	5.63	0.59	0.31	0.07	68.8	2.3	10
L845534		6.54	<0.005		9	0.25	7.17	3.1	500	6.11	0.47	0.45	0.04	68.0	2.7	12
L845535		2.90	<0.005		7	0.26	7.44	1.9	530	5.74	0.58	0.79	0.03	72.4	2.8	10
L845536		4.35	<0.005		7	1.03	7.18	2.5	520	6.18	0.52	0.72	0.06	63.2	2.2	9

Comments: Gold assay on sample L845506 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUN-2012
Account: RANSIL

Project: Keg-Hammer

CERTIFICATE OF ANALYSIS WH12138330

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L845501		7.71	3.2	1.31	25.9	0.13	1.8	0.032	3.38	32.3	52.4	0.32	254	0.37	2.26
L845502		16.90	2.4	1.34	27.1	0.14	2.2	0.033	4.01	36.2	48.1	0.23	333	0.24	1.79
L845503		17.35	14.2	1.28	26.8	0.16	2.3	0.035	4.12	36.3	62.4	0.22	256	0.33	1.51
L845504		8.29	2.1	1.45	25.6	0.17	2.2	0.034	3.84	35.5	52.6	0.35	290	0.34	2.37
L845505		14.60	2.6	1.41	25.1	0.15	2.1	0.030	3.72	35.3	58.5	0.29	365	0.31	1.90
L845506		0.32	3760	12.90	1.46	0.18	0.1	0.135	0.10	2.2	3.0	0.01	41	1.29	0.01
L845507		15.30	1265	1.92	21.4	0.06	1.9	0.119	3.41	32.6	276	0.21	11600	2.60	0.20
L845508		17.15	64.1	2.07	22.8	0.10	1.8	0.029	3.09	29.1	220	0.14	28600	0.86	0.74
L845509		11.15	5.9	1.39	29.1	0.14	2.2	0.033	2.88	33.8	37.7	0.24	831	0.22	3.53
L845510		7.69	2.9	1.36	25.1	0.14	2.2	0.031	4.03	35.9	52.6	0.37	343	0.12	2.18
L845511		12.00	3.2	1.40	26.4	0.16	2.2	0.030	3.98	37.0	50.0	0.33	278	0.15	1.93
L845512		0.23	2.1	0.45	0.43	<0.05	<0.1	<0.005	0.04	0.7	1.2	12.95	193	0.11	0.01
L845513		7.50	2.2	1.42	26.5	0.16	2.3	0.034	3.83	37.9	64.7	0.38	260	0.17	2.17
L845514		13.65	1.7	1.25	26.8	0.16	2.2	0.032	3.95	37.3	57.4	0.29	605	0.19	1.81
L845515		15.95	2.6	1.43	26.2	0.16	2.2	0.037	4.04	37.2	52.9	0.25	570	0.31	1.58
L845516		12.20	2.5	1.50	26.1	0.16	2.1	0.032	4.18	36.2	65.3	0.26	945	0.37	1.58
L845517		18.10	5.9	1.25	28.0	0.17	2.2	0.038	4.45	37.9	148.5	0.21	1260	0.28	0.60
L845518		12.85	2.4	1.17	26.7	0.16	2.2	0.035	3.89	36.3	262	0.27	361	0.28	1.01
L845519		12.90	4.0	1.28	27.6	0.17	2.1	0.035	3.89	39.0	266	0.27	377	0.26	1.02
L845520		20.1	16.2	3.81	23.4	0.21	1.8	0.027	3.27	34.5	138.0	0.22	5890	0.97	0.06
L845521		18.45	3.3	1.73	27.6	0.19	2.3	0.036	4.40	41.1	164.5	0.24	384	0.38	0.11
L845522		18.15	3.5	1.73	26.1	0.17	2.3	0.034	4.06	39.2	241	0.21	375	0.28	0.14
L845523		25.3	9.7	0.97	25.1	0.17	2.1	0.032	3.30	38.7	356	0.22	726	0.35	0.08
L845524		0.19	7.4	0.45	0.34	<0.05	<0.1	0.006	0.04	0.7	1.4	12.65	186	0.16	0.01
L845525		21.7	15.1	1.03	26.6	0.14	2.3	0.038	2.44	46.5	940	0.22	275	0.57	0.05
L845526		31.9	70.0	3.52	12.80	0.11	1.1	0.016	1.39	21.2	182.0	0.14	2990	0.95	0.02
L845527		17.35	19.1	1.32	22.4	0.12	1.9	0.033	3.59	36.1	229	0.22	146	0.49	0.06
L845528		2.78	1040	3.83	9.54	0.11	1.3	0.083	1.36	13.7	15.3	0.68	2780	5.14	1.23
L845529		17.10	3.5	1.96	23.0	0.13	2.0	0.029	4.19	35.7	68.1	0.23	1800	0.54	0.07
L845530		20.8	7.0	1.37	10.40	0.09	0.7	0.012	1.22	15.1	208	0.12	6320	0.95	0.02
L845531		25.1	7.8	1.89	19.80	0.14	1.7	0.029	2.79	30.6	119.5	0.27	5310	1.04	0.02
L845532		19.45	3.9	1.58	22.0	0.14	1.8	0.035	3.81	37.0	189.5	0.28	1480	0.45	0.27
L845533		19.20	3.7	1.53	21.9	0.14	1.8	0.031	3.67	36.7	184.5	0.28	1430	0.45	0.25
L845534		15.10	8.7	1.66	22.9	0.13	1.7	0.039	3.74	35.1	57.3	0.27	565	0.25	1.39
L845535		16.00	8.7	1.30	24.1	0.16	1.6	0.038	3.96	38.0	61.6	0.23	316	0.19	1.54
L845536		12.20	4.0	1.55	22.6	0.15	1.6	0.036	3.69	32.6	53.0	0.37	818	0.17	1.66

Comments: Gold assay on sample L845506 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUN-2012
Account: RANSIL

Project: Keg-Hammer

CERTIFICATE OF ANALYSIS WH12138330

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
L845501		2.9	480	39.6	255	<0.002	<0.01	1.18	5.0	1	6.4	186.0	1.10	<0.05	17.2	0.162
L845502		2.2	600	43.7	285	<0.002	<0.01	1.14	5.5	2	7.0	148.0	1.18	<0.05	20.6	0.189
L845503		3.2	550	48.1	284	<0.002	<0.01	1.57	5.5	2	8.6	144.0	1.25	<0.05	21.2	0.196
L845504		2.6	510	44.9	265	<0.002	<0.01	0.89	4.8	2	6.6	203	1.02	<0.05	19.9	0.188
L845505		2.5	510	49.6	259	<0.002	<0.01	1.78	5.1	2	6.2	174.5	0.96	<0.05	20.5	0.191
L845506		2.5	50	>10000	8.0	0.003	>10.0	3380	0.3	6	153.5	6.6	<0.05	0.07	0.5	0.010
L845507		1.3	500	>10000	278	<0.002	0.16	1180	4.1	2	45.6	60.1	0.88	0.10	18.8	0.168
L845508		1.7	460	4670	254	<0.002	0.08	610	4.5	1	21.9	210	0.99	<0.05	18.0	0.164
L845509		2.1	550	138.5	218	<0.002	<0.01	5.92	5.6	1	7.2	150.5	1.15	<0.05	19.6	0.191
L845510		2.0	540	65.5	265	<0.002	<0.01	3.12	5.7	1	6.4	183.0	1.39	<0.05	21.2	0.190
L845511		2.2	580	54.7	285	<0.002	<0.01	2.03	5.9	2	6.8	155.5	1.46	<0.05	21.6	0.202
L845512		2.1	210	6.3	2.1	<0.002	0.01	0.45	0.3	1	<0.2	47.4	<0.05	<0.05	0.2	<0.005
L845513		2.1	530	45.9	264	<0.002	<0.01	0.55	5.5	1	6.5	193.5	1.09	<0.05	21.9	0.195
L845514		1.9	550	50.0	276	<0.002	<0.01	2.01	5.6	1	6.5	172.0	0.90	<0.05	21.4	0.195
L845515		2.2	580	47.1	285	<0.002	<0.01	3.66	5.7	1	6.8	154.0	0.78	<0.05	21.4	0.189
L845516		2.1	570	46.3	291	0.002	<0.01	3.72	5.4	1	7.1	163.0	0.89	<0.05	19.7	0.189
L845517		1.6	620	59.3	326	<0.002	<0.01	5.13	5.8	2	12.1	111.5	0.94	<0.05	20.7	0.190
L845518		2.2	570	113.5	283	<0.002	<0.01	2.36	5.7	2	6.4	130.5	0.87	<0.05	20.9	0.191
L845519		2.4	590	122.0	282	<0.002	<0.01	2.40	5.8	2	6.9	132.0	0.90	<0.05	22.9	0.192
L845520		2.6	450	534	325	<0.002	<0.01	111.5	4.9	1	12.6	78.5	0.79	<0.05	18.9	0.162
L845521		1.8	480	69.8	354	<0.002	0.03	6.16	6.2	2	9.1	93.7	1.02	<0.05	23.6	0.199
L845522		3.0	580	51.3	300	<0.002	<0.01	2.18	6.0	2	7.3	80.5	0.96	<0.05	23.3	0.194
L845523		2.1	510	61.2	279	<0.002	0.01	3.33	5.5	2	8.1	63.4	0.87	<0.05	21.5	0.186
L845524		2.4	200	3.3	2.1	<0.002	0.01	0.12	0.4	1	<0.2	47.3	<0.05	<0.05	0.2	<0.005
L845525		2.4	380	45.0	237	<0.002	<0.01	6.19	6.0	1	9.2	45.0	0.83	<0.05	23.5	0.206
L845526		1.5	280	966	158.5	<0.002	0.01	127.0	2.7	1	40.8	35.8	0.45	<0.05	10.1	0.095
L845527		0.7	330	499	318	<0.002	0.05	44.9	4.7	1	17.4	76.4	1.00	<0.05	19.3	0.188
L845528		24.2	650	>10000	63.3	0.003	2.85	49.4	7.7	3	2.5	440	0.30	0.16	3.6	0.203
L845529		1.6	450	81.3	360	<0.002	<0.01	12.35	4.3	1	8.2	78.8	1.53	<0.05	18.0	0.183
L845530		3.4	200	65.3	133.0	<0.002	<0.01	34.0	1.9	1	9.5	82.1	0.47	<0.05	7.3	0.072
L845531		4.3	2250	119.0	288	<0.002	<0.01	23.1	4.0	1	7.6	62.6	0.81	<0.05	15.6	0.170
L845532		2.8	930	44.1	366	<0.002	<0.01	11.60	4.9	1	7.3	60.2	1.02	<0.05	17.2	0.191
L845533		2.8	950	43.2	357	<0.002	<0.01	11.65	4.8	1	7.4	57.2	0.98	<0.05	17.9	0.185
L845534		3.3	490	43.9	257	<0.002	<0.01	1.69	5.1	1	7.0	136.5	1.04	<0.05	17.8	0.186
L845535		3.0	540	42.8	258	<0.002	<0.01	0.99	5.2	1	6.8	138.5	0.98	<0.05	19.1	0.196
L845536		2.4	510	42.6	234	<0.002	<0.01	1.13	4.5	1	6.4	170.5	0.98	<0.05	16.9	0.173

Comments: Gold assay on sample L845506 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUN-2012
Account: RANSIL

Project: Keg-Hammer

CERTIFICATE OF ANALYSIS WH12138330

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845501		1.40	4.0	20	1.0	9.9	40	64.1				
L845502		1.72	3.5	20	2.5	10.9	47	73.7				
L845503		1.97	5.9	21	19.2	10.7	63	73.7				
L845504		1.64	8.1	21	0.9	10.2	49	71.3				
L845505		1.67	5.6	22	1.7	9.9	239	68.3				
L845506		0.14	0.5	7	148.5	0.8	>10000	3.2	>1500	10.75	2.54	3200
L845507		2.64	103.5	18	2.9	8.1	2400	60.0	1010	2.74		
L845508		2.46	32.9	16	1.7	8.9	1380	58.3	414			
L845509		1.40	5.4	20	0.8	11.1	335	71.6				
L845510		1.67	2.7	20	1.2	10.0	53	69.1				
L845511		1.74	2.7	21	1.2	10.2	82	72.5				
L845512		0.02	0.8	2	0.1	1.0	12	0.5				
L845513		1.59	2.6	21	1.0	9.6	55	71.0				
L845514		1.84	3.8	21	1.5	9.6	73	70.9				
L845515		2.05	4.5	21	2.6	9.7	73	69.2				
L845516		2.31	6.7	20	1.0	10.1	189	70.0				
L845517		3.22	8.3	21	1.5	10.4	459	71.0				
L845518		2.06	6.1	21	3.2	9.6	453	73.0				
L845519		2.06	6.7	22	4.0	10.4	471	71.1				
L845520		4.04	30.6	19	10.7	9.5	1360	60.8				
L845521		3.92	9.9	22	2.2	8.7	183	75.3				
L845522		2.60	8.7	22	3.8	9.9	133	74.5				
L845523		2.48	8.4	21	5.9	10.2	92	71.1				
L845524		0.02	0.8	2	0.1	1.0	15	0.8				
L845525		2.14	6.7	26	19.4	10.4	61	81.0				
L845526		1.90	17.8	12	4.5	6.2	472	36.5	98			
L845527		4.05	10.3	21	2.2	4.7	105	68.6				
L845528		0.74	1.7	62	8.8	10.9	>10000	39.9		1.960	1.995	
L845529		4.49	16.3	21	2.6	7.8	222	67.7				
L845530		1.82	11.3	12	6.3	5.1	337	26.1				
L845531		4.38	36.3	29	9.9	11.5	403	65.0				
L845532		3.81	13.1	26	4.4	9.6	171	61.9				
L845533		3.84	13.5	25	4.4	9.5	165	61.8				
L845534		2.00	3.2	24	1.5	8.5	88	59.7				
L845535		2.26	4.0	25	1.0	8.5	61	59.9				
L845536		1.68	2.9	21	1.4	7.5	100	57.4				

Comments: Gold assay on sample L845506 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Keg-Hammer

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-JUN-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12138330

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.