



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 16-JUL-2012
Account: RANSIL

CERTIFICATE WH12147489

Project: Hammer-Keg

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
		0.02	0.005	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
L845573		5.86	<0.005	7	0.19	7.30	3.3	600	5.36	0.49	0.58	0.05	85.1	2.2	15	11.55
L845574		3.03	<0.005	6	0.22	7.23	1.9	570	5.95	0.45	0.65	0.30	80.8	2.4	13	10.75
L845575		2.60	0.010	60	>100	6.23	301	390	4.15	0.44	0.25	5.97	65.5	2.1	14	14.30
L845576		2.41	<0.005	7	3.60	7.36	10.5	580	5.48	0.59	0.36	0.62	63.2	1.8	12	18.45
L845577		3.15	<0.005	<5	0.83	0.08	<5	20	0.07	0.02	21.1	0.06	1.27	1.3	1	0.23
L845578		4.48	<0.005	9	0.19	7.52	4.7	460	5.84	0.39	0.38	0.07	76.8	2.4	13	16.50
L845579		2.00	<0.005	8	0.52	8.60	1.7	770	5.83	0.57	0.39	0.05	79.5	3.1	12	8.52
L845580		6.65	<0.005	5	0.11	7.15	1.5	580	6.56	0.43	0.74	0.03	79.3	2.5	13	10.75
L845581		6.86	<0.005	8	0.20	7.21	1.1	580	6.58	0.50	0.72	0.03	77.9	2.4	12	9.87
L845582		6.37	<0.005	6	0.11	7.22	0.9	560	5.98	0.56	0.50	0.02	70.5	2.2	11	9.06
L845583		2.95	<0.005	9	0.16	7.05	1.3	550	5.50	0.55	0.49	0.06	62.5	2.2	16	9.37
L845584		4.47	<0.005	7	0.13	7.00	1.0	530	5.58	0.61	0.58	0.03	61.5	2.2	13	11.15
L845585		4.58	<0.005	7	0.22	7.12	1.8	550	5.15	0.53	0.55	0.06	57.5	3.5	19	13.45
L845586		5.51	<0.005	6	1.32	6.68	32.7	430	4.49	0.42	0.15	0.12	70.6	2.4	18	28.8
L845587		3.29	<0.005	<5	0.02	0.11	<5	20	0.06	0.02	21.3	0.05	1.38	1.3	1	0.50
L845588		2.24	<0.005	<5	0.42	7.05	40.8	540	5.15	0.31	0.25	0.39	86.4	4.3	16	22.6
L845589		2.44	<0.005	7	0.34	6.97	6.9	600	4.76	0.32	0.40	0.07	75.7	2.8	15	13.15
L845590		5.13	<0.005	5	0.59	6.89	6.0	540	4.20	0.35	0.62	0.04	68.3	2.7	14	14.90
L845591		5.27	<0.005	6	0.51	6.85	1.5	510	4.73	0.45	0.42	0.03	65.5	2.5	15	12.45
L845592		5.34	<0.005	9	2.01	7.39	6.4	490	4.80	0.55	0.29	0.08	64.7	4.2	31	14.80
L845593		0.25	0.088	14	59.0	4.83	2670	580	0.74	3.96	6.72	125.5	26.7	12.5	41	2.63
L845594		1.60	<0.005	8	0.95	7.27	4.6	540	5.47	0.47	0.34	0.18	58.8	3.1	21	19.25
L845595		1.85	<0.005	9	0.20	7.45	1.0	560	5.64	0.58	0.69	0.02	70.2	2.9	20	8.56
L845596		2.06	<0.005	11	0.37	7.25	5.4	510	5.51	0.38	0.35	0.08	66.6	3.0	20	16.50
L845597		7.72	<0.005	8	0.32	7.34	1.1	530	5.81	0.52	0.59	0.02	60.0	2.6	19	10.35
L845598		1.54	<0.005	8	0.19	7.75	0.7	530	6.34	0.73	0.66	0.02	81.8	3.1	16	10.15
L845599		3.59	<0.005	9	0.37	7.28	1.8	500	5.86	0.48	0.68	0.02	81.9	3.2	16	12.75
L845600		0.06	6.71	664	>100	0.25	>10000	170	0.11	0.14	0.01	262	3.48	0.5	12	0.33
L845601		2.19	<0.005	9	0.92	7.98	8.0	580	6.09	0.58	0.30	0.06	87.3	3.4	23	20.2
L845602		1.99	<0.005	10	8.98	6.25	77.4	290	4.97	0.38	0.21	0.27	66.5	2.3	19	22.8
L845603		4.09	0.008	7	3.88	6.52	75.8	400	4.72	0.42	0.19	0.23	61.5	3.1	24	22.3
L845604		<0.02	0.005	7	3.71	6.63	75.5	400	4.89	0.44	0.20	0.22	65.2	3.3	25	22.3
L845605		3.68	<0.005	8	1.87	6.72	23.1	380	4.16	0.51	0.19	0.11	70.9	2.0	21	17.30
L845606		4.73	<0.005	5	0.52	7.08	18.8	480	4.76	0.54	0.16	0.05	69.0	1.9	21	16.10
L845607		4.39	<0.005	10	0.65	6.94	58.7	390	4.89	0.43	0.16	0.13	66.1	3.9	20	16.60
L845608		1.84	<0.005	7	0.47	7.01	29.3	430	4.28	0.40	0.17	0.06	71.0	3.3	19	16.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147489

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
L845573		1.9	1.43	23.8	0.21	2.2	0.032	3.73	40.7	39.6	0.33	199	0.55	1.83	8.8	2.6
L845574		3.6	1.40	26.3	0.13	2.1	0.034	3.79	40.4	52.5	0.33	1360	0.84	2.00	9.4	2.7
L845575		143.0	2.11	24.9	0.13	1.7	0.026	3.20	33.0	367	0.15	19800	1.85	0.34	7.5	1.9
L845576		6.2	1.75	27.4	0.14	2.0	0.032	4.33	29.6	76.0	0.21	3280	0.77	0.85	9.5	2.1
L845577		2.0	0.47	0.40	0.22	<0.1	<0.005	0.04	0.6	2.2	12.40	257	0.10	0.01	0.4	0.9
L845578		2.2	1.51	27.2	0.19	2.2	0.037	3.88	37.1	59.9	0.24	156	0.62	1.39	11.5	3.0
L845579		4.2	1.78	32.9	0.21	2.8	0.040	4.83	37.3	50.4	0.44	390	0.38	2.37	13.9	3.2
L845580		3.7	1.46	27.3	0.20	2.2	0.031	3.53	39.3	51.1	0.35	328	0.54	2.23	10.5	2.5
L845581		2.7	1.47	27.0	0.20	2.2	0.030	3.75	37.2	46.9	0.33	225	0.47	1.80	10.6	2.3
L845582		3.4	1.39	26.8	0.19	2.0	0.035	3.78	33.0	34.0	0.29	207	0.39	1.91	9.5	2.2
L845583		3.9	1.36	25.7	0.17	1.9	0.032	3.78	29.1	33.1	0.28	202	0.78	1.89	9.4	2.2
L845584		2.0	1.31	25.3	0.17	1.8	0.031	3.74	28.0	46.7	0.24	319	0.62	1.64	9.5	2.1
L845585		2.8	0.97	27.3	0.17	1.9	0.034	3.98	27.2	97.3	0.17	331	1.05	0.92	11.9	2.0
L845586		4.3	1.25	24.6	0.17	1.9	0.035	3.93	34.5	180.5	0.22	369	1.12	0.08	10.6	2.3
L845587		1.7	0.47	0.49	0.28	<0.1	<0.005	0.06	0.7	2.0	12.50	218	0.40	0.01	0.4	1.1
L845588		3.9	1.86	25.3	0.25	2.0	0.032	4.11	37.6	116.5	0.27	1880	0.93	0.59	9.8	3.2
L845589		2.0	1.59	24.8	0.24	1.9	0.033	3.99	37.3	38.8	0.35	530	0.42	1.43	9.9	3.5
L845590		1.8	1.47	23.1	0.21	1.9	0.030	4.00	31.5	35.5	0.25	258	0.57	1.46	11.5	2.7
L845591		5.6	1.62	24.8	0.23	1.7	0.034	3.95	31.2	31.2	0.31	274	0.68	1.32	10.2	2.8
L845592		6.2	1.36	29.1	0.22	1.5	0.037	4.10	29.5	60.6	0.26	208	1.79	0.47	12.2	3.9
L845593		1000	3.66	11.30	0.19	1.2	0.080	1.33	13.3	12.9	0.67	2680	4.87	1.21	4.0	24.2
L845594		7.3	1.91	28.5	0.18	1.4	0.037	3.97	26.6	34.0	0.31	2280	0.99	1.30	11.2	4.1
L845595		1.9	1.48	28.3	0.22	1.6	0.034	4.21	33.1	39.2	0.34	264	0.91	1.66	11.3	3.0
L845596		4.7	1.72	27.6	0.19	1.4	0.038	4.02	31.1	51.2	0.26	1300	0.89	1.21	10.9	3.5
L845597		2.7	1.46	27.2	0.20	1.5	0.035	3.93	28.0	51.8	0.33	260	0.90	1.59	10.8	2.6
L845598		3.9	1.87	26.5	0.20	1.7	0.035	3.71	37.9	50.6	0.54	310	0.53	1.53	9.5	3.3
L845599		4.1	1.81	25.7	0.21	1.7	0.033	3.48	40.4	54.0	0.56	247	0.53	1.13	9.0	3.2
L845600		3810	12.15	2.22	0.25	0.1	0.135	0.10	2.1	6.0	0.01	41	1.00	0.01	0.5	2.7
L845601		7.4	1.39	31.4	0.18	2.0	0.037	4.59	38.7	199.5	0.29	211	1.07	0.26	10.6	4.1
L845602		6.3	1.48	24.3	0.13	1.4	0.031	3.32	32.9	61.3	0.23	2230	1.42	0.07	8.7	2.2
L845603		6.4	1.15	27.7	0.14	1.5	0.029	4.05	29.3	88.2	0.26	478	1.73	0.07	10.5	2.5
L845604		5.6	1.08	28.7	0.16	1.5	0.029	4.05	31.3	88.0	0.26	455	1.67	0.07	10.5	2.5
L845605		2.2	0.94	26.4	0.14	1.6	0.035	3.99	34.2	104.5	0.24	242	1.05	0.07	9.2	2.1
L845606		2.8	0.94	26.4	0.14	1.6	0.037	4.39	32.7	174.5	0.22	238	0.99	0.10	9.1	1.7
L845607		3.9	1.73	26.9	0.17	1.5	0.033	3.85	32.3	224	0.24	1470	1.29	0.08	8.8	4.3
L845608		3.1	1.24	24.4	0.16	1.5	0.030	4.17	34.9	320	0.23	1940	1.31	0.07	10.0	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147489

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005
L845573		490	44.1	240	<0.002	<0.01	1.30	4.1	1	6.0	155.5	0.82	<0.05	21.0	0.172
L845574		520	49.9	246	<0.002	<0.01	2.03	4.8	1	7.5	178.0	0.76	<0.05	17.9	0.175
L845575		380	1850	229	<0.002	0.04	247	4.6	1	62.3	137.5	0.62	<0.05	15.8	0.143
L845576		530	107.5	294	<0.002	<0.01	15.95	5.2	1	6.9	154.5	0.72	<0.05	16.8	0.168
L845577		180	5.5	1.9	<0.002	0.01	0.91	0.5	1	0.4	45.4	<0.05	<0.05	<0.2	<0.005
L845578		500	41.8	252	<0.002	<0.01	1.19	5.6	1	7.7	109.5	1.32	<0.05	18.7	0.161
L845579		580	53.6	318	<0.002	<0.01	1.25	6.1	1	8.0	178.0	1.28	<0.05	20.5	0.217
L845580		450	41.3	231	<0.002	<0.01	0.43	4.7	1	7.1	181.0	1.02	<0.05	18.2	0.178
L845581		470	45.6	236	<0.002	<0.01	0.60	4.8	1	6.9	167.5	0.97	<0.05	18.5	0.174
L845582		540	45.5	232	<0.002	<0.01	0.55	4.8	1	6.4	162.5	0.94	<0.05	17.8	0.166
L845583		520	48.0	230	<0.002	<0.01	0.62	4.5	1	6.6	159.5	0.91	<0.05	16.1	0.159
L845584		510	46.9	234	<0.002	<0.01	0.89	4.6	1	6.5	137.0	0.89	<0.05	16.4	0.163
L845585		530	40.8	273	<0.002	<0.01	1.88	4.8	1	8.2	112.0	0.97	<0.05	15.1	0.182
L845586		450	48.3	319	<0.002	<0.01	4.84	4.7	1	7.6	65.9	0.91	<0.05	16.6	0.165
L845587		170	1.5	3.4	<0.002	0.01	<0.05	0.3	1	<0.2	38.2	<0.05	<0.05	0.2	<0.005
L845588		510	37.2	309	<0.002	<0.01	4.22	5.0	1	6.3	114.5	0.82	<0.05	19.0	0.181
L845589		420	37.2	274	<0.002	<0.01	2.93	5.2	1	5.7	148.5	1.06	<0.05	19.5	0.180
L845590		450	39.3	280	<0.002	<0.01	1.38	4.7	1	6.0	137.0	1.23	<0.05	16.0	0.181
L845591		490	37.8	279	<0.002	<0.01	1.01	4.8	1	6.9	139.5	0.89	<0.05	15.1	0.170
L845592		570	83.3	297	<0.002	<0.01	2.78	5.7	1	8.5	81.3	0.98	<0.05	15.6	0.207
L845593		640	>10000	62.0	0.002	2.76	53.1	8.1	5	2.8	426	0.28	0.15	4.9	0.197
L845594		530	49.8	262	<0.002	<0.01	1.64	5.6	1	7.0	169.0	0.94	<0.05	15.8	0.187
L845595		540	44.3	275	<0.002	<0.01	0.38	5.7	1	7.1	166.5	0.97	<0.05	18.1	0.198
L845596		600	58.4	270	<0.002	<0.01	2.75	5.5	1	8.1	124.0	1.07	<0.05	16.7	0.200
L845597		530	41.4	249	<0.002	<0.01	0.79	5.2	1	7.0	142.5	0.98	<0.05	15.7	0.180
L845598		580	43.7	238	<0.002	<0.01	0.51	5.2	1	7.3	144.0	0.94	<0.05	19.1	0.200
L845599		480	40.1	239	<0.002	<0.01	1.05	5.4	1	7.0	134.0	0.99	<0.05	18.5	0.188
L845600		50	>10000	7.4	0.002	>10.0	3670	0.6	6	159.0	7.0	<0.05	<0.05	0.7	0.010
L845601		580	49.8	350	<0.002	<0.01	4.29	6.1	1	7.4	86.0	1.16	<0.05	20.1	0.225
L845602		690	64.1	305	<0.002	<0.01	13.85	4.4	1	10.5	66.1	0.92	<0.05	13.7	0.159
L845603		620	51.8	355	<0.002	<0.01	9.15	4.5	1	7.7	52.0	0.85	<0.05	14.1	0.156
L845604		640	53.1	362	<0.002	<0.01	8.68	4.8	1	7.8	51.3	0.86	<0.05	15.2	0.164
L845605		680	52.3	337	<0.002	<0.01	7.90	5.0	1	7.1	40.4	0.65	<0.05	16.2	0.160
L845606		500	41.6	337	<0.002	<0.01	3.43	4.9	1	7.3	61.3	0.83	<0.05	16.1	0.174
L845607		440	49.1	325	<0.002	<0.01	10.15	5.2	1	6.4	61.0	0.81	<0.05	16.0	0.172
L845608		510	40.2	335	<0.002	<0.01	3.98	5.0	1	7.1	72.3	0.92	<0.05	16.1	0.168



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147489

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845573		3.3	19	1.0	7.8	52	77.9				
L845574		4.1	20	0.9	7.7	559	71.0				
L845575		21.3	17	3.2	7.2	1210	61.6	328			
L845576		8.1	19	1.8	7.3	843	70.2				
L845577		0.5	3	0.1	0.8	18	<0.5				
L845578		4.9	19	1.8	8.0	49	68.3				
L845579		2.6	27	2.1	7.9	57	98.0				
L845580		3.0	20	0.9	7.4	52	78.3				
L845581		2.9	19	1.1	7.0	50	76.6				
L845582		2.8	19	1.1	7.2	48	65.9				
L845583		2.7	19	1.0	6.5	51	63.9				
L845584		2.8	19	1.1	6.3	49	60.6				
L845585		4.6	20	1.7	7.1	94	70.4				
L845586		8.4	20	1.9	6.5	128	66.1				
L845587		0.6	3	0.1	0.7	13	0.5				
L845588		10.2	24	1.6	8.7	333	73.4				
L845589		4.5	23	1.3	8.2	352	72.5				
L845590		3.8	22	1.6	7.6	83	67.9				
L845591		2.9	21	1.3	7.7	72	58.6				
L845592		5.4	28	2.1	7.5	226	56.8				
L845593		2.3	62	8.3	10.5	>10000	37.1		1.950	1.930	
L845594		3.3	26	1.8	7.5	118	52.6				
L845595		2.8	25	1.2	8.5	60	63.3				
L845596		2.8	27	1.8	7.8	100	50.9				
L845597		2.7	22	1.2	7.3	54	56.6				
L845598		3.1	25	1.1	7.9	72	62.4				
L845599		3.4	24	1.0	7.4	101	62.2				
L845600		0.8	9	146.0	0.7	>10000	3.1	>1500	11.25	2.70	3430
L845601		14.1	27	3.3	9.0	175	76.8				
L845602		16.3	23	5.8	6.4	254	49.1				
L845603		7.9	22	4.0	5.9	187	53.8				
L845604		8.1	23	3.9	5.9	184	51.6				
L845605		8.4	23	4.0	5.2	128	53.7				
L845606		4.7	22	2.8	6.0	96	52.5				
L845607		13.3	25	7.6	6.9	244	51.9				
L845608		10.2	24	3.6	6.5	204	52.4				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12147489

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.