



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17-JUL-2012
Account: RANSIL

CERTIFICATE WH12147780

Project: Hammer-Keg

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147780

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
		0.02	0.005	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
L845609		5.53	<0.005	9	0.73	6.76	87.8	320	5.56	0.60	0.15	0.09	70.3	3.2	16	17.05
L845610		4.11	0.008	9	0.24	7.77	13.7	480	4.93	0.59	0.22	0.03	69.6	3.4	27	14.75
L845611		2.79	<0.005	11	0.38	7.32	43.8	550	4.71	0.47	0.25	0.09	71.1	3.0	22	16.00
L845612		3.30	<0.005	10	0.15	7.07	1.6	520	4.95	0.45	0.75	0.05	71.9	2.4	20	11.10
L845613		1.24	<0.005	9	0.35	7.57	0.8	460	5.62	0.88	1.65	0.08	65.0	1.9	22	20.5
L845614		1.91	<0.005	11	0.18	7.21	0.4	510	4.89	1.29	1.09	0.04	72.5	2.1	19	12.60
L845615		1.30	<0.005	13	1.42	6.61	66.9	410	4.74	2.32	0.35	0.41	69.2	2.5	21	25.1
L845616		2.32	<0.005	11	0.13	7.29	2.3	480	6.02	0.65	1.13	0.05	72.3	2.4	26	17.05
L845617		0.23	0.105	23	57.1	4.89	2580	540	0.79	3.59	6.61	120.5	27.7	12.7	42	3.03
L845618		2.18	<0.005	9	0.15	7.27	8.1	560	6.12	0.55	0.97	0.63	85.3	3.7	17	13.85
L845619		5.90	<0.005	13	4.17	7.75	79.7	480	4.87	0.55	0.16	7.13	85.4	1.2	23	26.4
L845620		0.98	0.083	242	>100	2.27	1800	100	5.81	0.36	0.28	43.0	27.7	2.0	21	17.45
L845621		5.61	<0.005	9	4.39	7.84	49.1	550	4.92	0.58	0.17	2.96	73.0	0.9	21	27.8
L845622		<0.02	<0.005	9	3.09	7.91	47.6	560	4.93	0.59	0.17	2.97	74.5	1.0	22	27.6
L845623		3.14	<0.005	10	1.27	7.74	56.1	520	5.56	0.55	0.27	1.79	80.3	3.2	27	22.3
L845624		4.95	<0.005	7	1.34	7.63	4.2	600	5.53	0.59	1.20	0.10	82.5	2.6	28	10.30
L845625		5.23	<0.005	9	0.15	7.59	1.5	510	6.30	0.63	1.29	0.07	72.6	2.3	22	12.70
L845626		0.84	<0.005	8	0.24	7.48	4.0	540	5.68	0.41	1.39	0.05	55.3	3.0	15	20.6
L845627		2.27	<0.005	<5	0.17	7.48	3.9	420	7.16	0.49	0.99	0.06	69.9	2.4	20	31.1
L845628		2.91	<0.005	<5	0.02	0.10	7	20	0.07	0.02	22.0	0.06	1.64	1.1	2	0.41
L845629		6.82	<0.005	8	0.14	7.58	2.1	600	6.01	0.44	1.38	0.04	86.3	2.7	20	15.35
L845630		1.76	<0.005	10	17.75	7.62	10.1	500	5.22	0.58	1.10	1.21	68.7	2.7	29	25.9
L845631		1.27	0.217	130	>100	6.04	1710	340	4.57	0.54	0.66	47.4	61.0	3.8	21	22.7
L845632		2.94	<0.005	11	1.25	7.10	3.1	570	4.81	0.47	1.21	0.08	84.0	2.5	21	17.05
L845633		7.08	<0.005	9	1.73	6.96	3.8	570	5.25	0.59	1.33	0.08	81.0	2.4	24	13.65
L845634		3.42	<0.005	7	0.32	7.36	1.6	580	5.45	0.45	1.40	0.06	78.4	2.8	22	12.65
L845635		5.34	<0.005	9	0.29	7.52	0.8	580	5.85	0.48	1.18	0.04	76.3	2.4	32	10.60
L845636		1.14	<0.005	10	0.31	7.55	0.9	530	6.17	0.54	1.48	0.04	73.5	2.9	22	19.95
L845637		3.08	<0.005	9	0.45	7.04	1.3	540	5.34	0.64	1.35	0.12	64.4	2.4	21	10.15
L845638		2.27	<0.005	<5	0.05	0.10	8	20	0.08	0.02	21.9	0.07	1.53	1.2	2	0.78
L845639		4.30	<0.005	6	0.20	7.75	1.6	640	5.51	1.72	1.26	0.05	90.9	3.0	32	13.90
L845640		1.07	<0.005	5	1.02	7.96	4.0	610	5.35	6.14	0.71	0.04	91.3	3.4	24	17.85
L845641		3.76	<0.005	6	0.34	7.64	1.5	610	5.00	0.62	1.32	0.04	87.7	3.2	27	11.60
L845642		0.06	3.27	660	>100	0.25	>10000	130	0.11	0.10	0.01	262	4.01	0.6	14	0.40
L845643		3.49	<0.005	9	0.20	7.46	4.0	490	6.46	0.57	0.87	0.05	79.2	3.2	18	13.35
L845644		6.75	<0.005	6	0.12	7.44	1.1	530	5.32	0.68	1.15	<0.02	78.8	3.0	19	13.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147780

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
L845609		6.9	3.67	25.9	0.10	1.7	0.036	3.62	34.8	202	0.29	1590	1.18	0.05	10.1	4.9
L845610		4.0	1.49	28.2	0.08	1.8	0.039	4.31	33.1	194.0	0.25	214	1.24	0.11	11.4	2.4
L845611		3.4	1.83	25.6	0.09	1.5	0.038	3.96	32.6	209	0.25	2380	1.45	0.12	11.3	4.2
L845612		2.5	1.48	24.2	0.10	1.7	0.036	3.73	34.4	69.0	0.30	180	0.83	1.48	11.3	3.2
L845613		2.6	1.39	24.9	0.09	1.9	0.039	4.35	30.4	107.0	0.38	1150	1.64	0.84	11.4	2.7
L845614		2.1	1.30	23.6	0.11	2.0	0.033	4.01	35.3	50.2	0.28	647	1.47	1.86	11.7	2.6
L845615		4.9	1.43	22.0	0.08	1.8	0.030	3.97	34.0	162.0	0.23	1720	1.49	0.25	10.4	2.8
L845616		0.9	1.33	29.0	0.16	2.3	0.030	4.12	34.4	96.3	0.28	672	2.02	1.51	12.8	2.8
L845617		993	3.68	11.40	0.12	1.4	0.075	1.34	14.2	14.1	0.67	2630	5.58	1.22	4.3	24.5
L845618		3.0	1.58	27.7	0.17	2.5	0.024	3.88	41.6	43.6	0.34	1900	1.27	1.93	10.4	3.4
L845619		21.2	1.65	29.7	0.18	2.6	0.030	4.16	41.1	324	0.22	1910	1.90	0.13	9.9	1.8
L845620		862	6.56	11.90	0.15	0.7	0.043	0.99	13.4	68.0	0.13	52300	1.77	0.03	2.6	1.9
L845621		22.0	1.52	28.8	0.16	2.5	0.030	4.66	33.8	240	0.20	1600	1.86	0.14	10.4	1.7
L845622		21.8	1.52	29.4	0.17	2.6	0.028	4.67	34.7	230	0.20	1540	1.75	0.14	10.6	1.9
L845623		8.7	1.72	28.9	0.17	2.4	0.030	4.57	38.3	75.1	0.26	2630	2.19	0.54	9.9	2.9
L845624		3.8	1.54	28.4	0.18	2.3	0.032	3.95	40.2	54.0	0.38	311	1.98	2.12	10.0	2.9
L845625		1.4	1.38	28.3	0.17	2.3	0.030	4.00	34.9	45.5	0.32	265	1.55	2.05	11.4	2.5
L845626		2.7	1.18	28.5	0.15	2.4	0.029	4.36	25.1	112.0	0.24	427	1.04	0.53	11.8	2.4
L845627		1.8	1.17	27.3	0.16	2.4	0.027	3.85	33.4	332	0.38	415	1.54	0.17	10.6	2.3
L845628		1.7	0.47	0.37	0.08	<0.1	<0.005	0.04	0.8	1.7	13.45	206	0.19	0.01	0.4	2.1
L845629		2.0	1.55	28.8	0.21	2.6	0.030	4.05	41.4	47.1	0.36	387	1.42	1.88	11.7	2.6
L845630		31.5	1.54	27.5	0.19	2.4	0.035	4.65	31.1	257	0.33	3540	2.08	0.12	10.1	2.9
L845631		1055	2.88	24.5	0.17	2.0	0.090	3.63	29.1	45.2	0.29	30500	1.72	0.08	8.8	3.0
L845632		5.8	1.56	24.3	0.21	2.6	0.031	4.29	41.7	65.3	0.32	892	1.50	1.12	11.6	4.7
L845633		11.2	1.38	25.0	0.20	2.4	0.032	3.77	38.1	67.2	0.35	353	1.50	1.61	9.6	3.5
L845634		2.0	1.48	27.4	0.17	2.5	0.032	3.91	37.7	52.5	0.37	310	1.70	1.90	11.0	2.7
L845635		1.4	1.37	26.8	0.18	2.2	0.024	3.90	37.4	38.7	0.35	269	2.22	2.07	10.4	2.4
L845636		1.8	1.53	27.0	0.18	2.4	0.025	4.03	34.4	56.8	0.45	586	1.46	1.40	10.6	2.9
L845637		7.1	1.30	25.1	0.16	2.3	0.031	3.60	30.2	29.2	0.31	311	1.41	2.76	12.1	2.4
L845638		3.2	0.51	0.39	0.09	<0.1	<0.005	0.05	0.7	1.2	13.35	217	0.17	0.01	0.4	2.2
L845639		3.9	1.59	29.8	0.22	2.5	0.029	3.97	43.9	74.2	0.42	253	2.20	2.04	10.4	3.3
L845640		19.2	1.41	30.1	0.21	2.3	0.026	4.15	45.3	118.0	0.41	187	1.89	1.14	8.7	3.2
L845641		16.3	1.58	28.6	0.19	2.3	0.029	3.89	43.0	60.7	0.42	288	1.49	2.20	9.9	3.7
L845642		3990	13.00	2.22	0.23	0.1	0.115	0.11	2.5	6.4	0.01	40	1.36	0.01	0.6	3.1
L845643		5.0	1.56	25.8	0.19	2.0	0.028	3.44	41.5	68.3	0.31	804	1.04	1.73	10.2	4.2
L845644		7.3	1.56	25.4	0.20	1.9	0.035	3.54	38.6	73.4	0.32	220	1.00	1.72	10.6	4.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147780

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L845609		490	50.2	370	<0.002	<0.01	9.00	4.5	1	7.8	51.1	1.00	<0.05	16.5	0.152	2.46
L845610		530	38.4	343	<0.002	<0.01	1.67	6.0	1	7.9	64.8	1.18	<0.05	20.1	0.203	2.37
L845611		500	40.5	292	<0.002	<0.01	4.53	5.8	1	7.1	85.3	1.10	<0.05	18.7	0.205	2.01
L845612		520	39.4	245	<0.002	<0.01	0.44	5.1	1	6.7	142.5	1.12	<0.05	18.3	0.189	1.50
L845613		560	56.7	295	<0.002	0.01	0.60	4.9	1	7.6	141.0	1.32	<0.05	17.3	0.173	3.15
L845614		520	44.5	266	<0.002	0.01	0.42	4.5	1	6.7	161.5	1.25	<0.05	18.9	0.178	1.81
L845615		500	78.8	311	<0.002	0.22	9.67	4.2	1	8.9	70.1	1.08	<0.05	18.9	0.162	3.57
L845616		570	43.6	291	<0.002	0.01	0.88	4.8	1	8.0	156.0	1.32	<0.05	16.8	0.177	1.97
L845617		610	>10000	64.0	0.003	2.69	56.5	7.7	4	3.0	412	0.33	0.17	3.3	0.202	0.73
L845618		510	54.0	266	<0.002	0.02	0.88	4.8	1	7.3	173.0	0.91	<0.05	19.8	0.194	1.79
L845619		530	151.0	329	<0.002	0.03	20.6	5.1	1	13.7	78.8	0.90	<0.05	19.9	0.196	2.91
L845620		200	2280	94.9	<0.002	0.70	476	1.9	2	242	21.7	0.24	<0.05	5.1	0.052	1.40
L845621		560	67.1	347	<0.002	0.03	14.00	4.7	1	8.9	82.0	0.92	<0.05	18.2	0.194	2.89
L845622		580	62.1	348	<0.002	0.03	13.15	4.7	1	8.6	83.6	0.91	<0.05	18.4	0.197	2.84
L845623		490	62.6	356	<0.002	0.05	17.25	4.9	1	9.0	104.5	0.87	<0.05	19.0	0.197	3.50
L845624		510	48.6	256	<0.002	<0.01	0.93	5.2	1	7.8	192.5	0.84	<0.05	19.2	0.197	1.58
L845625		600	44.6	254	<0.002	0.01	0.42	4.8	1	8.0	172.0	1.07	<0.05	17.2	0.198	1.54
L845626		570	46.6	292	<0.002	0.02	0.92	4.2	1	8.6	118.0	1.12	<0.05	14.7	0.196	1.94
L845627		520	42.8	299	<0.002	0.01	1.32	4.3	1	6.9	78.9	0.92	<0.05	16.7	0.186	1.93
L845628		180	1.7	3.0	<0.002	0.01	0.07	0.3	1	<0.2	47.2	<0.05	<0.05	<0.2	<0.005	0.02
L845629		550	42.8	262	<0.002	0.01	0.55	5.3	1	7.2	195.0	1.04	<0.05	19.4	0.213	1.83
L845630		570	167.0	333	<0.002	0.30	22.1	4.6	1	10.7	91.1	0.88	<0.05	16.4	0.190	3.63
L845631		430	5800	300	0.002	1.85	1105	3.5	2	145.0	47.9	0.79	<0.05	13.3	0.162	3.58
L845632		500	59.0	312	<0.002	0.11	1.69	4.7	<1	7.2	136.5	1.06	<0.05	19.8	0.191	3.04
L845633		510	51.4	229	<0.002	0.01	1.52	4.7	<1	6.0	181.5	0.80	<0.05	19.1	0.186	2.07
L845634		520	44.7	242	<0.002	0.02	0.55	4.7	1	7.0	196.5	0.92	<0.05	17.6	0.201	1.72
L845635		560	44.4	239	<0.002	0.01	0.42	4.6	1	7.5	194.0	1.00	<0.05	17.4	0.185	1.60
L845636		520	47.4	253	<0.002	0.05	0.61	4.4	1	8.1	151.0	0.98	<0.05	16.7	0.200	2.18
L845637		500	46.0	212	<0.002	0.02	0.39	3.8	1	8.5	183.5	1.17	<0.05	14.9	0.183	1.66
L845638		240	4.1	3.6	<0.002	0.02	0.09	0.3	1	0.2	43.1	<0.05	<0.05	<0.2	<0.005	0.02
L845639		580	49.5	244	<0.002	0.02	0.57	5.1	1	7.3	212	0.89	<0.05	20.1	0.209	1.57
L845640		620	56.4	275	<0.002	0.04	1.34	4.8	1	7.6	148.5	0.75	0.05	19.7	0.184	1.85
L845641		540	49.2	241	<0.002	0.05	0.41	5.1	1	7.4	223	0.83	<0.05	18.5	0.210	1.48
L845642		60	>10000	8.2	0.003	>10.0	3770	0.6	6	161.0	7.8	<0.05	<0.05	0.4	0.010	0.12
L845643		500	44.0	259	<0.002	<0.01	0.85	5.3	<1	6.7	131.0	0.89	<0.05	19.3	0.203	1.77
L845644		570	41.0	226	<0.002	<0.01	0.44	5.2	<1	6.4	163.0	1.02	<0.05	17.9	0.208	1.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147780

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845609		31.4	20	9.6	10.2	223	60.4				
L845610		8.6	24	2.1	7.0	48	64.4				
L845611		11.3	25	5.0	7.7	213	54.0				
L845612		4.1	22	1.5	8.0	75	61.2				
L845613		5.9	17	2.1	7.9	84	63.2				
L845614		7.8	18	1.2	8.4	58	69.2				
L845615		9.7	17	2.4	7.4	321	56.7				
L845616		8.0	17	1.6	10.1	66	81.1				
L845617		1.6	59	10.5	11.8	>10000	41.8		1.925	1.815	
L845618		10.7	21	1.3	9.3	878	90.3				
L845619		10.2	21	5.9	10.8	813	90.9				
L845620		22.0	7	4.3	9.5	6290	22.2	980			
L845621		10.7	20	7.2	9.5	715	88.8				
L845622		11.2	21	7.5	9.9	705	91.0				
L845623		10.7	21	1.9	8.8	874	85.8				
L845624		7.5	21	1.3	8.7	64	90.0				
L845625		9.9	20	1.6	9.6	60	80.2				
L845626		5.7	20	2.8	8.5	55	83.8				
L845627		8.5	17	2.6	8.3	53	84.8				
L845628		0.6	2	0.1	0.9	14	0.6				
L845629		11.8	23	1.0	9.1	57	94.6				
L845630		10.1	20	3.3	8.7	865	85.7				
L845631		6.9	17	2.2	7.8	>10000	69.4	1290		1.705	
L845632		8.0	20	1.5	9.4	79	82.0				
L845633		6.8	21	1.2	8.7	64	77.6				
L845634		6.8	21	1.4	8.6	57	91.2				
L845635		8.2	20	1.3	8.8	52	78.7				
L845636		7.5	22	1.3	8.7	50	83.7				
L845637		6.2	19	1.3	8.5	75	80.7				
L845638		0.6	2	0.1	0.9	17	0.6				
L845639		7.5	28	1.5	9.2	63	94.5				
L845640		10.5	25	2.7	9.3	62	88.3				
L845641		8.9	28	1.1	8.7	57	86.2				
L845642		0.5	8	190.0	0.7	>10000	3.8	>1500	11.00	2.70	NSS
L845643		3.3	26	3.5	9.8	52	60.9				
L845644		3.6	27	1.1	9.4	51	59.2				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12147780

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS61 ME-MS61	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.