



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17-JUL-2012
Account: RANSIL

CERTIFICATE WH12147781

Project: Hammer-Keg

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay(s) on sample L845665 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147781

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L845645		3.68	<0.005		7	0.12	7.45	5.3	460	6.43	0.46	1.16	0.05	74.6	3.4	9
L845646		7.19	<0.005		7	0.17	7.42	2.8	560	5.58	0.61	1.27	0.05	80.5	2.3	9
L845647		3.64	<0.005		10	0.47	7.27	5.4	580	5.61	0.80	0.96	0.10	78.1	2.6	7
L845648		5.76	<0.005		8	0.16	7.27	1.2	610	6.17	0.43	1.09	0.05	84.6	2.6	11
L845649		2.71	<0.005		11	0.15	7.35	1.1	600	5.82	0.48	1.09	0.05	81.2	2.6	11
L845650		4.34	<0.005		8	0.12	7.40	0.7	580	5.82	0.66	1.09	0.04	84.8	2.4	10
L845651		1.02	<0.005		27	0.38	9.42	1.0	700	8.92	1.31	1.54	0.27	85.1	3.0	7
L845652		4.82	<0.005		11	0.11	7.42	1.0	590	5.85	0.56	1.08	0.04	81.2	2.5	14
L845653		5.77	<0.005		6	0.16	7.21	0.7	560	6.06	0.54	1.04	0.05	78.0	2.3	10
L845654		2.10	<0.005		<5	0.02	0.10	<5	20	0.08	0.03	21.5	0.05	1.53	1.3	<1
L845655		2.15	<0.005		10	1.38	7.32	181.5	470	5.90	0.64	1.22	0.36	75.3	2.4	7
L845656		6.56	<0.005		<5	0.33	7.65	3.8	590	5.76	0.57	1.30	0.05	83.6	2.6	10
L845657		2.21	<0.005		9	0.81	7.70	5.6	470	6.00	0.69	0.68	4.18	74.4	3.1	7
L845658		2.26	<0.005		11	0.59	7.27	60.3	210	6.09	0.54	0.13	2.47	80.8	1.0	6
L845659		0.21	0.100		25	68.5	5.35	2900	620	0.83	4.12	7.29	143.0	30.8	13.1	42
L845660		1.05	0.167		173	>100	4.91	2970	200	4.50	0.76	0.20	43.1	56.5	2.8	5
L845661		2.38	<0.005		7	1.09	7.58	15.5	550	5.18	0.65	0.22	2.57	79.1	1.8	8
L845662		2.08	<0.005		8	0.22	7.49	1.3	640	6.39	0.42	0.75	0.12	73.0	2.2	7
L845663		1.30	<0.005		10	1.26	7.92	5.7	660	7.13	0.68	1.00	0.14	79.2	2.3	7
L845664		4.34	<0.005		5	0.18	7.69	2.0	600	6.87	0.68	1.24	0.08	79.4	2.7	10
L845665		0.07		7.02	657	>100	0.24	>10000	160	0.10	0.11	0.01	250	4.01	0.6	10
L845666		3.09	<0.005		7	2.31	6.99	25.6	560	5.87	0.50	0.77	0.20	78.1	2.8	8
L845667		1.49	<0.005		5	1.75	5.82	113.5	270	5.21	0.42	0.33	0.97	58.5	2.4	6
L845668		1.10	<0.005		8	0.91	7.01	19.4	330	5.75	0.51	0.46	0.23	74.9	3.6	7
L845669		7.82	<0.005		8	0.30	7.25	2.3	590	5.45	0.53	1.04	0.06	82.6	2.4	16
L845670		4.12	<0.005		9	0.22	7.20	1.3	550	5.60	0.53	1.10	0.04	80.3	2.5	9
L845671		3.36	<0.005		<5	0.01	0.11	5	20	0.07	0.04	20.6	0.07	1.74	1.8	1
L845672		3.85	<0.005		8	0.05	6.75	1.5	540	5.71	0.54	1.08	0.04	67.5	3.4	9
L845673		5.35	<0.005		8	0.12	6.84	5.1	480	6.74	0.57	0.88	0.05	62.2	2.3	9
L845674		4.10	<0.005		<5	0.14	6.65	3.1	480	6.11	0.55	1.30	0.04	56.7	2.2	8
L845675		2.23	0.006		7	0.44	6.94	37.1	510	5.64	0.58	0.23	0.07	67.2	2.4	10
L845676		7.73	<0.005		8	0.10	6.81	1.2	560	5.83	0.50	1.15	0.09	71.5	2.6	11
L845677		<0.02	<0.005		5	0.06	6.43	0.5	540	5.77	0.44	1.10	0.04	68.3	2.5	12
L845678		2.49	<0.005		7	0.20	6.45	5.0	570	5.09	0.51	1.19	0.06	69.8	2.2	11
L845679		2.69	<0.005		11	0.95	7.18	53.2	510	5.25	0.50	0.37	0.97	84.3	2.5	10
L845680		3.23	0.005		30	36.8	6.48	171.5	260	4.97	0.67	0.27	11.95	79.4	2.2	10

Comments: Gold assay(s) on sample L845665 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147781

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L845645		17.90	3.7	1.61	24.0	0.16	1.9	0.032	3.33	35.8	87.3	0.32	278	0.25	1.55
L845646		10.70	2.3	1.38	23.4	0.15	2.3	0.033	3.78	39.0	51.8	0.35	407	0.37	2.07
L845647		15.55	2.7	1.35	23.7	0.17	2.1	0.031	3.95	38.6	141.0	0.28	2020	0.27	1.59
L845648		8.00	1.7	1.36	23.0	0.18	2.2	0.025	3.73	41.9	49.6	0.36	314	0.36	2.29
L845649		7.88	1.7	1.36	23.0	0.16	2.1	0.029	3.84	40.3	48.0	0.36	313	0.30	2.35
L845650		7.93	1.4	1.34	23.5	0.17	2.2	0.034	3.73	42.8	66.6	0.34	247	0.37	2.16
L845651		21.6	37.7	1.49	35.1	0.18	2.9	0.072	5.35	40.5	78.0	0.40	419	0.21	2.38
L845652		8.08	3.3	1.35	24.7	0.17	2.0	0.036	3.75	40.1	78.6	0.36	253	0.37	2.23
L845653		8.04	1.5	1.27	23.2	0.16	1.9	0.032	3.76	39.3	57.5	0.33	268	0.40	2.06
L845654		0.24	1.8	0.49	0.29	0.05	<0.1	<0.005	0.04	0.7	1.4	12.85	214	0.14	0.01
L845655		24.3	3.1	1.53	22.8	0.18	1.9	0.034	4.09	37.4	175.0	0.45	2480	0.33	0.12
L845656		15.05	1.4	1.36	24.1	0.17	2.1	0.030	4.06	41.0	52.6	0.32	687	0.34	1.60
L845657		26.0	2.1	1.52	25.0	0.17	2.0	0.035	4.28	36.1	219	0.27	4630	0.31	0.11
L845658		27.7	10.1	1.45	22.9	0.16	1.9	0.029	3.37	39.6	141.5	0.21	1970	0.34	0.05
L845659		2.90	1070	3.95	10.45	0.13	1.4	0.082	1.43	14.3	18.3	0.71	2990	5.48	1.30
L845660		24.6	824	3.87	17.75	0.14	1.2	<0.005	2.50	28.7	72.8	0.18	29300	0.72	0.05
L845661		29.7	4.2	1.38	23.8	0.15	2.0	0.030	4.42	39.5	191.5	0.22	2040	0.29	0.21
L845662		10.70	2.4	1.29	22.2	0.16	1.9	0.024	4.28	36.1	42.4	0.27	568	0.25	1.95
L845663		11.70	12.4	1.32	26.8	0.18	2.2	0.026	4.66	38.5	38.0	0.35	503	0.37	2.19
L845664		12.60	2.5	1.44	24.1	0.17	2.0	0.036	3.89	39.9	65.1	0.36	340	0.38	1.93
L845665		0.41	3590	12.00	2.24	0.32	0.1	0.100	0.10	2.5	7.1	0.01	42	1.16	0.01
L845666		18.10	4.1	1.41	22.8	0.15	2.0	0.031	3.91	38.0	165.5	0.31	1030	0.33	1.09
L845667		24.8	11.5	2.21	19.45	0.14	1.4	0.026	2.58	28.7	395	0.21	13000	0.31	0.07
L845668		27.3	5.7	2.36	22.5	0.16	1.7	0.037	3.49	37.8	306	0.30	5200	0.37	0.08
L845669		11.00	3.0	1.32	23.5	0.18	2.0	0.035	4.07	41.2	69.1	0.35	298	0.34	1.80
L845670		11.30	1.6	1.32	23.7	0.17	2.1	0.034	3.86	39.1	60.7	0.32	264	0.36	1.84
L845671		0.41	3.1	0.43	0.40	0.06	<0.1	<0.005	0.05	0.8	2.3	12.95	193	0.15	0.01
L845672		13.95	3.6	1.22	30.1	0.19	2.2	0.032	3.87	32.5	60.6	0.28	258	0.37	1.75
L845673		19.50	5.1	1.09	28.5	0.19	2.1	0.030	3.64	31.1	210	0.26	291	0.22	0.63
L845674		20.3	3.3	1.01	26.3	0.15	2.1	0.033	3.55	26.8	104.0	0.24	270	0.26	0.63
L845675		23.0	4.9	1.31	26.9	0.16	2.0	0.032	3.86	33.1	117.0	0.26	553	0.33	0.18
L845676		18.55	4.8	1.34	26.6	0.17	2.2	0.047	3.92	34.4	66.8	0.31	399	0.49	1.50
L845677		18.00	3.9	1.27	24.5	0.15	2.2	0.031	3.77	33.1	66.2	0.29	377	0.34	1.46
L845678		17.30	3.8	1.27	24.7	0.16	2.2	0.032	3.84	34.0	77.0	0.29	995	0.52	1.33
L845679		26.6	5.7	1.57	24.8	0.17	2.3	0.031	4.13	41.9	139.0	0.25	7900	0.36	0.12
L845680		26.0	60.3	2.52	20.6	0.10	1.9	0.032	3.34	39.9	92.1	0.24	10650	0.36	0.06

Comments: Gold assay(s) on sample L845665 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147781

Sample Description	Method Analyte Units LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
L845645		3.7	540	37.3	256	<0.002	<0.01	0.60	5.5	1	5.9	129.0	1.09	<0.05	19.4	0.200
L845646		2.4	510	51.0	265	<0.002	0.01	0.21	4.5	1	6.6	161.5	1.01	<0.05	22.5	0.188
L845647		2.6	520	50.5	280	<0.002	0.03	1.02	4.6	1	8.8	140.5	0.99	<0.05	21.8	0.181
L845648		2.7	480	48.0	245	<0.002	<0.01	0.18	4.7	1	6.9	205	1.03	<0.05	21.7	0.186
L845649		2.6	480	49.6	237	<0.002	<0.01	0.16	5.0	1	7.3	201	0.93	<0.05	22.5	0.194
L845650		2.6	540	46.8	253	<0.002	0.01	0.13	5.1	1	5.9	197.0	1.02	<0.05	22.2	0.180
L845651		2.9	2250	57.0	408	<0.002	0.13	0.91	7.4	1	23.2	224	0.81	<0.05	25.3	0.223
L845652		2.9	560	45.9	261	<0.002	0.01	0.14	5.2	1	6.8	200	0.92	<0.05	21.1	0.184
L845653		2.3	510	47.4	262	<0.002	0.01	0.23	4.6	1	5.8	177.5	0.94	<0.05	21.8	0.177
L845654		2.9	190	1.5	2.4	<0.002	0.01	<0.05	0.3	1	<0.2	45.6	<0.05	<0.05	0.2	<0.005
L845655		2.8	540	97.6	317	<0.002	0.07	4.85	4.5	1	8.5	91.2	0.91	<0.05	20.9	0.172
L845656		2.6	530	50.0	284	<0.002	0.03	0.62	5.0	1	5.7	177.0	1.08	<0.05	21.6	0.185
L845657		2.7	550	58.1	345	<0.002	0.29	3.00	5.0	1	6.9	73.1	0.97	<0.05	21.4	0.177
L845658		1.5	460	135.0	338	<0.002	0.09	16.65	4.3	1	8.8	57.3	0.99	<0.05	21.1	0.169
L845659		26.5	690	>10000	74.0	0.002	2.97	53.7	8.3	4	2.8	468	0.32	0.19	4.1	0.218
L845660		1.3	340	>10000	258	<0.002	0.99	502	2.7	1	192.5	40.9	0.71	<0.05	11.4	0.112
L845661		2.1	550	79.4	326	<0.002	0.05	5.95	4.3	1	6.7	84.1	1.00	<0.05	22.3	0.175
L845662		2.4	570	53.5	286	<0.002	0.01	0.73	4.1	1	6.0	183.0	1.02	<0.05	20.5	0.161
L845663		2.3	620	77.8	310	<0.002	0.03	1.71	5.0	1	8.1	198.0	0.85	<0.05	22.1	0.197
L845664		3.0	600	47.4	269	<0.002	0.02	0.38	5.0	1	5.8	195.0	0.93	<0.05	21.9	0.189
L845665		3.0	50	>10000	8.0	0.002	>10.0	3510	0.6	6	165.5	7.9	<0.05	<0.05	0.4	0.010
L845666		3.1	570	122.5	284	<0.002	0.03	3.80	4.4	1	5.5	134.5	0.95	<0.05	20.8	0.181
L845667		2.4	390	80.8	240	<0.002	0.46	10.50	3.5	1	6.3	60.4	0.66	<0.05	14.0	0.125
L845668		2.7	480	87.8	301	<0.002	0.58	4.42	4.8	1	8.1	52.8	0.80	<0.05	20.6	0.164
L845669		2.6	500	52.3	289	<0.002	0.01	0.41	4.9	1	6.0	176.0	1.04	<0.05	22.1	0.187
L845670		2.8	460	47.8	275	<0.002	0.01	0.26	5.2	1	6.2	165.5	1.15	<0.05	21.5	0.187
L845671		5.2	190	1.4	2.6	<0.002	0.01	0.05	0.4	1	<0.2	49.3	<0.05	<0.05	0.2	<0.005
L845672		2.9	440	44.8	280	<0.002	0.06	0.94	5.3	1	6.7	158.0	1.17	<0.05	20.0	0.169
L845673		2.3	420	43.3	293	<0.002	0.06	1.25	4.2	1	6.1	97.4	0.84	<0.05	17.1	0.144
L845674		2.4	470	43.1	260	<0.002	0.02	0.63	4.1	1	5.8	99.4	0.70	<0.05	15.2	0.137
L845675		2.3	480	44.4	301	<0.002	0.39	4.67	4.8	1	7.2	71.6	0.88	<0.05	18.8	0.163
L845676		2.6	430	46.1	253	<0.002	0.05	0.58	4.9	1	6.9	171.0	0.94	<0.05	19.7	0.175
L845677		2.8	410	42.5	237	<0.002	0.04	0.51	4.6	1	6.7	163.0	0.91	<0.05	18.7	0.169
L845678		2.5	470	53.8	250	<0.002	0.06	1.03	4.3	1	6.5	159.0	0.76	<0.05	18.6	0.161
L845679		2.3	510	90.8	314	<0.002	0.25	6.90	4.2	1	13.1	77.8	0.83	<0.05	21.3	0.167
L845680		1.9	430	291	292	<0.002	0.70	50.7	4.1	1	32.3	39.8	0.75	<0.05	18.5	0.146

Comments: Gold assay(s) on sample L845665 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12147781

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845645		1.64	3.7	27	1.3	8.8	54	70.6				
L845646		2.20	6.5	21	1.3	8.3	56	90.4				
L845647		2.41	7.9	21	1.4	9.0	411	82.8				
L845648		1.68	6.7	21	1.3	8.5	58	88.4				
L845649		1.77	7.0	22	1.2	8.0	61	83.2				
L845650		1.57	6.6	20	1.1	8.6	51	83.3				
L845651		3.24	8.6	30	4.5	11.4	125	110.5				
L845652		1.67	5.7	22	1.2	8.3	54	80.3				
L845653		1.85	8.9	21	1.1	7.7	60	73.9				
L845654		<0.02	0.6	3	0.1	0.9	15	0.5				
L845655		3.84	9.6	21	2.8	8.1	319	72.4				
L845656		2.31	7.6	21	1.2	8.4	65	80.5				
L845657		3.74	8.3	20	4.4	8.6	1780	72.9				
L845658		4.21	9.1	19	2.4	6.2	790	71.7				
L845659		0.84	1.8	68	10.2	11.8	>10000	44.7		1.975	1.970	
L845660		3.30	13.6	14	2.5	5.6	5850	48.3	578	1.370		
L845661		3.12	8.8	20	3.1	8.7	506	74.4				
L845662		2.01	7.6	17	1.6	8.0	238	73.9				
L845663		2.47	8.9	22	2.7	9.0	123	86.1				
L845664		1.98	7.7	22	1.1	8.3	76	75.6				
L845665		0.12	0.5	8	152.0	0.7	>10000	3.5	>1500	11.00	2.71	NSS
L845666		2.11	8.1	21	4.6	8.2	156	78.0				
L845667		2.16	7.3	15	4.4	6.8	419	53.6				
L845668		3.64	7.8	18	2.5	7.5	391	66.0				
L845669		2.14	6.6	21	1.4	8.3	59	78.4				
L845670		1.80	7.0	22	1.6	8.2	53	80.3				
L845671		0.02	0.5	3	0.1	1.0	17	0.6				
L845672		1.85	6.6	18	1.4	8.6	48	79.1				
L845673		1.84	7.5	18	1.7	8.5	44	73.0				
L845674		1.60	7.2	17	2.0	7.8	42	72.2				
L845675		2.03	6.3	21	1.9	8.2	101	69.8				
L845676		2.03	6.3	22	1.4	7.5	70	73.8				
L845677		1.92	5.3	21	1.5	7.0	60	71.8				
L845678		2.09	5.4	22	0.9	7.4	75	74.1				
L845679		3.08	7.1	22	3.7	9.5	1010	77.9				
L845680		4.12	7.2	20	2.1	7.5	1850	63.2				

Comments: Gold assay(s) on sample L845665 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12147781

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.