



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 18-JUL-2012  
Account: RANSIL

**CERTIFICATE WH12150914**

Project: Hammer-Keg

P.O. No.: Batch 6

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: Gold assay on sample L845701 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12150914**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L845681		1.71	<0.005		7	0.46	7.66	4.0	550	4.75	1.86	0.64	0.39	82.9	2.7	17
L845682		1.15	<0.005		10	0.01	7.88	0.7	610	7.45	0.72	1.11	0.03	91.8	2.3	22
L845683		4.53	<0.005		9	0.03	7.25	0.4	590	5.45	0.61	1.06	0.02	89.1	2.4	28
L845684		0.22	0.115		25	63.6	5.18	2740	590	0.81	3.93	7.09	132.0	27.8	12.7	41
L845685		3.09	<0.005		11	0.36	7.54	3.1	560	5.29	0.93	1.56	0.22	81.2	2.5	31
L845686		5.30	<0.005		9	0.05	7.63	1.2	580	5.65	0.57	1.27	0.03	87.1	2.8	27
L845687		3.49	0.006		8	2.19	7.52	34.5	340	5.49	0.60	0.73	0.16	82.5	2.5	32
L845688		2.44	0.025		6	43.1	6.63	88.0	260	5.05	0.47	0.20	0.02	77.5	3.4	21
L845689		<0.02	0.033		7	10.50	6.48	104.0	240	4.84	0.61	0.19	0.03	77.1	4.2	23
L845690		4.78	<0.005		8	0.26	7.48	12.5	440	4.18	0.54	0.28	0.04	84.1	2.5	20
L845691		4.65	<0.005		6	0.12	7.77	3.0	590	5.56	0.57	0.92	<0.02	95.8	3.1	19
L845692		2.26	<0.005		<5	0.01	0.13	<5	20	0.08	0.12	19.90	0.06	1.52	1.7	2
L845693		4.00	<0.005		8	0.05	7.37	2.6	620	5.16	0.75	1.15	0.03	95.3	3.0	28
L845694		3.03	<0.005		9	0.06	7.76	0.7	640	5.36	0.60	1.20	0.03	101.5	3.1	30
L845695		6.90	<0.005		6	0.11	7.66	1.5	570	5.23	0.56	1.17	0.03	84.4	2.9	24
L845696		7.51	<0.005		5	0.05	7.67	1.4	560	5.61	0.58	1.08	0.03	80.4	2.9	24
L845697		6.05	<0.005		9	0.08	8.08	2.0	530	5.14	0.78	0.86	0.04	81.0	2.8	20
L845698		1.36	<0.005		10	1.79	6.99	19.1	340	4.31	0.34	1.01	0.21	42.0	1.7	21
L845699		3.75	<0.005		5	0.33	8.17	8.3	580	5.63	0.67	0.41	0.04	92.2	3.5	18
L845700		1.16	<0.005		6	0.27	7.76	4.5	570	5.49	0.41	0.58	0.05	93.1	3.7	17
L845701		0.03		7.73	661	>100	0.26	>10000	150	0.08	0.12	0.01	255	4.06	0.6	14
L845702		4.76	<0.005		8	0.12	8.09	2.3	630	4.94	0.44	1.12	0.02	93.4	2.8	22
L845703		3.25	<0.005		10	0.85	7.92	18.0	580	5.74	0.79	0.34	0.14	95.0	4.3	20
L845704		4.32	<0.005		7	0.75	8.11	28.9	640	3.69	0.49	0.20	0.05	92.2	1.7	19
L845705		4.68	<0.005		7	0.43	7.85	22.8	530	4.01	0.46	0.14	<0.02	87.3	1.0	20
L845706		4.51	<0.005		8	0.62	7.50	47.5	300	4.99	0.72	0.12	0.03	87.6	1.6	30
L845707		2.22	<0.005		5	0.84	7.43	61.9	330	4.77	1.05	0.12	0.02	83.4	2.4	29
L845708		3.09	<0.005		10	0.36	7.09	30.3	320	4.65	0.57	0.11	<0.02	80.0	11.0	18
L845709		3.14	0.005		<5	0.98	6.18	114.0	330	4.92	0.47	0.10	0.10	60.9	2.4	18
L845710		0.99	0.012		6	10.60	7.09	197.0	440	4.88	0.62	0.11	0.64	65.2	9.2	15
L845711		1.64	<0.005		11	1.60	7.50	95.5	300	4.38	0.74	0.08	0.07	62.7	1.4	21
L845712		1.12	0.007		63	4.90	6.05	177.0	230	3.90	0.33	0.09	0.52	63.7	6.6	13
L845713		1.27	<0.005		<5	0.04	0.17	5	20	0.10	0.02	20.9	0.06	2.29	1.7	2
L845714		1.70	<0.005		7	0.55	7.52	44.5	540	5.38	0.46	0.17	0.55	89.4	5.4	17
L845715		3.82	<0.005		10	1.17	7.74	5.4	570	5.34	0.68	0.21	0.14	91.4	3.8	18
L845716		5.79	0.005		8	0.56	7.67	48.5	550	4.48	0.47	0.17	0.02	86.7	1.4	17

Comments: Gold assay on sample L845701 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12150914**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L845681		24.0	13.0	1.43	25.1	0.18	2.0	0.030	4.55	42.1	97.7	0.29	2990	1.18	0.40
L845682		9.66	2.3	1.33	28.8	0.20	2.3	0.040	3.91	46.3	68.9	0.38	228	1.17	2.30
L845683		9.81	8.0	1.28	26.2	0.20	2.1	0.035	3.79	45.1	52.9	0.36	211	1.65	2.05
L845684		2.90	1055	3.84	11.30	0.17	1.4	0.089	1.38	14.3	15.6	0.69	2830	5.21	1.24
L845685		18.20	4.6	1.37	27.9	0.19	2.2	0.037	4.15	39.3	113.5	0.32	930	1.85	1.41
L845686		11.90	1.9	1.48	28.1	0.24	2.1	0.034	3.90	44.0	74.7	0.37	350	1.45	2.07
L845687		30.3	7.3	1.24	28.2	0.23	1.9	0.038	3.32	41.9	540	0.23	781	1.81	0.18
L845688		39.1	8.9	1.01	23.4	0.22	1.9	0.029	2.20	39.7	720	0.13	192	1.06	0.06
L845689		37.6	13.4	1.07	23.1	0.22	1.7	0.029	2.15	39.2	690	0.13	201	1.12	0.06
L845690		35.8	1.7	0.83	28.6	0.23	2.1	0.039	3.48	42.2	402	0.18	358	0.96	0.14
L845691		18.40	7.5	1.72	27.2	0.26	2.2	0.040	3.83	49.2	121.0	0.50	306	0.69	1.36
L845692		0.99	1.8	0.40	0.69	0.19	<0.1	0.006	0.07	0.7	3.0	12.25	177	0.18	0.01
L845693		14.30	3.7	1.44	28.0	0.28	2.3	0.036	3.82	48.8	100.5	0.42	271	1.40	1.68
L845694		9.60	2.4	1.59	27.6	0.34	2.4	0.038	3.80	52.1	99.0	0.47	254	1.47	2.14
L845695		16.95	1.9	1.43	26.6	0.28	2.3	0.037	4.01	42.8	94.5	0.35	364	1.26	1.58
L845696		16.60	1.5	1.38	26.1	0.24	2.1	0.034	3.93	41.1	86.0	0.32	255	1.32	1.98
L845697		14.15	16.4	1.37	27.4	0.27	2.2	0.046	4.16	41.4	75.0	0.31	281	1.09	1.26
L845698		14.60	3.9	1.20	22.7	0.22	1.1	0.027	3.49	21.4	66.7	0.31	277	1.43	1.10
L845699		17.85	2.2	1.65	27.1	0.23	2.5	0.040	4.26	46.6	102.5	0.35	951	1.04	0.47
L845700		14.60	3.6	1.78	26.5	0.25	2.4	0.038	3.75	47.6	106.0	0.33	398	0.73	1.29
L845701		0.43	3770	12.40	2.28	0.31	0.1	0.088	0.10	2.5	7.1	0.01	40	1.18	0.01
L845702		12.90	<0.2	1.82	26.1	0.12	2.5	0.038	3.98	45.8	90.0	0.42	802	1.15	2.05
L845703		23.5	15.8	1.55	26.0	0.23	2.2	0.034	3.92	48.6	188.0	0.26	2330	1.51	0.66
L845704		18.50	7.2	0.95	27.2	0.22	2.4	0.037	4.12	47.3	94.3	0.24	303	0.86	0.13
L845705		25.8	5.9	0.82	27.1	0.25	2.4	0.038	4.40	43.7	274	0.24	102	0.93	0.11
L845706		22.9	5.2	1.04	26.5	0.24	2.2	0.038	3.63	43.7	339	0.25	265	1.67	0.06
L845707		24.8	6.8	1.53	25.4	0.25	2.2	0.032	3.72	42.5	309	0.25	259	1.60	0.06
L845708		29.9	12.9	0.70	25.7	0.24	2.0	0.033	3.56	40.1	188.5	0.26	120	0.73	0.06
L845709		22.5	4.0	1.20	21.8	0.22	1.6	0.029	3.14	30.8	184.5	0.20	572	1.19	0.07
L845710		22.6	26.1	2.71	27.2	0.25	1.6	0.040	4.11	30.1	150.5	0.23	9450	3.01	0.10
L845711		20.4	6.9	1.70	27.1	0.24	1.8	0.041	4.06	31.2	162.5	0.25	427	1.45	0.07
L845712		21.7	15.8	5.27	20.7	0.26	1.6	0.019	2.97	31.9	156.0	0.20	9220	1.91	0.05
L845713		0.48	3.1	0.44	0.77	0.14	<0.1	<0.005	0.08	1.1	3.2	12.80	207	0.17	0.01
L845714		24.1	5.3	2.76	26.5	0.27	2.2	0.032	4.12	44.7	151.0	0.21	11250	1.60	0.09
L845715		17.85	10.4	1.37	26.5	0.30	2.4	0.042	4.18	45.1	119.5	0.21	1920	1.08	0.67
L845716		20.1	2.6	1.09	27.1	0.29	2.3	0.037	4.22	44.3	115.0	0.26	189	0.94	0.15

Comments: Gold assay on sample L845701 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12150914**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
L845681		3.3	680	47.9	349	<0.002	0.23	2.92	4.2	1	6.4	96.5	0.79	<0.05	20.2
L845682		2.6	610	49.3	252	<0.002	0.01	0.17	5.2	1	7.6	224	0.92	<0.05	22.7
L845683		2.5	610	44.0	260	<0.002	0.02	0.22	5.0	1	7.9	200	0.69	<0.05	21.0
L845684		25.6	670	>10000	71.9	0.003	2.83	54.4	8.0	7	2.8	443	0.31	0.18	3.9
L845685		3.0	540	80.4	294	<0.002	0.05	0.51	4.5	1	9.7	169.0	0.98	<0.05	19.8
L845686		3.2	520	47.1	258	<0.002	0.01	0.32	5.2	1	6.4	200	0.97	<0.05	20.2
L845687		3.6	470	104.0	270	<0.002	0.11	5.32	4.9	1	8.3	83.1	0.82	<0.05	19.5
L845688		3.1	500	44.7	188.5	<0.002	0.21	14.95	4.0	1	6.0	66.1	0.71	<0.05	18.5
L845689		4.2	460	44.6	185.5	<0.002	0.23	12.40	4.0	1	6.0	63.0	0.67	<0.05	18.1
L845690		2.7	550	51.4	251	<0.002	0.04	1.52	5.1	1	6.9	78.5	0.76	<0.05	20.7
L845691		3.5	590	46.7	266	<0.002	0.02	0.72	4.9	1	7.0	171.5	0.72	<0.05	22.4
L845692		<0.2	250	1.6	5.9	<0.002	0.01	0.06	0.4	1	<0.2	48.1	<0.05	<0.05	0.2
L845693		3.6	580	45.5	257	<0.002	0.04	0.80	5.1	1	6.0	193.5	0.73	<0.05	22.0
L845694		3.6	600	47.9	252	<0.002	0.01	0.17	5.3	1	6.6	222	0.75	<0.05	23.5
L845695		2.7	480	48.2	262	<0.002	0.02	0.57	5.2	1	6.3	192.0	0.94	<0.05	20.9
L845696		2.8	590	45.6	262	<0.002	0.01	0.33	4.9	1	7.3	188.0	1.01	<0.05	20.3
L845697		3.2	500	49.3	271	<0.002	0.03	1.22	5.3	1	8.3	137.0	1.00	<0.05	20.5
L845698		2.2	1110	89.4	255	<0.002	0.04	2.68	3.9	1	6.6	104.5	0.43	<0.05	9.5
L845699		2.8	600	60.3	313	<0.002	0.07	1.56	5.5	1	7.4	88.4	1.16	<0.05	22.2
L845700		3.2	550	48.7	255	<0.002	<0.01	0.61	5.4	1	6.4	139.0	0.94	<0.05	22.3
L845701		3.1	60	>10000	8.2	0.003	>10.0	3560	0.6	6	166.0	8.0	<0.05	<0.05	0.4
L845702		3.5	570	50.8	262	<0.002	<0.01	0.15	5.0	1	6.2	197.0	0.99	<0.05	22.3
L845703		5.1	780	74.0	294	<0.002	<0.01	2.77	5.1	1	6.3	109.0	0.72	<0.05	22.2
L845704		1.9	460	63.5	288	<0.002	0.01	3.67	5.3	1	6.4	98.3	0.93	<0.05	22.4
L845705		1.9	370	58.3	357	<0.002	0.01	3.02	5.6	1	6.4	83.1	0.88	<0.05	21.8
L845706		1.7	390	51.4	345	<0.002	0.01	4.24	5.4	1	7.0	36.5	0.90	<0.05	19.9
L845707		2.6	410	55.4	337	<0.002	0.01	4.62	5.1	1	7.1	41.5	0.87	<0.05	19.8
L845708		3.4	200	52.7	347	<0.002	0.02	4.32	4.8	1	10.0	53.9	1.15	<0.05	17.6
L845709		2.5	270	44.4	288	<0.002	<0.01	6.40	4.0	1	5.3	47.4	0.78	<0.05	14.6
L845710		6.7	450	72.7	346	<0.002	<0.01	6.83	4.8	1	5.9	106.0	0.86	<0.05	13.9
L845711		1.9	350	163.0	375	<0.002	0.07	7.12	5.4	1	13.9	60.7	0.84	<0.05	14.8
L845712		2.6	620	1755	273	<0.002	0.08	18.75	4.0	1	47.0	85.6	0.58	<0.05	13.4
L845713		0.9	240	4.9	5.7	<0.002	<0.01	0.13	0.3	1	0.3	48.2	<0.05	<0.05	0.3
L845714		3.2	590	94.1	327	<0.002	<0.01	3.68	4.7	1	6.0	138.5	1.11	<0.05	19.5
L845715		4.6	490	52.2	301	<0.002	<0.01	1.22	6.2	1	6.7	109.0	1.11	<0.05	21.1
L845716		1.8	350	48.9	329	<0.002	0.05	3.12	5.2	1	6.6	85.2	1.01	<0.05	20.1

Comments: Gold assay on sample L845701 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12150914**

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845681		3.36	8.4	22	1.7	9.3	1500	74.2				
L845682		1.49	9.5	25	0.9	9.6	56	84.7				
L845683		1.57	6.9	23	1.5	9.3	45	81.2				
L845684		0.76	1.7	64	9.3	13.3	>10000	44.8		1.935	1.970	
L845685		2.33	7.1	25	1.2	8.7	115	80.6				
L845686		1.70	7.9	24	0.7	8.5	55	78.2				
L845687		2.04	11.9	21	5.5	8.7	86	68.2				
L845688		1.22	7.6	20	20.3	9.5	46	67.0				
L845689		1.23	5.9	21	20.4	9.5	54	65.2				
L845690		1.50	9.1	25	19.8	8.1	48	81.5				
L845691		1.87	8.6	26	1.2	9.1	62	83.8				
L845692		0.03	0.7	2	0.1	0.9	15	0.6				
L845693		1.60	7.4	26	1.1	9.0	58	87.0				
L845694		1.52	8.9	27	0.8	9.4	60	88.3				
L845695		2.21	9.6	21	1.4	8.4	59	88.0				
L845696		1.76	9.3	20	1.6	8.5	53	77.3				
L845697		1.96	10.2	19	2.0	8.3	47	73.3				
L845698		1.99	12.2	12	1.4	10.6	75	37.8				
L845699		2.50	9.5	21	2.8	10.0	88	90.2				
L845700		1.84	6.1	23	4.5	9.2	58	88.7				
L845701		0.13	0.5	7	159.0	0.8	>10000	3.7	>1500	10.65	2.65	3360
L845702		1.64	10.1	25	1.2	9.8	60	85.8				
L845703		2.11	10.4	22	6.6	11.7	99	85.0				
L845704		1.80	8.8	24	41.9	8.8	40	91.1				
L845705		2.32	11.6	23	8.6	8.2	21	89.5				
L845706		2.71	10.8	24	3.4	8.5	28	82.6				
L845707		2.76	14.0	22	3.8	8.2	43	79.0				
L845708		2.26	5.3	20	5.4	7.1	21	73.9				
L845709		1.82	19.4	14	9.4	6.5	79	58.6				
L845710		2.33	38.6	13	62.4	8.9	265	56.2				
L845711		3.53	23.3	16	4.1	5.3	77	60.4				
L845712		3.38	59.1	14	7.3	6.5	360	57.4				
L845713		0.03	0.8	2	0.1	1.0	17	1.0				
L845714		2.58	44.4	21	3.5	10.7	259	79.8				
L845715		2.34	12.7	22	6.7	10.1	141	84.1				
L845716		2.30	10.1	21	3.8	6.8	36	86.8				

Comments: Gold assay on sample L845701 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 18-JUL-2012  
Account: RANSIL

**CERTIFICATE OF ANALYSIS WH12150914**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.