



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25-JUL-2012
Account: RANSIL

CERTIFICATE WH12153601

Project: Hammer - Keg

P.O. No.: Batch 7

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA24	Au 50g FA AA finish	AAS
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12153601

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
L845717		2.28	0.33	7.36	28.3	460	3.86	0.59	0.19	0.08	73.1	1.3	9	16.10	3.1	1.42
L845718		6.23	0.37	7.90	49.7	590	4.45	0.81	0.27	0.05	86.1	3.1	12	17.25	4.8	1.13
L845719		5.76	0.17	7.94	9.5	530	4.50	0.64	0.34	0.02	77.6	2.4	10	19.95	4.2	1.19
L845720		3.67	0.01	0.10	<5	40	0.11	0.03	21.4	0.06	2.10	1.6	1	0.34	1.8	0.46
L845721		6.87	0.08	7.75	0.7	620	4.76	0.76	0.96	0.02	87.8	2.5	13	12.80	6.2	1.67
L845722		6.84	0.06	7.85	3.2	620	4.82	0.95	1.24	0.03	92.7	2.8	14	13.00	4.9	1.66
L845723		3.64	0.07	7.64	0.7	610	4.87	0.55	0.65	0.03	91.2	2.7	13	13.10	3.5	1.58
L845724		3.32	0.21	7.78	52.2	540	4.31	1.06	0.23	0.03	77.8	2.0	11	19.60	4.8	1.35
L845725		3.37	0.10	7.92	4.4	620	3.82	0.59	0.19	<0.02	78.8	2.5	11	15.10	5.0	0.81
L845726		0.23	58.2	4.86	2560	570	0.87	4.22	6.87	129.0	31.7	12.7	45	3.25	980	3.71
L845727		6.07	0.18	7.50	6.4	550	3.97	0.85	0.31	0.10	76.3	2.2	10	18.75	2.3	1.04
L845728		7.21	0.12	7.62	0.8	580	4.96	1.40	1.17	0.04	81.4	2.2	9	10.10	4.5	1.38
L845729		2.50	0.15	7.84	2.0	600	4.41	1.26	0.49	<0.02	81.2	1.9	10	10.15	14.9	1.18
L845730		4.72	0.21	7.56	16.7	570	4.47	0.59	0.33	0.02	79.1	2.4	8	20.7	1.9	1.34
L845731		3.31	0.28	7.43	44.0	430	4.35	0.54	0.21	<0.02	76.0	2.6	9	19.00	10.2	1.13
L845732		4.16	0.07	7.90	2.3	540	5.44	0.94	0.94	<0.02	79.7	2.0	10	16.70	3.3	1.31
L845733		3.53	0.04	7.42	3.5	550	4.82	0.72	1.02	0.03	82.0	2.4	11	15.90	7.1	1.49
L845734		1.68	0.02	7.27	2.3	530	4.80	1.14	0.98	0.02	86.7	2.6	12	16.65	11.7	1.54
L845735		6.53	0.13	7.92	1.5	600	6.00	0.64	1.15	0.04	77.2	2.5	14	11.10	15.5	1.45
L845736		6.45	0.21	7.51	5.6	570	5.75	0.57	0.96	0.04	80.9	2.2	9	9.55	5.3	1.34
L845737		0.04	>100	0.26	>10000	150	0.11	0.10	0.01	259	4.03	0.5	14	0.38	3800	12.80
L845738		7.06	3.30	7.50	53.8	560	5.53	0.81	1.08	0.27	81.4	2.1	10	11.85	5.4	1.33
L845739		6.62	0.49	7.61	13.8	580	6.88	0.78	1.08	0.06	82.6	2.3	9	17.50	1.4	1.38
L845740		4.00	0.27	7.56	4.3	600	6.17	0.62	0.94	0.05	85.6	2.2	9	12.95	1.1	1.51
L845741		1.51	0.24	7.70	6.6	600	4.04	0.88	0.28	0.25	90.6	2.7	7	23.2	4.3	1.17
L845742		4.59	0.48	7.33	16.7	450	3.96	0.78	0.19	0.23	78.2	1.6	7	18.65	2.1	0.92
L845743		2.11	1.59	7.42	36.0	300	4.75	0.72	0.13	0.38	82.7	1.8	9	18.40	17.2	1.78
L845744		2.15	23.3	5.81	265	150	4.45	0.42	0.09	2.64	63.9	3.4	7	22.8	28.0	2.73
L845745		<0.02	20.6	6.25	276	160	4.52	0.43	0.09	2.29	69.5	3.5	7	23.2	24.5	2.85
L845746		4.49	0.35	7.77	5.8	580	5.00	0.51	0.67	0.57	85.3	2.1	8	21.3	2.3	1.49
L845747		3.67	0.06	0.10	<5	20	0.06	0.02	21.7	0.06	1.74	1.2	<1	0.27	2.0	0.45
L845748		7.61	0.10	7.92	1.9	520	5.27	0.63	1.14	0.04	78.6	2.7	12	9.00	4.5	1.55
L845749		3.64	0.34	7.50	18.7	480	5.02	0.55	0.85	0.15	73.3	2.6	10	16.45	4.8	1.50
L845750		2.22	0.87	7.76	82.9	520	5.37	0.60	0.41	0.16	71.6	2.5	10	14.45	6.7	1.31
L845751		2.42	0.48	7.38	9.4	480	5.22	0.66	0.97	0.11	71.0	2.5	9	19.70	1.9	1.53
L845752		5.04	0.11	7.46	1.3	550	5.71	0.48	1.28	0.03	71.5	2.5	11	16.30	1.9	1.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12153601

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
L845717		23.6	0.08	2.1	0.038	3.91	36.8	155.0	0.23	278	0.37	0.32	9.6	1.7	500	41.2
L845718		25.4	0.11	2.4	0.035	4.07	42.9	136.5	0.26	94	0.31	0.56	10.7	3.2	560	48.0
L845719		26.2	0.11	2.2	0.049	4.12	38.6	138.5	0.27	139	0.31	0.52	9.4	2.3	510	40.9
L845720		0.69	0.07	<0.1	<0.005	0.05	1.0	3.3	13.25	195	0.14	0.01	0.6	1.9	210	1.9
L845721		24.0	0.13	2.3	0.054	4.00	44.1	70.0	0.38	554	0.28	1.95	10.6	2.6	510	42.7
L845722		24.0	0.16	2.4	0.037	3.97	46.0	72.3	0.45	297	0.32	1.99	10.9	2.9	540	42.9
L845723		24.0	0.15	2.3	0.040	3.99	44.8	58.3	0.34	254	0.27	1.84	10.9	2.6	490	43.8
L845724		24.4	0.14	2.4	0.041	4.21	37.5	190.5	0.25	82	0.51	0.28	10.5	2.5	500	40.6
L845725		23.8	0.12	2.3	0.037	4.00	38.3	87.8	0.23	93	0.25	0.12	10.7	2.4	500	40.5
L845726		11.85	0.12	1.4	0.094	1.32	16.6	21.7	0.68	2730	5.48	1.22	4.3	27.5	630	>10000
L845727		22.5	0.09	2.2	0.036	3.97	37.9	192.0	0.24	408	0.26	0.32	10.5	2.3	510	52.7
L845728		22.6	0.12	2.4	0.028	3.99	40.7	56.3	0.34	277	0.56	1.95	11.6	2.1	540	48.0
L845729		24.8	0.11	2.2	0.042	4.23	40.4	113.5	0.31	167	0.21	1.27	11.2	2.0	620	44.2
L845730		22.5	0.11	2.2	0.031	4.18	35.1	155.5	0.22	509	0.28	0.27	12.0	1.8	530	46.0
L845731		23.5	0.10	1.9	0.034	3.93	33.6	202	0.26	680	0.30	0.08	10.6	2.0	530	41.0
L845732		22.8	0.12	2.2	0.033	3.94	39.7	55.9	0.27	265	0.28	1.73	12.1	2.0	580	40.7
L845733		22.9	0.13	2.2	0.033	3.84	40.3	85.8	0.28	232	0.24	1.50	11.8	3.4	550	43.6
L845734		22.6	0.14	2.2	0.037	3.73	43.8	82.4	0.30	231	0.22	1.45	12.4	3.6	530	42.8
L845735		24.9	0.14	1.9	0.036	4.03	37.8	55.9	0.36	314	0.35	2.16	10.2	4.1	570	47.3
L845736		23.7	0.18	1.9	0.030	3.94	40.1	54.4	0.34	250	0.37	2.10	10.9	2.5	520	47.2
L845737		2.15	0.41	0.1	0.104	0.10	2.6	7.9	0.01	40	1.24	0.01	0.6	2.9	50	>10000
L845738		24.6	0.13	2.0	0.031	3.91	40.4	62.0	0.33	263	0.32	2.17	10.2	2.5	560	160.0
L845739		25.2	0.15	2.0	0.035	3.94	40.8	82.6	0.34	333	0.33	1.77	10.2	2.6	610	59.6
L845740		24.0	0.16	2.2	0.030	3.93	42.7	63.3	0.33	420	0.31	2.05	10.0	2.7	610	53.2
L845741		24.3	0.17	2.2	0.035	4.56	43.8	303	0.24	685	0.46	0.23	8.3	3.9	590	60.8
L845742		24.2	0.17	1.9	0.031	3.80	37.7	560	0.20	434	0.37	0.09	9.0	2.0	530	50.8
L845743		24.6	0.17	2.0	0.031	3.87	40.6	125.5	0.23	374	0.42	0.06	9.2	1.9	490	52.5
L845744		22.9	0.06	1.8	0.019	2.57	31.9	64.4	0.20	3970	0.78	0.02	7.2	1.6	390	176.5
L845745		20.8	0.15	1.7	0.023	2.84	34.7	63.1	0.22	4110	0.85	0.03	7.6	1.8	420	186.0
L845746		25.2	0.17	2.2	0.035	4.39	42.5	96.6	0.27	3450	0.35	0.63	9.1	2.5	510	51.0
L845747		0.37	0.09	<0.1	<0.005	0.04	0.8	1.5	13.30	206	0.33	0.01	0.4	2.6	200	2.7
L845748		26.5	0.17	1.6	0.037	3.92	38.4	68.4	0.42	310	0.34	2.23	10.7	3.5	550	43.0
L845749		24.6	0.18	1.5	0.032	4.08	36.8	69.5	0.38	3530	0.35	0.85	10.5	5.2	490	45.9
L845750		26.2	0.18	1.4	0.039	3.94	33.8	135.5	0.28	1360	0.33	1.31	11.1	3.5	600	51.4
L845751		23.7	0.20	1.5	0.033	4.01	35.0	130.0	0.30	2880	0.34	0.97	10.6	3.2	470	57.4
L845752		23.8	0.18	1.6	0.040	3.94	34.3	55.6	0.32	487	0.58	1.83	12.2	3.1	500	40.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12153601

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
L845717		306	<0.002	0.02	2.27	4.2	1	5.9	68.1	0.85	<0.05	18.3	0.165	2.06	13.7	19
L845718		299	<0.002	0.15	2.49	4.9	1	6.6	88.2	0.96	<0.05	21.8	0.198	1.90	11.9	24
L845719		287	<0.002	0.07	1.66	5.8	1	6.4	91.6	0.77	<0.05	19.8	0.183	1.72	15.3	21
L845720		4.1	<0.002	0.01	<0.05	0.5	1	<0.2	51.7	<0.05	<0.05	0.3	<0.005	0.02	0.8	2
L845721		253	<0.002	0.01	0.32	4.5	1	6.2	185.5	0.98	<0.05	21.4	0.200	1.50	9.5	24
L845722		261	<0.002	0.01	0.24	4.6	1	6.0	198.0	1.01	<0.05	22.0	0.210	1.55	8.8	25
L845723		257	<0.002	0.01	0.34	4.7	1	6.1	165.5	0.93	<0.05	22.6	0.205	1.54	13.6	25
L845724		308	<0.002	0.01	2.46	4.6	1	6.4	78.8	0.88	<0.05	20.9	0.185	1.81	16.2	22
L845725		266	<0.002	<0.01	1.86	4.5	1	6.4	81.5	1.02	<0.05	21.2	0.197	1.59	13.1	24
L845726		74.5	0.003	2.73	60.9	8.8	4	3.0	421	0.34	0.23	4.3	0.203	0.78	1.9	61
L845727		267	<0.002	0.04	1.12	4.4	1	5.8	87.0	1.04	<0.05	20.7	0.184	1.50	16.3	21
L845728		255	<0.002	0.01	0.25	3.9	1	6.4	181.0	1.13	<0.05	20.9	0.179	1.52	8.0	20
L845729		276	<0.002	<0.01	0.44	5.2	1	7.1	130.0	1.02	<0.05	21.7	0.191	1.61	5.7	21
L845730		290	<0.002	<0.01	1.48	4.0	1	6.4	90.6	1.20	<0.05	21.8	0.188	1.78	6.8	19
L845731		326	<0.002	<0.01	2.75	4.5	1	5.9	60.3	1.05	<0.05	20.1	0.187	1.88	7.9	23
L845732		272	<0.002	<0.01	0.40	4.0	1	8.5	155.0	1.34	<0.05	20.1	0.179	1.58	10.9	20
L845733		241	<0.002	<0.01	1.29	4.5	1	5.8	155.5	1.12	<0.05	20.8	0.185	1.46	9.2	21
L845734		243	<0.002	<0.01	1.66	4.8	1	6.1	151.0	1.15	<0.05	21.7	0.195	1.45	9.2	23
L845735		256	<0.002	0.01	0.31	4.7	1	7.6	195.0	0.93	<0.05	20.2	0.191	1.78	11.8	22
L845736		258	<0.002	0.01	0.39	4.6	1	7.2	172.0	1.17	<0.05	21.7	0.181	1.72	10.4	19
L845737		8.7	0.002	>10.0	3670	0.4	5	163.0	8.1	<0.05	<0.05	0.6	0.010	0.13	0.6	7
L845738		269	<0.002	0.03	3.88	4.5	1	6.9	182.5	0.96	<0.05	21.5	0.176	1.70	9.2	19
L845739		278	<0.002	0.03	0.98	4.9	1	7.2	165.5	1.02	<0.05	21.9	0.188	1.79	12.1	20
L845740		275	<0.002	0.01	0.72	4.6	1	7.4	180.5	1.16	<0.05	23.2	0.180	1.76	9.8	19
L845741		281	<0.002	0.15	3.77	4.3	1	6.1	92.8	0.70	<0.05	25.1	0.163	1.99	10.0	15
L845742		308	<0.002	0.05	4.61	4.7	1	6.0	64.4	0.76	<0.05	21.3	0.174	2.29	8.3	19
L845743		366	<0.002	1.01	9.09	4.8	1	9.7	40.9	0.88	<0.05	21.5	0.186	4.65	9.7	21
L845744		274	<0.002	0.19	34.1	3.8	1	17.9	33.8	0.68	<0.05	15.3	0.138	3.37	16.5	15
L845745		306	<0.002	0.20	29.9	3.8	1	15.3	33.9	0.76	<0.05	17.9	0.148	3.90	18.2	16
L845746		334	<0.002	0.21	3.30	5.1	1	6.5	106.5	0.76	<0.05	22.1	0.186	3.31	6.8	21
L845747		2.8	<0.002	0.01	0.10	0.3	1	<0.2	47.0	<0.05	<0.05	0.2	<0.005	0.02	0.7	3
L845748		278	<0.002	0.01	0.31	5.1	1	6.8	169.5	1.10	<0.05	19.0	0.194	1.67	8.9	23
L845749		306	<0.002	0.13	3.75	5.1	1	10.7	102.5	1.08	<0.05	18.3	0.189	3.36	9.8	22
L845750		279	<0.002	0.03	6.24	5.6	1	7.9	112.5	1.14	<0.05	19.2	0.200	2.21	9.3	26
L845751		305	<0.002	0.08	2.46	5.0	1	7.3	110.5	0.97	<0.05	18.4	0.178	2.57	7.8	20
L845752		275	<0.002	0.01	0.94	4.8	1	6.6	172.0	1.04	<0.05	18.0	0.190	1.86	5.5	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2012
 Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12153601

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5	Au-AA24 Au ppm 0.005	Sn-XRF05 Sn ppm 5
L845717		1.8	7.1	47	75.3					<0.005	6
L845718		5.2	9.6	79	89.0					0.006	10
L845719		3.1	8.5	54	77.3					<0.005	6
L845720		0.1	0.9	18	1.1					<0.005	<5
L845721		1.4	8.3	60	86.5					<0.005	9
L845722		1.1	8.8	59	87.6					<0.005	10
L845723		1.2	8.5	62	87.6					<0.005	9
L845724		4.5	8.2	61	89.0					<0.005	<5
L845725		11.3	7.9	32	84.5					<0.005	8
L845726		9.6	12.9	>10000	43.7		1.935	1.940		0.099	24
L845727		10.6	8.0	75	80.1					<0.005	8
L845728		1.6	8.6	54	84.5					<0.005	7
L845729		3.1	9.1	41	77.8					<0.005	9
L845730		3.2	7.8	43	77.1					<0.005	10
L845731		5.5	7.5	35	68.0					<0.005	5
L845732		2.1	8.2	59	77.2					<0.005	11
L845733		1.8	8.7	53	79.3					<0.005	7
L845734		1.8	8.9	52	78.5					<0.005	7
L845735		1.6	8.6	56	68.0					<0.005	10
L845736		1.3	7.8	52	68.1					<0.005	8
L845737		170.5	0.8	>10000	4.0	>1500	10.40	2.56	3250	6.65	655
L845738		1.3	8.1	76	72.4					<0.005	7
L845739		4.9	8.3	62	74.3					<0.005	13
L845740		1.2	8.5	127	76.1					<0.005	12
L845741		11.6	9.2	277	77.0					<0.005	9
L845742		3.2	7.4	179	70.4					<0.005	5
L845743		2.7	7.5	129	74.5					0.008	12
L845744		2.3	5.8	1020	66.0					0.009	17
L845745		2.8	6.5	933	64.7					0.007	16
L845746		2.1	8.6	595	82.6					<0.005	6
L845747		0.1	0.9	19	0.6					<0.005	<5
L845748		1.3	9.3	65	58.8					<0.005	5
L845749		1.4	9.3	590	55.8					<0.005	13
L845750		1.6	7.7	357	50.1					<0.005	9
L845751		1.5	8.8	324	54.3					<0.005	6
L845752		1.2	8.9	60	60.4					<0.005	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer - Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12153601

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.