



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 27-JUL-2012
Account: RANSIL

CERTIFICATE WH12154940

Project: Hammer-Keg

P.O. No.: Batch 9

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 5-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay on sample L845794 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12154940

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L845789		2.06	<0.005		10	0.05	7.22	6.7	570	5.21	0.50	1.14	0.02	80.8	3.3	12
L845790		5.12	<0.005		11	0.02	6.91	9.7	430	4.77	0.75	0.76	0.04	59.9	2.6	11
L845791		2.26	<0.005		11	0.12	7.03	37.6	510	4.57	0.48	0.32	0.05	63.2	4.2	11
L845792		3.39	<0.005		10	0.05	7.36	11.3	530	4.95	0.54	0.47	0.03	74.4	3.1	12
L845793		3.55	<0.005		8	0.11	7.14	13.6	480	4.90	0.54	0.40	0.05	65.7	2.3	9
L845794		0.06		6.85	658	>100	0.25	>10000	150	0.11	0.12	0.01	252	3.23	0.6	11
L845795		3.70	<0.005		10	0.31	8.38	25.3	560	5.52	0.79	0.24	0.04	72.0	3.7	11
L845796		1.42	0.014		21	17.50	6.29	480	290	3.99	0.46	0.12	1.85	64.8	2.2	9
L845797		3.56	<0.005		<5	0.20	0.13	8	20	0.05	0.02	20.4	0.07	1.24	1.4	<1
L845798		5.46	<0.005		7	1.31	7.33	83.0	520	4.04	0.53	0.23	0.21	67.8	3.8	11
L845799		3.60	<0.005		14	0.27	7.64	18.8	580	3.69	0.55	0.33	0.14	75.9	4.0	8
L845800		5.51	<0.005		11	1.17	6.63	78.3	370	4.88	0.52	0.30	0.16	63.5	3.1	7
L845801		4.32	<0.005		7	1.31	6.85	15.6	340	5.21	0.59	0.26	0.07	59.7	2.4	10
L845802		1.44	<0.005		11	0.88	6.93	4.9	400	4.49	0.39	0.72	0.06	61.8	3.3	10
L845803		<0.02	<0.005		9	0.93	6.84	6.4	400	4.43	0.37	0.72	0.06	61.3	3.3	11
L845804		2.95	<0.005		8	0.48	7.06	6.1	440	5.08	0.42	0.83	0.05	67.4	2.6	10
L845805		6.38	<0.005		6	1.14	7.16	3.3	460	5.76	0.38	0.50	0.07	64.8	3.1	12
L845806		5.96	<0.005		7	2.99	7.28	1.6	500	5.08	0.53	0.29	0.10	72.6	3.2	13
L845807		1.39	<0.005		<5	0.24	7.25	2.2	600	4.82	0.51	0.97	0.06	78.6	2.7	8
L845808		2.63	<0.005		18	2.76	7.44	316	290	4.81	0.43	0.18	0.25	80.1	1.2	7
L845809		0.26	0.092		26	61.5	4.91	2620	560	0.91	3.35	6.72	125.5	25.5	13.8	41
L845810		3.45	<0.005		11	1.04	7.06	7.3	540	5.07	0.43	0.24	0.58	81.2	1.4	11
L845811		1.92	<0.005		6	0.34	7.66	2.1	640	4.57	0.45	0.37	1.01	86.0	1.9	12
L845812		0.99	<0.005		10	58.3	7.82	30.3	590	6.21	0.59	0.17	5.39	108.0	9.1	9
L845813		3.62	<0.005		7	1.47	7.22	4.4	320	4.86	0.86	0.16	0.36	67.6	1.1	10
L845814		1.88	<0.005		8	1.30	7.11	6.0	300	5.09	0.77	0.16	0.31	65.5	1.0	8
L845815		1.01	<0.005		17	4.00	6.10	417	210	5.01	0.35	0.14	1.78	69.8	1.3	5
L845816		1.81	<0.005		9	0.68	7.28	10.4	260	4.48	0.48	0.12	0.05	83.1	1.0	10
L845817		1.48	<0.005		11	0.62	7.21	47.2	410	4.81	0.43	0.14	0.87	85.7	3.0	7
L845818		1.57	<0.005		6	0.46	8.76	56.7	490	5.29	0.60	0.19	0.15	86.2	1.9	10
L845819		1.30	<0.005		7	0.90	7.09	108.5	310	5.71	0.45	0.15	0.60	81.8	2.1	8
L845820		3.81	<0.005		7	0.39	7.35	49.0	350	4.64	0.46	0.17	0.11	83.2	2.2	10
L845821		1.76	<0.005		7	1.44	7.32	51.4	490	5.46	0.53	0.17	0.29	83.9	2.2	9
L845822		3.61	<0.005		<5	0.01	0.09	<5	20	0.07	0.03	21.4	0.06	1.21	1.3	2
L845823		3.40	<0.005		10	0.91	7.77	2.9	590	5.96	0.57	0.48	0.05	90.3	2.0	11
L845824		6.29	<0.005		6	8.94	7.34	3.6	560	4.90	0.47	0.60	0.22	90.9	2.0	11

Comments: Gold assay on sample L845794 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12154940

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L845789		18.80	5.7	1.35	27.0	0.19	2.0	0.034	3.62	37.4	241	0.27	372	0.19	0.71
L845790		11.95	5.3	1.34	24.8	0.20	1.6	0.030	3.36	28.1	75.6	0.33	362	0.20	1.80
L845791		14.35	6.3	1.64	25.2	0.16	1.7	0.033	3.50	26.6	216	0.26	1620	0.50	0.32
L845792		17.60	6.0	1.40	25.5	0.17	1.9	0.035	3.56	34.4	229	0.29	189	0.27	0.66
L845793		16.30	3.5	1.64	23.4	0.18	1.5	0.034	3.58	30.6	157.0	0.24	286	0.35	0.72
L845794		0.33	3810	12.00	1.97	0.19	0.1	0.030	0.10	1.9	7.8	0.01	39	1.29	0.01
L845795		17.40	4.6	0.85	30.9	0.07	2.0	0.038	4.28	32.7	189.5	0.21	160	0.30	0.18
L845796		21.8	15.3	3.22	21.5	0.08	1.5	0.026	3.35	30.3	86.2	0.24	7120	2.30	0.07
L845797		0.31	1.8	0.46	0.41	<0.05	<0.1	<0.005	0.05	0.6	1.8	12.55	229	0.17	0.01
L845798		17.25	6.4	0.76	27.8	0.27	1.8	0.039	3.92	30.3	220	0.23	250	0.37	0.12
L845799		15.50	26.4	1.22	27.4	0.22	2.0	0.035	3.83	34.2	104.0	0.33	438	0.29	0.14
L845800		27.0	5.8	1.52	23.7	0.14	1.8	0.030	3.44	31.1	167.5	0.30	1520	0.74	0.09
L845801		17.10	13.0	1.15	24.0	0.12	1.7	0.035	3.41	27.8	295	0.25	490	1.61	0.30
L845802		15.85	10.3	1.36	23.0	0.14	1.7	0.032	3.38	29.2	78.7	0.29	467	0.23	0.98
L845803		15.75	10.7	1.44	22.8	0.12	1.6	0.031	3.32	29.1	78.3	0.29	488	0.29	0.99
L845804		16.90	4.0	1.35	23.5	0.12	1.9	0.029	3.39	31.3	68.7	0.25	480	0.22	1.44
L845805		9.79	13.7	1.49	24.3	0.12	1.6	0.034	3.38	29.2	51.9	0.35	474	0.25	2.03
L845806		7.85	2.3	1.59	25.8	0.13	1.8	0.046	3.48	33.0	50.3	0.42	424	0.20	1.84
L845807		16.30	1.0	1.19	23.0	0.13	2.5	0.030	4.10	36.7	81.6	0.25	976	0.34	1.31
L845808		18.40	3.1	1.89	24.6	0.09	2.5	0.029	3.92	37.8	46.8	0.24	5310	0.65	0.09
L845809		2.60	980	3.64	10.85	0.19	1.3	0.070	1.28	12.7	17.6	0.67	2690	5.21	1.17
L845810		13.05	5.8	1.34	24.0	0.19	2.2	0.029	3.79	40.2	50.4	0.16	903	0.31	1.02
L845811		11.65	4.7	1.20	26.5	0.22	2.5	0.033	3.97	41.6	33.8	0.23	353	0.41	1.51
L845812		19.65	13.6	2.36	29.0	0.26	2.3	0.038	4.48	50.5	57.5	0.22	8020	1.18	0.16
L845813		21.0	18.4	1.10	24.5	0.20	1.9	0.027	3.87	32.9	99.0	0.24	2190	0.33	0.05
L845814		19.45	16.3	1.20	24.3	0.20	2.0	0.029	3.80	32.1	120.5	0.24	2070	0.32	0.05
L845815		19.25	7.7	4.06	24.3	0.24	1.8	0.023	2.89	34.6	54.8	0.21	29200	1.78	0.02
L845816		20.5	4.2	0.91	25.6	0.22	2.5	0.030	3.60	40.6	71.6	0.26	424	0.29	0.03
L845817		25.1	3.7	1.57	25.8	0.24	2.4	0.028	3.96	42.3	118.5	0.25	7740	0.65	0.05
L845818		35.7	5.3	1.13	33.2	0.25	2.6	0.040	5.04	41.8	128.0	0.32	724	0.54	0.05
L845819		24.0	5.3	2.45	25.5	0.25	2.1	0.032	3.59	41.8	83.0	0.24	2390	0.77	0.03
L845820		28.3	6.7	0.93	25.4	0.24	2.2	0.030	3.83	41.1	85.4	0.26	526	0.49	0.05
L845821		24.0	6.1	2.21	25.8	0.25	2.3	0.031	4.26	40.8	94.2	0.22	3130	1.52	0.07
L845822		0.33	1.8	0.48	0.39	0.28	<0.1	0.005	0.04	0.6	1.2	12.70	215	0.42	<0.01
L845823		15.10	5.6	1.38	27.2	0.37	2.4	0.036	4.05	44.6	74.2	0.28	341	0.31	1.11
L845824		11.35	7.2	1.42	25.4	0.34	2.4	0.032	3.57	45.5	41.9	0.28	152	0.25	1.75

Comments: Gold assay on sample L845794 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12154940

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
L845789		3.3	430	43.5	269	<0.002	<0.01	1.07	5.5	1	8.1	116.5	0.93	<0.05	20.7	0.208
L845790		3.2	580	34.6	326	<0.002	<0.01	0.28	4.4	1	10.1	137.0	1.27	<0.05	15.5	0.166
L845791		3.5	490	39.8	293	<0.002	<0.01	2.31	5.3	1	10.2	88.4	1.12	<0.05	17.3	0.173
L845792		3.4	460	42.5	275	<0.002	<0.01	1.22	5.6	1	8.0	100.5	1.04	<0.05	18.8	0.199
L845793		2.5	540	38.6	271	<0.002	<0.01	1.12	4.8	1	7.6	98.1	1.10	<0.05	16.7	0.184
L845794		3.4	50	>10000	9.4	0.002	>10.0	3510	0.4	6	154.5	7.3	<0.05	<0.05	0.5	0.011
L845795		2.4	550	45.5	319	<0.002	0.01	2.45	6.0	1	9.5	79.0	1.44	<0.05	18.3	0.200
L845796		5.5	350	170.0	348	<0.002	0.01	31.3	3.9	1	23.9	114.5	0.86	<0.05	15.6	0.149
L845797		2.9	160	6.7	4.0	<0.002	0.01	0.32	0.4	1	0.2	42.5	<0.05	<0.05	0.2	<0.005
L845798		2.1	450	75.5	380	<0.002	<0.01	6.38	6.3	1	9.4	76.0	0.82	<0.05	18.3	0.196
L845799		2.7	530	49.4	295	<0.002	<0.01	3.22	5.6	1	13.1	87.1	0.95	<0.05	19.6	0.204
L845800		3.9	550	52.4	346	<0.002	<0.01	25.1	4.9	1	8.5	65.4	0.92	<0.05	17.1	0.173
L845801		3.0	600	50.2	317	<0.002	<0.01	5.91	4.5	1	10.6	56.7	0.76	<0.05	16.3	0.151
L845802		3.9	510	38.6	273	<0.002	<0.01	2.41	5.6	1	5.9	75.2	0.67	<0.05	16.9	0.177
L845803		4.1	510	39.5	277	<0.002	<0.01	2.53	5.4	1	5.8	74.6	0.63	<0.05	16.2	0.173
L845804		3.0	540	44.1	282	<0.002	<0.01	2.06	5.1	1	8.0	110.5	0.92	<0.05	17.6	0.160
L845805		4.0	560	38.6	254	<0.002	<0.01	1.04	5.4	1	7.6	139.5	0.91	<0.05	17.0	0.174
L845806		4.6	560	45.6	270	<0.002	<0.01	1.14	5.5	1	7.1	132.0	0.46	<0.05	18.9	0.185
L845807		2.7	520	46.9	293	<0.002	0.02	1.21	4.6	1	6.8	162.0	0.74	<0.05	20.6	0.181
L845808		1.7	540	318	367	<0.002	0.03	32.2	4.9	1	20.0	82.3	0.63	<0.05	21.5	0.197
L845809		27.9	630	>10000	70.9	0.003	2.73	52.6	8.5	4	2.7	425	0.29	0.17	3.6	0.198
L845810		2.3	510	79.8	289	<0.002	0.05	7.50	4.7	1	8.0	129.0	0.70	<0.05	20.9	0.172
L845811		2.4	550	45.6	279	<0.002	0.01	1.88	4.9	1	6.3	165.0	0.72	<0.05	22.7	0.195
L845812		3.9	520	126.5	333	<0.002	<0.01	52.0	5.4	1	7.4	138.5	0.69	<0.05	22.8	0.190
L845813		1.6	590	43.5	369	<0.002	<0.01	9.95	3.8	1	7.9	64.8	1.25	<0.05	15.9	0.145
L845814		1.5	610	52.1	361	<0.002	<0.01	10.80	3.9	1	8.1	66.9	1.23	<0.05	15.8	0.144
L845815		2.2	470	83.7	290	<0.002	0.01	31.4	3.7	1	13.6	170.0	0.45	<0.05	16.3	0.140
L845816		1.1	480	58.4	350	<0.002	<0.01	5.02	4.9	1	9.9	40.5	0.66	<0.05	21.9	0.177
L845817		2.9	480	42.3	369	<0.002	<0.01	5.08	4.7	1	5.8	100.5	0.73	<0.05	21.5	0.174
L845818		1.9	600	44.4	460	<0.002	<0.01	7.54	5.3	1	8.4	57.6	0.82	<0.05	22.8	0.184
L845819		2.6	550	41.3	350	<0.002	<0.01	12.45	4.6	1	6.9	51.9	0.55	<0.05	20.5	0.158
L845820		2.1	520	43.4	341	<0.002	<0.01	5.08	4.7	1	6.4	51.7	0.60	<0.05	21.4	0.174
L845821		3.7	550	53.0	325	<0.002	<0.01	5.25	4.7	1	9.9	94.5	0.60	<0.05	20.5	0.173
L845822		4.2	160	1.3	2.8	<0.002	0.01	0.06	0.3	1	<0.2	43.1	<0.05	<0.05	<0.2	<0.005
L845823		2.2	570	46.0	300	<0.002	<0.01	1.19	4.9	1	9.2	135.0	0.73	<0.05	23.8	0.184
L845824		2.1	530	53.6	257	<0.002	<0.01	1.22	4.6	1	5.9	159.5	0.64	<0.05	21.9	0.181

Comments: Gold assay on sample L845794 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2012
 Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12154940

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845789		1.48	4.4	25	7.7	9.3	64	82.9				
L845790		1.57	2.6	20	1.5	8.3	101	61.7				
L845791		1.70	9.5	22	5.6	7.5	99	66.8				
L845792		1.51	8.2	24	12.1	9.7	58	69.5				
L845793		1.76	7.9	21	3.1	9.1	80	46.6				
L845794		0.12	0.5	7	195.5	0.8	>10000	3.7	>1500	10.70	2.68	3320
L845795		2.15	10.5	23	22.7	9.2	50	65.9				
L845796		3.45	62.2	20	11.6	9.6	735	49.7				
L845797		0.03	0.5	3	0.2	0.8	17	0.8				
L845798		2.00	8.9	24	11.5	8.0	82	67.9				
L845799		1.74	15.1	26	12.9	10.4	104	74.8				
L845800		2.12	7.5	25	19.5	9.6	326	64.9				
L845801		2.45	3.5	21	6.0	9.3	223	61.9				
L845802		2.32	4.2	27	1.9	9.5	85	60.4				
L845803		2.22	4.0	26	1.8	9.6	84	60.8				
L845804		1.97	3.2	22	1.9	9.5	67	69.3				
L845805		1.57	2.5	25	1.7	9.3	107	58.6				
L845806		1.71	2.1	26	1.9	10.0	174	67.2				
L845807		2.58	7.8	22	1.4	9.4	137	79.8				
L845808		4.30	8.9	23	1.9	9.2	272	88.8				
L845809		0.74	1.5	61	10.2	11.0	>10000	41.0	1.935	2.02		
L845810		2.26	11.2	21	1.4	7.9	545	84.6				
L845811		2.04	7.2	24	1.5	7.7	484	92.1				
L845812		3.47	14.9	25	2.9	9.5	1400	87.7				
L845813		4.29	8.9	18	1.9	6.4	434	69.6				
L845814		4.22	9.5	18	2.0	6.4	410	70.5				
L845815		3.61	36.0	18	2.3	6.7	2620	69.2				
L845816		4.23	8.1	22	2.0	7.3	237	86.5				
L845817		3.07	15.1	22	2.2	7.4	1050	93.6				
L845818		3.68	12.8	25	1.7	7.3	295	101.5				
L845819		3.52	47.1	21	2.0	9.8	845	80.3				
L845820		3.33	11.8	22	1.9	6.9	263	83.9				
L845821		4.07	24.3	22	2.3	9.8	841	78.9				
L845822		0.02	0.4	1	0.1	0.7	17	<0.5				
L845823		2.54	8.6	23	1.5	9.0	225	89.3				
L845824		1.83	5.7	22	1.2	8.3	231	88.7				

Comments: Gold assay on sample L845794 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12154940

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.