



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30-JUL-2012
Account: RANSIL

CERTIFICATE WH12155784

Project: Hammer - KEG

P.O. No.: Batch 13

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay on sample L845963 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12155784

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L845933		1.45	0.012		7	6.81	5.84	172.0	120	5.05	0.41	0.22	0.32	48.0	3.5	7
L845934		1.37	<0.005		6	1.07	7.20	48.1	220	5.92	0.54	0.18	0.10	64.2	2.9	7
L845935		4.34	<0.005		<5	0.03	0.08	<5	20	0.06	0.02	21.0	0.06	1.10	1.5	<1
L845936		2.49	<0.005		8	0.33	7.52	10.1	570	5.87	0.39	0.33	0.03	50.1	3.1	9
L845937		7.14	<0.005		8	0.19	7.74	2.5	580	5.41	0.52	1.03	<0.02	68.6	3.0	9
L845938		7.41	<0.005		7	0.27	7.88	3.0	560	6.27	0.58	1.06	0.02	74.0	2.4	9
L845939		2.08	<0.005		7	0.39	7.75	70.7	560	5.94	0.48	0.67	0.03	71.2	2.9	10
L845940		6.91	<0.005		8	0.14	7.66	1.0	580	5.94	0.49	0.99	0.02	68.0	2.9	11
L845941		6.41	<0.005		9	0.13	7.60	1.1	590	5.99	0.53	1.07	<0.02	70.5	3.0	13
L845942		2.54	<0.005		8	0.28	8.06	2.1	610	5.49	0.54	1.62	0.03	68.6	3.5	14
L845943		<0.02	<0.005		8	0.20	7.92	1.7	600	5.43	0.51	1.58	0.03	70.0	3.3	15
L845944		2.85	<0.005		8	0.25	7.73	7.4	570	5.36	0.55	1.19	0.04	68.7	3.4	12
L845945		1.92	<0.005		12	1.18	7.81	69.9	580	6.35	0.46	0.37	0.13	57.9	2.6	8
L845946		0.25	0.108		25	62.4	5.48	2870	600	0.76	3.97	7.39	133.0	26.7	13.4	45
L845947		2.81	<0.005		8	0.27	6.41	5.6	580	5.14	0.43	2.57	0.12	33.3	3.7	9
L845948		4.54	<0.005		8	0.22	6.40	2.4	570	5.45	0.50	2.11	0.02	30.4	4.5	8
L845949		2.21	<0.005		22	4.90	6.92	137.5	350	5.06	0.40	1.55	0.16	38.9	3.2	7
L845950		7.18	<0.005		7	0.16	7.76	1.3	550	6.44	0.52	1.39	0.03	61.6	3.2	12
L845951		4.73	<0.005		8	0.29	7.63	2.6	540	5.97	0.64	1.37	0.04	62.6	3.2	10
L845952		2.09	<0.005		9	0.60	7.48	3.5	570	6.37	2.00	1.16	0.04	68.0	3.1	9
L845953		7.27	<0.005		7	0.14	7.12	3.5	580	6.06	0.60	1.01	0.03	70.5	2.2	9
L845954		4.01	<0.005		7	0.38	7.67	1.5	550	7.05	1.04	1.03	0.03	72.2	2.4	7
L845955		1.14	<0.005		9	0.32	8.61	0.9	750	5.98	0.55	0.44	0.02	72.7	2.4	6
L845956		1.23	<0.005		10	0.55	8.38	55.4	740	6.04	0.38	2.39	0.10	56.3	3.3	5
L845957		1.58	<0.005		8	0.40	7.43	2.8	620	6.31	0.96	0.39	0.03	79.9	2.3	6
L845958		4.15	<0.005		<5	0.01	0.08	<5	20	0.07	0.02	21.8	0.06	1.14	1.4	<1
L845959		3.30	<0.005		7	0.29	6.66	0.8	580	5.85	0.54	0.62	<0.02	60.4	2.3	8
L845960		6.83	<0.005		7	0.15	7.34	0.7	570	6.18	0.73	1.26	0.03	74.8	2.8	11
L845961		7.03	<0.005		10	0.76	7.23	11.7	560	6.73	0.82	1.20	0.24	69.4	2.2	8
L845962		7.16	<0.005		6	0.20	7.26	1.7	590	6.62	0.65	1.11	0.03	79.6	2.4	11
L845963		0.06		7.60	658	>100	0.26	>10000	160	0.07	0.12	0.01	258	3.55	0.5	8
L845964		3.54	<0.005		8	0.39	7.15	6.2	530	5.89	0.68	0.57	0.04	84.1	2.3	8
L845965		6.40	<0.005		7	0.12	6.89	0.4	570	6.16	0.56	1.02	0.03	86.1	2.1	10
L845966		3.43	<0.005		8	0.97	7.31	1.4	560	6.08	0.57	1.07	0.53	85.9	2.0	9
L845967		1.21	<0.005		7	6.50	7.10	29.5	530	4.88	0.59	0.25	0.64	90.4	4.5	6
L845968		1.16	0.023		34	>100	5.95	686	330	6.40	1.20	0.13	39.5	84.0	10.7	5

Comments: Gold assay on sample L845963 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12155784

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L845933		33.0	8.5	1.95	18.55	0.11	1.3	0.026	2.55	25.0	69.9	0.25	9410	1.83	0.03
L845934		20.1	4.9	1.52	24.1	0.13	1.9	0.026	3.66	32.0	115.5	0.30	2510	0.53	0.05
L845935		0.41	2.8	0.41	0.31	0.06	<0.1	<0.005	0.04	0.6	1.1	12.45	211	0.11	0.01
L845936		22.3	4.6	1.68	26.3	0.11	1.9	0.036	4.50	23.4	94.3	0.28	387	0.25	0.45
L845937		12.65	5.0	1.53	26.3	0.12	2.0	0.036	3.99	34.9	66.3	0.32	282	0.22	1.72
L845938		9.97	3.2	1.44	26.0	0.14	2.0	0.033	4.09	38.3	52.8	0.34	374	0.21	2.06
L845939		17.40	7.6	1.49	26.7	0.13	1.8	0.032	4.08	37.1	88.2	0.28	2300	0.33	1.39
L845940		13.20	6.8	1.51	25.7	0.15	1.9	0.034	3.90	34.0	60.6	0.36	314	0.17	1.98
L845941		9.24	6.8	1.50	26.3	0.13	1.9	0.031	3.96	35.9	56.7	0.42	288	0.21	2.13
L845942		12.40	6.4	1.34	27.6	0.14	2.0	0.037	4.38	34.0	54.9	0.38	314	0.19	2.23
L845943		12.25	6.0	1.32	27.7	0.15	2.0	0.036	4.35	34.9	55.0	0.38	309	0.24	2.21
L845944		18.75	6.3	1.73	28.3	0.15	1.9	0.039	4.27	35.1	42.3	0.38	1070	0.19	1.56
L845945		23.9	5.2	2.41	25.8	0.17	1.7	0.031	4.13	29.1	79.4	0.24	1420	0.32	1.23
L845946		3.01	1010	3.86	10.65	0.12	1.3	0.081	1.44	14.6	15.2	0.73	2930	5.30	1.30
L845947		19.90	7.6	1.46	23.0	0.10	1.6	0.031	3.73	14.5	117.5	0.22	416	0.18	0.59
L845948		23.1	9.9	1.32	24.0	0.10	1.6	0.032	3.69	13.0	206	0.23	545	0.34	0.45
L845949		25.8	6.2	1.46	24.7	0.12	1.7	0.028	3.71	17.1	151.5	0.33	11300	0.32	0.09
L845950		19.50	4.5	1.50	26.9	0.14	1.8	0.034	3.84	30.9	83.7	0.34	538	0.30	1.71
L845951		13.65	16.4	1.56	25.3	0.15	1.8	0.031	3.83	31.5	70.5	0.38	772	0.27	1.94
L845952		14.85	9.7	1.42	26.7	0.15	2.0	0.037	4.10	34.6	69.2	0.35	700	0.41	1.92
L845953		11.75	4.7	1.26	26.6	0.13	2.4	0.034	3.71	36.6	47.0	0.30	256	0.17	2.03
L845954		10.60	3.3	1.41	26.4	0.16	2.1	0.030	3.92	36.5	38.0	0.27	281	0.25	2.00
L845955		13.30	3.6	1.19	30.1	0.15	2.9	0.031	4.87	35.7	36.9	0.28	130	0.11	2.65
L845956		23.6	3.9	2.66	31.9	0.15	2.6	0.030	5.07	27.4	86.2	0.27	18950	0.58	1.05
L845957		18.15	3.1	1.43	26.9	0.17	2.3	0.033	4.19	41.9	35.9	0.34	1040	0.17	1.33
L845958		0.25	1.7	0.42	0.39	0.07	<0.1	0.005	0.04	0.6	1.1	13.15	241	0.06	0.01
L845959		10.40	4.6	1.27	25.9	0.11	2.4	0.030	3.81	28.4	43.2	0.37	236	0.16	1.76
L845960		11.75	6.6	1.38	27.1	0.16	2.3	0.036	3.75	38.8	47.1	0.35	379	0.28	2.06
L845961		9.79	5.3	1.35	27.0	0.15	2.3	0.034	3.89	34.6	64.1	0.34	1330	0.33	1.96
L845962		9.23	4.4	1.29	27.4	0.16	2.3	0.030	3.80	42.3	48.1	0.34	360	0.32	2.11
L845963		0.39	3610	12.20	1.79	0.24	0.1	0.092	0.10	2.3	6.0	<0.01	31	1.09	0.01
L845964		9.31	5.3	1.30	28.0	0.11	2.3	0.034	3.61	43.1	53.6	0.32	272	0.20	1.91
L845965		6.20	2.0	1.29	27.6	0.14	2.4	0.034	3.62	43.2	49.8	0.34	225	0.29	2.25
L845966		11.15	6.0	1.42	28.3	0.16	2.3	0.034	3.77	43.9	68.9	0.34	647	0.33	1.88
L845967		21.6	40.1	1.18	29.6	0.14	2.2	0.036	3.90	45.9	106.5	0.22	136	0.23	0.22
L845968		28.6	713	3.73	26.3	0.07	1.6	0.101	3.18	41.4	132.0	0.17	52000	2.84	0.07

Comments: Gold assay on sample L845963 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12155784

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
L845933		3.0	430	211	260	<0.002	<0.01	20.5	3.9	1	6.8	70.2	0.67	<0.05	12.9
L845934		3.6	510	66.5	359	<0.002	<0.01	7.05	5.0	1	7.2	47.2	1.05	<0.05	17.4
L845935		2.2	190	1.8	3.0	<0.002	<0.01	0.07	0.3	<1	<0.2	45.8	<0.05	<0.05	<0.2
L845936		3.2	540	44.5	265	<0.002	<0.01	1.78	5.5	1	6.3	96.3	1.05	<0.05	16.0
L845937		3.2	600	42.0	258	<0.002	<0.01	0.62	5.4	1	6.6	162.5	1.00	<0.05	17.4
L845938		2.4	610	44.5	276	<0.002	<0.01	0.71	4.8	1	6.8	159.0	1.13	<0.05	18.6
L845939		3.2	530	55.6	272	<0.002	<0.01	5.40	5.6	1	9.4	160.5	0.90	<0.05	17.4
L845940		3.2	500	42.3	240	<0.002	<0.01	0.60	5.2	1	6.9	173.0	1.02	<0.05	16.9
L845941		3.2	440	43.5	239	<0.002	<0.01	0.41	5.4	1	7.1	195.0	0.94	<0.05	17.6
L845942		3.6	480	44.8	274	<0.002	0.01	0.56	5.6	1	7.3	188.0	1.11	<0.05	17.1
L845943		3.5	500	44.0	275	<0.002	0.01	0.59	5.7	1	7.3	182.5	1.10	<0.05	17.5
L845944		3.7	570	42.3	301	<0.002	<0.01	1.70	5.5	1	7.7	130.5	1.16	<0.05	17.0
L845945		3.3	510	63.2	278	<0.002	<0.01	6.14	4.9	1	8.7	126.0	1.04	<0.05	15.1
L845946		26.3	670	>10000	64.8	0.003	2.78	55.9	7.6	4	2.9	449	0.31	0.19	3.9
L845947		4.2	400	49.9	200	<0.002	0.01	1.28	3.9	1	6.3	112.5	0.85	<0.05	10.2
L845948		4.3	430	40.3	194.0	<0.002	0.02	1.13	4.3	1	6.7	136.5	0.95	<0.05	9.6
L845949		4.3	530	97.4	262	<0.002	0.14	9.79	4.5	1	21.5	73.4	0.80	<0.05	11.5
L845950		3.6	530	43.1	256	<0.002	0.02	0.91	5.4	1	7.0	178.5	0.74	<0.05	15.0
L845951		3.4	620	40.4	268	<0.002	0.01	0.97	4.9	1	6.8	161.0	0.81	<0.05	15.9
L845952		3.4	1010	46.0	301	<0.002	0.01	1.10	4.9	1	7.6	167.0	0.84	<0.05	16.9
L845953		2.0	540	42.9	233	<0.002	<0.01	0.69	4.6	1	6.4	180.5	0.62	<0.05	17.7
L845954		2.2	530	55.5	246	<0.002	<0.01	0.68	4.8	1	6.9	179.0	0.85	<0.05	19.5
L845955		2.1	690	49.2	202	<0.002	<0.01	0.68	5.3	1	8.2	197.5	1.21	<0.05	22.1
L845956		2.3	640	53.9	196.0	<0.002	<0.01	55.4	4.6	1	9.8	462	1.06	<0.05	16.2
L845957		2.1	550	48.7	271	<0.002	<0.01	2.51	4.6	1	7.0	163.0	0.87	<0.05	20.7
L845958		2.3	160	1.3	2.4	<0.002	<0.01	0.10	0.3	<1	<0.2	41.5	<0.05	<0.05	<0.2
L845959		2.4	550	43.0	214	<0.002	<0.01	1.18	4.2	<1	6.5	159.5	0.72	<0.05	16.6
L845960		2.2	540	48.8	239	<0.002	<0.01	0.40	4.7	1	6.9	198.0	0.63	<0.05	18.8
L845961		2.0	530	68.3	255	<0.002	0.03	2.67	4.6	1	7.7	184.5	0.73	<0.05	18.3
L845962		2.2	550	46.1	244	<0.002	0.01	0.85	4.7	1	6.5	205	0.61	<0.05	19.8
L845963		2.7	50	>10000	7.2	0.002	>10.0	3500	0.5	5	165.0	6.9	<0.05	<0.05	0.5
L845964		3.0	530	57.5	262	<0.002	<0.01	3.56	5.2	1	6.7	158.5	0.73	<0.05	20.5
L845965		2.1	520	50.9	236	<0.002	<0.01	0.19	4.9	1	6.5	202	0.66	<0.05	20.2
L845966		2.2	540	57.3	267	<0.002	0.01	0.53	5.4	1	6.8	186.0	0.66	<0.05	20.1
L845967		2.3	530	544	278	<0.002	<0.01	58.8	5.8	1	7.7	92.2	0.57	<0.05	19.0
L845968		2.8	560	>10000	265	<0.002	0.02	1005	3.6	1	18.5	240	0.48	<0.05	16.4

Comments: Gold assay on sample L845963 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12155784

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845933		2.67	14.8	21	8.3	8.2	292	48.9				
L845934		3.32	7.5	23	3.2	9.2	107	67.7				
L845935		0.02	0.4	2	0.1	0.8	14	<0.5				
L845936		2.48	5.5	25	1.8	7.6	66	70.0				
L845937		1.57	4.9	24	1.8	9.4	52	72.5				
L845938		1.74	4.7	22	1.6	9.7	50	71.8				
L845939		2.06	5.9	25	1.8	8.6	67	62.8				
L845940		1.55	4.1	24	1.3	7.9	52	69.8				
L845941		1.49	4.5	25	1.1	7.4	51	69.3				
L845942		1.81	10.9	28	1.3	8.1	54	76.5				
L845943		1.82	7.7	28	1.3	8.2	53	75.7				
L845944		2.07	3.8	29	2.0	9.0	64	68.5				
L845945		1.95	5.5	24	2.0	7.3	127	60.5				
L845946		0.75	1.8	66	10.0	11.8	>10000	40.0		1.930	1.945	
L845947		1.51	4.7	23	2.2	4.6	75	59.0				
L845948		1.48	6.9	24	3.9	4.8	54	59.1				
L845949		2.83	7.6	22	2.8	6.2	153	58.7				
L845950		1.76	9.6	27	1.5	8.1	57	61.8				
L845951		1.90	6.1	26	1.1	8.7	61	62.9				
L845952		2.09	6.8	26	1.3	9.1	66	67.9				
L845953		1.52	5.3	23	1.2	7.8	53	82.1				
L845954		1.75	6.3	23	1.3	7.8	53	74.6				
L845955		2.62	5.2	29	1.9	7.4	44	99.6				
L845956		3.55	13.5	30	39.6	11.6	65	92.0				
L845957		2.24	2.9	22	1.9	8.1	56	82.0				
L845958		0.02	0.5	2	0.2	0.7	13	0.5				
L845959		1.68	2.9	22	1.8	6.8	50	81.8				
L845960		1.82	7.6	24	0.9	8.2	60	81.6				
L845961		1.97	8.4	22	1.2	7.7	110	80.3				
L845962		1.66	6.9	22	1.1	8.5	63	80.8				
L845963		0.12	0.5	10	171.5	0.4	>10000	3.3	>1500	11.15	2.68	3320
L845964		1.76	3.1	21	1.6	9.9	94	84.3				
L845965		1.48	6.5	21	1.0	9.5	58	82.9				
L845966		1.87	6.3	22	0.8	9.4	601	79.9				
L845967		1.80	18.9	21	6.3	8.8	742	76.4				
L845968		3.09	82.3	16	3.2	8.3	4660	56.1	>1500	1.130		1590

Comments: Gold assay on sample L845963 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer - KEG

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12155784

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.