



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26-JUL-2012
Account: RANSIL

CERTIFICATE WH12157317

Project: Hammer-Keg

P.O. No.: Batch 10

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12157317

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
		0.02	0.005	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
L845825		7.00	<0.005	6	0.17	7.02	14.2	530	5.09	0.44	0.98	0.03	98.0	2.2	13	9.00
L845826		1.10	<0.005	6	0.19	6.97	13.8	510	15.05	0.56	1.16	0.05	96.6	2.4	10	11.30
L845827		7.49	<0.005	8	0.08	7.27	6.5	580	4.83	0.42	1.02	0.04	100.0	2.3	14	8.15
L845828		6.13	<0.005	7	0.14	7.14	12.3	570	5.18	0.42	0.82	0.02	94.9	2.1	12	11.90
L845829		2.76	<0.005	8	0.16	7.41	8.4	570	4.81	0.51	0.90	0.04	96.3	2.2	10	11.75
L845830		4.50	<0.005	8	0.09	7.28	4.3	560	4.87	0.51	1.12	0.03	92.8	2.0	16	9.84
L845831		5.15	<0.005	9	0.08	7.04	4.8	550	5.09	0.43	0.95	0.08	88.0	1.9	10	8.46
L845832		1.96	<0.005	15	1.27	6.74	316	310	4.45	0.36	0.28	0.39	76.2	1.7	8	15.40
L845833		3.90	<0.005	<5	0.01	0.07	<5	20	0.05	0.02	21.2	0.06	1.40	1.2	1	0.18
L845834		1.92	<0.005	8	0.44	7.13	7.1	440	4.85	0.46	0.28	0.14	95.5	2.1	7	20.4
L845835		1.26	<0.005	6	0.22	7.08	7.0	570	5.60	0.43	0.56	0.10	94.5	2.2	7	27.3
L845836		1.48	<0.005	8	0.11	7.12	3.4	560	4.14	0.40	0.85	0.04	89.5	2.0	8	12.30
L845837		5.32	<0.005	<5	0.09	6.98	2.5	550	4.28	0.49	0.95	0.04	95.4	2.1	9	13.20
L845838		3.79	<0.005	5	0.08	7.07	1.7	570	4.55	0.46	1.04	0.03	93.3	2.0	9	9.47
L845839		3.73	<0.005	6	0.23	7.07	4.1	440	4.86	0.39	0.81	0.06	87.1	2.8	14	9.26
L845840		0.20	0.099	25	61.1	4.77	2600	540	0.64	3.69	6.70	128.0	30.0	13.3	41	2.88
L845841		2.28	<0.005	10	0.16	7.10	10.0	470	4.95	0.45	0.96	0.11	86.9	3.3	13	11.70
L845842		3.15	<0.005	6	0.08	7.04	2.3	480	4.91	0.45	1.01	0.05	83.6	2.8	12	5.54
L845843		1.98	<0.005	<5	0.17	7.30	3.6	400	5.08	0.46	1.10	0.05	73.6	2.4	12	8.79
L845844		1.76	<0.005	9	1.98	7.06	25.8	360	4.06	0.44	0.49	0.21	69.2	2.5	11	15.95
L845845		<0.02	<0.005	10	1.84	7.10	22.9	360	5.02	0.44	0.49	0.23	62.6	2.5	9	16.60
L845846		2.64	<0.005	<5	0.16	6.94	<0.2	430	5.38	0.40	1.23	0.02	69.8	2.7	11	10.40
L845847		4.86	<0.005	6	0.08	7.17	<0.2	510	6.19	0.43	1.06	0.03	77.1	2.8	16	8.17
L845848		5.06	<0.005	8	0.09	7.10	<0.2	510	5.94	0.44	1.17	0.07	78.6	3.2	14	9.87
L845849		3.12	<0.005	9	0.16	7.11	0.9	430	5.41	0.43	0.64	0.03	73.1	2.3	12	19.50
L845850		1.77	<0.005	8	0.05	7.10	0.2	460	6.29	0.42	0.79	0.02	72.8	2.6	11	12.00
L845851		7.34	<0.005	6	0.05	7.15	0.6	480	6.37	0.47	1.11	0.05	73.5	2.8	14	11.25
L845852		0.02	6.89	658	>100	0.24	>10000	150	0.08	0.15	0.01	251	3.44	0.5	12	0.33
L845853		2.00	<0.005	10	0.51	7.14	5.4	470	6.19	0.68	0.84	0.08	75.9	2.5	13	22.1
L845854		2.84	<0.005	10	0.13	7.34	1.5	530	5.97	0.65	0.89	0.03	74.9	2.7	13	11.50
L845855		2.09	0.006	7	1.11	6.89	57.7	430	4.96	0.51	0.23	0.11	72.0	4.1	12	27.3
L845856		2.08	<0.005	5	0.42	7.23	45.1	530	4.22	0.38	0.26	0.06	72.3	2.1	10	22.1
L845857		4.01	<0.005	<5	0.15	0.10	7	20	0.07	0.02	21.7	0.07	1.67	1.5	<1	0.26
L845858		7.30	<0.005	10	0.30	7.38	7.8	530	5.47	0.44	1.09	0.07	79.7	2.7	13	13.70
L845859		1.47	<0.005	9	2.74	7.57	35.7	550	5.34	0.55	0.75	0.09	81.8	2.7	11	16.85
L845860		1.57	<0.005	6	0.09	7.23	4.0	540	5.39	0.43	1.00	0.05	74.5	2.6	10	12.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12157317

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
L845825		2.2	1.25	27.7	0.16	2.5	0.036	3.67	45.9	39.3	0.32	242	0.35	2.01	9.7	2.0
L845826		1.8	1.65	24.4	0.17	2.5	0.030	3.77	43.7	27.3	0.42	1580	0.30	1.70	10.4	1.8
L845827		2.6	1.37	28.5	0.18	2.6	0.033	3.76	45.0	35.6	0.35	399	0.25	2.10	10.1	2.1
L845828		2.2	1.38	27.6	0.18	2.5	0.033	4.01	45.8	33.9	0.32	600	0.22	1.73	9.8	1.9
L845829		2.3	1.41	26.1	0.17	2.4	0.031	4.12	44.0	28.8	0.32	550	0.17	1.69	9.3	1.9
L845830		2.5	1.35	25.5	0.17	2.3	0.033	3.66	42.3	36.7	0.33	227	0.18	2.06	8.2	1.9
L845831		1.7	1.18	28.5	0.17	2.2	0.043	3.82	41.9	34.6	0.29	382	0.27	2.02	9.2	1.8
L845832		3.8	2.61	25.5	0.18	2.0	0.031	3.71	33.5	71.2	0.24	22600	0.48	0.07	8.4	1.5
L845833		1.5	0.49	0.31	0.07	<0.1	<0.005	0.03	0.6	0.8	12.60	246	0.13	0.01	0.3	2.9
L845834		3.6	0.88	27.6	0.20	2.3	0.027	3.87	43.1	244	0.21	1180	0.26	0.37	9.7	1.9
L845835		2.6	1.49	29.2	0.20	2.3	0.026	3.92	47.7	40.4	0.24	9990	0.28	1.35	11.1	2.1
L845836		2.4	1.42	27.7	0.18	2.4	0.030	3.80	43.6	30.0	0.29	331	0.17	1.68	9.0	1.8
L845837		2.7	1.32	28.2	0.19	2.3	0.032	3.66	44.9	30.6	0.30	238	0.21	1.86	9.4	1.9
L845838		2.7	1.32	27.0	0.20	2.3	0.029	3.53	44.7	33.9	0.35	203	0.15	2.09	9.0	1.9
L845839		4.6	1.42	27.0	0.18	1.4	0.034	3.80	39.3	35.5	0.33	578	0.38	1.71	13.0	3.1
L845840		969	3.70	11.40	0.19	1.2	0.089	1.31	14.5	12.2	0.66	2640	5.47	1.21	4.7	24.1
L845841		12.2	1.42	29.6	0.20	1.1	0.043	3.45	41.1	44.6	0.32	264	0.42	1.76	12.3	4.2
L845842		6.7	1.32	28.2	0.19	1.4	0.040	3.60	37.8	40.8	0.35	248	0.43	1.96	11.2	3.3
L845843		6.9	1.23	27.1	0.17	1.5	0.041	3.46	33.5	37.4	0.29	337	0.44	2.09	10.1	2.8
L845844		3.6	1.44	28.1	0.16	1.4	0.046	3.39	33.3	66.1	0.19	2050	1.17	1.15	10.4	3.6
L845845		5.8	1.38	28.8	0.11	1.4	0.049	3.42	30.7	94.8	0.19	2010	1.16	1.15	10.3	3.9
L845846		3.9	1.44	25.4	0.15	1.6	0.033	3.41	34.0	53.5	0.30	329	0.32	1.87	10.2	3.6
L845847		6.6	1.38	26.3	0.17	1.6	0.035	3.47	38.2	60.9	0.34	279	0.32	1.98	10.9	3.6
L845848		6.3	1.50	26.9	0.19	1.6	0.037	3.49	39.3	70.7	0.37	365	0.30	1.95	11.5	3.8
L845849		6.6	1.08	28.4	0.16	1.6	0.049	3.36	36.4	65.8	0.23	261	0.32	1.24	11.5	3.0
L845850		2.3	1.46	25.5	0.17	1.7	0.037	3.43	36.1	60.1	0.33	329	0.23	1.85	9.3	2.6
L845851		3.7	1.40	25.4	0.16	1.8	0.037	3.53	36.3	67.9	0.35	256	0.23	1.92	9.6	5.0
L845852		3760	12.05	1.90	0.17	0.1	0.182	0.10	2.2	6.6	0.01	38	1.10	0.01	0.4	3.1
L845853		4.2	1.38	27.5	0.14	1.7	0.038	3.71	35.9	100.5	0.26	1740	0.27	1.27	9.9	3.2
L845854		6.0	1.46	28.3	0.12	1.8	0.031	3.72	36.8	59.3	0.35	246	0.30	1.69	10.7	3.8
L845855		7.4	1.10	25.5	0.13	1.7	0.024	3.33	37.0	349	0.20	1230	0.72	0.11	9.8	2.8
L845856		3.8	1.14	26.2	0.13	1.7	0.040	3.70	36.2	168.0	0.23	355	0.44	0.24	11.0	2.1
L845857		3.2	0.41	0.46	0.12	<0.1	<0.005	0.04	0.8	2.3	13.20	190	0.11	0.01	0.3	<0.2
L845858		6.0	1.49	27.6	0.18	1.8	0.039	3.63	39.6	119.5	0.38	950	0.31	1.66	12.1	2.9
L845859		8.4	1.77	25.9	0.18	2.1	0.034	3.82	40.5	114.0	0.36	1560	0.80	1.31	10.8	3.0
L845860		8.2	1.60	25.6	0.19	1.9	0.034	3.53	37.2	114.0	0.36	944	0.46	1.80	11.0	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12157317

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005
L845825		530	40.2	245	<0.002	0.01	0.81	4.9	1	6.9	183.5	0.74	<0.05	20.8	0.181
L845826		520	62.6	273	<0.002	0.12	1.36	4.1	1	6.4	165.5	0.83	<0.05	22.6	0.181
L845827		540	38.0	245	<0.002	0.01	0.52	4.5	1	6.2	193.0	0.75	<0.05	22.4	0.180
L845828		540	42.6	270	<0.002	<0.01	1.78	4.3	1	7.0	174.0	0.75	<0.05	21.4	0.184
L845829		540	42.3	280	<0.002	<0.01	1.70	4.0	1	6.9	172.0	0.71	<0.05	21.0	0.182
L845830		520	39.8	233	<0.002	<0.01	0.38	3.9	1	6.3	201	0.63	<0.05	20.7	0.175
L845831		540	38.4	253	<0.002	0.01	0.38	4.6	1	7.0	194.5	0.61	<0.05	20.4	0.170
L845832		480	60.4	312	<0.002	0.17	40.9	3.2	1	11.4	43.6	0.65	<0.05	18.4	0.153
L845833		170	1.3	2.0	<0.002	0.02	0.12	0.2	1	<0.2	48.0	<0.05	<0.05	0.3	<0.005
L845834		500	51.8	282	<0.002	0.18	6.01	4.1	1	8.5	89.4	0.65	<0.05	20.5	0.171
L845835		510	37.2	283	<0.002	<0.01	2.14	3.7	1	6.8	389	0.87	<0.05	22.2	0.169
L845836		540	35.5	243	<0.002	<0.01	0.87	4.1	1	6.3	160.5	0.66	<0.05	22.1	0.175
L845837		520	36.8	236	<0.002	<0.01	0.70	3.8	1	6.7	182.0	0.64	<0.05	21.5	0.175
L845838		530	35.9	224	<0.002	<0.01	0.31	3.6	1	5.9	200	0.61	<0.05	21.3	0.171
L845839		560	37.3	262	<0.002	<0.01	0.62	4.4	1	6.5	144.0	1.28	<0.05	19.8	0.191
L845840		600	>10000	66.8	0.003	2.71	54.6	6.8	6	2.7	409	0.31	0.18	4.3	0.202
L845841		560	43.7	251	<0.002	0.01	0.32	5.0	1	6.7	159.0	0.89	<0.05	18.6	0.186
L845842		520	35.8	238	<0.002	<0.01	0.18	4.8	1	6.6	174.0	0.78	<0.05	17.2	0.172
L845843		440	35.9	250	<0.002	<0.01	1.03	4.7	1	6.4	156.5	0.78	<0.05	14.6	0.159
L845844		420	47.3	293	<0.002	<0.01	7.16	5.7	1	9.4	92.6	0.83	<0.05	14.9	0.174
L845845		420	53.6	296	<0.002	<0.01	7.49	7.5	1	9.6	93.1	0.85	<0.05	15.0	0.176
L845846		410	37.2	258	<0.002	0.01	0.89	4.9	1	6.7	124.5	0.89	<0.05	17.0	0.177
L845847		460	38.6	217	<0.002	<0.01	0.21	5.7	1	6.8	177.5	0.85	<0.05	17.3	0.188
L845848		450	40.5	226	<0.002	0.01	0.25	5.4	1	7.0	179.0	0.86	<0.05	18.6	0.193
L845849		480	39.2	230	<0.002	<0.01	0.61	7.0	1	7.9	116.5	0.88	<0.05	17.4	0.197
L845850		540	38.6	239	<0.002	<0.01	0.36	5.3	1	6.9	156.5	0.81	<0.05	16.0	0.190
L845851		530	39.1	232	<0.002	0.01	0.17	5.1	1	6.9	172.5	0.98	<0.05	16.8	0.185
L845852		50	>10000	7.8	0.004	>10.0	3650	0.7	8	160.0	7.0	<0.05	<0.05	0.5	0.011
L845853		510	55.0	276	<0.002	0.01	1.52	4.8	1	8.2	136.0	0.82	<0.05	17.4	0.180
L845854		560	42.8	256	<0.002	<0.01	0.82	5.3	1	6.9	160.5	0.91	<0.05	18.1	0.186
L845855		410	39.7	246	<0.002	<0.01	7.12	4.5	1	6.7	80.4	0.82	<0.05	17.7	0.174
L845856		470	45.4	250	<0.002	0.01	4.64	5.3	1	7.0	89.0	0.98	<0.05	16.6	0.181
L845857		230	6.5	2.2	<0.002	0.01	0.22	0.3	1	<0.2	47.1	<0.05	<0.05	0.2	<0.005
L845858		480	44.7	254	<0.002	0.03	1.65	5.9	1	8.2	162.0	1.09	<0.05	17.7	0.204
L845859		510	77.9	268	<0.002	0.01	11.85	4.9	1	8.7	146.0	1.03	<0.05	18.1	0.194
L845860		500	40.8	245	<0.002	0.01	1.92	4.7	1	6.8	177.0	0.97	<0.05	17.5	0.185



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2012
 Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12157317

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845825		10.3	21	1.4	9.4	51	89.0				
L845826		11.5	21	1.5	9.4	120	92.9				
L845827		6.7	22	1.3	9.3	51	92.3				
L845828		3.7	21	1.7	9.9	75	87.1				
L845829		3.9	21	1.5	9.1	84	84.5				
L845830		3.1	21	1.0	9.2	54	84.1				
L845831		9.4	20	1.2	9.4	67	78.7				
L845832		19.3	20	2.5	8.6	602	71.1				
L845833		0.5	2	0.1	0.9	15	0.5				
L845834		13.8	22	3.2	8.3	208	83.1				
L845835		16.0	21	1.8	11.1	273	79.7				
L845836		3.5	21	1.4	9.3	67	86.2				
L845837		3.8	21	1.2	9.4	52	83.6				
L845838		3.4	22	0.9	9.3	50	87.5				
L845839		3.8	25	2.1	11.0	64	46.8				
L845840		1.9	61	9.4	12.5	>10000	40.4		1.970	1.955	
L845841		5.9	26	2.9	10.4	62	43.4				
L845842		10.2	23	1.3	10.6	45	50.3				
L845843		6.8	20	1.4	10.1	45	55.8				
L845844		9.9	26	2.3	10.0	143	51.1				
L845845		9.3	26	2.5	9.5	149	51.2				
L845846		7.3	24	1.5	10.8	49	59.0				
L845847		6.0	26	1.3	9.6	52	60.0				
L845848		8.8	25	1.2	9.1	64	61.7				
L845849		4.1	25	7.0	9.2	57	59.8				
L845850		3.2	23	2.2	9.0	61	63.7				
L845851		7.7	23	1.0	8.7	55	62.7				
L845852		0.6	8	166.0	0.6	>10000	3.4	>1500	10.75	2.54	3290
L845853		10.6	24	2.1	8.9	90	62.0				
L845854		12.3	23	1.2	9.4	66	65.4				
L845855		17.3	21	21.0	7.7	100	63.1				
L845856		11.8	21	12.0	9.3	57	70.1				
L845857		0.6	3	0.2	0.9	18	0.5				
L845858		8.5	24	1.4	8.5	68	69.7				
L845859		9.6	23	1.5	9.0	119	72.1				
L845860		6.9	22	1.0	8.5	65	74.8				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12157317

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.