



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30-JUL-2012
Account: RANSIL

CERTIFICATE WH12157359

Project: Hammer - KEG

P.O. No.: Batch 11

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay result for sample L845871 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12157359

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L845861		7.21	<0.005		7	1.01	7.46	3.6	550	6.73	0.65	1.09	0.21	80.7	2.7	13
L845862		1.17	0.026		25	>100	6.64	877	280	3.94	0.82	0.25	7.58	69.6	2.1	9
L845863		2.05	<0.005		8	6.17	7.41	15.0	500	5.53	0.46	0.48	0.83	71.7	2.3	8
L845864		4.21	<0.005		<5	0.25	0.12	<5	20	0.05	0.03	21.3	0.07	1.60	1.5	1
L845865		5.38	<0.005		8	0.31	7.16	4.0	510	5.28	0.50	0.85	0.05	79.9	2.5	8
L845866		7.07	<0.005		9	0.12	7.44	5.1	510	6.08	0.54	0.85	0.02	81.0	2.4	10
L845867		7.09	<0.005		9	0.15	6.84	2.3	480	6.03	0.43	1.06	0.04	82.5	2.6	12
L845868		7.42	<0.005		7	0.05	7.37	1.3	510	6.74	0.56	0.94	0.04	80.7	2.7	11
L845869		4.73	<0.005		7	0.17	6.88	1.7	460	6.71	0.49	0.84	0.02	79.7	2.8	12
L845870		6.05	<0.005		8	0.17	7.20	2.4	470	6.97	0.56	0.76	0.02	74.3	2.2	9
L845871		0.05		7.53	662	>100	0.25	>10000	110	0.09	0.12	0.01	259	4.35	0.5	11
L845872		6.90	<0.005		11	3.87	7.16	64.0	530	6.68	0.48	0.92	0.34	78.0	2.4	12
L845873		7.59	<0.005		7	0.81	7.73	11.3	540	6.62	0.52	0.91	0.06	84.2	2.9	12
L845874		6.73	<0.005		11	0.40	7.31	4.4	470	5.88	0.87	0.60	0.03	74.8	2.4	11
L845875		6.65	<0.005		12	0.36	7.70	7.9	480	6.73	0.65	0.87	0.10	73.3	2.5	11
L845876		4.44	<0.005		9	2.31	7.47	2.1	530	6.43	0.34	0.72	0.04	78.9	2.7	11
L845877		4.43	<0.005		12	0.13	7.69	9.1	500	10.45	0.79	0.64	0.13	79.3	3.0	11
L845878		4.48	<0.005		11	0.33	8.38	20.0	460	7.31	0.73	0.29	0.13	51.6	1.8	6
L845879		<0.02	<0.005		9	0.32	8.66	21.7	470	7.28	0.73	0.30	0.13	55.3	1.8	6
L845880		2.19	<0.005		10	0.45	7.53	41.1	440	6.39	0.43	0.18	0.13	62.3	1.6	8
L845881		2.18	<0.005		11	4.33	7.22	62.3	400	5.79	1.38	0.17	0.45	61.8	2.3	9
L845882		2.42	0.007		18	30.1	6.49	223	140	5.77	1.23	0.22	1.88	57.3	3.7	7
L845883		1.81	0.103		22	35.9	6.80	206	140	5.46	1.19	0.22	0.88	56.4	2.5	7
L845884		4.14	<0.005		<5	0.08	0.10	<5	20	0.07	0.02	21.2	0.06	1.42	1.3	1
L845885		1.30	0.009		23	53.7	6.07	75.6	100	4.59	0.52	0.29	1.54	58.5	3.1	7
L845886		1.57	<0.005		11	17.80	6.48	213	190	6.95	0.71	0.23	1.48	65.9	4.8	7
L845887		0.24	0.089		25	57.9	5.18	2690	580	0.69	3.88	6.99	131.5	31.7	11.6	41
L845888		2.87	<0.005		10	3.01	7.79	53.2	320	6.06	0.46	0.19	0.21	75.9	2.4	9
L845889		3.72	<0.005		7	2.33	7.06	43.2	420	5.73	0.46	0.16	0.30	83.6	3.9	12
L845890		4.47	<0.005		7	2.62	7.10	56.9	440	5.79	0.48	0.22	0.25	78.1	2.8	10
L845891		1.99	<0.005		9	3.12	7.01	57.4	430	5.87	0.47	0.21	0.38	77.0	3.4	10
L845892		6.43	<0.005		9	3.04	7.27	40.6	450	4.84	0.59	0.24	0.54	60.8	3.6	10
L845893		2.08	<0.005		9	35.5	6.79	240	420	4.56	0.73	0.16	3.22	59.5	4.2	10
L845894		1.30	0.007		11	23.6	6.67	152.0	290	4.95	0.62	0.16	1.31	58.8	3.0	9
L845895		2.35	0.133		72	>100	3.41	720	100	4.09	0.34	0.09	4.02	28.7	2.0	11
L845896		2.21	0.021		57	93.6	6.22	302	220	5.11	0.78	0.15	1.03	59.7	3.0	13

Comments: Gold assay result for sample L845871 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12157359

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L845861		14.25	3.8	1.49	29.2	0.13	1.9	0.036	3.67	40.0	104.5	0.38	421	0.32	1.99
L845862		20.9	184.5	2.59	26.9	0.06	1.7	0.047	3.25	34.9	244	0.19	40700	1.84	0.08
L845863		19.60	5.1	1.23	27.7	0.10	1.8	0.031	3.81	34.4	404	0.20	2110	0.41	0.13
L845864		0.25	2.6	0.44	0.45	0.18	<0.1	<0.005	0.06	0.7	1.9	12.95	219	0.15	0.01
L845865		19.60	4.2	1.47	26.7	0.17	1.8	0.032	3.60	40.6	195.5	0.30	1200	0.58	1.05
L845866		15.85	3.9	1.38	29.6	0.18	1.7	0.038	3.61	40.3	121.0	0.33	309	0.21	1.37
L845867		14.20	4.2	1.43	25.9	0.19	1.6	0.030	3.26	40.9	94.8	0.34	238	0.20	1.79
L845868		14.65	5.2	1.45	30.1	0.18	1.7	0.037	3.58	40.1	106.5	0.35	225	0.17	1.71
L845869		9.85	3.1	1.45	27.9	0.19	1.7	0.036	3.30	39.1	57.1	0.35	361	0.16	2.16
L845870		12.75	2.9	1.19	27.6	0.17	1.9	0.031	3.63	36.8	43.5	0.24	241	0.19	2.46
L845871		0.39	3760	12.75	2.01	0.18	0.1	0.077	0.10	2.6	5.5	0.01	40	1.17	0.01
L845872		9.29	7.4	1.38	27.4	0.10	1.9	0.033	3.70	39.3	66.9	0.38	267	0.18	2.33
L845873		11.20	5.7	1.58	29.9	0.14	1.9	0.037	3.91	42.5	88.4	0.41	277	0.18	1.95
L845874		13.20	4.0	1.39	30.1	0.13	1.6	0.041	3.64	37.3	82.0	0.36	379	0.17	1.43
L845875		15.45	2.9	1.34	30.2	0.12	1.8	0.036	4.01	36.7	72.8	0.27	608	0.25	1.86
L845876		11.20	5.4	1.42	29.8	0.13	1.9	0.035	4.01	37.8	55.1	0.33	371	0.18	1.81
L845877		14.70	10.6	1.38	32.5	0.14	1.8	0.044	3.95	39.5	67.0	0.28	490	0.25	1.17
L845878		18.30	4.2	1.37	32.6	0.10	1.9	0.041	5.16	24.4	79.7	0.24	1280	0.34	0.57
L845879		18.45	4.7	1.38	32.7	0.10	1.9	0.040	5.30	27.1	77.7	0.25	1220	0.35	0.60
L845880		19.25	4.8	1.25	27.3	0.10	1.7	0.025	5.00	30.2	76.2	0.20	929	0.45	0.13
L845881		17.80	8.2	1.50	29.7	0.11	1.5	0.042	4.04	29.9	179.0	0.22	2830	0.43	0.10
L845882		27.0	16.5	1.40	27.3	0.06	1.5	0.043	2.93	28.7	110.5	0.23	6520	1.01	0.05
L845883		21.6	148.5	1.36	26.5	0.09	1.4	0.028	3.08	28.5	130.0	0.23	5950	0.98	0.05
L845884		0.36	2.0	0.47	0.43	0.18	<0.1	<0.005	0.04	0.7	1.2	12.90	230	0.09	0.01
L845885		20.7	42.1	1.33	24.0	0.08	1.4	0.035	2.70	30.5	80.8	0.27	6550	1.50	0.04
L845886		39.6	43.8	1.88	25.4	0.11	1.4	0.027	2.90	32.9	187.0	0.25	5960	2.23	0.04
L845887		3.04	999	3.82	10.85	0.07	1.3	0.086	1.36	16.4	12.8	0.70	2810	5.27	1.27
L845888		22.5	4.0	1.08	29.5	0.09	1.8	0.038	3.96	37.0	271	0.28	894	0.37	0.07
L845889		20.1	3.4	1.29	29.1	0.11	1.8	0.038	3.79	40.9	218	0.23	717	0.43	0.09
L845890		17.25	2.3	1.02	28.0	0.11	1.4	0.035	3.73	38.8	262	0.23	337	0.39	0.09
L845891		16.75	3.1	1.16	27.1	0.12	1.4	0.034	3.73	38.1	268	0.22	534	0.44	0.09
L845892		13.45	7.5	1.28	29.7	0.16	1.8	0.039	3.74	29.9	129.0	0.23	986	0.35	0.11
L845893		17.65	19.9	2.14	27.1	0.19	1.7	0.031	3.99	29.7	53.5	0.22	3270	0.90	0.09
L845894		16.90	12.1	1.15	27.6	0.20	1.7	0.036	3.32	29.1	246	0.20	1610	0.73	0.07
L845895		10.60	144.5	1.44	14.35	0.13	0.8	0.010	1.46	15.1	97.5	0.10	539	0.34	0.02
L845896		16.90	71.4	1.39	25.9	0.18	1.5	0.025	2.98	29.8	98.6	0.21	883	0.62	0.05

Comments: Gold assay result for sample L845871 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12157359

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
L845861		3.4	540	54.5	262	<0.002	<0.01	1.15	6.1	1	7.3	179.0	1.03	<0.05	18.2
L845862		2.1	460	4260	277	<0.002	0.06	309	4.0	1	22.8	211	0.68	<0.05	15.2
L845863		3.2	530	173.0	283	<0.002	0.01	6.34	5.4	1	8.0	82.1	0.98	<0.05	16.9
L845864		4.4	200	4.1	2.5	<0.002	0.01	0.15	0.4	1	<0.2	52.4	<0.05	<0.05	<0.2
L845865		2.9	500	47.2	256	<0.002	<0.01	1.14	4.8	1	7.1	132.0	0.83	<0.05	18.2
L845866		2.9	580	44.2	252	<0.002	<0.01	1.59	6.3	1	7.7	140.0	0.88	<0.05	17.6
L845867		2.8	410	45.6	233	<0.002	<0.01	0.41	4.7	1	6.5	155.5	0.86	<0.05	18.4
L845868		3.2	460	43.9	248	<0.002	<0.01	0.37	6.6	1	7.4	153.0	1.01	<0.05	18.4
L845869		3.9	490	40.6	238	<0.002	<0.01	0.43	5.6	1	8.3	131.0	1.18	<0.05	17.5
L845870		2.5	600	42.2	247	<0.002	<0.01	0.38	5.4	1	6.2	137.5	1.17	<0.05	17.6
L845871		2.7	60	>10000	7.8	0.003	>10.0	3560	0.5	6	164.5	7.5	<0.05	<0.05	0.5
L845872		2.9	500	178.0	254	<0.002	0.01	4.54	5.1	1	7.3	174.0	1.04	<0.05	18.4
L845873		3.5	570	75.7	270	<0.002	<0.01	1.09	6.0	1	6.9	172.0	1.02	<0.05	19.5
L845874		3.0	570	49.2	266	<0.002	<0.01	0.95	5.9	1	8.3	127.0	1.12	<0.05	17.3
L845875		3.0	630	56.2	295	<0.002	<0.01	0.70	5.4	1	10.0	143.0	1.45	<0.05	16.4
L845876		3.3	560	45.0	290	<0.002	<0.01	0.43	5.6	1	7.9	157.0	1.25	<0.05	18.3
L845877		3.8	610	48.3	296	<0.002	<0.01	1.22	6.4	1	8.8	123.5	1.27	<0.05	17.5
L845878		2.2	630	60.0	389	<0.002	<0.01	2.63	5.7	1	9.4	97.8	0.97	<0.05	13.0
L845879		2.4	640	58.4	421	<0.002	<0.01	2.43	5.8	1	9.5	100.5	0.95	<0.05	13.3
L845880		2.2	650	68.0	381	<0.002	<0.01	3.02	4.2	1	9.7	79.4	1.17	<0.05	14.8
L845881		2.7	570	78.4	350	<0.002	<0.01	6.30	6.6	1	10.6	80.5	1.31	<0.05	14.6
L845882		3.1	640	240	301	<0.002	<0.01	29.2	5.0	1	17.4	152.0	1.16	<0.05	13.1
L845883		2.1	640	2300	300	<0.002	<0.01	110.0	4.2	1	25.7	57.8	0.83	<0.05	13.3
L845884		4.0	180	3.4	2.8	<0.002	<0.01	0.12	0.4	1	<0.2	43.6	<0.05	<0.05	<0.2
L845885		2.7	510	988	266	<0.002	<0.01	26.3	4.0	1	21.9	81.8	0.70	<0.05	13.0
L845886		3.9	550	315	296	<0.002	<0.01	39.8	4.1	1	13.8	81.9	0.80	<0.05	14.4
L845887		25.8	650	>10000	63.6	0.003	2.79	47.1	7.5	4	3.0	436	0.32	0.18	4.1
L845888		2.2	490	56.8	367	<0.002	<0.01	6.68	5.3	1	7.5	51.4	0.98	<0.05	17.5
L845889		3.7	430	57.8	323	<0.002	<0.01	5.00	5.9	1	6.9	56.8	0.89	<0.05	18.6
L845890		2.8	610	41.1	298	<0.002	<0.01	5.30	5.9	1	6.4	59.7	0.88	<0.05	17.1
L845891		3.7	580	41.0	301	<0.002	<0.01	6.08	5.4	1	6.4	61.3	0.89	<0.05	17.0
L845892		3.6	590	46.0	295	<0.002	<0.01	5.92	5.9	1	6.6	79.5	1.15	<0.05	16.1
L845893		3.8	510	269	353	<0.002	<0.01	39.5	5.3	1	6.6	112.0	0.92	<0.05	15.7
L845894		3.1	480	860	303	<0.002	<0.01	12.20	5.3	1	7.7	57.2	0.95	<0.05	15.7
L845895		2.0	270	914	147.0	<0.002	0.02	135.5	2.5	1	72.3	15.8	0.45	<0.05	7.6
L845896		2.1	480	1635	297	<0.002	<0.01	43.3	5.3	1	58.5	35.3	0.78	<0.05	15.7

Comments: Gold assay result for sample L845871 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12157359

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L845861		1.53	9.1	24	1.0	9.4	144	62.6				
L845862		3.36	63.2	18	2.0	9.6	2580	57.1	618			
L845863		2.28	6.2	21	3.8	9.3	480	64.0				
L845864		0.02	0.7	2	0.1	1.1	21	0.5				
L845865		1.67	5.8	20	4.5	9.2	97	62.5				
L845866		1.48	5.5	23	4.8	9.7	59	56.2				
L845867		1.42	5.0	22	1.3	7.5	57	54.3				
L845868		1.49	3.8	22	4.1	8.7	61	58.8				
L845869		1.64	2.6	23	1.2	10.4	79	57.4				
L845870		1.65	7.2	18	0.9	10.6	67	63.3				
L845871		0.13	0.6	8	158.5	0.8	>10000	3.4	>1500	11.45	2.78	3320
L845872		1.58	2.7	20	1.1	9.5	84	67.7				
L845873		1.77	3.1	21	1.4	9.9	67	66.9				
L845874		1.69	3.2	20	2.1	9.0	78	55.1				
L845875		1.99	4.2	19	1.3	9.4	93	59.1				
L845876		1.98	3.4	22	1.4	9.1	166	66.1				
L845877		2.07	5.0	20	3.7	9.8	238	64.2				
L845878		3.97	10.6	14	2.6	8.8	269	57.8				
L845879		3.87	10.4	14	2.5	9.4	264	59.6				
L845880		4.00	13.9	16	3.1	9.7	276	55.7				
L845881		3.54	16.6	18	3.7	8.4	388	50.8				
L845882		3.67	12.7	18	14.5	8.1	932	47.6				
L845883		3.75	19.9	22	15.2	8.8	638	45.9				
L845884		0.02	0.5	2	0.1	1.0	16	<0.5				
L845885		3.66	13.6	17	12.7	6.8	1000	44.5				
L845886		3.29	21.2	23	8.0	8.2	1300	48.5				
L845887		0.77	1.9	62	9.3	12.4	>10000	37.9		1.945	1.970	
L845888		3.32	10.7	22	2.5	6.6	199	65.8				
L845889		2.59	10.1	22	2.9	7.3	247	64.8				
L845890		2.01	13.0	23	2.7	8.8	202	47.5				
L845891		2.07	15.3	23	2.8	8.6	255	45.5				
L845892		2.17	10.7	23	3.4	9.8	317	61.8				
L845893		3.44	15.4	22	9.5	8.0	1210	58.1				
L845894		3.31	18.1	22	6.8	8.6	648	60.6				
L845895		1.97	14.7	13	8.6	4.8	1290	28.3	298			
L845896		3.52	24.5	24	13.5	8.0	1190	52.1				

Comments: Gold assay result for sample L845871 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer - KEG

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12157359

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.