



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**

**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**

**1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 22-JUL-2012  
Account: RANSIL

## CERTIFICATE WH12165400

Project: Hammer-Keg

P.O. No.: Batch 16

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
WSH-21	"Wash" crushers
SPL-21	Split sample - riffle splitter
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: Gold assay on sample L840049 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12165400**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L840041		1.67	0.056		15	0.85	3.58	4410	80	3.05	0.20	0.97	0.41	38.4	2.4	11
L840042		5.14	<0.005		9	0.33	6.95	13.7	490	4.87	0.39	0.90	0.13	84.1	2.9	13
L840043		3.27	<0.005		9	0.15	6.87	2.5	580	5.42	0.45	1.25	0.06	83.3	2.9	16
L840044		1.37	0.032		35	3.26	6.03	2500	150	4.73	0.43	0.70	8.88	74.1	4.1	11
L840045		4.27	<0.005		<5	0.01	0.10	<5	20	0.08	0.03	20.7	0.07	1.75	1.6	2
L840046		7.60	<0.005		10	0.26	6.72	3.0	530	4.90	0.53	1.23	0.06	85.8	2.9	17
L840047		8.09	<0.005		9	0.16	7.01	0.6	580	5.43	0.53	1.34	0.03	85.5	2.9	15
L840048		3.38	<0.005		6	0.28	6.84	2.4	570	6.00	0.51	1.34	0.06	75.4	2.4	11
L840049		0.05		7.46	661	>100	0.25	>10000	170	0.12	0.29	0.01	260	5.29	0.5	15
L840050		1.20	0.008		12	1.07	5.18	333	180	4.01	0.31	1.42	0.45	60.0	2.7	15
L840051		4.32	<0.005		10	0.34	6.66	7.3	480	4.61	0.44	0.76	0.07	84.8	3.6	13
L840052		3.46	<0.005		8	0.11	7.25	1.5	620	5.16	0.42	0.86	0.02	92.5	3.4	15
L840053		3.22	<0.005		10	0.34	7.33	2.4	580	5.78	0.57	0.60	0.06	87.1	3.1	12
L840054		5.13	<0.005		13	0.21	7.25	1.5	620	6.32	0.44	1.09	0.06	84.5	3.0	14
L840055		1.25	0.057		122	>100	4.26	1240	140	2.59	1.66	0.38	110.0	51.8	2.8	12
L840056		<0.02	0.049		119	>100	4.80	1110	150	3.07	1.55	0.44	90.9	57.5	2.8	10
L840057		1.79	0.005		12	5.10	6.98	193.0	270	5.29	0.55	0.73	0.30	102.5	3.6	13
L840058		2.17	<0.005		10	0.70	6.89	57.8	530	5.62	0.46	0.29	0.14	84.3	3.3	12
L840059		1.17	0.022		35	10.35	6.74	1570	200	5.51	0.74	0.17	4.48	87.4	4.0	11
L840060		1.06	<0.005		11	0.88	7.04	85.9	290	5.59	0.53	0.32	0.52	85.8	1.8	13
L840061		1.33	0.630		187	>100	0.27	>10000	20	0.44	14.80	0.06	141.0	17.00	4.1	7
L840062		4.18	<0.005		<5	0.03	0.11	<5	20	0.07	0.02	21.4	0.08	1.48	1.9	2
L840063		1.70	<0.005		24	2.56	6.84	190.0	380	5.34	0.53	0.23	6.50	89.9	1.9	10
L840064		2.43	<0.005		10	0.44	7.29	18.8	500	4.79	0.44	1.03	1.05	87.0	4.4	13
L840065		7.05	<0.005		8	8.85	7.26	4.2	570	5.29	0.58	1.31	0.11	83.7	3.1	15
L840066		7.20	<0.005		7	0.31	7.43	1.8	600	5.62	0.45	1.23	0.05	91.0	3.2	15
L840067		3.46	<0.005		8	0.62	7.21	4.1	560	5.43	0.47	1.23	0.07	87.4	3.1	14
L840068		7.08	<0.005		6	0.32	6.75	0.8	510	4.90	0.57	1.21	0.04	80.9	2.9	15
L840069		6.81	<0.005		6	0.25	7.07	0.7	550	5.00	0.70	1.20	0.04	82.9	2.9	14
L840070		7.63	<0.005		5	0.42	7.50	2.2	600	5.51	0.55	1.19	0.06	90.3	3.2	15
L840071		0.24	0.096		25	59.6	4.91	2570	560	0.84	4.03	6.47	123.0	30.2	12.5	41
L840072		5.14	<0.005		<5	0.08	7.81	1.0	830	1.74	0.03	3.00	0.07	66.7	6.4	5
L840073		1.26	<0.005		6	0.29	7.43	46.6	610	5.85	0.13	2.53	0.07	73.1	5.7	7
L840074		1.57	<0.005		11	12.15	6.56	22.3	470	4.66	0.44	1.36	0.49	81.7	2.6	11
L840075		1.21	<0.005		16	30.7	6.01	131.5	180	4.58	0.51	1.73	1.56	70.5	1.8	9
L840076		6.32	<0.005		7	0.16	7.53	2.2	630	5.36	0.44	1.23	0.05	90.9	2.6	14

Comments: Gold assay on sample L840049 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12165400**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L840041		14.90	12.6	1.80	12.40	<0.05	0.8	0.029	1.53	20.0	82.9	0.30	3060	0.34	0.03
L840042		24.1	7.0	1.75	24.1	0.10	1.7	0.035	4.07	42.2	166.0	0.37	2390	0.35	0.11
L840043		24.8	7.1	1.51	24.0	0.10	1.7	0.038	3.88	41.2	84.2	0.34	740	0.40	0.95
L840044		18.50	43.6	2.27	23.1	0.14	1.2	0.049	2.75	37.7	48.7	0.32	8580	0.31	0.04
L840045		0.30	2.1	0.48	0.41	<0.05	<0.1	0.007	0.04	0.9	1.4	12.00	218	0.24	0.01
L840046		17.80	5.9	1.62	23.7	0.07	1.7	0.040	3.60	41.9	42.9	0.41	918	0.42	1.38
L840047		20.5	6.4	1.47	24.2	0.09	1.8	0.039	3.73	42.2	43.6	0.38	443	0.29	1.55
L840048		26.9	3.8	1.45	23.3	0.10	1.7	0.035	4.27	36.4	172.5	0.31	1430	0.35	0.36
L840049		0.42	3970	11.80	1.87	0.24	0.1	0.185	0.11	2.8	3.5	0.01	40	1.10	0.01
L840050		16.55	7.5	1.82	17.45	0.07	1.2	0.022	2.58	30.4	70.7	0.47	2860	0.34	0.04
L840051		20.6	10.0	1.67	22.8	0.10	1.6	0.042	3.57	42.8	166.5	0.41	1420	0.41	0.22
L840052		13.45	7.3	1.73	24.5	0.13	1.8	0.042	3.72	46.7	51.3	0.46	386	0.32	1.28
L840053		21.5	7.6	1.61	24.4	0.12	1.8	0.036	4.15	43.9	106.0	0.36	1230	0.39	0.15
L840054		14.90	7.9	1.58	24.8	0.14	1.7	0.040	4.11	42.6	62.3	0.38	667	0.34	1.55
L840055		12.25	299	9.84	15.25	0.24	0.8	0.450	2.10	25.6	32.7	0.23	7590	0.24	0.04
L840056		13.60	264	9.19	17.40	0.26	1.0	0.393	2.37	28.7	35.3	0.25	8530	0.26	0.04
L840057		25.9	9.2	1.89	26.0	0.18	1.5	0.037	3.46	50.4	259	0.37	2820	0.31	0.08
L840058		29.0	8.1	1.30	23.2	0.11	1.6	0.037	3.95	42.4	150.5	0.26	1820	0.30	0.12
L840059		23.2	51.2	2.28	24.9	0.17	1.4	0.041	3.39	42.9	108.0	0.25	3820	0.38	0.06
L840060		27.0	6.7	1.78	24.1	0.14	1.5	0.039	3.36	43.0	245	0.30	3580	0.50	0.07
L840061		2.72	743	24.7	2.07	0.59	<0.1	0.383	0.10	9.8	20.1	0.05	1860	0.18	0.01
L840062		0.51	2.2	0.49	0.56	<0.05	<0.1	0.008	0.07	0.7	2.0	12.70	220	0.16	0.01
L840063		25.5	26.8	2.18	25.3	0.13	1.4	0.040	3.72	43.8	131.5	0.24	5820	0.32	0.10
L840064		20.8	9.3	1.88	25.2	0.08	1.7	0.041	3.99	43.4	100.0	0.46	3740	0.35	0.11
L840065		18.90	11.0	1.66	24.5	0.11	1.7	0.039	4.18	41.7	91.7	0.39	1340	0.40	1.00
L840066		14.75	5.6	1.70	24.3	0.13	1.8	0.040	3.81	45.6	48.0	0.45	782	0.36	1.63
L840067		15.20	7.1	1.73	24.1	0.12	1.7	0.038	3.79	44.2	44.8	0.44	927	0.29	1.46
L840068		8.37	4.9	1.49	23.4	0.14	1.6	0.033	3.34	40.2	41.4	0.41	451	0.32	1.75
L840069		8.34	5.3	1.48	23.6	0.11	1.6	0.041	3.41	41.6	41.5	0.41	311	0.30	1.90
L840070		8.67	8.0	1.62	25.5	0.12	1.7	0.042	3.67	45.1	51.2	0.44	1080	0.36	2.05
L840071		2.77	994	3.53	10.25	0.10	1.3	0.084	1.35	15.3	14.3	0.66	2640	4.58	1.22
L840072		18.70	2.6	3.27	17.70	0.15	2.1	0.041	2.14	32.0	86.8	0.69	768	0.93	1.84
L840073		30.3	6.3	2.52	20.3	0.14	2.1	0.038	3.52	35.4	211	0.38	930	0.64	0.30
L840074		16.45	7.2	1.66	23.5	0.11	1.8	0.031	3.49	41.6	98.3	0.33	17500	0.30	0.57
L840075		25.9	23.4	1.71	22.7	0.15	1.6	0.025	2.94	36.8	57.5	0.55	14800	0.28	0.06
L840076		10.80	3.6	1.48	24.9	0.12	2.2	0.042	3.85	46.6	58.7	0.40	454	0.27	1.95

Comments: Gold assay on sample L840049 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12165400**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
L840041		4.5	230	39.0	164.5	<0.002	0.75	67.0	2.2	1	17.5	15.0	0.45	<0.05	9.5	0.097
L840042		3.0	460	46.4	327	<0.002	0.24	2.27	4.4	1	8.0	81.9	0.93	<0.05	20.1	0.194
L840043		3.2	410	47.3	285	<0.002	0.04	1.01	4.4	1	6.8	145.0	0.81	<0.05	19.2	0.194
L840044		4.1	340	186.5	290	<0.002	1.33	35.2	5.0	3	34.7	21.4	0.59	<0.05	17.7	0.168
L840045		2.3	180	1.5	2.6	<0.002	<0.01	0.05	0.4	2	<0.2	42.2	<0.05	<0.05	0.2	<0.005
L840046		3.2	440	51.3	260	<0.002	0.06	1.14	4.5	1	9.2	155.5	0.96	<0.05	19.8	0.215
L840047		3.0	480	43.0	263	<0.002	0.01	0.27	4.6	1	6.7	175.0	0.98	<0.05	19.7	0.203
L840048		2.5	480	47.1	304	<0.002	0.07	1.44	4.1	1	7.2	120.0	0.96	<0.05	18.1	0.195
L840049		3.0	60	>10000	9.0	0.007	>10.0	3690	0.4	6	186.0	7.9	<0.05	<0.05	0.6	0.013
L840050		3.2	370	60.8	264	<0.002	0.63	13.20	3.3	2	14.8	33.5	0.61	<0.05	14.0	0.146
L840051		6.5	450	49.6	278	<0.002	0.12	2.20	4.3	2	6.9	78.8	0.75	<0.05	19.6	0.192
L840052		3.7	450	44.3	262	<0.002	0.01	0.72	4.7	1	7.0	155.0	0.89	<0.05	21.6	0.217
L840053		3.3	480	55.5	310	<0.002	0.10	1.85	4.5	2	7.4	87.4	0.86	<0.05	20.7	0.202
L840054		3.4	480	56.4	294	<0.002	0.01	0.64	4.8	2	8.2	163.0	0.85	<0.05	20.1	0.209
L840055		2.8	270	>10000	201	<0.002	>10.0	203	2.8	7	108.0	17.9	0.43	0.06	10.8	0.114
L840056		3.1	300	>10000	228	<0.002	9.30	182.0	3.3	5	98.8	19.9	0.47	0.08	12.2	0.128
L840057		5.0	440	203	342	<0.002	0.34	12.75	6.4	1	11.6	48.3	0.85	<0.05	23.8	0.227
L840058		3.3	470	68.5	334	<0.002	0.14	5.04	4.4	1	9.1	77.1	0.84	<0.05	20.7	0.194
L840059		3.5	420	1160	343	<0.002	0.69	36.2	5.4	2	36.3	34.6	0.72	0.05	19.5	0.180
L840060		2.3	460	50.5	317	<0.002	0.15	6.31	4.8	2	9.3	47.0	0.87	<0.05	20.3	0.194
L840061		3.1	10	>10000	10.0	<0.002	>10.0	710	0.2	6	178.0	3.6	<0.05	0.11	0.6	0.005
L840062		3.0	190	4.5	4.1	<0.002	0.02	0.11	0.4	2	0.2	43.0	<0.05	<0.05	<0.2	<0.005
L840063		2.4	450	185.0	323	<0.002	0.30	8.36	5.2	1	22.4	57.0	0.69	0.07	20.7	0.178
L840064		3.7	470	51.9	315	<0.002	0.33	4.35	4.6	1	10.7	79.9	0.88	<0.05	21.3	0.209
L840065		3.3	480	92.3	312	<0.002	0.03	6.38	4.4	1	8.9	139.5	0.98	<0.05	19.8	0.206
L840066		3.4	480	65.2	263	<0.002	0.02	0.80	4.7	1	7.9	178.0	1.00	<0.05	21.9	0.216
L840067		3.4	480	90.8	271	<0.002	0.01	0.92	4.7	2	7.9	163.5	0.96	<0.05	20.7	0.213
L840068		3.3	460	40.8	254	<0.002	0.01	0.23	4.1	2	7.1	154.5	0.91	<0.05	19.4	0.187
L840069		3.3	450	45.1	244	<0.002	0.01	0.22	4.4	2	7.1	179.5	0.84	<0.05	19.2	0.192
L840070		3.6	450	52.6	250	<0.002	0.01	0.53	4.8	2	7.4	198.5	0.93	<0.05	21.9	0.209
L840071		27.2	620	>10000	65.8	0.003	2.69	52.4	7.8	6	2.6	423	0.29	0.31	3.9	0.200
L840072		1.6	610	19.1	119.0	<0.002	0.05	0.22	10.3	2	3.6	342	0.75	<0.05	11.8	0.291
L840073		2.4	620	29.5	283	<0.002	0.13	4.89	7.3	2	6.5	141.5	0.87	<0.05	15.9	0.241
L840074		2.6	550	183.5	272	<0.002	0.10	7.04	3.6	1	10.0	111.0	0.78	<0.05	19.3	0.153
L840075		2.2	450	566	300	<0.002	0.19	24.0	4.1	1	15.4	48.9	0.67	0.08	16.3	0.135
L840076		2.9	640	50.3	252	<0.002	0.02	0.71	4.4	2	7.2	212	0.95	<0.05	21.4	0.190

Comments: Gold assay on sample L840049 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-JUL-2012  
Account: RANSIL

Project: Hammer-Keg

**CERTIFICATE OF ANALYSIS WH12165400**

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L840041		2.29	4.0	12	1.9	4.6	348	28.4				
L840042		3.21	7.1	23	2.4	8.4	131	57.8				
L840043		2.07	5.5	24	2.1	8.4	63	60.7				
L840044		3.92	5.6	21	2.6	7.9	4700	47.7				
L840045		0.02	0.5	3	0.1	0.8	14	0.7				
L840046		1.99	5.4	25	1.0	8.2	72	58.6				
L840047		1.80	6.0	24	1.1	8.5	54	62.4				
L840048		2.74	6.5	23	1.9	8.6	73	61.0				
L840049		0.12	0.8	8	166.0	0.9	>10000	3.8	>1500	11.60	2.79	3480
L840050		3.18	5.9	17	2.1	7.1	322	44.8				
L840051		2.53	6.4	24	6.5	8.9	177	55.6				
L840052		1.71	8.6	26	1.7	8.5	65	63.5				
L840053		3.22	8.4	24	5.2	8.2	128	59.8				
L840054		2.10	6.7	25	1.1	9.0	72	60.5				
L840055		3.69	6.3	14	1.8	5.1	>10000	28.7	134	1.875	3.92	
L840056		3.94	5.5	16	2.0	6.0	>10000	34.6	111	1.605	3.13	
L840057		2.68	12.3	29	5.0	9.0	275	55.9				
L840058		2.17	11.0	23	9.2	8.4	298	55.7				
L840059		3.78	11.5	22	3.8	8.2	2000	49.7				
L840060		3.18	8.5	24	7.5	8.4	422	53.7				
L840061		4.05	3.9	2	1.1	0.8	>10000	1.7	237	2.52	4.70	
L840062		0.03	0.6	3	0.1	0.8	21	<0.5				
L840063		3.61	9.8	22	2.7	7.9	2450	50.9				
L840064		3.56	9.4	26	3.8	10.6	533	58.5				
L840065		2.49	6.3	25	1.5	9.0	110	58.4				
L840066		1.97	7.4	26	1.0	8.4	71	60.3				
L840067		2.08	5.9	26	1.0	8.2	78	58.0				
L840068		1.65	5.0	23	1.1	8.2	52	54.2				
L840069		1.53	6.9	23	1.0	8.2	54	58.6				
L840070		1.56	8.1	25	1.1	8.5	63	62.8				
L840071		0.73	2.0	60	8.6	11.6	>10000	40.1		1.960	2.01	
L840072		0.93	2.6	67	1.0	22.9	61	53.8				
L840073		2.36	7.0	46	2.6	16.8	82	67.0				
L840074		2.11	6.5	20	1.8	9.9	182	66.4				
L840075		2.95	6.3	18	1.7	8.4	701	55.1				
L840076		1.66	6.5	25	1.0	10.4	63	78.5				

Comments: Gold assay on sample L840049 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 22-JUL-2012  
Account: RANSIL

**CERTIFICATE OF ANALYSIS WH12165400**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.