



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 6-AUG-2012
Account: RANSIL

CERTIFICATE WH12166676

Project: HAMMER-KEG

P.O. No.: BATCH 15

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay result for sample L840009 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-AUG-2012
Account: RANSIL

Project: HAMMER-KEG

CERTIFICATE OF ANALYSIS WH12166676

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
L840005		2.44	<0.005		10	0.40	7.75	96.6	550	4.59	0.35	0.22	0.09	75.0	4.2	14
L840006		3.68	<0.005		11	0.11	7.49	1.6	590	5.13	0.43	0.79	0.08	68.2	3.9	14
L840007		2.71	<0.005		6	0.03	7.55	1.5	550	5.09	0.38	1.14	0.06	72.8	2.7	13
L840008		7.76	<0.005		7	0.09	7.46	2.4	510	4.66	0.53	1.19	0.03	67.4	2.5	13
L840009		0.06		7.28	659	>100	0.25	>10000	140	0.07	0.12	0.01	251	4.34	0.5	13
L840010		2.51	<0.005		5	0.32	7.36	48.1	560	5.16	0.49	0.22	0.11	74.2	3.5	13
L840011		1.08	0.020		9	41.8	5.52	407	300	3.76	1.17	0.15	9.25	59.8	3.6	12
L840012		5.06	<0.005		11	0.46	7.62	5.6	560	4.60	0.45	0.88	0.10	68.5	3.0	12
L840013		1.92	0.007		10	0.93	7.26	91.0	550	4.32	0.43	0.23	0.34	58.7	2.9	9
L840014		2.04	<0.005		9	0.27	7.58	5.1	540	6.47	0.52	1.03	0.05	65.3	2.2	9
L840015		3.77	<0.005		<5	0.07	0.11	<5	20	0.08	0.05	22.0	0.05	1.47	2.4	3
L840016		3.97	<0.005		8	0.06	7.60	0.7	560	5.42	0.41	1.28	0.03	60.9	2.8	9
L840017		4.03	<0.005		<5	0.22	7.67	11.3	550	3.99	0.46	0.40	0.02	66.6	2.9	9
L840018		2.22	<0.005		8	0.38	7.28	49.5	490	4.12	0.56	0.52	0.06	63.1	2.2	8
L840019		2.72	<0.005		8	0.10	7.41	1.5	530	4.09	0.48	0.77	0.05	60.1	2.2	8
L840020		1.58	<0.005		<5	0.07	7.47	1.4	540	4.08	0.43	0.72	0.04	62.4	2.7	10
L840021		1.49	0.065		<5	1.45	7.81	1135	330	6.06	0.15	0.53	0.08	55.1	17.4	80
L840022		1.61	<0.005		<5	0.22	8.40	35.3	330	7.01	0.42	0.62	0.06	65.9	17.9	62
L840023		3.03	<0.005		<5	0.01	0.09	<5	10	0.07	0.02	21.3	0.06	1.31	1.4	1
L840024		5.77	<0.005		<5	0.15	7.64	2.9	580	5.11	0.63	1.36	0.04	73.1	3.1	12
L840025		6.91	<0.005		9	0.11	7.65	0.5	590	3.81	0.47	2.34	0.05	64.8	7.6	34
L840026		6.36	<0.005		8	0.09	7.64	0.7	580	4.49	0.44	1.10	0.04	77.4	2.8	16
L840027		1.01	<0.005		11	1.21	7.02	162.5	380	4.27	0.37	0.18	0.49	69.9	2.7	14
L840028		1.21	<0.005		10	0.24	7.67	38.1	580	5.05	0.57	0.32	0.75	76.1	2.8	14
L840029		7.07	<0.005		12	0.06	7.64	0.7	560	5.11	0.37	1.18	0.07	73.4	2.7	15
L840030		5.41	<0.005		7	0.04	7.24	0.7	510	5.76	0.24	1.28	0.03	60.4	2.3	13
L840031		0.25	0.089		26	64.0	5.12	2640	590	0.73	3.90	7.05	124.0	26.2	13.0	44
L840032		6.77	<0.005		6	0.05	8.06	0.8	410	6.18	0.14	1.38	0.09	71.6	2.9	14
L840033		7.26	<0.005		9	0.02	7.62	0.2	580	5.18	0.42	1.26	0.05	75.0	2.9	16
L840034		7.05	<0.005		10	0.16	7.47	1.4	510	5.08	0.48	1.24	0.06	71.8	3.0	14
L840035		<0.02	<0.005		8	0.15	7.54	1.5	530	5.12	0.59	1.24	0.05	71.1	2.9	16
L840036		6.76	<0.005		12	0.13	7.48	0.7	530	5.00	0.55	1.16	0.06	73.4	3.1	16
L840037		7.16	<0.005		6	0.27	7.36	8.8	530	4.45	0.44	1.05	0.12	71.6	3.0	14
L840038		7.09	<0.005		6	0.06	7.21	0.5	580	4.54	0.41	1.21	0.03	68.1	2.7	14
L840039		3.70	<0.005		7	0.03	7.51	0.5	600	4.61	0.46	1.24	0.03	74.4	2.9	17
L840040		1.86	<0.005		15	0.60	7.55	88.8	420	4.33	0.60	1.07	0.24	81.8	2.8	14

Comments: Gold assay result for sample L840009 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-AUG-2012
Account: RANSIL

Project: HAMMER-KEG

CERTIFICATE OF ANALYSIS WH12166676

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
L840005		23.8	11.7	1.36	27.9	0.17	1.8	0.040	4.10	37.4	162.0	0.29	629	0.58	0.14
L840006		16.30	7.0	1.60	26.6	0.19	2.0	0.040	3.81	35.8	78.0	0.36	345	0.31	1.06
L840007		10.45	2.0	1.42	25.1	0.20	2.0	0.034	3.62	38.1	74.4	0.36	257	0.35	1.92
L840008		12.45	4.1	1.41	25.6	0.19	1.9	0.037	3.67	36.1	67.7	0.33	371	0.25	1.65
L840009		0.34	3620	12.30	2.09	0.22	0.1	0.094	0.10	2.7	7.5	0.01	41	1.22	0.01
L840010		24.9	2.9	1.24	24.8	0.16	1.9	0.032	4.21	37.8	251	0.26	1800	0.27	0.13
L840011		21.7	25.6	2.03	20.6	0.17	1.3	0.062	2.93	32.2	127.5	0.18	6940	1.21	0.07
L840012		13.45	2.2	1.42	25.6	0.18	1.9	0.037	3.95	35.4	70.1	0.32	670	0.35	1.38
L840013		18.00	4.8	1.06	23.3	0.18	1.7	0.030	4.32	31.5	182.0	0.20	1060	0.35	0.14
L840014		15.40	1.3	1.32	23.5	0.14	2.0	0.037	4.19	35.0	85.3	0.31	619	0.26	1.34
L840015		0.25	4.4	0.49	0.40	0.08	<0.1	0.005	0.04	0.7	1.8	13.05	219	0.14	0.01
L840016		10.25	2.0	1.25	24.1	0.21	1.9	0.031	3.93	32.0	63.0	0.32	295	0.30	1.81
L840017		17.15	2.6	1.20	23.8	0.21	1.9	0.034	4.07	35.5	208	0.29	504	0.32	0.14
L840018		17.80	1.4	1.15	22.1	0.18	1.9	0.031	4.01	33.9	339	0.26	630	0.28	0.11
L840019		8.77	1.6	1.30	22.0	0.18	1.9	0.029	3.84	32.4	64.7	0.27	425	0.22	1.18
L840020		8.66	1.6	1.25	22.0	0.19	1.9	0.033	3.91	34.2	68.7	0.27	435	0.24	1.12
L840021		22.8	15.4	2.38	17.60	0.16	3.3	0.056	2.04	28.7	750	0.39	1060	0.83	0.03
L840022		21.9	13.0	3.10	21.2	0.19	2.9	0.059	2.53	33.9	710	0.43	2160	0.72	0.06
L840023		0.24	2.4	0.48	0.31	0.07	<0.1	<0.005	0.03	0.6	4.7	12.70	219	0.08	<0.01
L840024		20.3	1.7	1.46	25.3	0.18	2.2	0.042	3.77	36.3	210	0.34	635	0.27	0.95
L840025		11.80	7.1	2.56	21.4	0.21	2.4	0.043	2.61	33.3	64.8	1.00	488	0.49	2.31
L840026		11.05	4.8	1.57	23.4	0.18	1.7	0.036	3.68	40.0	63.0	0.42	605	0.28	1.71
L840027		18.45	8.4	1.55	22.5	0.18	1.4	0.035	3.72	36.6	82.6	0.21	2430	0.32	0.10
L840028		18.80	4.8	1.58	23.2	0.19	1.6	0.032	3.90	39.3	226	0.26	1580	0.27	0.85
L840029		10.10	2.1	1.49	24.0	0.18	1.6	0.034	3.55	37.8	46.8	0.41	400	0.24	1.95
L840030		10.00	0.9	1.36	21.0	0.17	1.7	0.029	3.31	31.1	47.4	0.35	306	0.31	2.01
L840031		2.63	1010	3.83	10.55	0.15	1.3	0.078	1.35	14.1	15.9	0.70	2820	5.22	1.29
L840032		9.05	1.3	1.63	24.1	0.17	1.6	0.022	2.36	37.5	57.3	0.41	387	0.76	3.42
L840033		8.95	3.3	1.53	22.6	0.18	1.7	0.034	3.30	38.8	54.8	0.42	273	0.30	2.27
L840034		16.00	6.9	1.58	23.3	0.19	1.7	0.037	3.77	37.2	51.3	0.36	1320	0.44	1.28
L840035		16.45	7.1	1.61	24.2	0.19	1.7	0.036	3.81	35.8	50.0	0.37	1270	0.32	1.34
L840036		11.05	5.5	1.51	24.2	0.18	1.6	0.037	3.76	37.6	40.5	0.37	406	0.33	1.87
L840037		18.95	4.4	1.63	22.7	0.19	1.6	0.036	4.08	37.4	60.0	0.36	1790	0.42	0.58
L840038		10.60	3.7	1.54	22.6	0.18	1.7	0.037	3.64	35.4	41.9	0.41	291	0.30	1.90
L840039		10.00	5.5	1.53	23.1	0.19	1.7	0.035	3.59	38.5	40.9	0.41	279	0.34	1.90
L840040		22.6	5.8	1.84	24.3	0.19	1.7	0.039	3.97	43.0	120.0	0.39	6240	0.31	0.11

Comments: Gold assay result for sample L840009 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-AUG-2012
Account: RANSIL

Project: HAMMER-KEG

CERTIFICATE OF ANALYSIS WH12166676

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
L840005		4.0	520	66.6	333	<0.002	0.07	5.24	5.6	1	11.9	81.3	1.37	<0.05	20.5
L840006		4.1	500	51.0	250	<0.002	0.03	2.25	5.2	1	8.7	137.5	1.22	<0.05	20.9
L840007		3.2	440	48.8	237	<0.002	<0.01	0.37	4.9	1	5.9	181.5	0.89	<0.05	21.5
L840008		2.6	520	46.2	226	<0.002	0.01	0.39	5.2	1	6.3	171.0	1.05	<0.05	19.8
L840009		3.1	50	>10000	8.8	0.003	>10.0	3430	0.6	5	144.0	7.7	<0.05	<0.05	0.6
L840010		3.7	450	48.5	346	<0.002	0.22	3.76	5.1	1	6.5	75.5	0.94	<0.05	18.4
L840011		3.6	270	362	260	<0.002	1.46	40.4	3.5	1	9.2	42.5	0.68	<0.05	15.5
L840012		2.7	570	59.9	263	<0.002	0.02	1.38	4.8	1	6.4	157.5	1.01	<0.05	20.1
L840013		2.6	550	81.1	308	<0.002	0.25	5.85	3.8	1	8.8	87.2	0.94	<0.05	17.5
L840014		2.2	580	56.1	294	<0.002	0.12	1.69	4.4	1	6.4	170.0	1.07	<0.05	18.3
L840015		2.4	250	3.0	2.8	<0.002	0.02	0.10	0.4	1	<0.2	44.4	<0.05	<0.05	0.2
L840016		2.6	550	50.2	241	<0.002	0.01	0.45	4.0	1	6.5	183.0	1.00	<0.05	17.6
L840017		2.7	580	51.8	277	<0.002	0.09	2.44	4.0	1	6.5	82.6	1.03	<0.05	19.3
L840018		2.2	530	54.2	313	<0.002	0.14	3.76	3.7	1	6.7	74.5	1.01	<0.05	18.7
L840019		2.3	550	49.9	254	<0.002	0.02	1.10	3.7	1	6.0	128.0	0.96	<0.05	18.2
L840020		2.8	560	50.2	260	<0.002	0.02	1.12	4.0	1	6.2	124.0	0.98	<0.05	19.2
L840021		19.5	1320	14.4	222	<0.002	0.68	30.1	17.8	2	1.5	31.2	0.90	<0.05	7.6
L840022		22.5	1100	22.2	228	<0.002	0.19	3.66	17.1	1	3.1	41.8	0.93	<0.05	12.4
L840023		2.0	180	1.3	2.1	<0.002	0.02	0.07	0.3	1	<0.2	40.2	<0.05	<0.05	<0.2
L840024		3.1	550	51.2	232	<0.002	0.06	1.49	4.8	1	6.4	137.0	0.98	<0.05	20.8
L840025		9.2	810	32.3	153.5	<0.002	0.03	0.21	9.4	1	4.5	240	0.95	<0.05	15.5
L840026		3.4	510	47.0	229	<0.002	0.05	0.66	4.7	1	5.6	178.0	1.04	<0.05	21.4
L840027		2.9	480	119.5	308	<0.002	0.23	9.97	4.6	1	12.8	58.5	0.91	<0.05	19.6
L840028		3.1	490	49.9	259	<0.002	0.10	2.57	4.8	1	6.2	116.5	1.09	<0.05	21.5
L840029		3.1	490	46.4	214	<0.002	0.01	0.22	4.8	1	7.8	195.0	1.14	<0.05	20.9
L840030		2.6	530	42.7	186.0	<0.002	<0.01	0.11	4.1	1	7.1	206	1.12	<0.05	18.8
L840031		27.2	670	>10000	59.7	0.002	2.82	52.2	7.8	4	2.5	441	0.32	0.15	4.3
L840032		3.3	500	36.2	148.0	<0.002	0.01	0.14	4.7	1	7.6	269	1.01	<0.05	19.9
L840033		3.3	510	45.3	189.0	<0.002	<0.01	0.08	4.7	1	5.9	229	1.02	<0.05	20.9
L840034		3.7	470	43.2	265	<0.002	0.06	0.64	4.6	1	6.8	143.0	0.90	<0.05	20.8
L840035		3.6	480	44.0	268	<0.002	0.06	0.61	4.8	1	6.8	149.5	0.93	<0.05	20.3
L840036		4.0	580	43.4	248	<0.002	0.01	0.40	4.7	1	6.3	157.0	1.05	<0.05	22.1
L840037		3.5	450	50.9	307	<0.002	0.23	2.37	4.4	1	6.9	115.5	0.96	<0.05	20.3
L840038		3.1	480	43.4	226	<0.002	0.01	0.17	4.4	1	5.4	181.5	1.04	<0.05	19.6
L840039		3.2	480	46.0	224	<0.002	0.01	0.19	4.7	1	5.3	190.5	0.93	<0.05	21.9
L840040		3.5	470	103.0	336	<0.002	0.25	3.58	5.0	1	15.3	70.2	0.89	<0.05	23.6

Comments: Gold assay result for sample L840009 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-AUG-2012
Account: RANSIL

Project: HAMMER-KEG

CERTIFICATE OF ANALYSIS WH12166676

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L840005		2.42	10.0	25	2.7	8.3	103	66.0				
L840006		1.67	16.4	24	2.0	8.4	78	75.2				
L840007		1.49	7.3	22	1.0	8.3	52	69.9				
L840008		1.52	13.9	21	1.5	8.9	58	66.0				
L840009		0.12	0.6	6	171.0	0.7	>10000	3.8	>1500	10.85	2.68	3260
L840010		2.12	7.9	21	5.3	8.2	151	65.9				
L840011		2.94	9.9	17	1.7	5.5	3960	49.1				
L840012		1.80	6.9	20	1.8	9.2	149	65.1				
L840013		2.78	8.9	16	2.6	7.7	516	62.6				
L840014		2.29	7.6	18	1.8	9.3	103	68.0				
L840015		0.02	0.7	3	0.2	1.0	15	0.5				
L840016		1.49	13.8	17	1.5	8.4	44	67.2				
L840017		1.71	7.3	17	4.2	9.3	47	66.5				
L840018		1.99	10.3	16	2.9	9.0	44	64.5				
L840019		1.60	10.4	16	2.6	8.8	41	65.0				
L840020		1.63	10.7	20	2.6	9.2	43	64.8				
L840021		1.47	4.4	129	11.9	20.9	74	123.5				
L840022		1.36	11.1	110	6.7	18.9	98	108.0				
L840023		<0.02	0.7	2	0.2	0.8	13	1.1				
L840024		1.59	7.1	23	4.0	9.1	55	71.8				
L840025		1.08	8.1	58	1.1	12.9	55	87.1				
L840026		1.75	6.6	24	1.1	8.3	72	63.1				
L840027		3.56	7.2	22	3.0	8.0	599	50.5				
L840028		2.24	12.7	23	3.2	9.2	461	61.3				
L840029		1.48	8.9	24	1.5	8.9	70	61.0				
L840030		1.27	8.0	19	1.3	9.0	44	61.3				
L840031		0.70	2.1	63	9.5	11.5	>10000	41.3		2.00	2.10	
L840032		1.02	8.5	23	1.4	8.9	71	58.7				
L840033		1.17	8.9	24	1.1	8.4	57	65.5				
L840034		2.41	7.9	24	1.1	8.7	77	61.9				
L840035		2.45	8.6	24	1.1	8.8	80	63.8				
L840036		1.83	8.0	24	1.3	9.1	55	61.4				
L840037		3.15	7.1	22	1.3	8.2	226	60.6				
L840038		1.65	8.1	25	1.0	7.7	53	63.2				
L840039		1.60	7.6	24	1.0	7.9	57	61.7				
L840040		3.52	7.9	26	2.7	8.8	215	63.9				

Comments: Gold assay result for sample L840009 is obtained from fire assay gravimetric method due to high Ag content in the sample that might have caused incomplete Au dissolution in aqua regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: HAMMER-KEG

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-AUG-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12166676

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.