



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22-JUL-2012
Account: RANSIL

CERTIFICATE WH12167232

Project: Hammer-Keg

P.O. No.: Batch 17

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
WSH-21	"Wash" crushers
SPL-21	Split sample - riffle splitter
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12167232

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
		0.02	0.005	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
L840077		1.74	<0.005	12	0.12	7.62	3.4	630	4.09	0.47	0.54	0.10	88.0	4.6	11	10.40
L840078		7.35	<0.005	7	0.06	7.71	2.0	570	5.42	0.51	1.19	0.05	79.8	2.7	11	9.05
L840079		8.25	<0.005	9	0.14	7.34	4.0	450	5.11	0.62	1.06	0.07	66.4	2.7	13	8.87
L840080		5.13	<0.005	<5	0.03	0.11	<5	40	0.05	0.02	21.2	0.06	1.27	1.8	<1	0.17
L840081		7.00	<0.005	8	0.14	7.51	4.6	550	4.73	0.46	1.14	0.04	74.2	2.5	12	7.46
L840082		7.27	<0.005	<5	0.18	7.36	6.2	540	4.59	0.72	1.05	0.03	75.2	2.5	12	8.32
L840083		6.99	<0.005	7	0.07	7.48	2.6	530	4.96	0.38	1.05	0.03	75.4	2.7	11	7.55
L840084		2.52	<0.005	7	0.42	7.34	13.4	440	5.81	0.51	1.16	0.03	74.6	2.8	11	13.40
L840085		7.27	<0.005	7	0.04	6.81	0.8	500	6.26	0.44	1.11	0.04	70.2	2.4	12	8.74
L840086		0.23	0.097	25	61.0	4.94	2620	580	0.80	3.86	6.80	124.0	26.6	12.8	37	2.69
L840087		7.31	<0.005	<5	0.10	6.44	0.6	490	5.25	0.70	1.02	<0.02	73.3	2.5	16	7.20
L840088		4.74	<0.005	10	0.20	7.58	5.7	600	5.08	0.35	1.28	0.07	84.1	3.0	13	12.40
L840089		4.63	<0.005	8	0.55	7.82	16.0	470	5.64	0.63	1.60	0.09	92.0	4.0	13	23.5
L840090		3.74	<0.005	9	0.59	7.72	2.1	490	5.28	1.00	2.97	0.06	68.8	3.4	10	20.8
L840091		1.59	<0.005	11	0.51	7.94	1.6	470	5.12	0.84	2.60	0.07	75.2	2.9	12	21.7
L840092		3.17	<0.005	5	0.04	7.86	1.9	590	5.29	0.55	1.24	0.05	86.1	3.0	12	10.45
L840093		1.20	<0.005	11	0.37	7.68	35.9	520	5.71	2.83	1.06	0.40	83.0	3.7	12	7.98
L840094		4.40	<0.005	9	0.06	7.67	3.8	580	5.49	0.55	1.23	0.05	88.7	2.1	9	10.95
L840095		4.87	<0.005	11	0.10	7.63	0.7	570	6.36	0.49	1.32	0.04	86.8	1.9	8	15.30
L840096		7.05	<0.005	9	0.06	7.66	0.7	570	6.71	0.65	1.20	0.03	87.4	2.1	9	12.00
L840097		6.84	<0.005	7	0.35	7.65	4.4	560	6.27	0.62	1.24	0.06	78.3	2.1	9	15.30
L840098		1.82	<0.005	9	0.29	7.87	8.2	590	6.20	0.83	1.44	0.07	85.4	2.1	8	19.15
L840099		3.16	<0.005	9	1.78	7.60	6.1	380	5.64	3.07	0.41	0.15	85.5	2.2	12	24.2
L840100		2.43	<0.005	14	0.90	7.21	12.8	190	5.59	0.67	0.33	0.33	76.2	3.2	7	20.5
L840101		2.26	<0.005	<5	0.02	0.10	<5	10	0.08	0.02	21.0	0.06	1.27	1.7	<1	0.22
L840102		3.46	<0.005	20	0.68	7.40	32.2	180	5.15	0.61	0.36	0.71	85.3	1.3	8	21.4
L840103		2.72	0.373	141	>100	2.10	>10000	40	1.59	0.38	0.15	213	27.3	4.7	6	5.49
L840104		<0.02	0.444	151	>100	1.87	>10000	40	1.36	0.33	0.11	231	26.5	5.2	6	5.01
L840105		1.80	<0.005	18	2.26	5.86	109.5	120	4.08	0.41	0.37	1.55	65.9	1.6	7	18.65
L840106		2.82	0.016	18	2.53	5.40	356	120	4.08	0.45	0.37	1.79	61.2	1.6	7	19.05
L840107		3.44	0.010	11	2.52	6.08	179.5	110	4.64	0.68	0.55	1.28	69.6	3.0	7	25.9
L840108		0.03	6.44	659	>100	0.27	>10000	170	0.11	0.15	0.01	262	3.68	0.5	11	0.37
L840109		6.60	<0.005	8	0.58	6.72	17.6	430	5.08	0.79	0.47	0.06	75.9	2.4	9	18.65
L840110		7.42	<0.005	7	0.31	6.56	7.3	500	5.51	0.61	1.20	0.04	70.2	2.0	9	20.4
L840111		6.51	<0.005	10	0.18	6.81	3.8	410	5.34	0.80	0.99	0.03	76.7	2.3	10	21.5
L840112		4.44	<0.005	7	0.34	7.77	9.0	390	4.57	0.91	1.45	0.31	56.4	1.5	7	29.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12167232

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
L840077		10.0	1.15	28.6	0.17	2.1	0.038	3.83	43.3	56.7	0.34	267	0.39	0.80	11.3	4.2
L840078		3.7	1.44	26.6	0.17	2.0	0.039	3.71	38.7	52.8	0.40	258	0.31	2.19	12.2	2.9
L840079		5.0	1.43	25.4	0.16	1.5	0.043	3.66	32.0	51.2	0.34	281	0.31	1.93	9.8	3.4
L840080		2.8	0.48	0.39	<0.05	<0.1	<0.005	0.04	0.6	1.2	12.60	211	0.14	0.02	0.3	2.6
L840081		4.8	1.52	26.9	0.12	1.7	0.039	3.70	35.6	45.9	0.43	277	0.35	2.05	10.4	3.0
L840082		3.1	1.44	25.1	0.16	1.6	0.036	3.89	36.7	47.5	0.36	281	0.36	1.90	9.8	3.0
L840083		4.1	1.43	26.1	0.19	1.6	0.033	3.74	37.0	44.6	0.40	258	0.26	2.00	10.0	2.9
L840084		5.4	1.36	26.1	0.19	1.6	0.040	3.46	36.4	44.6	0.32	450	0.36	1.75	11.0	3.6
L840085		2.9	1.31	23.4	0.15	1.5	0.035	3.45	34.1	47.2	0.36	241	0.23	1.91	10.2	2.7
L840086		991	3.77	10.60	0.09	1.4	0.079	1.36	13.5	15.6	0.67	2750	4.95	1.24	4.2	25.4
L840087		6.2	1.28	22.5	0.14	1.6	0.029	3.24	34.9	59.3	0.35	222	0.30	1.83	10.0	3.4
L840088		5.0	1.64	25.6	0.18	1.8	0.036	3.92	41.0	64.5	0.41	405	0.26	1.75	10.7	3.3
L840089		6.9	1.90	29.1	0.21	2.0	0.048	4.02	43.1	202	0.37	1640	0.34	0.79	12.6	4.0
L840090		7.0	1.43	27.6	0.17	2.3	0.044	4.38	29.7	121.0	0.43	513	0.43	1.35	12.6	3.2
L840091		4.9	1.43	27.5	0.16	2.3	0.044	4.38	33.5	118.0	0.45	473	0.28	1.23	12.7	3.1
L840092		6.2	1.59	26.3	0.21	1.8	0.036	3.65	42.2	64.4	0.43	289	0.40	2.19	11.3	3.5
L840093		16.0	1.91	29.8	0.19	1.5	0.043	3.65	41.4	56.9	0.45	231	0.38	2.03	10.4	4.6
L840094		2.1	1.36	27.1	0.20	2.2	0.034	3.74	43.9	54.0	0.35	233	0.27	2.26	8.3	2.0
L840095		1.5	1.46	25.9	0.20	2.2	0.026	3.99	43.0	68.7	0.36	707	0.29	1.59	9.0	2.2
L840096		1.9	1.32	26.5	0.18	2.2	0.033	3.83	43.3	45.4	0.34	261	0.26	2.15	9.4	2.0
L840097		2.1	1.37	26.3	0.18	2.1	0.032	4.09	39.0	51.1	0.31	569	0.30	1.77	9.8	2.2
L840098		1.9	1.39	26.2	0.18	2.3	0.032	4.22	41.8	93.8	0.31	656	0.49	1.57	10.0	2.1
L840099		3.2	1.75	27.6	0.18	2.1	0.032	4.11	42.2	280	0.30	2770	4.43	0.09	10.0	2.3
L840100		8.5	2.39	26.4	0.16	1.9	0.035	3.27	38.3	246	0.32	3060	0.36	0.05	8.0	2.5
L840101		1.8	0.45	0.43	<0.05	<0.1	<0.005	0.04	0.6	1.9	12.55	213	0.10	0.01	0.4	3.3
L840102		3.8	1.63	25.9	0.12	2.2	0.030	3.19	42.0	335	0.32	3000	0.31	0.04	8.1	1.5
L840103		2300	19.80	8.58	0.40	0.6	0.838	0.91	13.8	35.7	0.14	1970	0.24	0.01	2.4	1.5
L840104		2750	20.0	7.97	0.45	0.5	0.865	0.81	13.4	35.0	0.12	1940	0.21	0.01	2.2	1.3
L840105		13.7	2.07	20.9	0.09	1.7	0.025	2.60	32.6	75.6	0.27	3790	0.29	0.03	6.9	1.8
L840106		11.4	1.76	19.05	0.10	1.5	0.025	2.35	30.4	88.1	0.26	1700	0.23	0.03	6.6	1.8
L840107		13.8	2.06	21.7	0.14	1.7	0.029	2.51	34.7	204	0.34	3050	0.29	0.03	7.2	3.0
L840108		3910	12.20	2.09	0.21	0.1	0.141	0.11	2.4	6.6	0.01	52	1.23	0.01	0.7	3.1
L840109		2.9	1.40	25.3	0.16	2.2	0.033	3.68	37.8	421	0.24	1080	0.36	0.10	8.4	2.7
L840110		1.9	1.26	25.7	0.16	2.2	0.029	4.19	32.7	275	0.31	714	0.28	0.19	8.8	2.2
L840111		2.5	1.28	25.6	0.17	2.1	0.031	3.56	39.5	385	0.32	722	0.36	0.54	9.2	2.5
L840112		8.7	1.06	25.9	0.11	1.7	0.035	3.67	27.6	197.0	0.28	317	0.34	0.40	7.3	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12167232

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L840077		660	53.7	236	<0.002	0.01	0.97	4.9	1	8.2	131.0	1.13	<0.05	20.1	0.200	1.49
L840078		590	45.1	221	<0.002	0.01	0.28	4.6	1	7.3	205	1.20	<0.05	18.0	0.195	1.37
L840079		520	46.5	218	<0.002	0.02	0.41	4.6	1	7.2	164.0	0.89	<0.05	15.5	0.169	1.40
L840080		190	1.9	1.6	<0.002	0.02	0.06	0.4	<1	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	<0.02
L840081		540	45.8	212	<0.002	<0.01	0.30	4.4	<1	7.9	187.5	1.01	<0.05	16.6	0.187	1.32
L840082		490	50.7	237	<0.002	0.01	0.38	4.2	<1	7.4	181.0	0.91	<0.05	16.5	0.179	1.48
L840083		450	41.6	218	<0.002	0.02	0.24	4.4	<1	7.2	181.5	0.96	<0.05	16.7	0.183	1.38
L840084		510	44.6	233	<0.002	0.01	0.78	4.7	1	7.0	167.5	0.98	<0.05	16.1	0.183	1.66
L840085		470	40.9	209	<0.002	0.01	0.19	3.9	1	7.4	174.5	1.09	<0.05	15.8	0.172	1.40
L840086		670	>10000	60.3	0.003	2.79	55.5	7.2	6	2.8	426	0.32	0.17	3.7	0.204	0.75
L840087		420	36.0	212	<0.002	0.01	0.19	4.4	1	6.1	170.5	0.92	<0.05	16.2	0.169	1.27
L840088		480	48.5	236	<0.002	0.04	0.93	4.4	1	6.4	198.5	0.95	<0.05	18.8	0.200	1.77
L840089		460	63.7	296	<0.002	0.30	3.93	5.4	1	8.6	133.0	1.07	<0.05	20.6	0.232	2.51
L840090		640	70.5	303	<0.002	0.06	0.47	4.6	1	7.9	174.0	1.31	<0.05	16.8	0.212	2.78
L840091		580	61.9	310	<0.002	0.02	0.47	4.9	1	8.2	161.0	1.28	<0.05	18.1	0.216	2.77
L840092		520	47.6	215	<0.002	0.01	0.15	4.8	1	6.7	208	1.22	<0.05	19.7	0.206	1.46
L840093		520	89.8	249	<0.002	0.04	0.89	5.6	1	8.9	188.5	0.72	<0.05	18.7	0.192	1.48
L840094		560	48.2	245	<0.002	0.01	0.21	4.2	1	7.1	208	0.69	<0.05	21.0	0.179	1.66
L840095		560	42.4	269	<0.002	0.01	0.27	4.1	1	8.9	187.0	0.78	<0.05	20.7	0.178	2.21
L840096		570	46.5	247	<0.002	0.01	0.19	4.0	1	7.6	200	0.87	<0.05	20.7	0.176	1.76
L840097		560	51.4	279	<0.002	0.02	0.59	3.9	<1	7.8	177.0	0.86	<0.05	19.3	0.171	2.15
L840098		580	51.2	283	<0.002	0.01	0.70	3.5	1	7.6	183.5	0.81	<0.05	21.2	0.175	2.08
L840099		600	84.4	339	<0.002	0.08	2.10	4.0	1	11.7	66.0	0.75	<0.05	20.3	0.183	3.56
L840100		550	69.1	310	<0.002	0.64	4.96	4.1	1	12.2	38.3	0.58	<0.05	18.4	0.149	3.87
L840101		180	2.8	1.9	<0.002	0.01	0.06	0.3	<1	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.02
L840102		580	101.5	290	<0.002	0.08	3.07	3.7	<1	19.0	34.3	0.68	<0.05	20.4	0.169	4.03
L840103		140	>10000	84.5	<0.002	>10.0	485	1.3	11	122.0	6.8	0.17	<0.05	5.3	0.045	3.17
L840104		120	>10000	75.0	0.002	>10.0	489	1.0	11	130.5	6.2	0.13	<0.05	4.9	0.040	2.97
L840105		430	402	264	<0.002	0.44	9.99	2.9	<1	22.0	28.7	0.57	<0.05	15.8	0.132	3.54
L840106		380	416	243	<0.002	0.74	15.95	2.7	1	22.3	25.7	0.59	<0.05	14.6	0.120	3.05
L840107		450	390	268	<0.002	0.49	9.72	3.0	<1	12.5	29.3	0.61	<0.05	16.2	0.135	3.15
L840108		60	>10000	8.0	0.004	>10.0	3710	0.5	7	164.5	8.1	<0.05	<0.05	0.5	0.012	0.13
L840109		510	54.6	299	<0.002	0.16	2.67	4.2	1	7.1	65.9	0.58	<0.05	19.3	0.167	2.53
L840110		510	42.2	315	<0.002	0.08	1.54	3.9	1	6.9	97.0	0.76	<0.05	17.1	0.159	2.63
L840111		560	37.3	274	<0.002	0.06	1.36	4.1	1	6.9	100.5	0.73	<0.05	18.2	0.155	2.05
L840112		570	86.7	234	<0.002	0.01	0.57	3.2	<1	6.9	112.5	0.65	<0.05	13.7	0.126	1.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12167232

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L840077		7.7	25	8.4	11.0	63	75.0				
L840078		9.0	22	0.9	8.9	53	71.0				
L840079		8.8	21	1.3	8.5	65	52.9				
L840080		0.8	2	0.1	0.8	14	<0.5				
L840081		6.1	22	1.2	8.2	54	59.1				
L840082		7.4	21	1.2	8.1	56	56.0				
L840083		5.7	21	1.1	7.8	50	57.4				
L840084		7.0	21	1.3	9.3	63	58.4				
L840085		6.9	20	0.9	7.4	49	56.6				
L840086		1.8	61	8.6	11.5	>10000	39.4		2.02	1.965	
L840087		9.5	21	1.0	7.7	49	60.3				
L840088		6.3	25	1.1	8.3	82	65.2				
L840089		7.4	29	2.0	9.7	139	74.1				
L840090		5.2	25	1.7	10.2	99	79.1				
L840091		6.0	26	1.6	10.0	89	81.1				
L840092		12.5	25	0.9	8.9	59	64.8				
L840093		7.9	31	1.9	9.9	165	58.2				
L840094		9.1	21	0.8	8.6	59	76.7				
L840095		8.9	21	1.1	8.6	48	79.1				
L840096		8.8	21	0.8	8.7	52	73.5				
L840097		9.2	20	1.0	8.5	68	73.7				
L840098		8.5	21	1.0	8.6	62	77.7				
L840099		8.6	21	4.6	9.1	117	73.4				
L840100		7.9	18	2.8	8.6	227	66.3				
L840101		0.4	2	0.1	0.7	14	<0.5				
L840102		6.3	20	5.5	8.8	396	73.1				
L840103		3.4	5	2.2	2.6	>10000	18.4	258	3.80	6.30	
L840104		3.5	5	2.0	2.4	>10000	16.4	268	3.84	6.51	
L840105		5.6	16	3.5	7.5	591	57.1				
L840106		11.0	15	3.0	6.2	681	51.0				
L840107		5.5	17	3.2	7.7	546	58.3				
L840108		0.6	7	158.0	1.0	>10000	3.6	>1500	11.50	2.69	3460
L840109		8.4	21	4.9	8.5	133	77.2				
L840110		5.9	20	1.8	8.0	66	78.5				
L840111		8.0	18	1.8	8.7	147	76.2				
L840112		9.3	14	8.6	7.6	79	56.8				



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 22-JUL-2012

Account: RANSIL

CERTIFICATE OF ANALYSIS WH12167232

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.