



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 31-JUL-2012
Account: RANSIL

CERTIFICATE WH12171265

Project: Hammer-Keg

P.O. No.: Batch 18

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12171265

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
		0.02	0.005	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
L840113		4.98	<0.005	11	0.10	7.04	0.8	550	5.28	0.98	1.09	0.07	79.2	2.8	16	3.92
L840114		5.27	<0.005	10	0.11	6.87	0.5	550	5.15	0.58	1.09	0.05	75.8	2.5	13	6.14
L840115		4.60	<0.005	8	0.12	6.95	5.8	480	4.53	0.53	0.98	0.06	71.4	2.7	13	13.60
L840116		0.23	0.087	26	61.6	4.91	2680	570	0.79	3.82	6.91	126.5	26.8	13.2	44	2.79
L840117		3.43	<0.005	8	0.41	7.01	27.8	460	4.44	0.69	0.24	0.16	72.0	3.1	9	22.3
L840118		2.94	<0.005	10	0.77	5.87	131.0	300	3.94	0.42	0.47	0.22	62.3	1.9	11	19.55
L840119		1.43	0.066	16	17.30	5.11	1785	170	3.49	0.32	0.22	3.34	52.1	4.8	11	14.75
L840120		3.09	<0.005	9	0.32	7.09	6.1	590	5.14	0.94	0.95	0.11	83.7	3.2	17	11.65
L840121		3.39	<0.005	<5	0.02	0.06	5	20	0.05	0.01	19.95	0.06	1.13	1.7	1	0.21
L840122		7.49	<0.005	7	0.11	7.16	0.9	590	5.15	1.33	1.06	0.04	87.3	2.9	18	7.10
L840123		4.77	<0.005	8	0.17	7.12	6.2	470	5.86	0.63	1.11	0.06	79.8	3.1	13	13.80
L840124		6.08	<0.005	7	0.47	7.06	2.1	460	4.60	1.55	0.83	0.05	84.4	2.8	15	13.55
L840125		5.02	<0.005	10	4.13	7.16	60.2	410	4.18	1.04	0.73	0.11	71.2	2.8	12	17.00
L840126		1.11	<0.005	10	3.12	6.87	74.0	400	3.84	1.03	0.74	0.12	70.9	2.8	12	16.40
L840127		4.59	<0.005	10	3.31	7.55	4.6	180	4.63	0.80	0.37	0.11	64.6	2.4	10	20.5
L840128		0.23	0.091	25	61.2	4.92	2620	570	0.73	3.92	6.92	126.5	27.2	13.0	43	2.82
L840129		4.30	<0.005	9	2.03	7.08	3.1	420	3.89	0.89	0.54	0.10	67.6	2.2	10	22.0
L840130		3.53	<0.005	8	0.65	7.14	5.6	490	4.00	0.80	0.52	0.07	80.4	3.1	14	16.95
L840131		7.45	<0.005	5	0.28	7.10	3.8	500	5.23	0.52	0.98	0.07	76.3	2.7	15	14.80
L840132		3.10	<0.005	8	0.30	7.33	4.7	510	5.45	0.51	1.03	0.06	78.1	3.0	16	14.55
L840133		4.32	<0.005	6	0.17	7.07	13.4	540	4.86	0.57	0.67	0.15	82.1	3.0	17	11.05
L840134		7.62	<0.005	10	0.07	7.27	1.4	540	5.76	0.58	1.09	0.05	76.1	3.1	19	11.05
L840141		3.32	<0.005	10	0.47	7.38	1.5	550	4.62	0.52	1.07	0.05	83.1	2.6	15	18.05
L840142		1.24	<0.005	26	7.45	6.02	119.5	290	4.05	0.41	0.37	9.27	63.3	2.7	12	18.35
L840143		4.03	<0.005	<5	<0.01	0.06	<5	10	<0.05	0.02	22.1	0.07	1.22	1.0	1	0.17
L840139		4.76	<0.005	7	0.13	7.36	0.7	490	4.27	0.52	1.16	<0.02	73.8	2.4	13	16.55
L840140		<0.02	<0.005	7	0.13	7.43	1.1	490	5.02	0.54	1.25	0.02	77.9	2.4	14	17.15
L840148		4.01	<0.005	5	0.07	7.56	1.1	600	5.00	0.45	1.16	<0.02	88.5	2.9	16	15.90
L840149		3.63	<0.005	8	0.41	7.60	10.5	610	5.16	0.59	0.26	0.15	83.9	3.5	10	28.1
L840150		2.35	<0.005	6	10.85	5.93	47.6	280	4.95	0.51	0.24	1.71	59.3	2.0	9	24.9
L840901		2.15	0.894	384	>100	0.57	3010	20	0.79	13.55	0.07	120.0	6.29	4.0	5	3.14
L840902		2.77	<0.005	10	8.92	7.82	7.8	420	5.62	0.64	0.64	0.63	93.7	3.2	16	27.2
L840903		4.97	<0.005	<5	32.0	7.52	15.1	620	5.74	0.59	1.20	0.62	88.7	3.2	15	16.65
L840904		4.64	<0.005	8	0.62	7.54	3.0	600	5.33	0.53	0.82	0.06	87.4	3.3	14	20.3
L840905		1.01	<0.005	9	4.40	6.30	53.5	420	4.12	0.37	0.47	3.16	48.8	2.5	9	18.45
L840907		6.23	<0.005	11	0.23	7.66	21.4	610	5.68	0.43	1.17	0.03	82.3	2.8	15	22.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12171265

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
L840113		3.7	1.57	26.1	0.18	2.1	0.032	3.55	40.9	63.9	0.44	243	0.23	2.03	10.3	3.0
L840114		1.7	1.38	25.2	0.20	2.1	0.028	4.00	39.3	58.8	0.38	237	0.34	1.81	11.6	2.8
L840115		2.6	1.62	24.2	0.17	1.9	0.031	3.78	37.3	77.2	0.31	705	0.48	1.24	11.1	3.2
L840116		995	3.76	11.70	0.14	1.5	0.075	1.36	14.1	15.8	0.69	2750	5.50	1.24	4.5	27.8
L840117		2.5	1.19	27.0	0.15	2.0	0.032	4.26	36.9	235	0.23	1180	0.30	0.11	11.6	2.9
L840118		1.9	1.90	22.3	0.13	1.7	0.023	3.38	32.3	122.5	0.27	2940	0.29	0.07	9.4	2.2
L840119		13.4	3.19	17.60	0.13	1.4	0.023	2.56	26.7	112.5	0.25	4130	0.22	0.04	7.3	2.8
L840120		9.0	1.60	26.5	0.22	1.9	0.038	3.69	43.7	78.0	0.39	735	0.21	1.56	12.0	3.6
L840121		1.9	0.44	0.53	0.17	<0.1	<0.005	0.03	0.5	1.3	12.35	205	<0.05	0.01	0.3	2.2
L840122		9.7	1.54	27.2	0.26	2.0	0.039	3.70	44.8	75.0	0.45	246	0.29	1.95	11.2	3.3
L840123		3.2	1.70	26.1	0.26	1.7	0.033	3.56	40.5	89.5	0.33	807	0.24	1.57	10.9	3.5
L840124		3.1	1.71	25.9	0.26	1.7	0.036	3.57	43.3	68.5	0.36	649	0.23	1.46	10.8	3.1
L840125		15.7	1.56	29.2	0.21	1.7	0.038	4.04	35.8	91.9	0.34	6540	0.25	0.58	12.3	3.2
L840126		15.7	1.52	27.2	0.20	1.8	0.034	3.87	36.5	90.8	0.34	5530	0.44	0.53	11.6	3.3
L840127		114.0	1.28	39.9	0.17	1.6	0.052	4.07	32.6	79.6	0.41	1740	0.20	0.04	10.1	2.9
L840128		986	3.76	11.45	0.17	1.6	0.081	1.35	14.3	15.8	0.69	2750	5.36	1.24	4.5	26.9
L840129		86.5	1.47	26.0	0.19	1.8	0.040	3.97	34.2	110.0	0.31	1100	0.27	0.47	11.0	2.7
L840130		4.4	1.56	24.5	0.22	1.8	0.036	3.97	41.5	75.4	0.28	913	0.22	0.89	10.5	3.6
L840131		5.3	1.53	25.3	0.20	1.8	0.032	3.75	39.4	60.4	0.31	644	0.20	1.48	10.4	3.3
L840132		6.1	1.51	26.0	0.20	1.7	0.035	3.77	40.5	58.1	0.33	613	0.27	1.53	10.5	3.6
L840133		5.5	1.55	26.7	0.23	1.8	0.034	3.51	42.4	49.3	0.35	568	0.32	1.84	11.4	3.8
L840134		5.6	1.52	26.2	0.22	1.7	0.036	3.53	39.1	61.6	0.41	337	0.26	2.02	11.7	4.1
L840141		6.2	1.57	22.2	0.10	1.6	0.033	4.25	38.7	77.1	0.33	969	0.28	1.40	11.4	3.1
L840142		33.9	2.35	20.4	0.09	1.2	0.035	3.20	29.1	306	0.27	25100	0.34	0.08	7.1	3.4
L840143		1.8	0.48	0.33	<0.05	<0.1	<0.005	0.03	0.6	1.4	13.55	248	0.13	0.01	0.2	7.9
L840139		1.9	1.66	23.8	0.10	1.4	0.036	4.09	33.6	53.7	0.38	1440	0.37	1.38	11.8	2.6
L840140		2.0	1.64	24.4	0.11	1.5	0.042	4.13	35.6	57.0	0.43	1380	0.36	1.39	12.5	2.9
L840148		6.2	1.62	23.0	0.12	1.5	0.037	3.90	40.7	84.8	0.40	591	0.32	1.60	8.8	3.1
L840149		4.4	1.44	24.1	0.13	1.7	0.035	4.40	38.5	150.5	0.24	1490	0.42	0.14	10.0	2.8
L840150		13.5	1.39	17.95	0.10	1.2	0.029	2.75	28.0	251	0.22	2620	0.25	0.07	7.5	2.3
L840901		3840	29.4	3.09	0.33	0.1	0.124	0.23	3.4	38.7	0.07	4530	0.19	0.01	0.8	2.5
L840902		14.8	2.38	24.6	0.10	1.5	0.037	3.77	42.4	207	0.40	4680	0.30	0.33	10.5	3.2
L840903		25.9	1.81	23.4	0.11	1.6	0.034	3.90	40.2	75.3	0.43	409	0.33	1.76	9.8	3.1
L840904		4.7	1.68	23.8	0.11	1.7	0.031	4.22	39.6	177.5	0.37	1080	0.33	0.73	10.1	3.5
L840905		27.6	2.19	21.3	0.09	1.3	0.028	3.85	21.0	178.5	0.23	36800	0.39	0.09	8.4	2.4
L840907		3.6	1.66	24.9	0.10	1.6	0.031	4.07	37.1	259	0.38	947	0.37	0.98	10.6	2.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12171265

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005
L840113		440	42.4	215	<0.002	0.01	0.08	5.3	<1	6.4	191.0	0.90	<0.05	20.3	0.219
L840114		420	43.5	270	<0.002	<0.01	0.15	5.0	<1	7.0	167.0	1.04	<0.05	19.2	0.201
L840115		400	40.4	289	<0.002	0.01	1.20	4.8	<1	7.0	110.0	0.91	<0.05	19.0	0.198
L840116		640	>10000	64.5	0.002	2.78	53.9	8.7	4	2.7	435	0.29	0.18	3.9	0.224
L840117		540	52.2	343	<0.002	0.12	4.16	5.1	<1	7.0	71.7	1.00	<0.05	20.2	0.195
L840118		440	59.7	299	<0.002	0.51	9.05	4.0	<1	8.1	46.0	0.82	<0.05	16.3	0.158
L840119		380	73.7	248	<0.002	1.52	47.9	3.5	<1	14.7	23.1	0.61	<0.05	12.8	0.128
L840120		400	47.3	258	<0.002	0.04	1.37	5.4	<1	7.2	165.0	0.89	<0.05	20.6	0.230
L840121		150	1.5	1.8	<0.002	0.01	0.06	0.4	<1	<0.2	46.2	<0.05	<0.05	<0.2	<0.005
L840122		440	45.0	234	<0.002	0.01	0.08	5.4	<1	6.3	191.0	0.87	<0.05	21.5	0.228
L840123		520	40.6	246	<0.002	0.01	1.40	5.6	<1	6.7	138.5	1.01	<0.05	18.3	0.213
L840124		480	44.7	254	<0.002	0.01	1.18	5.8	<1	6.6	109.0	0.70	<0.05	18.7	0.227
L840125		500	76.0	330	<0.002	0.06	5.92	5.3	<1	8.6	65.2	1.26	<0.05	17.0	0.198
L840126		490	77.7	318	<0.002	0.06	5.27	5.0	<1	8.1	62.9	1.22	<0.05	17.1	0.189
L840127		430	54.6	490	<0.002	0.09	4.75	4.4	<1	9.1	16.6	0.84	<0.05	16.6	0.179
L840128		640	>10000	62.7	0.002	2.76	53.4	8.6	4	2.7	435	0.30	0.21	3.9	0.222
L840129		540	57.5	338	<0.002	0.09	2.56	4.5	<1	8.6	61.4	1.63	<0.05	17.3	0.163
L840130		440	51.3	287	<0.002	0.05	2.07	5.1	<1	6.9	89.1	0.85	<0.05	19.2	0.193
L840131		480	42.6	255	<0.002	0.02	1.19	5.1	<1	6.7	144.5	0.86	<0.05	18.4	0.195
L840132		480	43.3	254	<0.002	0.02	1.33	5.4	<1	7.0	149.5	0.89	<0.05	18.5	0.202
L840133		530	41.6	248	<0.002	0.01	1.46	5.6	<1	7.8	140.5	0.98	<0.05	20.0	0.218
L840134		550	41.5	229	<0.002	0.01	0.28	5.7	<1	7.9	178.0	1.16	<0.05	19.0	0.219
L840141		430	50.1	317	<0.002	0.02	0.76	4.6	1	7.7	143.0	0.84	<0.05	18.3	0.189
L840142		400	121.0	286	<0.002	0.54	10.80	3.9	1	27.4	41.9	0.56	<0.05	14.3	0.153
L840143		170	<0.5	1.7	<0.002	0.01	<0.05	0.3	1	<0.2	44.6	<0.05	<0.05	<0.2	<0.005
L840139		460	45.3	294	<0.002	0.05	0.31	5.3	1	7.6	140.5	0.97	<0.05	16.6	0.185
L840140		470	46.7	308	<0.002	0.05	0.30	5.8	<1	7.8	144.5	1.04	<0.05	16.9	0.192
L840148		520	45.2	267	<0.002	0.01	0.34	5.0	1	6.1	176.5	0.70	<0.05	18.8	0.211
L840149		560	48.2	336	<0.002	0.06	4.72	5.2	1	7.0	92.6	0.83	<0.05	19.4	0.203
L840150		420	143.5	273	<0.002	0.09	19.55	4.0	1	7.9	40.2	0.64	<0.05	14.3	0.161
L840901		30	>10000	23.1	<0.002	>10.0	5470	0.5	4	394	2.9	0.05	0.05	1.3	0.013
L840902		460	178.0	311	<0.002	0.18	10.95	5.7	1	9.4	75.7	0.88	<0.05	20.7	0.225
L840903		480	670	270	<0.002	0.19	36.8	5.2	1	8.4	191.0	0.77	<0.05	19.5	0.209
L840904		530	53.8	309	<0.002	0.16	2.60	5.3	1	7.0	129.5	0.85	<0.05	18.8	0.209
L840905		430	161.0	307	<0.002	0.35	14.05	4.3	1	10.5	59.9	0.72	<0.05	12.2	0.164
L840907		510	48.7	295	<0.002	0.04	2.26	5.3	1	6.7	146.5	0.85	<0.05	18.3	0.214



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer-Keg

CERTIFICATE OF ANALYSIS WH12171265

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
L840113		6.1	24	0.9	9.0	54	73.7				
L840114		7.2	21	1.0	8.9	52	75.9				
L840115		7.5	21	1.4	7.9	73	70.4				
L840116		1.9	62	9.0	11.6	>10000	43.6		1.930	2.00	
L840117		13.4	20	2.6	8.6	85	70.3				
L840118		10.3	16	1.6	7.6	171	50.8				
L840119		7.0	14	1.3	6.9	1440	44.5				
L840120		8.0	26	1.1	8.0	128	72.9				
L840121		0.7	2	0.1	0.8	14	0.5				
L840122		7.0	26	1.0	8.5	55	74.3				
L840123		8.1	25	1.7	9.2	231	57.4				
L840124		7.3	26	1.4	8.9	82	53.6				
L840125		10.0	24	1.8	9.1	229	55.4				
L840126		12.7	23	1.7	8.8	201	53.8				
L840127		7.4	31	1.5	6.9	111	53.3				
L840128		2.0	61	9.1	11.3	>10000	45.0		1.915	2.01	
L840129		9.7	17	1.3	8.3	111	56.6				
L840130		8.1	22	1.4	9.0	127	59.6				
L840131		9.3	22	1.5	8.5	92	60.3				
L840132		9.0	23	1.5	8.4	103	59.4				
L840133		8.4	25	1.3	7.9	232	62.3				
L840134		12.2	25	1.1	8.0	70	56.8				
L840141		7.6	23	1.2	8.3	126	58.8				
L840142		6.1	20	1.6	8.9	3710	44.2				
L840143		0.6	3	0.1	0.8	20	<0.5				
L840139		8.1	21	1.1	8.4	86	53.0				
L840140		8.3	22	1.2	8.9	84	57.6				
L840148		6.7	25	1.6	8.4	99	54.8				
L840149		6.9	22	5.1	8.9	313	63.2				
L840150		8.3	19	6.6	7.3	1290	45.7				
L840901		5.8	2	1.0	1.2	>10000	4.2	>1500	8.99	4.84	4620
L840902		9.7	27	2.1	9.0	862	60.7				
L840903		9.1	25	1.0	8.0	335	60.9				
L840904		8.1	24	3.5	9.2	141	63.9				
L840905		8.8	19	2.0	7.1	1370	50.6				
L840907		6.0	25	3.4	8.3	110	64.9				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer-Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12171265

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.