



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 10-JUL-2012
Account: RANSIL

CERTIFICATE WH12153699

Project: Re-assays from WH12131510

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131510**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-JUL-2012
Account: RANSIL

Project: Re-assays from WH12131510

CERTIFICATE OF ANALYSIS WH12153699

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
K285901		0.47	4.97	22.0	880	1.58	3.98	3.87	6.76	51.2	15.4	82	4.61	143.0	3.15
K285902		0.38	5.03	9.3	800	1.44	4.02	3.04	2.17	52.3	14.4	78	4.80	160.5	3.04
K285903		0.45	4.13	15.5	800	1.21	7.24	3.71	7.75	55.7	16.0	75	3.16	289	3.37
K285904		0.31	4.81	14.3	1000	1.41	5.75	2.70	0.85	52.9	14.6	87	4.70	153.5	3.03
K285905		0.39	4.70	97.1	500	1.44	7.10	2.90	12.30	52.6	13.7	78	6.11	215	3.57
K285906		23.8	3.94	1210	220	1.01	85.6	8.07	304	44.8	11.9	50	4.34	1870	5.79
K285907		0.38	4.88	15.4	710	1.65	6.54	2.97	1.45	53.8	18.8	88	6.65	246	3.56
K285908		0.33	4.60	22.2	570	1.57	7.60	2.89	2.08	50.0	13.6	79	7.47	248	3.45
K285909		0.13	5.28	156.5	1430	1.72	5.13	1.98	0.76	60.3	11.2	83	9.46	151.0	2.90
K285910		0.15	4.80	8.1	1330	1.51	3.40	3.14	0.26	53.8	10.4	84	5.66	171.0	2.84
K285911		0.13	4.79	12.9	1540	1.47	3.28	3.06	0.23	52.8	10.5	76	5.67	162.0	2.67
K285912		0.19	4.89	18.8	1640	1.46	5.32	3.11	2.51	52.9	9.6	94	7.27	188.5	2.72
K285913		0.26	4.58	6.2	400	1.30	13.45	4.64	7.36	47.1	8.4	62	2.44	284	3.30
K285914		0.33	4.33	13.0	210	1.40	19.00	5.12	1.87	52.6	7.7	62	2.65	388	3.73
K285915		0.43	4.32	10.1	170	1.46	21.4	5.40	4.42	44.6	7.9	98	2.55	430	4.06
K285916		0.30	4.16	7.8	450	1.27	19.55	6.23	16.95	47.0	6.2	90	5.62	253	2.99
K285917		<0.01	0.09	<5	30	<0.05	0.07	21.9	0.08	1.48	1.3	1	0.16	3.8	0.42
K285918		0.36	4.29	12.4	400	1.30	23.1	6.34	13.35	42.9	5.9	70	5.12	300	2.96
K285919		0.36	4.68	12.2	440	1.51	38.3	6.86	3.46	45.9	7.4	76	8.01	394	3.49
K285920		0.36	4.12	8.6	650	0.97	56.9	8.62	3.40	43.2	5.5	68	5.01	353	3.29
K285921		0.01	0.07	<5	20	<0.05	0.13	22.2	0.06	1.44	1.3	1	0.14	2.4	0.42
K285922		0.27	4.15	9.4	490	1.24	27.0	6.92	0.34	39.1	5.6	65	4.01	338	2.79
K285923		0.33	4.32	4.3	440	1.18	20.4	7.79	0.43	37.7	5.5	66	5.68	354	2.88
K285924		0.42	4.76	36.2	250	1.29	61.8	6.53	1.07	47.1	6.3	73	5.77	387	3.20
K285925		0.29	4.07	6.0	310	1.20	18.60	6.10	7.02	45.0	6.5	83	4.20	314	3.04
K285926		0.39	4.01	10.4	170	1.26	19.40	6.78	5.56	45.4	8.0	75	2.97	411	3.84
K285927		0.41	4.10	9.8	140	1.23	20.5	6.94	5.56	44.6	8.2	78	3.03	450	3.96
K285928		0.24	5.07	59.4	810	1.56	11.20	3.83	1.43	55.4	10.0	91	6.24	257	2.92
K285929		0.23	4.71	7.3	1010	1.44	6.17	3.04	0.46	56.8	10.4	79	5.95	232	2.73
K285930		0.18	5.11	4.7	1020	1.55	3.78	2.26	0.66	58.8	11.7	84	8.57	208	2.90
K285931		0.41	4.44	5.7	350	1.40	15.00	3.14	1.88	49.9	13.9	75	5.72	387	3.96
K285932		15.45	4.27	127.5	1340	1.27	42.6	7.99	54.8	49.3	6.6	66	5.23	790	3.39
K285933		0.34	4.98	8.6	490	1.71	7.47	2.97	1.29	54.4	17.6	86	7.65	344	3.83
K285934		0.47	4.68	12.5	210	1.69	12.55	5.05	3.90	55.2	17.9	92	3.59	488	4.56
K285935		0.27	5.83	8.9	640	1.86	7.44	2.69	1.49	62.8	15.1	67	8.44	379	3.86
K285936		0.25	5.97	7.6	540	1.83	5.52	2.70	1.14	57.8	17.5	59	8.10	388	4.22

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131510**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-JUL-2012
Account: RANSIL

Project: Re-assays from WH12131510

CERTIFICATE OF ANALYSIS WH12153699

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K285901		0.16	2.1	0.104	2.14	24.6	12.3	2.51	744	18.05	0.55	9.0	73.8	1640	44.2	101.0
K285902		0.17	2.0	0.037	2.08	25.5	13.1	2.00	551	19.55	0.64	9.1	69.6	1450	9.3	96.2
K285903		0.18	1.8	0.159	1.44	29.2	9.6	2.38	535	28.5	0.32	7.6	84.4	2100	14.4	68.2
K285904		0.18	2.0	0.031	2.18	25.4	16.1	1.83	344	14.00	0.52	8.3	66.7	1350	8.3	106.0
K285905		0.15	1.9	0.249	2.31	29.4	14.6	1.96	319	15.60	0.47	8.8	65.0	890	15.5	123.0
K285906		0.27	1.3	20.6	1.40	25.5	27.2	2.04	2700	14.05	0.17	8.1	46.2	830	1525	68.2
K285907		0.16	1.9	0.054	2.32	31.0	14.8	2.06	419	6.33	0.45	9.1	74.8	1170	10.7	130.0
K285908		0.15	1.9	0.060	2.19	28.9	18.1	2.07	287	29.3	0.33	8.7	80.1	900	10.7	131.5
K285909		0.15	2.0	0.035	2.69	33.1	24.2	1.64	188	9.03	0.57	9.9	53.7	670	7.5	167.0
K285910		0.15	1.9	0.041	2.16	30.3	14.2	2.28	295	0.90	0.44	9.0	74.4	700	6.9	118.0
K285911		0.16	1.8	0.038	2.14	30.2	14.3	2.21	281	0.82	0.42	9.2	75.8	680	5.8	121.0
K285912		0.18	2.0	0.062	2.52	30.7	20.4	2.18	267	7.51	0.31	9.7	75.5	1350	6.7	137.0
K285913		0.13	1.8	0.262	2.25	24.6	6.9	2.90	406	2.51	0.23	9.7	45.9	860	6.0	89.3
K285914		0.14	1.8	0.090	2.38	28.9	8.3	3.14	432	1.86	0.19	9.0	43.6	910	7.8	87.0
K285915		0.14	1.7	0.182	2.10	26.6	10.0	2.73	379	9.86	0.20	8.0	49.9	3460	7.2	77.1
K285916		0.11	1.7	0.610	2.16	28.2	13.5	2.38	469	10.90	0.29	8.5	42.9	3340	5.1	81.6
K285917		0.22	<0.1	<0.005	0.04	0.8	1.1	13.10	197	0.16	0.01	0.5	4.5	240	1.2	1.6
K285918		0.09	1.8	0.491	2.71	23.5	16.0	2.30	496	6.68	0.20	9.0	36.4	2950	5.5	97.2
K285919		0.14	1.8	0.171	3.56	26.0	14.1	2.74	546	7.23	0.21	9.2	47.6	3610	7.0	140.0
K285920		0.10	1.6	0.194	3.59	23.4	14.5	4.18	767	6.56	0.14	8.3	37.4	3620	6.7	138.0
K285921		0.25	<0.1	<0.005	0.03	0.7	0.9	13.15	205	0.18	<0.01	0.4	4.5	250	1.3	1.4
K285922		0.10	1.6	0.050	3.34	20.3	14.7	2.93	566	10.70	0.14	8.9	40.4	2730	5.0	130.5
K285923		0.11	1.8	0.058	2.53	19.5	15.2	3.15	617	7.76	0.15	9.1	42.5	3230	7.0	105.0
K285924		0.12	1.9	0.068	3.08	27.1	14.9	2.53	501	7.95	0.17	8.9	39.5	3330	10.2	125.5
K285925		0.10	1.6	0.255	2.15	25.7	20.0	2.25	472	9.20	0.18	7.9	42.8	3380	5.4	80.3
K285926		0.12	1.6	0.206	1.93	26.5	11.9	3.21	422	9.99	0.17	7.7	44.9	3510	7.6	74.6
K285927		0.11	1.6	0.198	2.04	26.1	12.2	3.22	420	9.60	0.18	7.7	46.7	3570	7.6	75.7
K285928		0.14	1.9	0.051	2.46	32.1	25.4	2.34	244	7.02	0.28	9.5	76.6	1460	8.0	130.5
K285929		0.12	1.8	0.033	2.19	31.8	14.5	2.01	186	0.90	0.33	9.3	67.9	830	7.5	124.0
K285930		0.14	2.0	0.027	2.76	32.7	22.0	1.61	137	19.90	0.41	9.6	68.8	1040	7.3	167.5
K285931		0.13	1.7	0.060	2.09	28.1	13.3	2.16	243	17.55	0.31	8.2	66.6	870	10.4	116.5
K285932		0.14	1.5	2.35	1.90	27.8	36.1	2.19	1760	13.30	0.23	8.9	47.0	1130	1065	93.0
K285933		0.14	1.8	0.049	2.39	31.9	17.9	2.01	274	11.30	0.37	9.3	79.8	1360	8.5	142.0
K285934		0.14	2.0	0.132	1.82	32.7	10.7	3.04	654	24.5	0.27	9.1	92.8	2720	8.8	88.9
K285935		0.13	2.2	0.033	2.88	36.1	22.5	1.85	201	38.1	0.45	11.5	67.1	1500	8.1	188.0
K285936		0.15	2.0	0.046	2.88	32.0	19.1	1.98	233	14.35	0.42	10.7	51.6	1210	7.5	177.5

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131510**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-JUL-2012
Account: RANSIL

Project: Re-assays from WH12131510

CERTIFICATE OF ANALYSIS WH12153699

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K285901		0.037	1.69	1.48	10.7	7	6.4	189.0	0.63	0.06	7.7	0.276	1.14	7.7	257	1.9
K285902		0.044	1.70	1.03	9.5	6	4.4	171.5	0.61	0.06	7.6	0.279	1.17	8.3	258	1.5
K285903		0.052	1.83	1.53	9.4	10	6.6	186.0	0.50	0.11	6.2	0.227	0.82	11.2	415	1.7
K285904		0.035	1.58	1.26	10.4	7	3.8	199.0	0.60	0.16	7.0	0.262	1.18	4.8	241	1.4
K285905		0.031	1.90	1.99	10.9	9	7.3	209	0.67	0.20	7.4	0.275	1.48	5.2	253	1.8
K285906		0.019	2.90	7.79	6.2	54	226	159.5	0.63	0.49	6.2	0.246	0.65	3.4	110	5.2
K285907		0.015	1.81	1.51	11.5	9	5.6	214	0.67	0.15	7.3	0.279	1.57	4.3	224	1.6
K285908		0.064	1.80	2.17	11.1	10	5.3	202	0.65	0.20	7.5	0.261	1.61	6.5	436	1.8
K285909		0.022	1.18	1.31	12.4	8	4.0	182.5	0.75	0.26	8.8	0.306	2.20	3.9	213	1.6
K285910		0.005	1.15	1.17	11.5	8	3.8	188.0	0.67	0.16	8.1	0.292	1.45	2.5	99	1.4
K285911		0.005	1.07	1.11	11.8	8	3.9	191.5	0.67	0.15	7.9	0.285	1.44	2.5	99	1.4
K285912		0.015	1.05	2.54	11.7	14	5.2	215	0.74	0.14	8.3	0.304	1.42	3.7	184	1.5
K285913		0.006	1.59	1.87	9.2	12	8.2	242	0.77	0.31	7.7	0.298	0.84	2.6	102	2.2
K285914		0.006	1.78	2.39	8.2	13	9.8	195.5	0.70	0.37	7.5	0.287	0.89	2.5	92	2.6
K285915		0.016	2.09	1.50	8.5	15	8.7	197.5	0.62	0.34	6.4	0.261	0.69	4.3	175	3.3
K285916		0.014	1.55	1.49	8.1	13	8.1	179.0	0.64	0.32	6.8	0.271	0.63	4.4	161	2.3
K285917		<0.002	0.01	<0.05	0.4	1	<0.2	44.1	<0.05	<0.05	0.4	<0.005	<0.02	0.9	3	0.1
K285918		0.011	1.41	2.99	7.8	11	9.5	217	0.71	0.27	7.1	0.295	0.83	3.9	128	2.2
K285919		0.011	1.76	1.57	7.9	13	19.4	206	0.69	0.38	7.6	0.291	1.18	4.5	144	3.8
K285920		0.009	1.36	2.10	7.6	11	20.3	170.5	0.63	0.73	6.3	0.277	1.21	3.4	133	2.4
K285921		<0.002	0.01	<0.05	0.3	1	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	3	0.1
K285922		0.012	1.38	2.34	7.0	10	19.6	209	0.67	0.53	6.7	0.284	1.08	4.1	163	2.2
K285923		0.010	1.30	5.32	8.1	11	17.9	238	0.71	0.41	6.7	0.283	0.93	4.0	142	1.9
K285924		0.011	1.64	5.01	8.6	13	19.4	253	0.71	1.35	7.1	0.287	1.06	3.8	149	6.1
K285925		0.014	1.61	4.69	7.7	13	10.2	226	0.65	0.30	6.5	0.262	0.68	4.2	148	2.6
K285926		0.016	2.12	6.49	7.9	15	10.4	171.0	0.59	0.33	6.2	0.238	0.66	4.0	159	1.9
K285927		0.016	2.24	5.96	7.7	15	10.5	176.0	0.60	0.36	6.3	0.252	0.70	4.0	167	2.0
K285928		0.014	1.43	2.95	10.9	12	7.4	237	0.73	0.29	7.8	0.299	1.33	3.7	179	1.9
K285929		0.006	1.37	1.46	11.5	9	5.9	214	0.70	0.22	7.8	0.284	1.38	2.5	92	1.7
K285930		0.033	1.40	1.09	12.3	9	5.0	215	0.68	0.15	7.8	0.292	1.98	6.4	349	1.6
K285931		0.034	2.14	1.57	10.3	12	8.1	206	0.60	0.40	6.9	0.256	1.30	5.9	274	3.5
K285932		0.016	1.05	7.37	7.8	27	140.5	212	0.65	0.25	6.8	0.281	0.90	3.6	146	3.3
K285933		0.023	2.00	1.34	11.8	12	6.0	199.0	0.67	0.22	7.5	0.280	1.64	5.8	294	1.8
K285934		0.050	2.51	1.47	10.8	15	9.1	249	0.67	0.31	7.0	0.278	0.88	8.3	536	4.0
K285935		0.040	1.91	0.80	12.2	9	5.0	231	0.85	0.12	9.1	0.350	2.19	8.4	397	2.8
K285936		0.011	2.22	1.08	11.8	10	7.0	250	0.82	0.12	8.6	0.335	2.17	4.7	224	1.6

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131510**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-JUL-2012
 Account: RANSIL

Project: Re-assays from WH12131510

CERTIFICATE OF ANALYSIS WH12153699

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
K285901		32.9	419	80.2	
K285902		33.9	170	76.3	
K285903		42.4	515	71.8	
K285904		31.9	82	74.8	
K285905		29.5	853	70.0	
K285906		22.3	>10000	40.6	1.405
K285907		32.2	126	74.8	
K285908		30.3	188	74.5	
K285909		28.5	107	77.2	
K285910		30.3	57	70.9	
K285911		30.9	54	72.8	
K285912		33.4	241	76.1	
K285913		27.0	502	60.6	
K285914		26.1	152	60.4	
K285915		30.6	325	62.1	
K285916		31.7	1300	60.9	
K285917		1.0	17	<0.5	
K285918		30.0	869	60.6	
K285919		32.9	258	63.7	
K285920		29.8	252	58.7	
K285921		1.0	14	<0.5	
K285922		30.4	51	61.1	
K285923		31.5	52	62.7	
K285924		33.4	86	67.1	
K285925		29.6	471	57.1	
K285926		29.1	399	57.0	
K285927		29.6	422	57.1	
K285928		33.2	119	72.3	
K285929		31.2	61	71.0	
K285930		31.6	79	81.2	
K285931		30.2	167	66.1	
K285932		26.4	3280	55.1	
K285933		32.9	113	73.1	
K285934		37.5	295	81.0	
K285935		34.6	146	89.0	
K285936		28.4	119	70.8	

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131510**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Re-assays from WH12131510

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12153699

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.