



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-JUL-2012
This copy reported on
10-JUL-2012
Account: RANSIL

CERTIFICATE WH12154560

Project: Re-assays from WH12131218

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131218**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-JUL-2012
Account: RANSIL

Project: Re-assays from WH12131218

CERTIFICATE OF ANALYSIS WH12154560

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
K284051		0.92	2.53	84	530	0.76	0.11	21.9	0.58	23.5	5.4	33	4.15	24.6	1.30
K284052		0.32	3.10	31	540	0.76	0.08	15.50	0.33	28.8	4.8	38	2.26	14.3	1.72
K284053		0.20	3.52	32	860	0.91	0.11	12.50	0.47	33.2	5.6	33	4.23	24.7	1.61
K284054		0.33	3.82	69	990	0.98	0.19	11.00	0.97	36.7	7.3	41	3.67	129.5	1.87
K284055		0.02	0.08	<5	20	0.08	0.03	21.6	0.06	1.32	1.7	<1	0.16	2.4	0.43
K284056		0.20	4.77	93.0	1720	1.25	0.19	8.85	3.41	49.7	8.3	50	7.69	61.7	1.77
K284057		0.21	4.28	51.1	1250	1.07	0.17	9.91	1.42	38.8	6.7	39	12.55	49.3	1.56
K284058		0.10	2.37	18	50	0.60	0.20	18.65	0.58	30.2	3.5	16	1.38	7.0	1.65
K284059		0.29	5.47	59.8	1340	1.14	0.40	8.45	1.15	42.0	6.7	46	7.03	107.5	2.08
K284060		60.4	3.75	430	150	0.88	121.5	8.21	539	34.5	14.5	53	3.98	7280	6.64
K284061		0.17	4.92	42.2	970	1.19	0.22	6.70	1.27	45.7	8.1	45	8.64	66.1	2.10
K284062		0.32	4.05	25.0	1000	1.06	0.44	8.94	0.87	36.1	6.8	40	6.82	50.0	1.74
K284063		0.82	3.64	14.0	780	0.94	1.53	8.68	2.44	33.2	5.8	32	6.62	45.2	1.48
K284064		0.68	3.60	13.2	780	0.90	1.11	8.73	1.61	33.3	5.8	33	6.24	45.7	1.46
K284065		0.49	4.04	41.5	970	1.07	0.76	6.40	2.73	36.6	7.4	51	6.61	58.2	1.76
K284066		0.26	4.91	48	850	1.19	0.46	10.05	3.20	38.8	8.0	67	8.07	61.8	2.14
K284067		0.17	4.24	71	780	1.01	0.33	10.95	3.43	37.6	6.7	56	3.27	42.6	2.12
K284068		0.44	4.80	43.1	940	1.69	0.60	9.40	9.93	43.9	7.3	59	5.84	131.5	2.30
K284069		38.8	4.43	451	240	1.15	135.0	7.56	184.0	40.7	10.4	61	5.95	1205	5.58
K284070		0.59	5.29	39.0	1160	1.34	1.05	6.32	2.82	51.2	8.8	64	6.58	92.5	2.19
K284071		8.53	4.31	21.8	550	1.05	23.2	9.38	23.4	42.8	6.0	44	6.01	128.0	2.26
K284072		1.04	4.61	17.7	540	1.11	1.83	7.16	75.4	42.0	9.5	43	8.35	280	3.54
K284073		4.49	5.23	16.4	950	1.33	10.75	7.74	10.90	43.8	8.0	56	5.80	122.0	2.23
K284074		4.02	4.98	14.6	890	1.37	9.71	7.16	9.98	44.8	8.2	50	6.10	115.5	2.12
K284075		4.14	4.72	8.4	970	1.15	9.66	8.50	4.73	47.1	7.4	52	5.12	115.5	2.05
K284076		4.03	4.71	15.9	1000	1.30	10.05	7.58	20.9	48.5	8.4	68	8.05	162.0	2.49
K284077		1.25	5.07	23.0	720	1.30	2.86	9.89	2.35	52.3	8.5	81	8.33	113.5	2.33
K284078		2.61	3.14	16	330	0.75	6.27	12.05	3.12	30.9	4.5	32	6.39	61.1	1.24
K284079		1.19	3.50	35	850	1.03	2.59	13.35	2.27	32.5	6.9	53	3.95	66.2	1.57
K284080		0.01	0.07	<5	80	0.07	0.03	22.1	0.07	1.22	1.5	<1	0.15	2.6	0.43
K284081		5.68	3.34	39	530	1.08	13.90	11.25	8.42	34.2	5.6	50	3.28	95.9	1.63
K284082		2.03	4.05	23.6	650	1.11	4.49	9.26	2.13	39.8	6.1	49	9.19	85.9	1.53
K284083		0.67	4.48	25	570	1.23	1.14	11.60	5.04	40.4	7.8	64	6.30	68.9	2.09
K284084		0.60	4.71	8	440	1.31	0.72	12.30	4.57	43.5	8.9	80	6.80	80.6	2.20
K284085		0.60	4.12	21	660	1.09	0.85	13.00	3.98	39.2	6.8	44	5.55	54.8	1.72
K284086		1.11	4.91	25.1	830	1.29	1.81	8.69	2.92	44.9	9.0	72	8.07	86.0	2.05

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131218**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-JUL-2012
Account: RANSIL

Project: Re-assays from WH12131218

CERTIFICATE OF ANALYSIS WH12154560

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K284051		<0.05	1.1	0.057	0.99	15.3	47.3	1.61	739	0.88	0.05	4.5	30.3	770	9.5	52.2
K284052		<0.05	1.5	0.100	0.58	16.8	78.4	2.11	754	1.60	0.03	6.8	29.4	790	4.9	32.5
K284053		0.05	1.6	0.079	1.38	18.7	77.1	2.09	608	1.92	0.07	7.0	29.9	720	4.7	74.4
K284054		0.07	1.7	0.106	1.66	20.0	74.0	2.29	996	3.23	0.10	7.9	42.9	700	6.9	87.0
K284055		<0.05	<0.1	<0.005	0.03	0.6	1.4	12.90	194	0.16	0.01	0.4	1.7	290	1.4	1.6
K284056		0.09	1.8	0.119	2.75	24.6	48.4	2.43	636	5.82	0.16	8.9	48.4	1110	6.4	137.0
K284057		0.05	1.6	0.066	2.63	20.0	41.1	2.18	509	2.57	0.23	8.1	35.5	580	5.5	133.5
K284058		<0.05	1.1	0.106	0.12	19.8	45.0	1.45	875	0.97	0.01	4.6	13.9	490	6.5	6.6
K284059		0.07	1.9	0.092	2.92	21.0	58.2	2.60	775	3.03	0.17	9.3	45.3	700	11.5	150.5
K284060		0.34	1.2	17.75	1.27	19.5	54.4	2.26	2850	9.54	0.16	7.4	48.8	1060	3290	64.5
K284061		0.09	1.9	0.068	2.85	22.8	110.0	2.41	578	2.69	0.21	9.5	39.7	660	8.4	146.5
K284062		0.06	1.4	0.043	2.45	19.6	41.6	3.08	472	3.42	0.22	7.2	35.5	870	18.6	124.5
K284063		0.05	1.3	0.041	2.26	17.6	17.4	1.89	357	3.21	0.31	6.3	27.5	760	65.5	112.0
K284064		0.05	1.3	0.036	2.17	17.5	17.2	1.90	356	3.33	0.32	6.3	28.1	760	48.7	109.5
K284065		0.06	1.6	0.055	2.48	19.9	21.2	1.99	397	5.15	0.26	7.0	39.9	1080	28.1	127.5
K284066		0.07	1.8	0.100	2.22	21.6	47.1	2.17	712	8.28	0.36	8.2	48.6	1660	16.3	117.0
K284067		0.06	1.8	0.186	1.54	21.7	62.4	1.85	1560	7.14	0.09	7.7	37.7	2030	9.6	80.5
K284068		0.08	2.0	0.269	2.34	24.8	64.1	2.39	1380	6.27	0.15	9.0	41.3	2140	23.5	119.0
K284069		0.24	1.4	9.52	1.85	22.1	37.7	2.31	2000	13.90	0.21	8.7	51.6	1290	2860	89.8
K284070		0.12	2.2	0.104	3.15	29.4	51.0	2.39	734	5.58	0.26	10.0	53.2	2310	32.5	156.5
K284071		0.10	1.8	0.599	1.30	24.8	50.1	2.31	779	10.65	0.13	8.5	35.0	2310	419	69.5
K284072		0.13	1.9	2.31	2.01	22.1	39.3	2.72	777	5.93	0.19	8.6	47.2	1360	28.3	107.5
K284073		0.10	2.1	0.340	2.72	23.3	51.5	2.55	660	8.19	0.22	9.1	51.3	1610	211	135.5
K284074		0.10	2.1	0.318	2.64	23.8	52.0	2.40	609	8.60	0.22	9.6	52.3	1490	171.5	141.0
K284075		0.09	2.0	0.163	2.52	25.7	30.8	2.39	662	7.14	0.19	9.4	37.9	1770	193.0	123.5
K284076		0.10	2.1	0.578	2.38	27.3	28.3	2.43	774	7.47	0.17	9.3	45.0	2460	175.0	117.0
K284077		0.10	2.2	0.081	2.28	29.3	22.3	2.46	693	9.77	0.22	9.5	51.1	3100	58.1	110.0
K284078		<0.05	1.5	0.176	1.23	17.9	20.9	1.77	413	6.03	0.12	5.7	22.5	1770	122.5	64.1
K284079		0.06	1.5	0.074	1.62	19.8	45.8	2.33	831	8.05	0.15	6.4	44.8	1940	60.8	80.3
K284080		<0.05	<0.1	<0.005	0.03	0.6	1.3	13.30	200	0.29	0.01	0.3	1.6	240	1.5	1.3
K284081		0.08	1.4	0.199	1.38	19.8	44.6	1.92	660	15.85	0.09	5.7	34.1	2150	265	68.9
K284082		0.06	1.7	0.060	2.14	22.6	24.8	2.10	533	6.14	0.25	7.1	32.8	1730	119.5	105.5
K284083		0.09	1.6	0.057	2.20	23.5	21.1	2.40	488	30.3	0.34	7.5	53.3	2210	44.8	105.0
K284084		0.12	1.8	0.045	2.48	25.8	18.9	2.10	371	46.8	0.43	8.4	68.3	2260	100.0	117.5
K284085		0.05	1.6	0.046	2.33	22.2	23.0	2.35	435	14.80	0.26	7.3	45.3	2340	55.3	112.5
K284086		0.09	1.8	0.051	2.75	24.7	23.5	2.32	412	10.20	0.50	8.8	59.7	1690	88.2	138.0

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131218**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-JUL-2012
Account: RANSIL

Project: Re-assays from WH12131218

CERTIFICATE OF ANALYSIS WH12154560

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K284051		0.004	0.07	5.36	5.4	2	69.1	333	0.32	0.08	3.2	0.140	0.50	2.2	48	2.3
K284052		0.005	0.03	5.88	6.9	3	151.5	179.0	0.50	0.08	4.6	0.207	0.29	2.4	81	1.7
K284053		0.006	0.08	5.01	7.0	5	103.5	246	0.51	0.09	4.7	0.216	0.66	2.5	68	1.7
K284054		0.011	0.18	5.01	8.2	5	100.5	293	0.58	0.08	5.3	0.246	0.82	3.0	83	1.6
K284055		<0.002	0.01	0.10	0.4	<1	0.2	50.0	<0.05	0.09	<0.2	<0.005	<0.02	0.6	3	0.1
K284056		0.016	0.21	5.60	9.2	4	79.8	605	0.68	0.09	6.5	0.294	1.34	4.6	120	1.5
K284057		0.008	0.26	5.34	8.3	4	65.4	375	0.60	0.08	5.7	0.258	1.33	2.6	73	1.3
K284058		0.006	0.15	7.45	4.2	2	214	172.0	0.33	0.06	2.9	0.144	0.08	1.7	33	2.1
K284059		0.013	0.33	7.93	9.8	5	184.5	360	0.68	0.12	6.6	0.301	1.42	3.0	100	1.4
K284060		0.013	4.61	9.94	7.8	100	>500	142.5	0.54	0.85	5.0	0.231	0.69	3.2	82	11.3
K284061		0.015	0.58	7.62	9.7	9	45.6	248	0.71	0.09	7.2	0.308	1.51	3.5	92	1.1
K284062		0.013	0.29	3.85	8.5	10	39.0	367	0.53	0.11	5.4	0.232	1.21	3.0	96	1.4
K284063		0.010	0.47	4.19	6.5	11	14.4	410	0.48	0.12	4.9	0.208	1.10	2.8	72	0.8
K284064		0.010	0.46	3.50	6.7	10	13.2	425	0.47	0.12	4.8	0.204	1.07	2.6	71	0.7
K284065		0.014	0.46	4.44	8.7	9	25.5	324	0.52	0.10	5.6	0.230	1.25	3.8	117	1.0
K284066		0.017	0.70	12.25	9.6	10	128.5	267	0.60	0.09	6.1	0.265	1.17	3.7	146	9.9
K284067		0.012	0.40	11.40	8.5	5	166.0	215	0.58	0.08	5.7	0.255	0.77	3.5	131	2.6
K284068		0.013	0.71	10.25	9.8	8	162.5	274	0.68	0.12	6.9	0.292	1.15	4.0	125	1.5
K284069		0.014	2.87	12.75	9.0	60	145.0	202	0.63	0.69	5.8	0.269	0.94	3.5	133	3.7
K284070		0.013	0.67	9.39	11.7	12	58.5	307	0.74	0.11	7.8	0.322	1.54	4.4	145	1.3
K284071		0.014	0.60	11.20	7.6	20	58.5	299	0.64	0.24	6.2	0.269	0.74	3.8	130	1.9
K284072		0.012	2.24	9.17	8.7	17	39.7	313	0.64	0.08	6.8	0.274	1.08	3.2	112	1.1
K284073		0.014	0.76	6.76	9.7	16	35.3	338	0.69	0.20	7.0	0.306	1.37	3.8	148	1.2
K284074		0.014	0.72	6.76	10.0	16	34.9	319	0.71	0.17	7.3	0.294	1.41	3.8	143	1.2
K284075		0.020	0.73	9.64	9.3	12	40.0	332	0.71	0.16	7.1	0.303	1.22	4.4	121	0.9
K284076		0.016	0.95	7.97	10.6	17	47.0	375	0.70	0.20	7.3	0.306	1.11	4.4	132	1.0
K284077		0.022	0.73	6.08	10.9	19	40.3	468	0.71	0.17	7.5	0.309	1.03	5.0	143	1.3
K284078		0.012	0.31	3.06	5.6	10	15.5	328	0.43	0.15	4.5	0.186	0.62	2.8	69	0.7
K284079		0.013	0.31	5.35	7.7	8	45.8	321	0.47	0.13	5.1	0.202	0.76	4.0	121	0.9
K284080		<0.002	0.02	0.08	0.3	<1	0.2	47.1	<0.05	0.11	<0.2	<0.005	<0.02	0.6	3	0.1
K284081		0.016	0.26	11.90	6.4	17	35.6	321	0.44	0.21	4.7	0.185	0.74	3.2	124	1.1
K284082		0.014	0.44	5.11	7.7	11	32.7	298	0.54	0.14	5.8	0.233	1.08	3.2	106	1.0
K284083		0.041	0.72	4.46	9.4	17	18.7	384	0.56	0.12	6.2	0.242	1.02	6.4	301	1.1
K284084		0.059	0.93	3.89	10.1	23	16.9	422	0.62	0.17	6.5	0.263	1.18	7.3	386	1.2
K284085		0.015	0.41	3.88	8.0	8	15.6	322	0.55	0.12	5.7	0.238	1.08	4.8	175	1.0
K284086		0.018	0.70	4.27	10.6	18	16.9	291	0.65	0.15	6.9	0.285	1.47	3.9	146	1.3

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131218**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-JUL-2012
 Account: RANSIL

Project: Re-assays from WH12131218

CERTIFICATE OF ANALYSIS WH12154560

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
K284051		18.2	82	35.0	
K284052		19.6	67	49.9	
K284053		22.3	61	52.0	
K284054		23.5	116	69.7	
K284055		1.0	14	0.7	
K284056		29.4	269	60.4	
K284057		22.0	135	54.0	
K284058		18.8	85	35.0	
K284059		24.8	98	63.4	
K284060		23.4	>10000	36.9	2.62
K284061		25.2	125	60.9	
K284062		23.1	112	48.3	
K284063		20.1	190	44.2	
K284064		20.1	124	45.1	
K284065		24.2	240	53.6	
K284066		27.2	278	61.7	
K284067		27.2	302	60.3	
K284068		32.3	716	65.4	
K284069		26.6	8960	48.2	
K284070		37.1	232	73.5	
K284071		32.1	1700	56.4	
K284072		27.3	4870	64.4	
K284073		29.3	840	69.9	
K284074		30.2	720	74.1	
K284075		31.8	379	66.2	
K284076		34.6	1530	69.6	
K284077		38.2	209	72.3	
K284078		23.4	235	48.0	
K284079		26.2	193	68.1	
K284080		0.9	13	<0.5	
K284081		25.3	565	58.0	
K284082		27.3	170	68.9	
K284083		29.9	320	60.6	
K284084		32.0	277	83.7	
K284085		27.6	323	52.8	
K284086		29.2	236	81.6	

Comments: **Re-analysis Results for Samples Originally Reported on Certificate WH12131218**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Re-assays from WH12131218

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12154560

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.