



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 27-JUL-2012  
This copy reported on  
2-AUG-2012  
Account: RANSIL

**CERTIFICATE WH12166388**

Project: Re-assays from WH12147780

P.O. No.:

This report is for 34 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **SILVER RANGE RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: \*\*Re-analysis Results for Samples Originally Reported on Certificate WH12147780\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-JUL-2012  
Account: RANSIL

Project: Re-assays from WH12147780

**CERTIFICATE OF ANALYSIS WH12166388**

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
L845609		0.59	6.85	79.3	310	4.42	0.55	0.14	0.04	64.7	3.0	18	15.90	6.8	3.78	24.7
L845610		0.17	7.93	13.9	490	4.45	0.55	0.22	<0.02	69.3	3.7	27	14.40	3.6	1.56	30.0
L845611		0.37	7.59	42.9	560	4.28	0.46	0.26	0.09	80.8	3.0	22	15.90	3.4	1.92	27.5
L845612		0.13	7.27	2.2	540	4.54	0.46	0.77	0.02	75.0	2.6	20	11.35	2.5	1.56	26.8
L845613		0.28	6.94	0.8	430	4.93	0.94	1.53	0.05	56.5	1.8	19	19.20	2.0	1.33	26.4
L845614		0.14	7.21	0.6	510	4.34	1.29	1.06	0.03	72.3	2.1	19	12.45	2.1	1.34	25.6
L845615		1.37	6.83	73.9	430	4.27	2.47	0.37	0.39	69.1	2.6	20	25.2	5.3	1.52	24.3
L845616		0.12	7.23	1.5	490	4.65	0.71	1.11	0.02	71.5	2.3	22	14.90	1.7	1.33	25.7
L845617		58.4	4.99	2740	580	0.52	3.92	6.97	122.5	28.4	13.0	44	2.66	1015	3.86	11.45
L845618		0.14	7.19	7.1	580	4.51	0.58	0.96	0.61	84.9	3.4	18	12.70	3.5	1.56	26.0
L845619		3.93	7.65	75.5	490	4.07	0.54	0.16	6.97	90.9	1.2	24	24.6	21.7	1.66	28.5
L845621		2.95	7.73	46.0	550	4.36	0.61	0.17	2.91	86.8	0.9	20	26.1	22.9	1.49	28.5
L845622		2.74	7.59	43.6	550	4.26	0.58	0.16	2.86	82.0	1.0	25	25.7	22.8	1.47	28.2
L845623		0.99	7.58	54.2	520	4.71	0.54	0.26	1.81	87.9	3.1	28	20.8	9.9	1.71	28.6
L845624		1.36	7.03	3.8	580	4.98	0.55	1.09	0.07	88.1	2.6	28	9.22	4.6	1.49	25.8
L845625		0.12	6.95	1.4	490	5.68	0.53	1.19	0.04	73.5	2.3	25	11.05	2.1	1.30	26.3
L845626		0.20	7.10	3.8	540	5.30	0.42	1.32	0.04	59.5	2.9	14	18.75	3.5	1.14	27.6
L845627		0.18	7.21	3.3	420	6.77	0.61	0.94	0.04	77.6	2.4	17	29.1	2.5	1.13	26.0
L845628		0.07	0.10	<5	20	0.05	0.02	21.1	0.05	1.48	2.0	2	0.33	2.0	0.45	0.55
L845629		0.16	7.18	1.5	590	4.96	0.49	1.29	0.02	90.6	2.5	23	14.30	2.7	1.48	26.6
L845630		17.85	7.36	8.2	500	4.92	0.49	1.05	1.21	78.0	2.8	26	24.7	34.3	1.51	27.6
L845632		1.22	7.00	2.9	570	4.34	0.41	1.22	0.05	82.4	2.7	22	15.15	3.3	1.55	24.6
L845633		1.61	7.20	2.6	580	5.09	0.56	1.43	0.06	84.1	2.7	31	13.20	12.1	1.45	26.8
L845634		0.25	7.06	1.4	590	4.95	0.44	1.34	0.04	83.1	2.7	22	11.80	3.5	1.46	25.7
L845635		0.34	7.20	0.6	580	5.58	0.45	1.11	0.03	81.7	2.4	33	9.90	2.0	1.34	26.6
L845636		0.29	7.65	1.5	530	5.87	0.63	1.40	0.03	89.3	3.1	21	19.00	3.2	1.47	27.0
L845637		0.40	6.81	1.2	540	5.13	0.62	1.30	0.10	71.5	2.4	18	9.04	8.2	1.26	23.6
L845638		0.03	0.09	<5	20	0.05	0.02	20.9	0.05	1.32	1.8	2	0.54	2.7	0.49	0.55
L845639		0.16	7.32	0.8	610	4.56	1.65	1.17	0.03	100.5	2.7	29	12.90	4.6	1.49	27.8
L845640		0.88	7.35	3.2	570	4.78	5.75	0.67	0.04	95.1	3.0	20	15.70	18.6	1.32	27.5
L845641		0.15	7.03	0.5	580	4.85	0.64	1.21	0.02	89.1	3.1	30	10.10	16.5	1.49	26.1
L845642		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L845643		0.12	7.11	3.1	480	6.65	0.51	0.85	0.04	81.9	3.2	21	12.50	5.3	1.52	26.3
L845644		0.10	7.07	1.0	520	5.67	0.64	1.13	<0.02	76.9	3.3	22	12.20	7.3	1.51	26.2

Comments: \*\*Re-analysis Results for Samples Originally Reported on Certificate WH12147780\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-JUL-2012  
Account: RANSIL

Project: Re-assays from WH12147780

**CERTIFICATE OF ANALYSIS WH12166388**

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
L845609		0.12	1.6	0.031	3.56	31.1	221	0.29	1620	1.46	0.05	9.6	4.8	480	47.2	365
L845610		0.11	1.9	0.038	4.34	32.4	166.5	0.26	226	1.31	0.11	12.1	2.3	540	35.1	354
L845611		0.13	1.6	0.037	4.01	37.4	177.5	0.26	2400	1.51	0.12	11.8	4.5	510	38.2	308
L845612		0.14	1.9	0.034	3.80	35.0	63.2	0.31	190	1.02	1.51	12.8	3.4	550	39.6	254
L845613		0.12	1.9	0.035	4.01	26.2	90.3	0.36	1100	1.66	0.76	11.9	2.4	530	51.9	297
L845614		0.13	2.1	0.032	3.94	34.6	41.4	0.28	659	1.99	1.83	12.7	2.9	530	43.4	273
L845615		0.09	1.9	0.029	4.06	33.2	139.5	0.24	1780	1.55	0.25	11.4	3.1	520	78.0	329
L845616		0.12	2.1	0.034	4.01	34.8	83.2	0.28	674	1.50	1.49	12.1	2.8	600	43.5	291
L845617		0.11	1.4	0.080	1.36	14.3	9.5	0.69	2740	5.46	1.26	4.6	27.3	650	>10000	72.1
L845618		0.12	2.3	0.032	3.85	40.6	36.4	0.34	1930	1.36	1.96	10.4	3.4	540	53.8	275
L845619		0.14	2.3	0.035	4.12	42.2	304	0.21	1970	1.88	0.13	10.1	1.9	520	149.5	328
L845621		0.14	2.4	0.036	4.44	41.0	231	0.20	1520	1.59	0.13	10.5	2.0	560	68.5	353
L845622		0.15	2.3	0.036	4.46	38.1	220	0.19	1480	1.94	0.13	11.0	1.9	570	60.8	353
L845623		0.16	2.3	0.036	4.40	41.5	75.0	0.26	2590	2.37	0.55	10.5	6.6	490	63.7	361
L845624		0.17	2.5	0.034	3.65	42.0	56.8	0.36	303	1.80	1.98	10.0	3.4	490	47.5	257
L845625		0.15	2.1	0.034	3.71	34.2	47.6	0.31	253	1.86	1.96	11.6	2.7	590	43.5	255
L845626		0.13	2.3	0.031	4.16	26.2	123.5	0.23	416	0.94	0.53	12.5	2.7	560	46.0	298
L845627		0.13	2.3	0.033	3.71	37.7	331	0.38	403	1.14	0.17	11.1	2.5	520	42.4	311
L845628		0.13	<0.1	<0.005	0.04	0.7	1.2	12.45	196	0.17	0.01	0.6	4.2	180	1.4	2.9
L845629		0.18	2.4	0.035	3.84	43.5	43.2	0.35	372	1.56	1.81	11.5	2.6	540	41.8	268
L845630		0.18	2.3	0.040	4.46	35.6	256	0.32	3470	1.83	0.12	10.8	3.1	570	169.5	349
L845632		0.17	2.3	0.031	4.22	38.9	54.5	0.32	904	1.60	1.14	12.4	2.6	500	52.8	330
L845633		0.17	2.3	0.036	3.87	40.0	64.7	0.37	369	2.08	1.72	11.2	3.1	520	49.3	261
L845634		0.16	2.4	0.031	3.79	39.6	57.9	0.37	309	1.50	1.86	11.7	2.8	520	44.8	250
L845635		0.18	2.2	0.035	3.87	39.7	44.7	0.35	266	2.07	2.06	10.7	2.8	580	44.1	249
L845636		0.18	2.3	0.029	3.85	45.9	72.8	0.45	578	1.59	1.33	11.3	3.3	520	50.6	269
L845637		0.15	2.2	0.038	3.38	33.8	34.9	0.31	306	1.11	2.67	12.3	2.6	500	46.4	220
L845638		0.10	<0.1	0.008	0.05	0.6	0.8	12.35	205	0.15	0.01	0.5	4.4	230	1.7	3.3
L845639		0.18	2.3	0.036	3.66	49.2	72.1	0.41	239	1.88	1.91	9.8	3.4	550	46.9	250
L845640		0.19	2.1	0.030	3.79	46.2	126.0	0.39	174	1.30	1.06	8.0	3.2	580	52.5	267
L845641		0.19	2.2	0.037	3.55	44.3	70.7	0.39	275	1.80	2.07	9.6	3.9	530	44.2	242
L845642		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L845643		0.18	1.7	0.034	3.38	38.9	66.0	0.31	795	1.09	1.73	11.0	3.5	480	40.5	268
L845644		0.18	1.9	0.035	3.51	36.1	73.2	0.32	217	1.13	1.73	11.8	3.9	550	38.9	241

Comments: \*\*Re-analysis Results for Samples Originally Reported on Certificate WH12147780\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-JUL-2012  
Account: RANSIL

Project: Re-assays from WH12147780

**CERTIFICATE OF ANALYSIS WH12166388**

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
L845609		<0.002	<0.01	7.74	4.2	<1	8.1	44.3	0.91	<0.05	14.7	0.150	2.31	26.5	20	9.4
L845610		<0.002	<0.01	1.61	5.7	<1	8.2	62.9	1.15	<0.05	18.7	0.209	2.21	7.8	25	2.1
L845611		<0.002	<0.01	4.17	5.7	<1	7.3	83.9	1.07	<0.05	19.2	0.211	1.90	10.4	26	5.2
L845612		<0.002	<0.01	0.46	5.3	<1	7.1	145.0	1.17	<0.05	18.7	0.194	1.52	4.2	23	1.7
L845613		<0.002	0.01	0.59	4.6	<1	7.5	130.5	1.29	<0.05	15.4	0.162	3.05	6.1	16	2.2
L845614		<0.002	0.01	0.44	4.5	<1	6.8	160.5	1.28	<0.05	18.7	0.177	1.83	8.8	18	1.3
L845615		<0.002	0.24	9.14	4.2	<1	9.6	71.8	1.09	<0.05	18.2	0.167	3.47	8.7	17	2.6
L845616		<0.002	0.01	0.72	4.6	<1	6.9	148.0	1.17	<0.05	19.3	0.175	2.02	9.2	18	1.4
L845617		0.003	2.83	46.5	8.5	4	2.7	433	0.31	0.15	4.0	0.211	0.80	2.0	64	9.8
L845618		<0.002	0.02	0.70	4.6	<1	6.6	172.0	0.84	<0.05	22.8	0.194	1.89	11.9	22	1.2
L845619		<0.002	0.03	16.80	5.3	<1	12.4	73.5	0.79	<0.05	22.8	0.194	2.96	10.6	21	5.6
L845621		<0.002	0.03	11.25	5.3	<1	8.0	78.0	0.83	<0.05	23.2	0.187	3.11	12.9	20	7.3
L845622		<0.002	0.03	10.45	5.2	<1	7.5	78.3	0.83	<0.05	22.2	0.186	2.86	12.3	20	7.1
L845623		<0.002	0.05	14.25	5.3	<1	8.1	100.5	0.81	<0.05	22.7	0.191	3.68	11.4	21	1.8
L845624		<0.002	0.01	0.74	5.4	<1	6.7	178.5	0.85	<0.05	22.8	0.186	1.64	10.1	20	1.2
L845625		<0.002	0.01	0.33	4.8	<1	6.9	160.0	0.98	<0.05	19.4	0.187	1.51	9.5	20	1.4
L845626		<0.002	0.03	0.77	4.4	<1	7.6	110.5	1.06	<0.05	16.8	0.191	1.98	7.9	19	2.6
L845627		<0.002	0.01	1.08	4.4	<1	6.2	72.9	0.87	<0.05	20.3	0.180	2.01	10.5	17	2.5
L845628		<0.002	0.01	<0.05	0.4	<1	<0.2	42.6	<0.05	<0.05	<0.2	<0.005	0.02	0.6	2	0.2
L845629		<0.002	0.01	0.40	5.1	<1	6.4	186.5	0.92	<0.05	21.9	0.203	1.85	9.9	22	0.9
L845630		<0.002	0.30	19.20	4.9	<1	9.7	88.3	0.82	<0.05	19.9	0.183	3.86	10.8	20	3.2
L845632		<0.002	0.12	1.66	4.8	<1	7.0	130.0	1.04	<0.05	20.0	0.193	2.75	9.6	20	1.6
L845633		<0.002	0.02	1.54	5.1	<1	6.4	187.0	0.80	<0.05	20.5	0.196	1.92	8.9	22	1.3
L845634		<0.002	0.02	0.39	4.8	<1	6.2	191.0	0.91	<0.05	21.2	0.197	1.82	8.2	22	1.4
L845635		<0.002	0.01	0.41	5.0	<1	6.7	190.0	0.94	<0.05	20.7	0.185	1.64	8.6	20	1.2
L845636		0.003	0.05	0.60	4.7	1	8.0	151.5	0.90	<0.05	21.7	0.198	2.25	8.7	22	1.3
L845637		<0.002	0.02	0.32	4.1	<1	7.3	177.0	1.09	<0.05	18.9	0.177	1.73	7.8	19	1.3
L845638		<0.002	0.02	<0.05	0.3	<1	<0.2	38.8	<0.05	<0.05	<0.2	<0.005	0.02	0.9	3	0.2
L845639		<0.002	0.02	0.45	4.9	<1	6.6	203	0.78	<0.05	23.5	0.195	1.58	9.5	27	1.4
L845640		<0.002	0.03	1.05	4.7	<1	6.5	136.0	0.64	0.05	22.1	0.169	1.79	9.5	24	2.4
L845641		<0.002	0.05	0.18	5.2	<1	6.2	209	0.74	<0.05	21.4	0.194	1.50	8.3	27	1.0
L845642		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L845643		<0.002	<0.01	0.72	5.5	<1	6.6	124.5	0.87	<0.05	19.5	0.202	1.65	3.4	25	1.8
L845644		<0.002	<0.01	0.38	5.5	<1	6.5	156.5	1.08	<0.05	19.3	0.210	1.42	4.0	27	1.3

Comments: \*\*Re-analysis Results for Samples Originally Reported on Certificate WH12147780\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-JUL-2012  
 Account: RANSIL

Project: Re-assays from WH12147780

**CERTIFICATE OF ANALYSIS WH12166388**

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L845609		9.1	221	54.3			
L845610		7.1	51	67.2			
L845611		8.3	221	55.0			
L845612		8.7	79	67.3			
L845613		7.5	81	64.8			
L845614		8.6	60	70.7			
L845615		7.9	330	62.8			
L845616		9.0	68	69.5			
L845617		11.8	>10000	44.6		2.00	1.975
L845618		8.5	905	80.7			
L845619		10.1	843	84.0			
L845621		9.9	692	82.5			
L845622		9.7	688	82.6			
L845623		8.8	879	82.6			
L845624		8.3	64	85.2			
L845625		8.8	59	74.2			
L845626		8.2	54	78.7			
L845627		8.3	56	79.6			
L845628		0.9	14	0.5			
L845629		8.7	56	86.3			
L845630		8.8	855	81.7			
L845632		8.3	82	84.0			
L845633		8.4	69	86.3			
L845634		8.4	57	84.7			
L845635		8.7	52	75.6			
L845636		10.0	50	85.2	<1		
L845637		8.5	78	74.1			
L845638		0.9	14	<0.5			
L845639		9.0	61	83.5			
L845640		8.6	59	77.4			
L845641		8.1	54	78.4			
L845642		NSS	NSS	NSS			
L845643		8.8	54	62.6			
L845644		8.6	53	65.6			

Comments: \*\*Re-analysis Results for Samples Originally Reported on Certificate WH12147780\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: Re-assays from WH12147780

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 27-JUL-2012  
Account: RANSIL

**CERTIFICATE OF ANALYSIS WH12166388**

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.