



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 31-JUL-2012
This copy reported on
1-AUG-2012
Account: RANSIL

CERTIFICATE WH12173671

Project: Hammer - Keg

P.O. No.: Batch 8

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12153602**

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12173671

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
L845753		1.06	7.21	26.9	410	5.44	0.48	0.37	0.56	74.1	2.5	13	24.2	7.3	1.43
L845754		>100	3.90	1030	130	3.16	0.63	0.50	19.85	41.8	2.2	14	14.35	234	4.06
L845755		3.02	6.77	106.5	260	3.91	0.98	0.36	1.78	65.8	1.7	12	22.2	9.2	1.82
L845756		1.01	0.08	<5	10	0.09	0.02	21.0	0.10	1.55	1.4	2	0.21	2.1	0.44
L845757		0.07	7.41	108.5	500	5.85	0.57	0.61	0.37	78.8	3.0	12	18.95	9.7	2.02
L845758		0.34	6.89	1.4	490	6.54	0.54	1.24	0.07	68.4	3.3	16	11.35	9.9	1.42
L845759		0.02	7.18	1.3	510	6.54	0.56	1.12	0.04	71.2	3.1	18	10.50	8.2	1.45
L845760		0.20	6.93	0.9	490	6.08	0.66	1.02	0.16	69.9	2.6	14	8.64	2.6	1.36
L845761		0.14	7.31	0.8	520	6.30	0.64	1.17	0.09	73.9	2.7	20	7.36	1.6	1.44
L845762		0.21	7.28	0.9	510	6.03	0.55	1.15	0.12	70.5	2.7	15	7.11	1.1	1.42
L845763		0.02	7.42	0.6	510	6.20	0.51	1.24	0.05	87.4	3.3	17	9.04	6.7	1.57
L845764		8.51	7.74	82.1	380	5.84	0.49	0.36	0.57	83.3	4.7	13	27.4	13.3	1.33
L845765		0.25	7.56	9.3	390	5.25	0.43	0.29	0.08	62.9	4.6	14	28.4	7.2	0.91
L845766		0.24	7.30	10.5	510	5.91	0.53	0.31	0.10	63.8	3.5	13	30.7	4.2	2.04
L845767		0.12	7.17	1.0	460	5.92	0.37	1.02	0.03	71.2	3.2	15	9.15	11.6	1.46
L845768		0.03	0.09	<5	20	0.10	0.07	20.8	0.06	1.59	1.4	2	0.22	2.0	0.42
L845769		0.06	7.14	0.5	500	5.72	0.66	1.20	0.03	78.0	3.1	18	12.90	4.6	1.55
L845770		0.16	7.27	1.7	500	6.38	0.50	0.75	0.02	78.7	2.6	14	23.3	2.0	1.33
L845771		0.19	7.11	5.9	480	5.78	0.99	0.34	0.03	68.0	4.7	13	23.6	7.8	1.46
L845772		0.09	7.00	1.9	490	6.01	0.45	0.88	0.04	64.4	3.4	13	24.1	5.4	1.31
L845773		0.04	6.81	1.3	480	6.27	0.50	1.28	0.03	68.0	3.1	15	16.70	6.8	1.37
L845774		61.2	4.82	2590	560	0.74	3.64	6.71	120.0	28.6	13.3	43	3.07	983	3.65
L845775		1.39	7.23	2.4	550	6.09	0.47	0.98	0.08	76.8	2.8	14	9.41	8.0	1.40
L845776		>100	7.00	245	480	4.41	0.38	0.27	7.63	78.7	2.9	11	22.0	211	1.76
L845777		16.05	7.64	15.0	630	5.40	0.48	0.38	2.33	72.5	1.1	12	14.85	8.4	1.12
L845778		28.1	6.60	598	340	4.48	0.33	0.21	5.23	73.7	2.9	12	19.80	11.1	2.32
L845779		22.2	6.40	462	330	4.04	0.33	0.19	4.21	71.5	2.8	10	19.55	7.8	1.94
L845780		1.24	7.64	13.7	600	5.86	0.53	0.75	0.11	83.7	2.4	10	17.45	2.3	1.44
L845781		0.31	7.96	3.5	550	5.96	0.64	1.21	0.06	78.6	3.1	17	12.95	8.5	1.73
L845782		2.68	6.27	52.8	290	6.62	0.42	2.08	0.21	55.3	3.3	13	53.7	7.7	1.58
L845783		0.21	7.32	1.7	540	5.44	0.38	1.13	0.03	76.6	2.8	15	13.80	7.3	1.47
L845784		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L845785		0.15	7.69	1.4	560	5.83	0.50	1.06	<0.02	78.5	2.4	12	12.25	2.4	1.43
L845786		0.21	8.01	7.1	600	5.95	0.59	0.40	0.02	68.4	2.5	9	21.3	2.8	1.51
L845787		0.34	7.44	74.0	640	5.27	0.42	0.21	0.07	74.1	2.2	10	19.55	3.2	1.76
L845788		0.12	7.73	7.4	470	6.78	0.50	0.62	0.02	70.1	2.3	12	20.9	3.0	1.45

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12153602**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12173671

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
L845753		0.14	1.7	0.040	3.60	35.7	460	0.23	1560	0.57	0.23	11.5	2.4	540	53.7	300
L845754		0.13	0.7	0.030	1.91	21.7	60.3	0.21	69500	0.42	0.04	4.9	1.4	200	1755	183.0
L845755		0.15	1.2	0.031	3.39	32.5	146.0	0.24	15200	0.40	0.07	9.0	1.2	480	123.5	302
L845756		0.08	<0.1	<0.005	0.03	0.7	1.3	12.50	322	0.11	0.01	0.4	2.1	230	4.9	1.9
L845757		0.15	1.5	0.036	3.77	38.3	139.0	0.39	384	0.38	1.00	10.3	3.1	570	41.0	279
L845758		0.16	1.2	0.039	3.41	33.1	58.2	0.39	375	0.29	1.92	10.6	3.4	630	40.6	234
L845759		0.21	1.4	0.038	3.52	34.8	84.4	0.40	272	0.29	2.04	12.4	3.2	550	40.7	250
L845760		0.18	1.5	0.034	3.46	34.5	58.4	0.37	289	0.26	1.99	12.3	2.4	490	46.9	225
L845761		0.19	1.6	0.033	3.74	35.8	57.4	0.38	299	0.31	2.02	12.2	2.8	480	50.3	243
L845762		0.20	1.6	0.034	3.73	34.5	55.3	0.38	300	0.30	2.01	12.5	2.7	470	46.2	241
L845763		0.21	1.1	0.045	3.67	41.3	60.2	0.37	319	0.43	1.98	13.4	3.6	660	39.2	223
L845764		0.21	1.2	0.041	3.62	40.6	266	0.22	2200	1.22	0.24	12.8	3.3	600	73.7	261
L845765		0.17	1.2	0.040	3.74	28.0	132.0	0.20	741	0.83	0.35	12.8	2.9	610	42.5	268
L845766		0.20	1.0	0.039	3.78	30.1	53.7	0.24	1790	1.09	1.40	12.2	4.8	610	40.5	316
L845767		0.18	1.2	0.039	3.72	34.3	51.4	0.35	279	0.18	1.78	12.4	3.3	600	36.2	266
L845768		0.10	<0.1	<0.005	0.04	0.8	1.4	12.35	182	0.12	0.01	0.4	2.2	200	3.7	2.0
L845769		0.18	1.8	0.038	3.59	37.6	77.2	0.40	278	0.28	2.02	11.5	2.7	520	41.9	248
L845770		0.22	1.8	0.036	3.77	39.3	84.0	0.25	223	0.27	1.42	11.0	2.4	560	44.1	254
L845771		0.19	1.6	0.040	3.60	31.4	191.0	0.21	375	0.88	0.37	10.9	3.5	580	41.7	247
L845772		0.18	1.3	0.044	3.75	28.9	212	0.17	528	0.51	0.14	10.9	3.2	600	39.6	241
L845773		0.19	1.7	0.038	3.43	32.2	87.2	0.32	286	0.22	1.63	10.2	3.1	470	38.8	231
L845774		0.15	1.2	0.079	1.30	14.7	13.6	0.67	2670	5.26	1.22	4.7	26.3	630	>10000	62.5
L845775		0.16	1.9	0.040	3.60	38.1	63.6	0.37	298	0.18	1.96	11.0	2.6	480	46.9	244
L845776		0.17	1.7	0.027	3.95	38.4	109.5	0.18	10900	0.42	0.58	10.6	2.2	370	823	297
L845777		0.15	2.0	0.031	4.51	33.8	120.0	0.16	683	0.18	1.13	10.9	2.6	510	163.0	323
L845778		0.18	1.8	0.019	3.84	40.1	107.0	0.19	17850	0.68	0.10	10.0	3.5	470	513	334
L845779		0.16	1.7	0.018	3.79	36.5	102.5	0.19	15000	0.62	0.08	9.9	3.4	450	386	334
L845780		0.21	2.0	0.035	4.17	41.9	76.0	0.28	1800	0.35	1.61	11.4	2.8	590	66.5	280
L845781		0.19	1.8	0.045	3.93	39.3	109.0	0.39	719	0.29	1.69	10.8	4.9	480	51.9	262
L845782		0.16	1.5	0.035	3.40	24.6	141.5	0.34	5320	0.35	0.08	10.0	4.4	430	81.5	284
L845783		0.18	1.4	0.042	4.00	37.2	44.1	0.25	346	0.31	1.74	10.7	3.7	600	41.3	267
L845784		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L845785		0.20	1.8	0.036	3.99	39.8	44.7	0.31	261	0.22	1.73	11.1	3.0	510	44.0	287
L845786		0.18	1.7	0.034	4.20	34.2	112.0	0.24	265	0.21	1.16	11.2	2.6	550	52.5	280
L845787		0.17	1.6	0.040	4.37	40.5	261	0.25	2250	0.41	0.11	10.6	3.2	470	42.6	352
L845788		0.18	1.8	0.036	3.78	33.5	146.5	0.25	356	0.22	0.60	11.4	2.8	530	40.4	296

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12153602**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12173671

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
L845753		<0.002	0.03	7.22	5.1	1	8.2	66.6	0.99	<0.05	17.5	0.188	2.14	9.4	23	5.4
L845754		<0.002	0.40	388	2.2	1	41.9	41.1	0.45	<0.05	8.8	0.088	2.23	14.9	10	1.5
L845755		<0.002	0.05	13.35	4.3	1	9.5	41.3	0.88	<0.05	16.0	0.166	3.09	9.9	22	2.3
L845756		<0.002	0.01	0.89	0.3	1	0.2	47.6	<0.05	<0.05	0.2	<0.005	0.02	0.8	2	0.1
L845757		<0.002	<0.01	11.50	5.0	1	7.6	111.0	1.07	<0.05	19.0	0.191	1.71	9.4	25	2.2
L845758		<0.002	0.02	0.55	4.7	1	7.6	166.0	1.19	<0.05	16.6	0.184	1.47	6.2	25	0.8
L845759		<0.002	0.01	0.17	5.3	1	7.3	175.0	1.32	<0.05	16.9	0.193	1.55	9.3	25	0.9
L845760		<0.002	<0.01	0.36	4.4	1	8.1	164.5	1.17	<0.05	16.8	0.176	1.45	8.1	21	0.9
L845761		<0.002	<0.01	0.20	5.2	1	8.9	177.0	1.14	<0.05	17.5	0.187	1.60	6.8	23	1.0
L845762		<0.002	<0.01	0.24	5.1	1	9.1	175.0	1.14	<0.05	17.2	0.190	1.60	5.2	23	1.0
L845763		<0.002	<0.01	0.42	5.4	1	7.4	174.5	0.97	<0.05	21.0	0.205	1.39	6.9	29	1.4
L845764		<0.002	<0.01	11.85	5.2	1	11.2	78.6	0.97	<0.05	20.5	0.202	1.96	14.6	28	5.5
L845765		<0.002	<0.01	4.17	5.7	1	7.9	58.2	0.95	<0.05	17.7	0.203	1.78	10.4	29	6.8
L845766		<0.002	<0.01	3.92	5.1	1	7.8	89.3	0.91	<0.05	16.9	0.190	2.23	7.9	28	1.8
L845767		<0.002	<0.01	0.57	5.3	1	7.5	124.5	0.92	<0.05	17.4	0.188	1.70	2.9	26	1.6
L845768		<0.002	0.01	<0.05	0.2	1	<0.2	46.4	<0.05	<0.05	0.2	<0.005	<0.02	0.7	2	0.1
L845769		<0.002	0.01	0.12	5.4	1	7.4	175.5	0.87	<0.05	18.8	0.206	1.57	6.6	25	0.9
L845770		<0.002	<0.01	0.84	4.8	1	6.7	135.5	0.87	<0.05	18.0	0.204	1.58	6.4	25	4.1
L845771		<0.002	<0.01	2.27	5.3	1	7.7	79.1	0.83	<0.05	16.9	0.196	1.61	12.6	24	6.3
L845772		<0.002	<0.01	1.37	5.4	1	7.4	70.9	0.80	<0.05	17.0	0.201	1.59	6.9	25	11.9
L845773		<0.002	0.01	0.51	5.2	1	7.0	155.5	0.78	<0.05	16.4	0.191	1.50	6.2	25	1.5
L845774		0.003	2.61	53.7	8.1	4	2.8	425	0.32	0.19	3.9	0.203	0.76	1.7	61	9.0
L845775		<0.002	<0.01	1.10	5.1	1	6.8	175.5	0.96	<0.05	18.8	0.196	1.53	2.9	23	1.2
L845776		<0.002	0.01	226	4.5	1	76.3	147.0	0.94	<0.05	18.2	0.184	2.64	15.4	22	2.4
L845777		<0.002	<0.01	14.45	4.5	1	6.3	134.0	1.00	<0.05	18.6	0.210	2.53	6.3	24	1.7
L845778		0.002	<0.01	46.4	4.5	<1	26.7	188.0	0.83	<0.05	17.1	0.179	3.67	20.9	22	2.9
L845779		0.003	<0.01	36.6	4.3	<1	28.8	164.0	0.83	<0.05	16.4	0.172	3.55	16.7	21	2.6
L845780		0.002	<0.01	2.31	4.8	<1	7.4	171.5	0.94	<0.05	18.6	0.195	2.00	5.9	22	1.3
L845781		0.005	0.03	0.70	5.5	<1	6.8	162.5	0.94	<0.05	19.5	0.228	2.10	5.7	31	1.7
L845782		0.002	0.41	6.28	4.2	<1	9.7	76.6	0.83	<0.05	13.2	0.199	2.83	9.7	26	2.0
L845783		0.003	0.01	0.55	5.2	<1	6.2	178.0	0.97	<0.05	17.5	0.204	1.95	8.9	27	1.1
L845784		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L845785		0.002	<0.01	0.61	4.6	<1	6.3	173.0	1.03	<0.05	18.8	0.192	1.97	7.3	22	1.3
L845786		<0.002	<0.01	1.31	4.5	<1	7.0	128.5	1.11	<0.05	17.3	0.177	1.85	5.7	21	2.3
L845787		0.002	<0.01	5.80	4.5	<1	6.2	88.6	0.96	0.05	16.1	0.177	2.29	8.9	22	4.5
L845788		0.003	<0.01	1.51	4.7	1	6.8	67.3	0.98	<0.05	17.1	0.193	1.98	4.2	23	1.6

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12153602**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: RANSIL

Project: Hammer - Keg

CERTIFICATE OF ANALYSIS WH12173671

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L845753		8.8	427	55.6			
L845754		8.8	5720	24.5	537		
L845755		8.6	1320	40.0			
L845756		1.0	27	<0.5			
L845757		10.1	348	47.2			
L845758		8.7	124	39.8			
L845759		8.5	57	46.7			
L845760		9.5	64	49.4			
L845761		10.1	56	52.0			
L845762		9.9	60	51.2			
L845763		9.7	62	35.9			
L845764		9.5	257	38.1			
L845765		8.5	62	36.0			
L845766		10.6	79	31.6			
L845767		10.6	58	38.9			
L845768		0.9	16	0.5			
L845769		9.5	62	56.9			
L845770		10.1	67	54.3			
L845771		9.2	67	47.5			
L845772		8.9	53	41.5			
L845773		8.2	53	52.1			
L845774		12.0	>10000	36.6		1.855	1.890
L845775		9.0	152	63.8			
L845776		8.2	1780	57.4	507		
L845777		8.2	1100	73.5			
L845778		10.1	1180	63.0			
L845779		9.2	1040	66.7			
L845780		9.3	143	73.6			
L845781		9.2	98	66.2			
L845782		8.7	166	55.7			
L845783		9.6	54	51.3			
L845784		NSS	NSS	NSS	NSS	NSS	NSS
L845785		9.4	53	69.5			
L845786		8.0	93	61.7			
L845787		8.4	196	58.7			
L845788		8.2	87	68.8			

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12153602**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer - Keg

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12173671

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS61 ME-MS61	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.