



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 29-AUG-2012

Account: RANSIL

CERTIFICATE WH12186534

Project: Hammer - KEG

P.O. No.: Batch 22

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-AUG-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **SILVER RANGE RESOURCES LTD.**

ATTN: JOAN MARIACHER

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-AUG-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12186534

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
L840971		5.89	<0.005	12	0.34	7.20	25.6	330	5.02	0.41	0.90	0.07	52.1	1.4	8	17.90
L840972		4.66	<0.005	7	0.40	5.74	10.6	230	6.39	0.39	2.96	0.18	52.9	2.3	10	18.55
L840973		6.62	<0.005	11	0.46	5.82	4.1	260	6.80	0.58	2.54	0.04	28.3	1.5	8	21.1
L840974		6.26	<0.005	7	0.32	7.30	42.7	520	5.79	0.39	0.78	<0.02	79.2	2.2	10	17.30
L840975		6.25	<0.005	10	0.45	7.15	28.1	510	5.77	0.52	0.59	0.03	81.0	2.5	10	19.25
L840976		6.37	<0.005	10	0.65	7.41	36.2	460	6.32	0.51	0.26	0.19	86.2	2.7	10	23.6
L840977		0.26	0.124	24	62.5	4.92	2680	560	0.76	4.48	6.71	130.0	27.3	13.6	43	2.78
L840978		2.34	<0.005	8	0.61	6.96	92.8	560	5.32	0.69	0.41	0.09	74.6	2.0	7	17.30
L840979		6.66	<0.005	7	0.33	7.19	5.0	550	6.41	0.65	1.11	0.04	77.9	1.9	12	11.80
L840980		2.73	<0.005	6	0.74	7.20	118.0	570	5.10	0.63	0.23	0.02	57.8	1.7	9	18.75
L840981		1.39	0.022	10	0.49	6.28	214	480	4.59	0.43	0.19	0.06	76.5	1.7	8	19.35
L840982		1.33	0.039	8	1.08	4.88	649	400	4.47	0.37	0.17	0.10	67.3	2.1	7	20.5
L840983		3.44	<0.005	<5	0.07	0.08	5	20	0.07	0.03	20.9	0.06	1.36	0.7	3	0.42
L840984		2.73	0.020	6	0.41	5.99	289	450	4.22	0.60	0.23	<0.02	72.1	3.7	6	22.4
L840985		4.84	0.006	6	0.37	6.99	153.0	490	4.77	0.63	0.26	0.07	77.9	2.2	8	19.05
L840986		6.32	<0.005	5	0.13	6.99	3.7	560	5.87	0.54	0.63	0.06	71.0	2.0	10	9.75
L840987		6.48	<0.005	6	0.10	7.43	2.1	600	5.66	0.46	0.55	0.05	78.8	2.1	10	10.25
L840988		3.26	<0.005	8	0.09	7.56	2.0	610	6.00	0.50	0.59	0.02	86.7	2.2	9	10.45
L840989		5.55	<0.005	7	0.19	7.37	4.2	520	5.74	0.48	0.75	0.04	80.7	2.2	9	16.90
L840990		4.24	<0.005	9	0.37	7.70	12.7	570	5.72	0.48	0.26	0.04	76.1	4.5	8	22.2
L840991		1.95	<0.005	10	0.69	6.91	59.8	510	5.63	0.44	0.19	0.24	74.5	4.6	10	29.4
L840992		0.87	0.005	13	5.76	5.81	154.5	250	5.44	0.26	0.16	0.12	60.8	2.7	7	19.90
L840993		5.09	<0.005	9	0.43	7.43	9.3	560	5.52	0.41	0.53	0.05	86.8	2.4	9	18.10
L840994		3.66	<0.005	<5	0.12	7.34	1.3	750	2.15	0.09	3.24	0.06	48.9	8.2	5	12.10
L840995		0.26	0.100	25	63.4	5.00	2690	570	0.75	4.35	6.82	130.0	28.1	13.4	41	2.78
L840996		1.88	<0.005	<5	0.58	7.66	5.4	620	3.95	0.09	2.92	0.16	51.8	8.9	4	30.0
L840997		5.28	<0.005	<5	0.12	7.59	1.6	750	2.11	0.04	3.28	0.06	48.4	9.2	4	13.25
L840998		4.52	<0.005	<5	0.09	7.03	1.9	420	3.20	0.12	3.50	0.05	43.5	7.5	3	15.60
L840999		2.23	<0.005	<5	0.05	0.09	<5	40	0.06	0.10	20.6	0.06	1.07	0.8	2	0.34
L841000		4.31	<0.005	<5	0.08	7.05	1.5	410	2.61	0.15	3.51	0.08	44.1	8.2	5	14.90
K979401		1.50	<0.005	<5	0.08	6.89	2.8	350	2.36	0.11	5.42	0.06	56.0	7.2	3	55.7
K979402		6.40	<0.005	<5	0.09	7.78	1.8	660	2.64	0.33	2.61	0.04	53.1	8.3	3	17.40
K979403		4.16	<0.005	7	0.19	6.34	2.6	510	4.42	0.55	1.80	0.07	59.1	2.5	10	15.55
K979404		<0.02	<0.005	6	0.15	6.53	3.4	520	4.76	0.54	1.76	0.05	66.6	2.6	10	16.60
K979405		6.55	<0.005	10	0.59	7.35	15.3	540	5.31	0.54	0.65	0.08	92.5	2.9	12	18.75
K979406		5.06	<0.005	8	0.12	7.20	1.2	660	5.10	0.18	1.41	0.04	85.6	3.1	14	12.75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-AUG-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12186534

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
L840971		10.0	1.54	23.5	0.16	2.3	0.018	3.30	24.3	121.0	0.22	594	0.24	1.19	10.5	1.6
L840972		5.7	1.87	21.6	0.18	1.6	0.019	2.93	22.9	244	0.58	4740	0.32	0.05	9.2	3.0
L840973		6.5	1.57	22.1	0.15	1.5	0.021	3.22	11.4	250	0.25	1320	0.19	0.15	10.0	1.8
L840974		1.8	1.32	24.1	0.18	2.3	0.029	3.73	36.9	178.0	0.31	696	0.38	0.96	10.1	1.9
L840975		1.8	1.19	25.4	0.20	2.3	0.035	3.76	40.1	95.5	0.29	276	0.29	1.17	10.8	2.1
L840976		3.0	1.13	27.4	0.20	2.5	0.027	3.82	41.3	234	0.26	186	0.29	0.19	10.7	2.7
L840977		987	3.75	10.85	0.19	1.4	0.073	1.33	13.9	16.9	0.67	2710	5.22	1.19	4.4	27.0
L840978		1.9	0.99	26.1	0.21	2.3	0.025	3.87	34.8	295	0.24	413	0.22	0.13	8.5	1.7
L840979		1.0	1.37	25.6	0.21	2.2	0.036	3.72	40.0	62.3	0.30	584	0.30	1.75	9.7	1.8
L840980		1.7	0.88	26.4	0.19	2.2	0.025	4.30	27.5	254	0.21	73	0.34	0.11	9.5	1.8
L840981		1.0	1.07	25.2	0.18	2.1	0.035	3.90	36.9	136.5	0.23	1000	0.52	0.09	8.0	1.9
L840982		1.6	2.01	21.1	0.19	1.5	0.018	2.86	34.3	134.5	0.18	2630	1.06	0.06	5.5	3.2
L840983		1.0	0.49	0.27	0.16	<0.1	0.006	0.04	0.7	1.9	12.50	221	0.10	<0.01	0.2	1.7
L840984		3.8	0.72	23.3	0.23	2.0	0.029	3.63	37.2	188.0	0.24	254	0.27	0.09	7.9	1.8
L840985		0.9	1.33	25.6	0.18	2.1	0.031	3.81	38.7	159.0	0.25	289	0.32	0.25	9.1	2.1
L840986		1.1	1.33	24.7	0.22	2.1	0.029	3.60	35.5	54.1	0.34	175	0.27	1.73	9.2	1.9
L840987		1.4	1.50	26.4	0.21	2.3	0.031	3.75	39.6	147.0	0.36	250	0.28	1.52	8.9	2.0
L840988		1.6	1.44	27.5	0.21	2.5	0.035	3.86	42.6	134.5	0.36	241	0.26	1.64	9.0	2.3
L840989		2.5	1.66	25.8	0.20	2.4	0.028	3.73	40.9	174.0	0.30	718	0.23	0.92	8.3	1.8
L840990		3.0	1.56	26.7	0.20	2.5	0.031	4.17	37.0	171.5	0.26	1340	0.40	0.33	8.7	2.2
L840991		5.1	2.47	25.7	0.20	2.3	0.028	3.83	37.3	144.5	0.24	11550	1.13	0.07	7.6	3.2
L840992		7.0	2.61	21.7	0.16	1.7	0.017	3.08	30.2	84.9	0.20	654	0.92	0.05	6.9	2.2
L840993		1.4	1.33	27.0	0.19	2.4	0.033	3.98	43.4	77.9	0.26	473	0.23	1.06	9.0	2.1
L840994		2.9	4.01	18.40	0.19	2.5	0.055	1.92	19.8	58.7	0.92	840	0.51	1.74	10.1	1.7
L840995		1005	3.78	11.20	0.16	1.3	0.072	1.35	13.7	17.0	0.68	2740	5.31	1.22	4.3	27.1
L840996		4.1	4.14	19.40	0.17	2.6	0.054	1.99	21.0	65.3	0.66	730	0.26	0.94	10.2	1.5
L840997		4.7	4.08	20.1	0.17	2.6	0.061	1.84	20.3	61.2	0.91	824	0.66	1.88	10.9	1.7
L840998		4.0	3.26	17.65	0.17	2.7	0.046	2.01	17.1	313	0.63	718	0.36	0.35	9.4	1.4
L840999		2.7	0.49	0.26	0.11	<0.1	<0.005	0.04	0.5	1.8	12.50	228	0.12	0.01	0.2	1.8
L841000		12.9	3.72	18.00	0.16	2.4	0.052	1.75	18.9	151.5	0.86	786	0.23	0.91	9.7	1.6
K979401		3.9	3.61	16.15	0.19	2.2	0.044	1.73	28.1	97.9	0.85	803	0.15	0.10	8.7	1.1
K979402		6.7	4.34	18.80	0.19	2.6	0.059	2.05	22.4	73.9	1.04	814	0.15	1.35	10.0	1.4
K979403		1.0	1.28	21.2	0.20	2.5	0.024	3.51	24.1	46.6	0.25	604	0.14	0.98	11.0	2.3
K979404		1.3	1.28	22.5	0.21	2.5	0.043	3.51	27.6	49.8	0.24	605	0.18	0.97	11.3	2.4
K979405		1.9	1.57	23.4	0.20	2.2	0.032	4.04	46.2	83.9	0.28	519	0.31	0.63	10.5	2.8
K979406		3.0	1.56	24.7	0.21	2.2	0.026	3.92	39.5	64.4	0.26	372	0.55	1.52	11.2	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-AUG-2012
Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12186534

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L840971		660	41.3	290	<0.002	0.02	1.40	3.8	<1	10.4	69.7	2.27	<0.05	14.0	0.130	2.20
L840972		530	42.1	213	<0.002	0.02	2.29	3.6	<1	8.8	85.0	0.88	<0.05	12.2	0.143	2.44
L840973		700	38.9	256	<0.002	0.01	1.45	2.5	1	11.0	100.5	1.95	<0.05	6.9	0.110	2.56
L840974		560	61.2	283	<0.002	0.05	2.44	4.7	<1	8.5	117.5	0.86	<0.05	18.5	0.196	2.24
L840975		570	80.5	275	<0.002	0.04	2.70	5.0	1	9.0	127.5	1.08	<0.05	18.3	0.195	2.24
L840976		590	90.0	313	<0.002	0.04	3.48	5.0	<1	9.4	62.2	0.93	<0.05	19.7	0.198	2.61
L840977		630	>10000	63.2	<0.002	2.71	56.1	8.3	4	2.8	419	0.30	0.19	3.8	0.207	0.81
L840978		520	59.1	280	<0.002	0.09	3.03	4.6	<1	6.4	78.9	0.62	<0.05	17.8	0.187	1.75
L840979		540	58.7	244	<0.002	0.01	0.69	4.2	<1	6.6	176.0	0.92	<0.05	18.2	0.174	1.72
L840980		570	48.1	329	<0.002	0.10	4.17	4.4	1	7.0	81.1	0.71	<0.05	18.1	0.179	2.02
L840981		520	39.2	336	<0.002	<0.01	6.92	3.9	<1	5.9	73.9	0.59	<0.05	17.4	0.157	2.22
L840982		400	30.8	263	<0.002	0.01	16.85	3.2	1	5.2	84.2	0.43	<0.05	13.0	0.118	1.74
L840983		180	1.9	2.7	<0.002	<0.01	0.10	0.2	<1	<0.2	43.5	<0.05	<0.05	<0.2	<0.005	0.03
L840984		500	35.2	314	<0.002	0.02	9.28	3.4	<1	6.8	63.1	0.72	<0.05	16.6	0.146	1.84
L840985		520	48.8	294	<0.002	0.20	5.70	4.4	1	6.5	82.5	0.65	<0.05	18.7	0.176	2.02
L840986		500	48.0	229	<0.002	0.01	0.83	4.1	1	6.8	165.0	0.75	<0.05	17.5	0.166	1.56
L840987		550	45.5	238	<0.002	0.02	0.96	4.7	<1	6.5	158.5	0.68	<0.05	19.9	0.190	1.68
L840988		550	48.4	239	<0.002	0.02	0.91	4.8	1	6.8	163.0	0.70	<0.05	19.9	0.195	1.71
L840989		530	46.0	270	<0.002	0.02	1.54	4.9	<1	6.9	111.5	0.66	<0.05	18.9	0.190	2.16
L840990		540	59.6	303	<0.002	<0.01	4.20	5.3	1	8.2	87.6	0.76	<0.05	19.5	0.199	2.82
L840991		470	81.0	326	<0.002	<0.01	10.95	5.0	1	7.8	182.0	0.54	<0.05	17.9	0.203	3.98
L840992		500	108.5	289	<0.002	0.38	25.0	3.9	1	11.7	29.1	0.58	<0.05	13.8	0.138	3.44
L840993		550	48.6	291	<0.002	0.03	2.10	4.8	1	7.3	128.0	0.67	<0.05	19.1	0.196	2.42
L840994		680	14.2	73.8	<0.002	<0.01	1.34	14.7	1	1.4	299	0.66	<0.05	7.2	0.396	0.70
L840995		640	>10000	64.3	<0.002	2.77	56.1	8.2	3	2.8	427	0.30	0.19	3.7	0.210	0.75
L840996		700	27.5	90.8	<0.002	<0.01	4.93	15.5	1	1.6	163.5	0.69	<0.05	7.8	0.401	0.87
L840997		710	16.2	65.7	<0.002	0.01	1.34	15.7	1	1.7	331	0.68	<0.05	7.2	0.408	0.58
L840998		660	13.1	82.9	<0.002	<0.01	3.81	13.4	1	1.5	69.8	0.67	<0.05	7.0	0.385	0.99
L840999		160	2.8	2.1	<0.002	<0.01	0.06	0.3	<1	<0.2	40.9	<0.05	<0.05	<0.2	0.006	0.02
L841000		660	13.5	71.0	<0.002	<0.01	2.24	14.3	1	1.4	141.5	0.67	<0.05	7.0	0.384	0.90
K979401		580	12.8	108.0	<0.002	<0.01	7.77	14.0	1	1.4	68.6	0.57	<0.05	7.9	0.340	0.91
K979402		700	12.3	108.0	<0.002	<0.01	1.36	16.4	1	1.6	233	0.65	<0.05	8.6	0.395	1.03
K979403		750	43.3	209	<0.002	<0.01	3.30	5.0	1	5.5	142.0	0.87	<0.05	16.1	0.216	2.05
K979404		730	42.5	223	<0.002	<0.01	3.42	5.4	1	5.6	144.0	0.83	<0.05	17.2	0.215	2.09
K979405		740	70.1	271	<0.002	<0.01	7.52	5.4	1	6.9	111.5	0.78	<0.05	25.9	0.217	2.75
K979406		490	47.9	241	<0.002	0.01	2.85	5.7	1	5.3	197.0	1.08	<0.05	22.8	0.217	2.15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 29-AUG-2012
 Account: RANSIL

Project: Hammer - KEG

CERTIFICATE OF ANALYSIS WH12186534

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L840971		12.4	16	1.6	7.3	58	61.4		
L840972		9.0	18	1.2	10.2	173	54.1		
L840973		9.3	14	1.2	6.0	46	41.9		
L840974		8.6	23	1.5	9.1	51	76.8		
L840975		10.7	23	1.5	9.0	55	77.9		
L840976		9.3	24	1.5	9.3	129	80.9		
L840977		1.9	62	9.5	12.0	>10000	37.1	1.910	2.01
L840978		9.8	23	4.0	8.1	60	75.7		
L840979		7.5	21	1.3	8.9	62	72.5		
L840980		12.6	21	2.6	7.5	40	71.7		
L840981		8.6	19	3.6	7.9	62	69.8		
L840982		11.7	15	2.4	7.3	131	50.6		
L840983		0.5	2	0.1	0.8	18	<0.5		
L840984		5.4	17	10.0	7.2	30	65.4		
L840985		9.0	21	2.6	9.0	62	66.7		
L840986		8.9	19	1.5	8.5	51	69.0		
L840987		9.0	23	1.9	9.1	55	73.6		
L840988		10.2	24	2.6	9.3	54	78.9		
L840989		10.1	24	1.6	9.5	64	77.5		
L840990		10.5	25	2.3	7.9	84	75.9		
L840991		23.7	25	2.3	8.4	219	74.5		
L840992		18.3	18	2.8	8.1	167	54.3		
L840993		9.9	24	1.4	9.3	64	82.4		
L840994		1.9	97	1.3	19.8	75	77.0		
L840995		1.9	63	9.5	11.7	>10000	36.7	1.930	2.00
L840996		3.1	99	1.7	20.4	83	76.7		
L840997		1.8	100	1.3	20.5	87	83.5		
L840998		3.1	95	5.2	16.7	73	74.0		
L840999		0.6	2	0.1	0.8	22	<0.5		
L841000		1.9	95	3.1	17.9	76	70.9		
K979401		2.9	81	3.8	22.3	65	64.5		
K979402		2.0	97	1.1	19.7	76	77.4		
K979403		2.4	29	1.5	9.1	50	85.7		
K979404		2.5	30	1.5	9.9	50	84.5		
K979405		5.9	30	2.0	11.4	97	75.9		
K979406		4.3	32	1.1	11.1	60	74.4		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Hammer - KEG

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29-AUG-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12186534

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.