



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 27-AUG-2012

This copy reported on

30-AUG-2012

Account: RANSIL

CERTIFICATE WH12196543

Project: Keg-Main-Group 2

P.O. No.: Batch 50

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22-AUG-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: SILVER RANGE RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12170305**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-AUG-2012
Account: RANSIL

Project: Keg-Main-Group 2

CERTIFICATE OF ANALYSIS WH12196543

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K286838		0.71	5.09	3.6	800	1.30	16.80	2.70	3.48	48.9	8.5	85	8.90	526	3.23	13.20
K286839		1.35	4.17	2.8	250	1.13	27.6	3.22	4.41	42.6	11.5	85	7.07	894	5.20	10.85
K286840		0.92	5.00	9.7	970	1.30	18.70	3.40	2.19	52.1	8.2	78	8.30	471	3.18	13.35
K286841		1.15	4.99	4.1	550	1.38	18.35	3.86	33.8	54.1	7.9	71	6.30	574	3.62	12.95
K286842		1.50	5.24	54.5	520	1.35	423	4.75	11.45	62.1	8.3	99	5.72	603	3.70	14.25
K286843		1.80	5.39	50.3	590	1.42	240	4.79	12.40	58.9	8.0	100	5.23	575	3.47	14.60
K286844		2.20	4.66	6.7	960	1.23	236	5.98	42.8	49.7	7.5	76	5.06	524	3.69	12.10
K286845		1.11	4.79	4.0	920	1.29	67.7	7.75	62.7	50.1	6.4	81	5.02	498	4.26	13.65
K286846		4.21	4.09	24.9	290	1.28	103.0	8.06	673	46.3	12.7	66	4.93	1150	7.81	13.55
K286847		<0.01	0.08	<5	20	0.05	0.06	22.2	0.20	1.27	1.4	1	0.19	5.2	0.49	0.36
K286848		1.53	5.39	27.7	670	1.44	128.0	6.67	75.9	58.1	7.2	88	3.53	671	4.47	15.45
K286849		2.23	4.18	3.8	520	1.47	71.4	6.29	4.79	42.5	6.1	72	2.82	977	5.78	12.85
K286850		3.15	4.14	24.6	150	1.34	589	4.44	85.7	41.7	9.1	62	4.99	1590	7.22	12.10
K286851		3.07	2.67	22.6	130	1.08	150.0	5.11	308	24.0	11.9	36	3.55	2670	9.90	9.53
K286852		8.72	1.75	6.6	110	0.81	314	4.13	>1000	16.10	19.1	27	3.14	8240	16.55	7.61
K286853		3.85	1.77	4.0	200	0.45	357	2.68	29.1	22.6	16.5	24	1.45	3520	17.95	5.97
K286854		0.02	0.06	<5	20	0.05	0.40	20.4	1.23	1.29	0.9	<1	0.14	13.1	0.47	0.18
K286855		2.14	3.99	5.4	450	1.39	102.0	5.48	2.63	37.9	7.1	68	2.96	2240	7.74	13.05
K286856		1.76	4.12	24.4	150	1.19	127.5	3.76	1.71	35.8	8.0	68	3.14	1570	8.46	13.15
K286857		1.62	4.21	1.2	180	1.50	101.5	4.08	31.0	48.9	7.4	60	2.92	1280	6.53	13.35
K286858		1.57	5.67	72.4	1230	1.53	116.5	4.06	3.86	67.8	6.7	70	4.44	1310	5.98	16.85
K286859		24.1	4.07	1270	370	1.06	89.5	8.11	306	45.8	12.3	55	4.57	1940	5.82	11.80
K286860		1.68	4.79	2.9	250	1.45	82.3	4.83	12.35	49.0	8.0	76	3.20	1360	6.56	14.20
K286861		1.40	4.41	12.2	290	1.58	226	7.27	6.76	42.2	9.0	77	1.85	1470	7.28	14.30
K286862		0.70	4.76	14.9	340	1.47	85.0	5.72	6.33	51.0	7.8	64	5.21	840	4.96	14.05
K286863		2.61	3.41	4.7	110	1.86	214	7.54	76.7	48.2	11.5	54	6.76	2740	10.35	11.50
K286864		1.05	5.12	18.5	960	1.67	17.15	4.67	14.80	50.8	5.4	66	8.18	457	3.15	14.65
K286865		0.55	5.36	18.9	1160	1.65	15.30	4.89	15.60	53.2	5.7	73	8.48	477	3.30	15.60
K286866		2.75	4.32	65.4	360	1.68	40.8	7.15	31.1	46.3	5.5	59	3.46	806	5.20	12.75
K286867		0.77	4.48	86.3	280	1.40	40.9	7.83	106.5	46.9	5.7	56	2.31	839	5.83	13.90
K286868		1.02	3.84	14.4	160	1.37	69.0	7.72	34.5	40.0	5.5	48	3.34	1220	7.36	12.00
K286869		0.93	4.98	54.4	490	1.48	31.7	7.49	15.20	56.8	4.8	58	2.01	787	4.89	14.45
K286870		24.0	4.10	1250	380	1.12	90.2	8.17	307	45.8	12.6	54	4.51	1940	5.86	11.95
K286871		0.57	4.93	127.0	800	1.52	36.3	6.92	9.68	57.7	4.4	51	1.85	607	4.13	13.65
K286872		1.60	3.87	59.3	160	1.32	60.4	6.30	13.05	46.3	5.6	38	1.20	1700	7.60	12.45
K286873		1.17	4.53	21.1	610	1.50	123.5	5.84	11.20	48.6	5.0	52	1.87	1220	6.44	14.00

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12170305**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-AUG-2012
Account: RANSIL

Project: Keg-Main-Group 2

CERTIFICATE OF ANALYSIS WH12196543

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
K286838		0.17	1.9	0.183	3.88	24.5	40.6	2.43	315	5.79	0.25	9.2	66.8	1160	15.2
K286839		0.20	1.6	0.309	3.18	22.2	40.5	2.46	365	9.33	0.15	7.7	47.7	3080	14.1
K286840		0.18	1.9	0.132	2.84	28.5	44.7	2.20	318	16.85	0.23	9.3	55.8	1950	31.5
K286841		0.20	1.9	1.465	4.08	27.7	23.3	2.10	442	39.3	0.22	10.2	65.2	1870	57.3
K286842		0.21	2.1	0.643	2.13	34.0	24.5	1.85	405	43.8	0.24	10.2	70.2	2890	49.7
K286843		0.19	2.2	0.670	2.20	32.2	23.6	1.92	405	44.8	0.25	10.4	70.6	2740	77.0
K286844		0.19	1.7	2.35	2.72	27.7	25.5	2.38	571	8.38	0.19	8.6	44.4	1920	105.5
K286845		0.17	1.7	6.31	1.41	28.4	18.6	2.55	1060	8.81	0.22	8.5	41.3	2190	41.3
K286846		0.26	1.3	80.7	0.45	26.6	18.3	2.02	2200	21.2	0.15	7.5	50.0	1710	185.0
K286847		0.26	<0.1	0.014	0.03	0.6	0.9	13.10	216	0.20	0.01	0.4	3.2	190	1.4
K286848		0.18	1.8	9.58	1.07	31.3	20.4	1.99	774	17.70	0.23	9.7	49.7	1270	59.3
K286849		0.18	1.5	0.418	0.97	23.0	28.3	2.29	804	8.35	0.17	7.6	40.0	1270	58.0
K286850		0.26	1.4	6.60	2.61	20.5	36.4	2.28	683	6.11	0.16	7.5	39.8	880	75.5
K286851		0.27	0.8	50.6	0.81	12.4	20.3	1.90	936	2.99	0.09	5.5	24.5	1300	13.6
K286852		0.53	0.4	320	0.07	9.8	23.8	1.63	1160	2.32	0.05	5.0	34.3	1250	6.6
K286853		0.48	0.6	6.81	0.14	14.0	32.5	1.27	419	2.04	0.06	4.1	40.7	1490	21.2
K286854		<0.05	<0.1	0.306	0.02	0.6	0.7	12.05	202	0.16	<0.01	0.2	1.5	180	1.6
K286855		0.24	1.3	0.786	0.42	20.6	25.0	2.18	588	5.92	0.15	7.2	37.6	880	7.7
K286856		0.27	1.3	0.311	0.99	18.3	71.0	2.02	423	6.66	0.14	7.6	38.3	730	12.7
K286857		0.24	1.4	3.07	1.15	24.1	58.0	2.07	424	5.06	0.16	8.1	32.3	760	20.6
K286858		0.23	1.8	0.451	1.93	34.4	99.7	2.16	391	3.52	0.21	10.3	41.2	600	31.9
K286859		0.32	1.3	23.2	1.46	24.2	32.6	2.06	2570	14.85	0.17	8.0	50.4	840	1455
K286860		0.23	1.6	0.678	0.91	26.4	52.7	2.18	471	2.37	0.17	8.4	48.5	590	144.0
K286861		0.23	1.5	0.662	0.63	23.6	27.3	2.79	825	4.43	0.16	8.0	42.3	980	8.0
K286862		0.18	1.6	0.738	1.36	25.6	33.9	2.41	635	2.21	0.18	8.9	45.9	760	6.6
K286863		0.30	1.1	6.31	1.45	25.4	22.8	2.86	1320	2.42	0.12	7.4	39.2	1150	8.2
K286864		0.16	1.7	1.330	3.44	25.5	61.2	2.35	598	2.21	0.20	9.4	48.5	650	15.5
K286865		0.18	1.8	1.430	3.58	26.5	60.9	2.46	629	2.42	0.21	10.0	51.2	670	16.7
K286866		0.19	1.4	2.58	2.36	24.3	19.1	2.97	1080	2.38	0.17	8.0	43.0	830	156.0
K286867		0.18	1.5	9.59	1.23	23.9	18.1	2.54	1800	2.41	0.18	8.8	40.7	830	8.4
K286868		0.20	1.1	3.06	0.82	20.3	16.6	2.46	1370	1.87	0.14	7.8	26.3	750	4.5
K286869		0.17	1.5	1.490	0.99	28.9	23.1	2.42	847	1.84	0.19	9.8	32.9	840	7.3
K286870		0.32	1.3	22.9	1.46	24.0	34.0	2.07	2590	14.90	0.17	8.1	50.4	840	1440
K286871		0.16	1.6	1.070	0.74	28.7	24.4	2.04	771	1.79	0.19	9.9	26.4	740	4.4
K286872		0.22	1.0	1.380	0.36	23.6	33.1	2.07	843	1.45	0.14	7.9	22.9	620	4.7
K286873		0.17	1.1	1.200	0.74	25.5	30.2	1.95	685	1.97	0.17	9.4	26.3	700	27.8

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12170305**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-AUG-2012
Account: RANSIL

Project: Keg-Main-Group 2

CERTIFICATE OF ANALYSIS WH12196543

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K286838		0.013	1.43	1.77	11.3	12	47.9	147.5	0.70	0.09	7.5	0.289	1.98	3.4	155	10.0
K286839		0.014	2.64	2.09	8.2	20	54.0	112.0	0.59	0.11	6.1	0.247	1.52	4.0	135	14.1
K286840		0.016	1.49	2.20	9.7	15	34.6	152.0	0.72	0.09	7.9	0.301	1.54	4.0	172	17.9
K286841		0.025	1.88	3.15	9.4	16	49.8	159.5	0.78	0.07	7.7	0.321	1.59	6.0	374	7.9
K286842		0.034	1.90	16.95	9.9	21	33.0	202	0.79	1.50	8.1	0.327	0.99	6.7	393	24.1
K286843		0.032	1.71	10.90	10.2	19	32.2	207	0.81	0.73	8.3	0.335	1.02	6.7	431	17.6
K286844		0.012	1.87	11.95	8.6	19	34.1	145.5	0.64	1.15	6.9	0.284	1.08	3.7	137	9.7
K286845		0.014	1.94	2.96	9.1	18	29.4	169.5	0.65	0.19	7.3	0.283	0.59	4.3	147	17.3
K286846		0.030	5.01	3.43	6.9	45	71.0	146.5	0.59	0.25	6.2	0.247	0.22	5.5	236	58.8
K286847		<0.002	0.02	<0.05	0.3	1	<0.2	50.0	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	3	0.2
K286848		0.022	2.31	3.13	9.2	20	45.6	210	0.75	0.43	7.6	0.318	0.49	4.5	279	25.2
K286849		0.014	2.86	2.49	7.4	20	54.7	151.0	0.57	0.18	6.0	0.248	0.49	3.5	134	32.8
K286850		0.012	3.95	4.44	7.7	38	97.8	113.5	0.57	2.33	5.7	0.243	1.21	3.0	119	74.2
K286851		0.005	5.67	0.89	3.9	48	82.4	81.6	0.44	0.35	3.6	0.183	0.40	2.0	53	62.5
K286852		0.004	>10.0	1.70	2.5	116	114.5	57.3	0.39	0.82	3.0	0.153	0.11	1.3	30	149.5
K286853		0.004	9.04	1.39	2.2	86	48.5	56.0	0.34	0.95	2.8	0.145	0.15	1.4	30	188.5
K286854		<0.002	0.03	<0.05	0.2	2	0.2	46.8	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	1	0.4
K286855		0.012	3.96	2.03	7.3	35	49.8	150.0	0.55	0.23	5.6	0.233	0.28	2.9	104	64.8
K286856		0.014	4.54	2.15	7.8	40	44.5	137.0	0.57	0.35	5.5	0.241	0.64	3.2	107	54.3
K286857		0.010	3.32	2.66	7.4	33	60.6	134.0	0.62	0.25	6.1	0.257	0.68	3.3	94	32.2
K286858		0.011	3.17	1.79	9.4	25	97.6	179.5	0.77	0.26	7.9	0.331	1.14	3.0	91	70.6
K286859		0.019	2.93	8.97	6.6	63	227	164.0	0.61	0.50	6.0	0.255	0.62	3.3	107	5.6
K286860		0.007	3.34	1.50	9.5	29	43.5	184.5	0.63	0.18	6.8	0.268	0.55	2.8	84	24.7
K286861		0.014	3.52	1.68	9.0	28	58.3	158.5	0.59	0.64	6.3	0.258	0.30	4.3	93	79.1
K286862		0.008	2.24	1.22	8.9	20	34.2	167.5	0.67	0.16	7.1	0.290	0.67	3.6	82	26.1
K286863		0.009	5.30	1.44	6.1	42	82.8	96.4	0.56	0.44	5.5	0.231	0.63	3.7	71	133.0
K286864		0.008	1.23	1.66	10.2	13	59.4	148.5	0.72	0.05	7.6	0.310	1.56	3.4	90	9.0
K286865		0.008	1.30	1.84	10.8	14	61.8	154.0	0.73	0.05	7.9	0.324	1.62	3.4	95	10.6
K286866		0.011	2.21	1.44	8.5	21	60.6	145.5	0.60	0.09	6.2	0.257	0.91	3.7	87	48.3
K286867		0.010	2.73	2.18	8.4	17	40.4	166.0	0.67	0.08	7.0	0.285	0.48	3.6	75	15.2
K286868		0.006	3.70	2.85	6.4	23	44.5	128.0	0.59	0.14	5.8	0.252	0.34	2.8	57	19.7
K286869		0.008	2.25	4.73	8.3	15	32.4	174.5	0.74	0.05	7.6	0.315	0.43	3.2	70	22.5
K286870		0.019	2.94	8.69	6.8	63	228	165.5	0.61	0.49	6.1	0.255	0.63	3.4	105	6.0
K286871		0.006	1.86	2.57	7.5	13	28.9	175.5	0.77	0.05	7.8	0.323	0.36	2.8	56	16.7
K286872		0.005	4.08	1.65	5.3	27	47.6	131.5	0.60	0.07	5.5	0.253	0.18	2.2	43	46.5
K286873		0.007	3.31	2.24	7.2	20	46.3	152.5	0.66	0.32	6.8	0.300	0.37	2.3	54	45.5

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12170305**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-AUG-2012
 Account: RANSIL

Project: Keg-Main-Group 2

CERTIFICATE OF ANALYSIS WH12196543

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
K286838		33.4	191	66.1	
K286839		32.3	208	56.0	
K286840		33.5	129	66.5	
K286841		37.9	1490	66.5	
K286842		39.9	518	72.3	
K286843		38.4	563	75.2	
K286844		32.2	2130	59.5	
K286845		32.8	2780	59.9	
K286846		29.7	>10000	40.6	2.78
K286847		0.9	23	0.5	
K286848		31.1	2950	61.3	
K286849		24.4	215	47.5	
K286850		24.0	3940	47.3	
K286851		17.3	>10000	22.8	1.160
K286852		11.4	>10000	10.8	4.27
K286853		13.4	1040	14.8	
K286854		0.9	63	0.6	
K286855		21.1	138	41.6	
K286856		22.0	98	43.8	
K286857		26.2	1210	48.2	
K286858		31.5	184	61.8	
K286859		24.2	>10000	39.2	1.420
K286860		26.2	564	55.2	
K286861		26.5	301	52.3	
K286862		28.5	287	54.5	
K286863		29.0	2970	34.7	
K286864		27.5	617	60.5	
K286865		28.6	648	62.9	
K286866		26.2	1250	48.3	
K286867		26.8	4860	50.0	
K286868		22.3	1380	35.3	
K286869		28.4	639	49.7	
K286870		24.3	>10000	40.0	1.390
K286871		28.3	408	47.8	
K286872		23.5	521	30.1	
K286873		23.4	460	33.3	

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12170305**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Keg-Main-Group 2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-AUG-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12196543

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.