



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2-SEP-2012
This copy reported on
6-SEP-2012
Account: RANSIL

CERTIFICATE WH12198809

Project: KEG (Main - Group 2)

P.O. No.: Batch 61

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-25	Wt. of Crushed Reject
FND-03	Find Reject for Addn Analysis
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% < 75 um
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: SILVER RANGE RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12183394**

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2012
Account: RANSIL

Project: KEG (Main - Group 2)

CERTIFICATE OF ANALYSIS WH12198809

Sample Description	Method Analyte Units LOR	WEI-25 Reject W kg 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
K285160		7.38	0.65	2.54	8	430	0.50	0.06	15.15	1.90	20.1	3.1	23	3.03	25.0	0.79
K285161		7.89	0.51	2.48	<5	560	0.55	0.06	16.35	1.08	24.8	3.3	33	2.28	34.3	0.97
K285162		7.56	2.01	3.95	142	760	1.01	0.13	10.25	7.33	41.2	8.1	76	4.29	80.7	1.92
K285163		7.23	4.29	3.21	37	950	0.80	0.20	10.45	4.66	37.9	5.7	43	4.27	65.9	1.38
K285164		3.25	31.2	3.73	67.1	1080	0.57	0.10	6.72	17.35	46.2	6.8	59	13.30	174.5	2.02
K285165		<0.001	13.70	4.19	119.5	1520	1.07	44.6	7.91	56.5	47.9	7.1	63	5.98	769	3.31
K285166		6.10	7.62	3.65	49.7	1510	0.80	0.12	5.79	10.35	40.9	5.9	54	9.79	66.8	1.39
K285167		7.60	4.05	3.99	168.0	1450	0.97	0.08	7.58	7.82	44.7	6.9	48	9.08	95.6	1.79
K285168		7.65	15.00	3.87	160.5	940	1.02	0.24	6.32	19.40	44.4	8.2	58	4.60	178.0	2.49
K285169		7.41	8.04	4.70	34.6	1160	1.17	0.42	6.32	23.9	56.1	7.0	65	5.07	153.0	1.90
K285170		4.38	7.07	4.81	63.6	1140	1.13	0.11	5.85	17.15	50.9	7.4	77	5.53	104.0	1.65
K285171		3.16	0.02	0.06	<5	20	0.06	0.01	20.2	0.10	1.47	1.2	<1	0.27	1.6	0.44
K285172		6.33	1.09	2.17	8	990	0.74	0.08	19.85	4.11	29.1	3.6	100	4.26	41.2	1.05
K285173		3.72	0.71	5.06	33.3	1400	1.20	0.12	0.91	16.60	57.1	4.5	57	12.50	58.7	1.97
K285174		3.13	0.65	4.08	26.6	1050	1.63	0.13	1.41	6.59	39.4	6.9	65	7.58	67.1	1.92
K285175		4.84	0.60	3.95	27.0	930	1.52	0.06	2.31	4.78	37.2	7.8	60	6.97	61.2	1.94
K285176		<0.001	0.58	4.00	27.2	940	1.55	0.06	2.27	4.59	38.2	8.0	63	6.96	62.1	2.04
K285177		6.14	0.56	5.01	83.4	760	1.99	0.09	1.64	7.13	49.1	9.6	60	10.35	64.3	2.42
K285178		1.990	1.11	5.16	81.1	630	1.79	0.14	0.97	12.30	48.2	12.3	63	10.95	84.6	2.81
K285179		3.37	2.98	2.89	69.1	730	1.50	0.11	5.95	16.10	30.6	6.6	96	15.20	76.3	1.54
K285180		<0.001	13.25	4.12	116.5	1510	1.11	45.9	7.53	56.5	47.0	6.6	60	5.90	736	3.23
K285181		4.87	0.19	5.31	36.3	1090	1.37	0.04	1.19	0.65	70.1	9.4	43	11.80	58.8	2.39
K285182		5.21	0.27	6.05	14.8	1310	1.37	0.08	1.16	0.50	75.5	7.0	43	12.95	34.2	1.97
K285183		5.86	0.52	5.92	24.2	1040	1.60	0.12	2.08	1.99	72.9	9.1	49	14.10	48.7	2.01
K285184		5.95	7.00	3.25	25.0	640	1.42	1.90	2.18	33.9	32.3	7.0	55	13.00	64.9	1.96
K285185		5.95	0.69	4.51	14.7	880	2.13	0.26	1.83	3.29	44.5	8.2	63	17.80	66.4	2.08
K285186		7.10	0.30	3.71	131.5	1080	1.68	0.12	2.30	1.84	38.5	6.3	64	8.79	57.0	1.94
K285187		2.92	0.38	3.59	172.5	980	1.59	0.11	2.29	2.24	38.8	6.8	62	8.46	61.5	2.12
K285188		7.41	0.58	3.52	27.3	880	1.41	0.22	2.15	27.3	34.8	5.6	75	8.45	61.3	1.83
K285189		7.96	0.53	3.47	29.2	720	1.51	0.21	1.99	7.71	31.5	6.9	74	7.82	61.9	1.88
K285190		7.46	0.26	4.97	80.3	1330	1.24	0.27	1.21	0.53	72.5	6.2	49	8.92	65.5	2.37
K285191		7.03	5.91	4.98	4070	700	1.61	7.60	1.41	12.00	38.8	19.0	43	5.56	83.1	3.12
K285192		3.43	0.30	0.05	12	20	0.05	0.04	21.4	0.10	1.33	0.6	<1	0.16	1.4	0.48
K285193		5.87	0.70	4.24	193.0	1040	1.42	0.55	3.04	4.19	67.0	12.1	32	11.45	42.2	2.53
K285194		7.67	0.27	4.94	50.6	980	1.17	0.16	2.12	0.17	67.6	5.7	35	11.50	33.8	1.68
K285195		7.72	0.29	5.91	30.9	1390	1.60	0.20	1.64	0.14	81.3	8.8	54	11.65	34.8	2.74

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12183394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2012
Account: RANSIL

Project: KEG (Main - Group 2)

CERTIFICATE OF ANALYSIS WH12198809

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
K285160		4.64	0.09	1.1	0.032	1.13	10.2	14.3	0.80	265	12.65	0.27	3.6	25.5	440
K285161		5.48	0.09	1.2	0.018	1.28	12.9	14.5	0.90	286	9.47	0.53	4.6	25.0	590
K285162		9.26	0.20	1.8	0.117	1.99	22.9	33.6	1.71	311	30.3	0.43	7.2	69.5	1090
K285163		6.91	0.16	1.7	0.075	1.74	20.3	24.1	1.87	593	15.30	0.27	6.5	45.7	750
K285164		10.55	0.41	2.4	0.321	2.26	26.1	44.2	2.20	1060	4.90	0.16	9.1	42.5	1050
K285165		12.00	0.23	1.6	2.24	1.86	25.0	39.5	2.19	1720	14.80	0.23	9.3	47.3	1150
K285166		8.76	0.30	2.1	0.167	2.69	24.0	36.0	1.87	457	4.73	0.15	7.8	42.6	990
K285167		9.22	0.19	2.1	0.160	2.90	22.7	30.2	1.98	436	4.06	0.17	8.3	37.7	610
K285168		9.36	0.33	2.3	0.379	1.84	25.0	24.4	2.06	421	4.86	0.19	8.3	43.8	1060
K285169		10.35	0.20	2.9	0.448	2.83	27.3	19.3	2.35	388	7.50	0.70	10.4	48.2	980
K285170		9.61	0.23	2.8	0.356	3.02	25.1	23.4	1.75	303	6.44	0.51	10.9	50.0	1840
K285171		0.28	0.09	<0.1	<0.005	0.03	0.7	1.1	12.60	201	0.14	<0.01	0.3	2.4	180
K285172		5.26	0.15	1.3	0.028	1.04	22.5	20.6	1.97	328	7.89	0.27	4.7	36.0	6030
K285173		13.40	0.15	2.0	0.063	2.62	30.0	44.9	0.81	88	6.88	0.07	9.5	28.5	2030
K285174		9.87	0.13	1.7	0.041	1.43	25.1	71.0	0.87	87	26.3	0.07	7.7	103.5	2630
K285175		9.65	0.14	1.4	0.040	1.40	24.5	61.3	1.34	145	19.60	0.07	6.9	92.1	2030
K285176		9.90	0.13	1.4	0.034	1.43	25.4	61.3	1.34	153	19.40	0.07	7.0	92.1	2000
K285177		12.60	0.15	1.7	0.051	1.82	27.2	76.4	1.13	116	16.15	0.07	8.7	86.5	1120
K285178		13.50	0.18	1.4	0.056	2.21	27.8	69.8	1.08	111	8.35	0.05	7.3	79.6	830
K285179		8.36	0.18	1.2	0.097	1.10	22.6	44.2	2.12	245	23.2	0.02	6.9	148.0	5900
K285180		11.60	0.22	1.5	2.25	1.80	24.6	38.2	2.14	1630	14.55	0.23	8.9	44.6	1140
K285181		14.00	0.16	2.3	0.015	2.57	33.8	54.7	0.98	81	2.42	0.05	10.4	30.9	560
K285182		15.95	0.16	2.2	0.016	3.10	36.2	40.6	0.77	76	1.96	0.07	11.7	23.2	550
K285183		15.05	0.17	2.2	0.025	2.99	34.5	48.7	0.96	88	3.70	0.06	12.2	36.2	650
K285184		10.60	0.33	1.2	0.342	1.08	21.7	40.6	0.84	129	25.3	0.03	7.7	88.2	1560
K285185		11.85	0.16	1.5	0.038	1.71	26.6	63.3	0.99	112	21.9	0.06	10.1	73.9	1320
K285186		10.35	0.16	1.6	0.015	1.61	23.7	48.3	0.93	96	11.50	0.10	8.4	62.9	2850
K285187		10.30	0.16	1.5	0.024	1.48	23.3	47.0	0.95	103	13.25	0.09	8.4	66.4	3020
K285188		9.45	0.17	1.5	0.087	1.75	22.3	37.2	0.58	74	28.7	0.05	8.5	103.5	3240
K285189		9.76	0.16	1.4	0.045	1.68	20.5	31.0	0.51	61	35.9	0.04	7.1	96.9	3330
K285190		13.10	0.18	2.4	<0.005	2.96	35.9	42.0	0.79	71	3.87	0.18	10.1	36.7	750
K285191		13.50	0.20	2.7	0.089	2.73	17.0	16.3	0.76	167	6.73	0.17	9.7	54.7	450
K285192		0.18	0.18	<0.1	<0.005	0.03	0.6	1.0	12.80	210	0.15	<0.01	0.2	1.7	160
K285193		9.99	0.22	2.1	0.012	2.33	33.1	32.4	0.69	259	2.84	0.09	8.4	100.5	440
K285194		11.75	0.19	2.4	<0.005	2.78	33.0	34.9	0.70	117	2.35	0.11	9.3	32.2	460
K285195		16.55	0.19	2.7	0.017	3.37	42.2	54.0	1.00	113	2.62	0.11	12.6	31.1	610

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12183394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2012
Account: RANSIL

Project: KEG (Main - Group 2)

CERTIFICATE OF ANALYSIS WH12198809

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
K285160		43.8	0.013	0.27	4.09	3.1	8	4.7	347	0.28	<0.05	2.8	0.120	0.66	2.2	90
K285161		55.3	0.010	0.51	1.95	4.2	7	5.1	486	0.35	<0.05	3.6	0.151	0.87	2.5	79
K285162		87.9	0.037	0.95	6.07	8.2	18	10.3	331	0.56	0.10	5.9	0.242	1.43	5.1	232
K285163		88.8	0.025	0.61	4.54	6.6	15	35.1	327	0.50	0.07	5.1	0.213	1.40	4.1	140
K285164		194.0	0.041	1.12	15.95	11.2	78	176.0	245	0.67	0.25	6.5	0.284	2.87	4.1	108
K285165		87.9	0.017	0.92	7.66	8.3	27	137.5	211	0.69	0.22	6.9	0.289	0.88	3.5	134
K285166		178.5	0.026	0.56	6.50	10.8	49	58.5	212	0.57	0.32	5.8	0.241	2.46	3.8	102
K285167		159.0	0.017	0.86	6.52	8.8	16	88.0	295	0.64	0.13	6.8	0.263	2.15	3.1	100
K285168		103.5	0.039	1.54	17.60	10.1	51	121.5	249	0.62	0.43	6.4	0.259	1.36	4.1	91
K285169		129.0	0.033	0.99	8.08	10.7	22	99.3	384	0.78	0.16	8.2	0.331	1.72	4.2	103
K285170		140.0	0.024	0.93	9.90	9.2	23	51.0	409	0.82	0.15	8.2	0.342	1.93	4.2	95
K285171		1.8	<0.002	<0.01	0.10	0.2	1	0.2	44.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	3
K285172		59.1	0.027	0.60	3.38	5.7	13	7.6	750	0.35	0.05	3.9	0.151	1.15	6.1	102
K285173		143.0	0.010	0.47	7.29	9.2	10	40.3	132.5	0.69	<0.05	9.3	0.255	2.07	7.6	256
K285174		98.1	0.033	1.13	8.61	7.8	10	25.0	116.5	0.56	<0.05	6.6	0.216	1.70	7.3	550
K285175		95.8	0.028	1.35	9.78	7.2	8	29.6	166.5	0.50	<0.05	5.8	0.195	1.61	6.1	514
K285176		96.5	0.028	1.38	9.90	7.4	8	29.8	168.0	0.50	<0.05	6.0	0.198	1.64	6.2	509
K285177		115.0	0.023	1.62	12.75	9.0	7	56.1	114.0	0.64	<0.05	7.6	0.242	1.90	6.2	334
K285178		122.0	0.019	1.77	9.15	9.6	13	31.8	85.0	0.52	0.09	7.0	0.233	1.89	7.6	257
K285179		78.9	0.040	0.99	30.0	6.0	21	43.5	128.5	0.46	0.19	4.9	0.150	1.39	9.8	1120
K285180		85.4	0.015	0.93	7.70	7.8	26	136.0	206	0.67	0.23	7.0	0.276	0.86	3.5	132
K285181		137.0	0.003	1.43	2.95	8.1	4	37.2	126.5	0.78	<0.05	12.7	0.271	1.80	4.1	89
K285182		159.5	<0.002	1.02	3.37	8.7	3	42.6	119.5	0.88	<0.05	13.9	0.288	1.99	3.1	92
K285183		142.0	0.006	1.09	6.98	9.2	6	21.1	120.0	0.89	<0.05	12.0	0.294	1.93	3.8	151
K285184		86.3	0.032	1.40	17.65	6.0	54	19.1	73.3	0.54	0.90	5.3	0.168	1.46	7.0	555
K285185		101.5	0.028	1.36	8.22	8.4	11	8.3	136.0	0.69	0.09	6.9	0.223	1.55	7.4	385
K285186		114.0	0.023	0.93	6.60	8.2	10	13.4	205	0.52	0.08	6.2	0.199	1.56	5.9	335
K285187		107.5	0.026	1.06	7.91	8.2	12	13.9	194.0	0.52	0.20	5.9	0.193	1.38	5.8	363
K285188		118.0	0.058	1.10	9.90	7.2	18	13.6	194.5	0.55	0.05	6.1	0.192	1.56	9.5	716
K285189		115.0	0.034	1.01	10.15	7.2	18	11.1	94.2	0.48	0.06	6.0	0.185	1.46	9.6	655
K285190		162.5	0.007	1.34	4.72	7.8	11	17.4	186.5	0.71	0.10	13.3	0.247	2.32	3.7	145
K285191		154.0	0.005	2.05	77.3	7.0	33	38.6	101.5	0.66	2.87	13.7	0.230	2.14	3.3	72
K285192		1.4	<0.002	<0.01	0.25	0.2	<1	0.2	46.2	<0.05	<0.05	0.2	<0.005	0.03	0.6	3
K285193		134.5	<0.002	1.65	14.95	6.1	19	18.4	123.0	0.58	0.10	12.0	0.204	1.79	4.6	56
K285194		148.0	0.003	0.93	5.24	6.9	7	15.0	147.0	0.66	0.05	12.9	0.226	1.93	3.9	62
K285195		189.5	0.005	1.54	5.98	10.3	6	11.0	129.0	0.87	0.10	14.9	0.304	2.37	3.9	103

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12183394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2012
 Account: RANSIL

Project: KEG (Main - Group 2)

CERTIFICATE OF ANALYSIS WH12198809

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
K285160		0.6	12.6	167	40.8
K285161		0.6	15.1	104	48.2
K285162		1.6	30.4	659	68.1
K285163		1.1	25.7	505	64.2
K285164		1.3	35.8	1730	88.1
K285165		2.7	27.8	3050	55.4
K285166		0.9	31.6	1060	80.6
K285167		1.5	24.7	657	76.9
K285168		1.3	32.7	1660	83.5
K285169		1.4	33.9	2050	108.0
K285170		1.2	31.0	1380	105.0
K285171		0.1	0.9	17	0.5
K285172		0.9	33.2	157	51.3
K285173		1.5	20.8	145	69.1
K285174		1.6	26.0	496	61.1
K285175		1.2	27.4	429	52.2
K285176		1.2	27.3	412	52.9
K285177		1.5	27.1	556	60.0
K285178		1.1	23.3	381	52.9
K285179		1.4	38.2	1590	58.2
K285180		2.7	27.3	2930	54.3
K285181		1.3	18.8	73	77.4
K285182		1.4	18.2	65	75.6
K285183		1.2	21.3	145	77.8
K285184		1.2	22.4	2270	48.8
K285185		1.2	26.3	215	57.8
K285186		1.3	27.2	131	54.8
K285187		1.3	28.6	150	53.2
K285188		1.6	25.6	1960	49.6
K285189		1.5	26.5	556	49.3
K285190		1.0	20.1	133	75.6
K285191		2.4	21.2	1400	80.6
K285192		0.1	0.9	19	<0.5
K285193		1.0	36.8	2160	71.1
K285194		1.1	17.3	296	72.9
K285195		1.2	19.9	13	85.6

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12183394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KEG (Main - Group 2)

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-SEP-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12198809

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.