



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9-SEP-2012
This copy reported on
14-SEP-2012
Account: RANSIL

CERTIFICATE WH12209402

Project: KEG (Main - Group 1)

P.O. No.: Batch 68

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-SEP-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: SILVER RANGE RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12190093**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2012
Account: RANSIL

Project: KEG (Main - Group 1)

CERTIFICATE OF ANALYSIS WH12209402

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K287199		1.09	2.27	119	40	0.99	1.39	19.15	2.72	21.8	2.9	132	0.72	4.7	0.77	6.90
K287200		7.32	2.28	102	70	0.78	10.85	19.30	20.4	26.7	3.4	97	1.15	14.7	0.97	7.09
K287201		2.90	4.23	263	280	0.56	4.13	17.55	6.38	39.0	5.9	133	0.31	15.9	0.98	8.80
K287202		14.00	4.26	128.0	1540	1.19	48.5	7.99	56.5	42.7	6.9	61	5.11	776	3.24	11.95
K287203		1.93	3.44	203	190	0.76	3.05	20.3	5.72	33.6	4.6	123	0.31	13.7	1.40	8.67
K287204		2.32	3.41	122	500	1.08	4.32	21.1	6.04	37.0	4.9	119	0.48	8.4	1.41	10.60
K287205		3.10	2.05	70	50	0.65	4.90	25.3	8.44	25.0	2.5	66	0.47	10.2	1.06	6.28
K287206		4.26	3.59	128	170	0.53	6.99	13.00	11.25	35.8	4.6	168	0.52	11.9	0.97	8.20
K287207		4.20	3.57	123	180	0.50	7.13	13.10	11.90	36.4	4.4	161	0.52	12.1	0.97	7.89
K287208		6.25	4.46	156.0	250	0.59	12.00	9.55	17.20	44.3	5.9	243	1.30	12.4	0.70	8.41
K287209		17.95	3.44	610	360	0.53	32.9	7.78	50.8	37.2	4.4	201	1.14	21.9	1.14	6.51
K287210		1.79	3.49	189.0	180	0.38	3.84	8.43	3.85	41.8	4.5	237	0.29	4.5	0.56	7.08
K287211		2.08	3.81	290	200	0.54	4.67	14.90	6.24	39.4	8.1	235	0.19	4.6	0.96	10.55
K287212		3.84	4.03	255	630	0.53	7.33	12.50	9.12	49.6	7.3	185	0.46	25.7	0.81	9.99
K287213		0.02	0.08	<5	90	0.06	0.04	20.8	0.10	1.23	1.2	<1	0.36	1.7	0.47	0.40
K287214		0.34	2.92	203	2800	0.67	0.20	17.30	0.6	36.3	3.3	114	2.99	55.9	1.08	6.91
K287215		0.42	3.72	97	4850	0.80	0.20	13.65	1.52	42.1	4.3	102	4.29	72.7	1.16	8.96
K287216		0.34	3.78	81	1390	0.97	0.15	16.65	0.47	38.7	4.4	78	6.41	64.2	1.40	9.81
K287217		0.49	4.96	37.2	810	1.64	17.60	3.75	2.11	52.9	12.7	75	9.33	389	3.81	14.35
K287218		0.35	4.50	13.9	860	1.36	6.42	2.95	7.00	43.0	11.6	104	6.67	250	2.74	12.35
K287219		1.43	4.24	1.3	400	1.32	66.4	6.80	148.5	37.7	13.0	59	3.78	896	7.49	13.85
K287220		0.01	0.07	<5	20	0.05	0.11	20.8	0.42	1.09	1.1	<1	0.52	5.4	0.47	0.35
K287221		0.45	5.43	13.3	930	1.70	8.14	3.02	9.72	55.8	14.5	90	9.71	328	3.77	15.30
K287222		0.34	5.54	8.4	840	1.64	5.75	2.94	4.99	58.5	11.2	88	11.10	236	3.20	15.90
K287223		0.28	5.25	9.5	850	1.60	12.50	3.06	2.08	56.5	9.3	77	9.43	244	2.65	15.10
K287224		0.36	5.66	13.9	920	1.75	5.56	3.00	2.81	57.4	11.7	90	9.52	214	2.98	15.50
K287225		0.39	5.24	9.4	780	1.66	10.30	3.38	4.99	53.6	12.2	90	9.21	265	3.32	14.85
K287226		35.4	4.06	401	520	1.15	130.0	7.24	184.5	41.7	7.6	67	5.77	1105	5.06	11.80
K287227		0.50	4.79	11.0	730	1.51	13.05	4.48	20.2	57.4	14.5	82	7.31	261	3.39	14.00
K287228		0.56	4.96	15.6	900	1.46	11.75	3.84	17.65	50.1	14.8	80	7.68	293	3.45	13.55
K287229		0.60	4.88	16.1	860	1.55	15.45	3.92	23.6	49.9	14.6	89	6.95	292	3.35	13.50
K287230		0.57	4.79	8.9	690	1.42	7.98	3.40	2.87	46.1	12.1	79	6.45	434	3.79	13.40
K287231		0.33	5.20	17.5	1090	1.54	8.09	3.10	3.82	58.0	10.4	81	8.01	232	3.02	13.50
K287232		0.29	4.88	4.9	790	1.47	6.11	3.49	7.21	48.9	9.5	77	5.30	193.0	2.53	13.35
K287233		0.39	4.80	3.0	1190	1.35	5.93	5.90	14.50	49.7	8.4	106	4.47	226	2.77	12.85
K287234		0.20	4.94	21.9	1770	1.50	2.00	5.99	1.89	53.8	6.4	88	4.53	76.3	2.09	13.00

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12190093**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2012
Account: RANSIL

Project: KEG (Main - Group 1)

CERTIFICATE OF ANALYSIS WH12209402

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
K287199		0.30	0.5	<0.005	0.10	21.5	31.0	1.07	747	7.97	0.02	2.3	58.3	7910	164.0
K287200		0.21	0.9	0.052	0.16	22.3	31.3	1.17	1140	6.56	0.03	5.1	47.0	5700	738
K287201		0.25	0.9	<0.005	0.04	28.6	27.5	0.27	889	10.55	0.05	3.5	85.6	5940	431
K287202		0.20	1.3	2.03	1.80	24.2	38.0	2.19	1740	12.70	0.22	7.7	48.2	1140	1060
K287203		0.12	1.1	0.100	0.02	26.4	24.1	0.65	1180	11.85	0.06	7.3	72.7	6240	313
K287204		0.18	1.1	0.112	0.08	29.8	25.5	1.35	1080	12.70	0.06	6.6	75.3	5270	276
K287205		0.11	0.8	0.119	0.07	17.0	22.1	1.62	1600	4.10	0.03	5.5	33.7	3780	438
K287206		0.19	1.1	0.184	0.03	30.5	35.5	0.63	682	12.55	0.08	5.0	78.1	8300	597
K287207		0.17	1.1	0.184	0.03	30.8	36.5	0.61	679	12.00	0.08	4.6	75.1	8100	602
K287208		0.24	1.3	0.223	0.04	41.1	30.9	0.37	309	17.45	0.10	2.5	112.0	>10000	936
K287209		0.28	1.3	0.706	0.07	33.4	33.9	0.31	252	17.30	0.08	6.5	82.7	>10000	2150
K287210		0.19	1.2	0.119	0.01	39.7	31.8	0.25	285	13.85	0.08	3.8	99.8	>10000	167.0
K287211		0.21	1.2	0.113	0.01	45.0	25.7	0.45	836	28.7	0.06	3.9	156.0	9550	174.5
K287212		0.24	1.4	0.143	0.04	46.1	26.6	0.36	683	22.4	0.07	3.4	117.0	>10000	401
K287213		0.37	<0.1	0.007	0.04	0.6	1.3	12.90	228	0.21	<0.01	0.4	3.1	210	1.9
K287214		0.19	1.6	0.023	1.77	26.2	28.1	2.71	870	2.21	0.10	7.8	22.3	3810	19.0
K287215		0.18	1.7	0.032	2.81	33.0	26.6	2.93	481	5.50	0.12	8.9	34.6	3940	20.2
K287216		0.13	1.7	0.027	2.05	27.1	14.2	2.65	424	4.03	0.40	9.2	32.1	2310	13.1
K287217		0.17	2.1	0.094	2.20	29.7	48.7	2.55	261	38.6	0.35	10.0	90.9	1330	13.9
K287218		0.13	1.9	0.205	1.86	25.0	25.1	1.82	251	24.6	0.36	8.7	66.4	1030	13.3
K287219		0.24	1.8	5.69	0.57	23.4	15.1	5.67	606	11.45	0.28	8.3	62.9	1010	34.8
K287220		0.23	<0.1	0.018	0.04	0.5	1.2	12.85	224	0.13	<0.01	0.4	2.3	180	1.3
K287221		0.18	2.4	0.205	2.48	33.0	30.1	1.95	238	47.1	0.49	10.4	96.2	1870	14.0
K287222		0.17	2.2	0.116	2.54	32.0	28.4	1.98	217	24.2	0.56	10.9	72.7	1080	10.4
K287223		0.17	2.1	0.117	2.39	31.0	26.5	2.09	252	1.29	0.31	10.6	72.9	870	9.1
K287224		0.15	2.3	0.064	2.91	31.4	22.9	2.03	259	23.1	0.46	11.2	84.0	990	15.1
K287225		0.17	2.1	0.157	2.46	30.9	22.7	2.11	347	16.15	0.38	10.4	67.8	1330	14.7
K287226		0.29	1.5	10.15	1.63	24.4	34.6	2.20	1930	12.85	0.19	8.7	48.5	1190	2770
K287227		0.14	2.1	0.576	1.70	33.8	15.0	2.60	488	21.5	0.29	9.3	85.6	2930	15.4
K287228		0.15	2.0	0.470	2.16	29.4	15.7	2.34	430	16.70	0.26	9.4	87.1	1720	17.8
K287229		0.14	2.0	0.639	2.05	28.9	14.5	2.44	460	14.80	0.26	9.3	85.9	1680	20.7
K287230		0.16	1.9	0.126	2.13	27.2	22.9	2.37	308	29.6	0.24	9.5	68.6	1330	14.1
K287231		0.17	2.2	0.116	2.45	31.9	20.3	1.83	240	24.6	0.37	10.5	72.3	1480	11.5
K287232		0.17	1.9	0.234	2.05	27.1	13.9	2.27	288	1.38	0.41	9.5	83.1	690	8.7
K287233		0.15	2.0	0.537	2.28	30.3	11.2	2.78	500	24.2	0.33	9.4	101.5	2380	9.3
K287234		0.15	2.1	0.080	2.67	31.6	33.3	2.99	687	19.80	0.54	10.7	70.0	2080	7.0

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12190093**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2012
Account: RANSIL

Project: KEG (Main - Group 1)

CERTIFICATE OF ANALYSIS WH12209402

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K287199		0.030	0.04	26.5	6.2	3	155.0	204	0.08	<0.05	2.9	0.134	0.05	7.1	110	3.8
K287200		0.022	0.30	30.1	5.5	15	259	148.0	0.37	0.07	3.4	0.172	0.14	5.7	94	5.5
K287201		0.036	0.09	10.25	7.4	9	201	129.5	0.19	<0.05	5.2	0.170	0.17	6.2	165	7.4
K287202		0.013	0.97	7.80	8.0	23	147.0	208	0.54	0.25	6.0	0.290	0.76	3.1	138	2.3
K287203		0.033	0.36	43.3	7.0	7	347	155.0	0.51	<0.05	5.3	0.228	0.16	6.7	145	7.8
K287204		0.038	0.07	59.4	8.5	7	195.0	179.5	0.46	0.05	5.5	0.228	0.12	7.9	163	5.5
K287205		0.010	0.04	38.4	4.8	9	208	125.0	0.37	0.05	3.6	0.162	0.06	3.7	74	1.8
K287206		0.055	0.22	22.0	9.5	15	170.5	155.0	0.26	0.07	5.5	0.181	0.18	10.3	157	10.6
K287207		0.056	0.21	22.0	9.5	16	155.5	153.5	0.26	0.07	5.7	0.174	0.18	10.6	156	10.1
K287208		0.069	0.16	8.07	14.8	24	145.0	248	0.16	0.09	6.9	0.127	0.24	17.5	213	23.6
K287209		0.044	0.93	21.9	9.6	51	354	209	0.41	0.26	5.2	0.208	0.51	16.1	163	50.4
K287210		0.052	0.11	8.72	12.5	8	143.0	177.5	0.15	<0.05	5.9	0.164	0.23	17.2	193	22.1
K287211		0.130	0.08	16.15	17.0	8	124.5	201	0.28	<0.05	5.9	0.182	0.16	17.2	305	14.0
K287212		0.071	0.10	8.72	14.4	16	138.0	212	0.24	0.08	6.0	0.152	0.19	21.5	254	15.2
K287213		<0.002	0.01	0.06	0.3	1	0.5	45.5	<0.05	<0.05	<0.2	<0.005	0.02	0.8	3	0.2
K287214		0.011	0.12	4.54	7.0	7	123.5	287	0.54	<0.05	5.3	0.243	0.58	4.3	73	2.8
K287215		0.037	0.13	3.68	10.2	8	17.9	397	0.62	<0.05	6.4	0.276	1.05	6.4	86	6.6
K287216		0.027	0.27	2.95	8.2	9	11.5	345	0.65	<0.05	6.7	0.277	0.75	5.1	74	0.9
K287217		0.058	2.04	6.36	12.6	15	16.0	304	0.71	0.38	7.9	0.298	1.66	9.1	448	8.7
K287218		0.039	1.53	3.85	11.7	10	9.0	277	0.61	0.16	7.0	0.265	1.32	5.4	256	1.5
K287219		0.021	4.49	10.15	10.6	33	36.1	383	0.59	0.53	5.9	0.247	0.37	4.7	216	10.0
K287220		<0.002	0.01	<0.05	0.2	1	0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.02	0.5	3	0.1
K287221		0.070	2.25	2.55	13.5	15	8.8	318	0.75	0.20	8.5	0.319	1.83	11.7	657	2.2
K287222		0.040	1.78	1.50	13.0	13	8.7	246	0.78	0.16	9.2	0.334	2.03	5.8	333	2.6
K287223		0.006	1.32	1.31	13.3	10	10.2	305	0.76	0.34	8.5	0.325	1.79	2.8	102	1.5
K287224		0.035	1.60	1.84	13.8	11	7.4	321	0.81	0.18	9.3	0.341	1.92	7.6	409	1.7
K287225		0.034	1.83	2.40	12.6	12	11.0	256	0.74	0.18	8.4	0.307	1.74	5.0	278	3.1
K287226		0.012	2.61	13.25	8.0	63	153.0	192.0	0.61	0.54	6.5	0.262	0.87	3.7	128	3.2
K287227		0.032	1.90	2.34	11.9	12	14.5	259	0.67	0.21	7.7	0.280	1.14	10.7	424	2.9
K287228		0.030	1.96	2.07	12.1	12	12.2	369	0.66	0.20	7.5	0.287	1.31	7.6	353	5.5
K287229		0.027	1.91	2.12	12.0	12	13.1	374	0.67	0.22	7.6	0.282	1.23	7.6	345	2.3
K287230		0.056	2.13	2.73	11.6	15	10.8	306	0.65	0.16	7.2	0.283	1.38	6.1	346	1.6
K287231		0.035	1.62	2.43	12.3	11	6.6	313	0.77	0.22	8.7	0.317	1.76	7.4	327	1.8
K287232		0.008	1.25	1.73	12.2	10	11.7	301	0.68	0.13	8.1	0.295	1.34	2.5	101	1.5
K287233		0.032	1.43	2.15	10.8	14	12.8	302	0.67	0.08	7.6	0.294	0.93	5.9	331	2.5
K287234		0.023	0.71	2.73	11.6	11	18.1	306	0.78	0.06	8.6	0.324	1.23	4.9	276	2.0

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12190093**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2012
 Account: RANSIL

Project: KEG (Main - Group 1)

CERTIFICATE OF ANALYSIS WH12209402

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
K287199		31.2	204	17.2
K287200		26.1	978	25.4
K287201		31.0	426	30.3
K287202		24.1	3130	43.9
K287203		33.7	326	33.4
K287204		38.5	352	30.8
K287205		22.2	446	22.2
K287206		37.2	593	30.2
K287207		37.0	617	30.2
K287208		44.6	866	38.7
K287209		32.2	2210	38.7
K287210		41.6	283	33.6
K287211		62.2	379	39.7
K287212		55.2	492	47.9
K287213		1.0	17	<0.5
K287214		33.0	71	47.6
K287215		45.7	115	58.7
K287216		36.1	67	52.9
K287217		37.7	129	82.9
K287218		30.2	377	71.1
K287219		35.6	7530	67.2
K287220		0.9	33	<0.5
K287221		38.9	600	90.8
K287222		37.4	332	83.3
K287223		34.7	120	75.7
K287224		37.1	208	87.3
K287225		33.5	295	75.3
K287226		26.3	9390	49.2
K287227		43.2	1060	78.5
K287228		35.1	952	75.5
K287229		35.2	1230	74.6
K287230		33.0	190	73.3
K287231		39.3	240	79.5
K287232		30.8	409	68.8
K287233		40.2	727	70.0
K287234		37.2	155	75.0

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12190093**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KEG (Main - Group 1)

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12209402

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (2 ppm DL) REE's may not be totally soluble in this method.