



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 16-SEP-2012
This copy reported on
26-SEP-2012
Account: RANSIL

CERTIFICATE WH12213501

Project: KEG(MAIN-GROUP1)

P.O. No.: Batch 80

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-SEP-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: SILVER RANGE RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12194658**

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-SEP-2012
Account: RANSIL

Project: KEG(MAIN-GROUP1)

CERTIFICATE OF ANALYSIS WH12213501

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
K285449		5.30	4.45	140.5	980	1.10	10.10	7.57	7.17	47.2	6.4	62	4.75	137.0	2.12
K285450		9.03	4.69	221	800	1.05	16.85	7.46	10.45	47.5	7.2	80	13.40	320	2.44
K285451		1.28	5.42	94.2	740	1.28	2.63	5.15	1.99	49.7	8.7	86	8.24	121.0	2.31
K285452		0.81	5.38	36.4	740	1.40	1.70	4.99	1.16	48.4	8.5	84	8.73	114.0	2.23
K285453		9.85	4.87	144.5	600	1.23	18.65	7.00	14.10	49.3	7.8	74	11.30	264	2.37
K285454		4.35	4.73	403	920	1.00	8.10	8.19	7.29	49.8	6.2	65	9.26	182.0	2.20
K285455		13.35	4.26	83.6	810	1.00	25.2	8.53	18.80	43.4	6.3	57	6.03	350	2.31
K285456		1.78	4.13	43.5	880	0.93	2.88	8.96	6.90	38.4	6.2	62	5.97	156.5	1.95
K285457		2.07	4.14	44.7	1040	0.77	3.38	7.57	1.05	39.1	5.8	43	4.79	77.1	1.61
K285458		22.7	3.89	1140	380	1.15	81.2	8.24	303	39.4	13.1	54	4.41	1870	5.79
K285459		0.60	3.64	57.8	830	0.77	0.84	7.69	2.25	36.3	6.4	52	5.54	62.7	1.67
K285460		0.73	4.18	47.5	1100	0.88	0.99	7.29	1.57	44.1	6.5	46	3.92	124.5	1.95
K285461		2.88	4.31	37.8	930	1.12	5.50	8.18	4.70	42.4	6.0	56	5.38	77.3	1.85
K285462		3.24	4.31	27.6	1180	1.00	5.96	9.54	3.32	50.6	5.8	50	7.58	144.0	1.98
K285463		3.30	4.19	34.3	1190	0.88	6.18	9.89	2.49	43.6	5.9	53	5.70	72.1	2.05
K285464		4.25	4.20	36.0	1190	1.00	8.57	9.67	4.63	41.8	5.8	52	6.16	107.5	2.04
K285465		1.60	4.28	56.6	1300	1.05	2.89	9.81	2.84	45.3	6.7	55	5.50	84.3	2.09
K285466		2.08	3.81	38	670	0.87	4.09	12.55	9.81	38.0	6.1	45	6.34	83.4	1.90
K285467		1.39	4.03	35.0	890	0.89	2.85	5.49	1.95	35.6	5.8	47	4.39	72.0	1.61
K285468		5.72	3.90	111.5	610	0.87	11.45	9.89	10.35	39.0	4.8	48	5.48	109.5	1.68
K285469		22.9	3.39	30.9	950	0.79	21.9	8.04	134.5	33.0	4.8	35	3.62	1295	2.98
K285470		0.05	0.13	<5	40	0.07	0.09	21.6	0.20	1.30	1.3	<1	0.52	2.4	0.48
K285471		2.00	3.55	354	570	0.91	2.90	14.70	7.03	27.8	3.8	28	5.21	214	1.68
K285472		1.21	1.72	416	420	0.66	0.96	21.0	6.10	14.80	1.4	9	1.62	101.0	0.77
K285473		2.04	4.07	209	1000	1.06	1.49	7.72	7.18	40.6	3.8	45	6.55	175.0	1.16
K285474		0.64	6.22	121.0	1190	1.81	0.50	4.39	0.82	55.5	8.9	65	9.76	200	2.07
K285475		14.45	4.30	137.5	1520	1.15	49.0	8.24	56.8	43.8	6.6	68	5.56	790	3.52
K285476		1.23	4.02	222	1340	1.00	0.69	8.79	4.17	45.6	5.1	48	4.31	249	1.54
K285477		1.59	3.93	147	1270	0.81	0.83	10.10	3.45	38.5	4.5	35	3.14	336	2.08
K285478		0.54	4.50	104.0	2310	0.99	0.22	7.63	0.5	43.1	4.8	54	4.15	142.0	1.68
K285479		5.73	4.44	260	1610	0.99	5.16	8.43	17.95	44.1	6.2	49	3.46	539	1.64
K285480		0.01	0.08	<5	30	0.07	0.04	21.0	0.08	1.20	1.6	<1	0.47	2.5	0.49
K285481		0.45	5.43	87.5	1520	1.58	0.20	6.88	0.6	57.6	7.7	72	6.41	130.0	2.02
K285482		2.37	4.38	52.7	1710	1.02	2.32	7.58	7.79	41.0	5.3	44	6.52	410	1.34
K285483		1.09	4.29	78.0	1560	1.17	1.22	8.44	1.31	41.9	7.4	52	6.50	89.0	1.20
K285484		2.89	3.47	151.5	1780	0.87	3.28	8.55	10.95	35.3	5.9	56	8.96	359	1.46

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12194658**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-SEP-2012
Account: RANSIL

Project: KEG(MAIN-GROUP1)

CERTIFICATE OF ANALYSIS WH12213501

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
K285449		0.13	2.2	0.159	2.34	28.6	40.0	2.19	891	21.9	0.19	8.4	52.7	2160	700
K285450		0.15	2.1	0.232	2.12	29.2	23.6	2.37	1120	24.4	0.37	8.4	60.0	2040	1195
K285451		0.13	2.4	0.068	2.92	29.0	18.2	2.59	514	6.33	0.59	9.3	72.4	1450	115.0
K285452		0.15	2.3	0.056	2.89	28.6	19.4	2.47	503	6.47	0.57	9.1	73.7	1350	63.1
K285453		0.16	2.2	0.249	2.14	28.7	19.3	2.68	1140	9.15	0.48	8.9	51.9	1500	1420
K285454		0.08	2.0	0.148	2.05	29.4	33.3	2.33	1350	8.03	0.35	9.0	35.3	1740	588
K285455		0.12	1.8	0.271	1.89	25.8	30.8	2.82	1300	5.27	0.23	7.7	36.2	1890	1675
K285456		0.05	1.5	0.107	1.83	22.7	13.4	2.23	752	7.32	0.20	6.6	37.6	1280	271
K285457		0.05	1.5	0.056	2.05	21.8	34.4	1.87	699	3.89	0.15	6.8	26.2	820	345
K285458		0.26	1.3	21.7	1.38	22.8	31.7	2.10	2580	15.85	0.16	7.9	49.1	830	1520
K285459		<0.05	1.5	0.072	1.65	21.4	16.9	2.11	660	4.58	0.12	6.1	34.7	940	53.6
K285460		<0.05	1.7	0.058	2.07	24.4	27.7	2.03	504	3.11	0.28	7.4	30.8	630	71.8
K285461		0.06	1.8	0.097	1.76	23.1	42.9	2.28	783	4.26	0.18	7.6	37.1	750	386
K285462		<0.05	1.9	0.116	1.73	28.7	30.7	2.32	991	3.86	0.19	8.4	33.9	810	423
K285463		<0.05	1.8	0.083	2.01	25.2	22.5	2.56	879	3.63	0.16	7.5	39.4	710	405
K285464		<0.05	1.8	0.125	2.03	24.0	21.1	2.54	878	3.58	0.17	7.5	38.2	690	525
K285465		<0.05	1.9	0.099	2.20	26.3	24.7	2.72	871	3.90	0.13	8.4	46.7	800	154.0
K285466		<0.05	1.7	0.187	1.26	23.3	24.0	2.23	723	2.85	0.09	7.0	36.5	720	198.0
K285467		<0.05	1.5	0.061	1.87	19.0	30.7	1.97	433	2.54	0.16	6.6	36.2	510	142.0
K285468		0.05	1.6	0.245	1.18	22.1	33.6	1.74	902	6.22	0.10	7.2	28.3	1020	640
K285469		0.24	1.4	3.28	1.24	18.1	42.2	1.83	1370	3.11	0.09	6.1	29.2	770	4630
K285470		<0.05	<0.1	0.008	0.05	0.7	1.5	13.30	204	0.09	0.01	0.4	0.3	170	7.7
K285471		<0.05	1.4	0.114	1.19	15.5	27.2	0.83	568	12.05	0.08	5.4	29.0	450	240
K285472		<0.05	0.8	0.075	0.35	8.5	17.0	0.76	744	3.64	0.01	3.0	5.8	300	518
K285473		<0.05	1.8	0.104	1.72	22.3	33.4	1.73	738	8.06	0.11	7.9	26.5	500	632
K285474		0.13	2.6	0.034	4.29	30.4	46.3	1.77	358	12.15	0.31	11.9	49.7	510	21.9
K285475		0.12	1.7	2.34	1.85	25.3	36.7	2.24	1750	14.65	0.23	8.5	46.8	1120	1080
K285476		<0.05	1.9	0.091	2.39	26.3	33.9	1.91	1040	8.37	0.11	8.1	35.3	620	226
K285477		<0.05	1.5	<0.005	1.64	22.3	40.1	2.09	1830	6.65	0.06	6.8	30.4	570	248
K285478		0.06	1.9	0.045	3.67	23.1	37.4	2.62	1280	7.86	0.15	9.1	35.4	870	26.1
K285479		0.10	1.9	0.124	2.75	24.7	46.5	2.10	1280	7.13	0.10	8.6	48.0	660	1605
K285480		<0.05	<0.1	<0.005	0.04	0.7	1.4	12.90	214	0.07	0.01	0.4	1.9	180	3.3
K285481		0.07	2.4	0.066	3.18	32.4	57.6	2.20	859	14.30	0.33	10.5	49.1	660	38.8
K285482		<0.05	1.8	0.170	1.95	23.1	35.4	1.97	838	5.97	0.21	8.1	34.9	500	483
K285483		0.05	2.1	0.041	1.88	24.2	32.3	2.10	796	5.27	0.16	8.2	45.4	640	271
K285484		<0.05	1.7	0.162	1.81	23.2	21.2	2.44	879	5.05	0.20	6.8	43.3	1050	610

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12194658**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-SEP-2012
Account: RANSIL

Project: KEG(MAIN-GROUP1)

CERTIFICATE OF ANALYSIS WH12213501

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K285449		0.016	0.73	14.65	7.9	16	103.0	285	0.65	0.09	7.3	0.289	1.20	4.2	190	1.5
K285450		0.019	0.88	4.09	8.3	24	156.5	378	0.67	0.13	7.4	0.291	0.98	4.3	247	1.3
K285451		0.013	1.00	4.06	10.9	19	26.8	340	0.72	0.07	8.4	0.319	1.40	3.5	148	1.2
K285452		0.012	0.98	4.71	11.1	17	28.1	373	0.72	0.06	8.7	0.319	1.41	3.5	146	1.1
K285453		0.014	0.86	5.13	9.0	28	114.0	316	0.69	0.12	8.0	0.308	1.11	3.9	155	1.2
K285454		0.012	0.59	6.78	8.2	13	150.5	272	0.72	0.07	8.0	0.319	0.95	3.6	131	1.5
K285455		0.008	0.70	8.44	7.8	30	74.1	314	0.61	0.16	6.9	0.260	1.03	3.4	112	1.1
K285456		0.011	0.44	6.03	6.9	13	94.6	221	0.52	0.05	6.2	0.235	0.86	3.4	127	1.5
K285457		0.008	0.32	5.69	6.4	12	103.5	271	0.55	0.06	6.0	0.241	0.89	2.3	83	1.8
K285458		0.021	2.72	8.39	7.1	58	222	156.5	0.60	0.43	5.6	0.255	0.58	2.9	108	5.2
K285459		0.013	0.23	4.18	7.1	7	96.5	190.0	0.51	<0.05	5.6	0.227	0.69	3.2	111	1.2
K285460		0.008	0.61	6.92	7.0	12	67.6	335	0.59	<0.05	6.7	0.255	0.88	2.6	86	1.3
K285461		0.013	0.45	8.45	8.0	16	71.5	353	0.59	0.07	7.0	0.263	0.87	3.1	108	1.5
K285462		0.011	0.45	5.12	7.6	12	106.5	401	0.63	0.05	7.2	0.284	0.78	3.2	94	1.9
K285463		0.014	0.30	5.91	8.3	12	110.0	415	0.60	0.07	6.6	0.262	0.82	3.0	89	1.3
K285464		0.011	0.36	5.73	8.4	14	104.0	383	0.61	0.08	6.9	0.267	0.84	3.2	90	1.3
K285465		0.014	0.29	7.92	8.9	10	129.0	316	0.67	<0.05	7.1	0.291	0.96	3.7	103	1.5
K285466		0.011	0.22	10.90	7.2	9	84.8	261	0.56	0.05	6.0	0.240	0.53	3.7	81	1.3
K285467		0.012	0.36	7.03	7.6	14	22.0	302	0.52	0.07	6.1	0.232	0.84	3.1	77	1.2
K285468		0.015	0.35	12.50	6.5	19	103.0	190.0	0.60	0.09	6.4	0.251	0.62	3.9	107	1.5
K285469		0.012	1.62	67.9	5.5	80	169.5	217	0.51	0.27	5.4	0.229	0.60	3.1	58	1.2
K285470		<0.002	<0.01	0.11	0.3	1	0.4	39.2	<0.05	<0.05	0.2	0.005	0.03	0.5	3	0.1
K285471		0.029	0.59	52.7	4.5	12	82.0	168.0	0.44	0.06	4.4	0.197	0.65	2.4	98	2.5
K285472		0.004	0.09	9.90	1.9	8	146.5	256	0.25	0.06	2.2	0.102	0.18	1.6	35	4.3
K285473		0.018	0.15	6.99	8.0	10	134.0	258	0.65	0.05	6.9	0.269	0.67	3.0	122	1.8
K285474		0.024	0.82	5.97	12.8	10	33.9	280	0.90	0.06	10.0	0.366	1.94	4.2	229	1.5
K285475		0.016	1.01	8.68	8.2	27	149.0	206	0.67	0.23	7.1	0.292	0.88	3.6	138	2.8
K285476		0.024	0.28	7.78	8.7	6	173.0	201	0.64	<0.05	7.1	0.271	0.99	3.0	167	1.6
K285477		0.017	0.20	10.75	7.1	6	346	127.5	0.51	<0.05	5.7	0.231	0.81	2.6	132	1.4
K285478		0.022	0.22	6.39	9.5	4	166.5	216	0.71	<0.05	7.0	0.303	1.64	3.0	153	1.1
K285479		0.021	0.31	11.20	9.5	21	352	166.5	0.68	0.10	7.0	0.289	1.18	4.2	153	1.6
K285480		0.002	<0.01	0.97	0.3	1	0.5	40.5	<0.05	<0.05	<0.2	<0.005	0.02	0.8	2	0.2
K285481		0.032	0.79	8.07	12.0	8	193.5	274	0.80	<0.05	8.9	0.341	1.52	4.5	239	2.1
K285482		0.017	0.18	6.34	8.6	8	206	404	0.63	<0.05	6.7	0.264	0.79	2.7	131	3.4
K285483		0.034	0.14	10.70	9.4	5	109.0	294	0.64	<0.05	6.7	0.256	0.88	3.3	114	2.1
K285484		0.030	0.28	5.03	9.1	10	131.5	270	0.51	0.06	5.2	0.223	0.79	3.3	96	1.9

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12194658**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2012
 Account: RANSIL

Project: KEG(MAIN-GROUP1)

CERTIFICATE OF ANALYSIS WH12213501

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
K285449		30.1	513	81.3	
K285450		31.9	699	83.4	
K285451		31.0	162	84.7	
K285452		30.0	105	84.6	
K285453		29.9	1020	80.1	
K285454		30.1	525	69.7	
K285455		26.3	1250	71.4	
K285456		22.6	484	56.4	
K285457		20.7	94	51.5	
K285458		20.9	>10000	40.5	1.405
K285459		20.4	184	50.9	
K285460		22.1	132	56.4	
K285461		21.9	325	69.2	
K285462		25.6	255	68.5	
K285463		22.9	179	60.3	
K285464		22.6	318	62.5	
K285465		24.2	203	66.9	
K285466		20.8	657	59.6	
K285467		17.7	159	52.3	
K285468		22.0	704	53.4	
K285469		16.9	8500	45.8	
K285470		0.8	24	1.9	
K285471		14.0	367	49.7	
K285472		8.2	389	25.0	
K285473		21.5	429	60.7	
K285474		26.0	68	100.0	
K285475		24.6	3230	57.7	
K285476		22.9	261	61.0	
K285477		21.8	302	49.9	
K285478		26.6	60	65.8	
K285479		24.9	1160	62.0	
K285480		0.8	18	0.6	
K285481		28.7	50	87.8	
K285482		20.7	484	61.1	
K285483		24.6	102	72.5	
K285484		26.5	654	63.4	

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12194658**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KEG(MAIN-GROUP1)

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-SEP-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12213501

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)