



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 27-SEP-2012  
This copy reported on  
1-OCT-2012  
Account: RANSIL

**CERTIFICATE WH12221692**

Project: KEG (MAIN-GROUP 1)

P.O. No.: Batch 88

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-SEP-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                   |
|----------|-------------------------------|
| FND-02   | Find Sample for Addn Analysis |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                    | INSTRUMENT |
|----------|--------------------------------|------------|
| Cu-OG62  | Ore Grade Cu - Four Acid       | VARIABLE   |
| Zn-OG62  | Ore Grade Zn - Four Acid       | VARIABLE   |
| ME-MS61  | 48 element four acid ICP-MS    |            |
| ME-OG62  | Ore Grade Elements - Four Acid | ICP-AES    |

To: **SILVER RANGE RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016-510 W HASTINGS ST**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12204987\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-SEP-2012  
Account: RANSIL

Project: KEG (MAIN-GROUP 1)

**CERTIFICATE OF ANALYSIS WH12221692**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      | Fe      |
|                    |                                   | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       |
|                    |                                   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     | 0.01    |
| K285665            |                                   | 5.00    | 5.12    | 1260    | 1160    | 1.49    | 8.65    | 6.56    | 27.3    | 63.5    | 5.9     | 75      | 16.35   | 370     | 2.32    |
| K285666            |                                   | 43.4    | 3.35    | >10000  | 30      | 1.21    | 34.8    | 10.40   | >1000   | 30.9    | 21.4    | 33      | 0.77    | >10000  | 6.90    |
| K285667            |                                   | 4.09    | 5.48    | 562     | 1310    | 1.81    | 7.43    | 6.87    | 16.15   | 63.8    | 8.0     | 129     | 17.10   | 452     | 2.18    |
| K285668            |                                   | 95.6    | 3.24    | 2430    | 70      | 1.94    | 235     | 16.30   | 43.4    | 40.8    | 5.8     | 55      | 0.57    | 243     | 4.73    |
| K285669            |                                   | 0.17    | 0.05    | 8       | 20      | 0.06    | 0.38    | 21.2    | 0.31    | 1.41    | 1.3     | <1      | 0.12    | 5.4     | 0.45    |
| K285670            |                                   | 14.20   | 3.96    | 5020    | 740     | 1.30    | 29.9    | 9.67    | 22.6    | 52.6    | 6.4     | 48      | 3.26    | 137.5   | 2.71    |
| K285671            |                                   | 13.85   | 4.47    | 2150    | 1450    | 1.35    | 27.7    | 7.99    | 25.1    | 54.7    | 5.9     | 62      | 7.34    | 236     | 2.16    |
| K285672            |                                   | 7.00    | 3.88    | 1010    | 540     | 1.56    | 10.35   | 11.45   | 222     | 41.0    | 6.0     | 46      | 4.80    | 1490    | 3.59    |
| K285673            |                                   | 7.17    | 5.19    | 152.0   | 1110    | 1.82    | 13.05   | 6.88    | 35.0    | 67.2    | 8.4     | 90      | 12.15   | 188.5   | 2.50    |
| K285674            |                                   | 13.85   | 4.96    | 379     | 1020    | 1.57    | 29.1    | 7.85    | 31.1    | 59.7    | 7.7     | 73      | 14.40   | 411     | 2.56    |
| K285675            |                                   | 13.25   | 5.06    | 350     | 1060    | 1.66    | 27.6    | 8.01    | 28.9    | 62.5    | 7.9     | 74      | 13.40   | 406     | 2.58    |
| K285676            |                                   | 14.25   | 5.00    | 752     | 1280    | 1.63    | 28.4    | 8.17    | 30.0    | 58.4    | 5.8     | 63      | 18.60   | 246     | 2.42    |
| K285677            |                                   | 12.20   | 3.85    | 3650    | 810     | 1.38    | 23.2    | 9.12    | 24.0    | 49.5    | 6.8     | 54      | 8.47    | 644     | 2.91    |
| K285678            |                                   | 5.08    | 4.17    | 1155    | 1050    | 1.40    | 9.47    | 7.95    | 22.4    | 53.6    | 6.7     | 48      | 25.4    | 275     | 2.39    |
| K285679            |                                   | 1.00    | 4.03    | 1960    | 940     | 1.20    | 0.96    | 8.95    | 39.8    | 56.4    | 5.6     | 51      | 29.0    | 350     | 1.89    |
| K285680            |                                   | 22.3    | 3.70    | 1110    | 490     | 1.33    | 85.9    | 7.89    | 299     | 46.9    | 13.0    | 52      | 5.12    | 1760    | 5.43    |
| K285681            |                                   | 0.79    | 4.05    | 2160    | 780     | 1.43    | 0.83    | 7.77    | 4.74    | 51.3    | 6.7     | 54      | 11.45   | 216     | 2.28    |
| K285682            |                                   | 0.66    | 4.98    | 40.5    | 1380    | 1.86    | 0.92    | 5.54    | 1.72    | 58.8    | 9.1     | 83      | 14.20   | 218     | 2.06    |
| K285683            |                                   | 1.48    | 4.25    | 71.3    | 940     | 1.47    | 2.72    | 7.47    | 8.78    | 52.6    | 7.1     | 72      | 10.55   | 117.0   | 2.24    |
| K285684            |                                   | 3.00    | 4.49    | 235     | 1140    | 1.63    | 5.37    | 7.42    | 3.99    | 59.8    | 7.0     | 77      | 11.75   | 131.5   | 2.00    |
| K285685            |                                   | 22.2    | 3.70    | 1090    | 600     | 1.23    | 84.7    | 7.98    | 298     | 46.2    | 12.4    | 53      | 5.00    | 1730    | 5.44    |
| K285686            |                                   | 10.70   | 4.33    | 255     | 1510    | 1.63    | 20.7    | 7.94    | 24.5    | 57.7    | 7.6     | 79      | 11.80   | 258     | 2.26    |
| K285687            |                                   | 5.78    | 3.60    | 137     | 530     | 1.27    | 11.00   | 13.25   | 16.75   | 48.3    | 4.4     | 64      | 2.59    | 226     | 2.24    |
| K285688            |                                   | 2.82    | 4.33    | 89.8    | 530     | 1.30    | 5.33    | 8.48    | 31.7    | 39.3    | 3.4     | 73      | 2.75    | 243     | 1.66    |
| K285689            |                                   | 4.84    | 4.12    | 168.5   | 1140    | 1.13    | 8.95    | 6.73    | 15.45   | 38.7    | 5.6     | 55      | 4.91    | 308     | 2.12    |
| K285690            |                                   | 3.74    | 4.40    | 1460    | 1350    | 1.34    | 2.73    | 5.84    | 10.70   | 46.3    | 8.4     | 57      | 10.25   | 431     | 2.23    |
| K285691            |                                   | 6.57    | 4.23    | 1940    | 840     | 1.14    | 1.25    | 6.68    | 13.75   | 43.3    | 6.9     | 54      | 14.90   | 2090    | 2.13    |
| K285692            |                                   | 1.43    | 4.30    | 670     | 790     | 1.07    | 0.82    | 6.82    | 10.05   | 41.9    | 6.1     | 46      | 21.0    | 474     | 1.82    |
| K285693            |                                   | 3.42    | 3.07    | 1580    | 770     | 1.03    | 9.06    | 7.55    | 5.13    | 37.5    | 5.8     | 43      | 7.55    | 537     | 2.10    |
| K285694            |                                   | 0.59    | 4.11    | 117.0   | 580     | 1.21    | 0.92    | 4.35    | 0.88    | 43.0    | 8.1     | 72      | 7.02    | 101.5   | 1.81    |
| K285695            |                                   | 0.29    | 5.10    | 53.0    | 810     | 1.35    | 0.46    | 4.68    | 0.23    | 56.4    | 8.8     | 63      | 8.14    | 62.5    | 1.95    |
| K285696            |                                   | 0.30    | 4.42    | 75.9    | 590     | 1.21    | 0.40    | 6.20    | 0.47    | 46.4    | 7.4     | 67      | 10.80   | 91.2    | 1.84    |
| K285697            |                                   | 0.30    | 4.61    | 25.3    | 810     | 1.44    | 0.40    | 4.77    | 0.59    | 50.8    | 8.5     | 67      | 6.07    | 79.7    | 2.00    |
| K285698            |                                   | 0.01    | 0.05    | <5      | 110     | 0.07    | 0.01    | 20.9    | 0.07    | 1.29    | 1.1     | <1      | 0.14    | 2.6     | 0.42    |
| K285699            |                                   | 0.40    | 4.20    | 44.3    | 770     | 1.36    | 0.28    | 5.32    | 0.90    | 43.0    | 8.7     | 73      | 5.17    | 85.6    | 2.11    |
| K285700            |                                   | 2.67    | 4.53    | 40.6    | 1300    | 1.56    | 6.79    | 9.11    | 5.83    | 42.8    | 8.8     | 59      | 8.20    | 85.6    | 2.23    |

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12204987\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-SEP-2012  
Account: RANSIL

Project: KEG (MAIN-GROUP 1)

**CERTIFICATE OF ANALYSIS WH12221692**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P       | Pb      |
|                    |                                   | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10      | 0.5     |
| K285665            |                                   | 0.26    | 1.9     | 0.239   | 2.42    | 36.4    | 30.6    | 2.08    | 1180    | 14.05   | 0.41    | 10.1    | 51.3    | 1620    | 325     |
| K285666            |                                   | 0.49    | 1.1     | 19.20   | 0.02    | 18.3    | 21.4    | 1.20    | 4040    | 11.25   | 0.01    | 7.7     | 44.1    | 850     | 1355    |
| K285667            |                                   | 0.22    | 2.3     | 0.142   | 2.48    | 35.6    | 41.6    | 2.02    | 930     | 27.2    | 0.47    | 11.0    | 68.9    | 1830    | 254     |
| K285668            |                                   | 0.47    | 1.0     | 0.325   | 0.11    | 25.6    | 76.0    | 3.19    | 4890    | 10.35   | 0.03    | 6.5     | 40.0    | 1530    | 5720    |
| K285669            |                                   | 0.10    | <0.1    | 0.009   | 0.02    | 0.7     | 1.5     | 12.75   | 203     | 0.16    | 0.01    | 0.3     | 3.1     | 200     | 13.1    |
| K285670            |                                   | 0.24    | 1.5     | 0.141   | 1.39    | 31.3    | 61.7    | 2.47    | 2740    | 4.67    | 0.18    | 8.1     | 44.2    | 1450    | 917     |
| K285671            |                                   | 0.22    | 1.8     | 0.277   | 1.79    | 32.4    | 81.8    | 2.46    | 1620    | 14.30   | 0.24    | 9.1     | 60.3    | 1590    | 1180    |
| K285672            |                                   | 0.22    | 1.4     | 3.52    | 0.39    | 24.8    | 99.1    | 2.77    | 3830    | 6.61    | 0.12    | 7.0     | 41.3    | 1640    | 398     |
| K285673            |                                   | 0.26    | 2.3     | 0.245   | 2.53    | 38.3    | 49.7    | 2.70    | 1080    | 10.50   | 0.48    | 10.1    | 60.4    | 2830    | 626     |
| K285674            |                                   | 0.27    | 2.1     | 0.600   | 2.42    | 36.9    | 41.9    | 2.67    | 1360    | 5.09    | 0.39    | 9.5     | 48.0    | 2130    | 1225    |
| K285675            |                                   | 0.26    | 2.0     | 0.540   | 2.50    | 35.5    | 40.3    | 2.77    | 1370    | 5.28    | 0.40    | 9.6     | 49.6    | 2220    | 1225    |
| K285676            |                                   | 0.21    | 1.9     | 0.490   | 2.04    | 33.6    | 47.6    | 2.35    | 1620    | 7.70    | 0.32    | 9.8     | 40.1    | 1780    | 1480    |
| K285677            |                                   | 0.21    | 1.5     | 0.473   | 1.41    | 28.7    | 54.7    | 2.77    | 2190    | 7.22    | 0.17    | 8.3     | 38.8    | 2110    | 1005    |
| K285678            |                                   | 0.19    | 1.7     | 0.271   | 1.76    | 31.1    | 53.4    | 2.69    | 1600    | 5.50    | 0.22    | 8.7     | 43.6    | 1950    | 399     |
| K285679            |                                   | 0.17    | 1.7     | 0.671   | 1.24    | 32.2    | 54.6    | 1.96    | 1560    | 6.16    | 0.17    | 9.0     | 48.6    | 1710    | 23.2    |
| K285680            |                                   | 0.37    | 1.3     | 26.2    | 1.32    | 27.6    | 41.5    | 1.97    | 2540    | 15.95   | 0.15    | 8.0     | 51.8    | 830     | 1430    |
| K285681            |                                   | 0.20    | 1.8     | 0.128   | 1.76    | 29.3    | 48.7    | 2.99    | 1280    | 5.04    | 0.23    | 8.5     | 58.3    | 1530    | 15.5    |
| K285682            |                                   | 0.20    | 2.2     | 0.057   | 2.47    | 35.9    | 57.2    | 2.32    | 558     | 12.85   | 0.28    | 9.6     | 78.9    | 2320    | 20.0    |
| K285683            |                                   | 0.22    | 1.8     | 0.116   | 1.86    | 33.1    | 95.5    | 2.41    | 1240    | 11.10   | 0.23    | 8.8     | 63.6    | 3330    | 122.0   |
| K285684            |                                   | 0.20    | 2.1     | 0.056   | 2.21    | 35.4    | 57.7    | 2.24    | 732     | 9.18    | 0.25    | 8.9     | 61.1    | 3100    | 353     |
| K285685            |                                   | 0.36    | 1.4     | 24.8    | 1.30    | 26.4    | 38.7    | 1.96    | 2510    | 15.60   | 0.15    | 7.8     | 51.3    | 820     | 1430    |
| K285686            |                                   | 0.22    | 1.9     | 0.312   | 1.90    | 35.3    | 61.0    | 2.40    | 1100    | 11.30   | 0.22    | 8.9     | 60.2    | 3240    | 1300    |
| K285687            |                                   | 0.20    | 1.6     | 0.263   | 0.91    | 28.6    | 42.4    | 0.83    | 1680    | 10.15   | 0.03    | 7.1     | 34.9    | 2280    | 566     |
| K285688            |                                   | 0.18    | 1.8     | 0.359   | 1.10    | 22.5    | 29.7    | 0.69    | 1040    | 11.60   | 0.04    | 8.5     | 28.8    | 2720    | 329     |
| K285689            |                                   | 0.15    | 1.5     | 0.166   | 1.98    | 20.7    | 39.7    | 1.00    | 826     | 7.48    | 0.09    | 8.5     | 32.7    | 980     | 391     |
| K285690            |                                   | 0.19    | 1.7     | 0.126   | 2.02    | 23.7    | 36.1    | 1.95    | 544     | 3.56    | 0.21    | 9.0     | 41.5    | 670     | 92.6    |
| K285691            |                                   | 0.15    | 1.5     | 0.507   | 1.45    | 22.1    | 24.7    | 2.23    | 575     | 1.92    | 0.23    | 8.7     | 51.2    | 600     | 16.0    |
| K285692            |                                   | 0.13    | 1.5     | 0.191   | 1.27    | 21.0    | 26.6    | 2.27    | 585     | 1.76    | 0.25    | 8.9     | 27.4    | 600     | 11.3    |
| K285693            |                                   | 0.14    | 1.2     | 0.143   | 1.21    | 20.5    | 35.7    | 3.09    | 629     | 2.62    | 0.17    | 6.0     | 25.4    | 600     | 52.3    |
| K285694            |                                   | 0.21    | 1.6     | 0.024   | 1.77    | 22.3    | 45.8    | 1.82    | 242     | 5.37    | 0.15    | 7.5     | 39.2    | 800     | 18.3    |
| K285695            |                                   | 0.18    | 2.1     | 0.021   | 2.11    | 27.9    | 49.0    | 2.18    | 274     | 2.77    | 0.18    | 9.8     | 42.6    | 600     | 7.2     |
| K285696            |                                   | 0.17    | 1.6     | 0.030   | 1.62    | 24.0    | 34.3    | 3.02    | 363     | 1.60    | 0.15    | 7.7     | 36.1    | 490     | 10.6    |
| K285697            |                                   | 0.15    | 1.8     | 0.026   | 1.89    | 25.9    | 38.6    | 2.56    | 278     | 2.03    | 0.15    | 8.3     | 46.6    | 540     | 7.0     |
| K285698            |                                   | 0.06    | <0.1    | <0.005  | 0.02    | 0.6     | 1.2     | 12.85   | 186     | 0.27    | <0.01   | 0.3     | 1.0     | 220     | 1.3     |
| K285699            |                                   | 0.15    | 1.6     | 0.028   | 1.73    | 23.2    | 34.5    | 2.41    | 315     | 2.13    | 0.14    | 7.4     | 43.1    | 630     | 5.7     |
| K285700            |                                   | 0.14    | 1.7     | 0.072   | 1.97    | 24.0    | 45.1    | 1.63    | 1040    | 2.15    | 0.11    | 8.3     | 44.5    | 670     | 252     |

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12204987\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 27-SEP-2012  
Account: RANSIL

Project: KEG (MAIN-GROUP 1)

**CERTIFICATE OF ANALYSIS WH12221692**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Re<br>ppm<br>0.002 | ME-MS61<br>S<br>%<br>0.01 | ME-MS61<br>Sb<br>ppm<br>0.05 | ME-MS61<br>Sc<br>ppm<br>0.1 | ME-MS61<br>Se<br>ppm<br>1 | ME-MS61<br>Sn<br>ppm<br>0.2 | ME-MS61<br>Sr<br>ppm<br>0.2 | ME-MS61<br>Ta<br>ppm<br>0.05 | ME-MS61<br>Te<br>ppm<br>0.05 | ME-MS61<br>Th<br>ppm<br>0.2 | ME-MS61<br>Ti<br>%<br>0.005 | ME-MS61<br>Ti<br>ppm<br>0.02 | ME-MS61<br>U<br>ppm<br>0.1 | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 |
|--------------------|-----------------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|----------------------------|--------------------------|----------------------------|
| K285665            |                                   | 0.015                         | 0.66                      | 6.50                         | 10.4                        | 14                        | 95.3                        | 311                         | 0.71                         | 0.07                         | 8.5                         | 0.325                       | 1.07                         | 4.3                        | 208                      | 1.3                        |
| K285666            |                                   | 0.012                         | 6.78                      | 17.20                        | 4.7                         | 99                        | >500                        | 38.4                        | 0.54                         | 0.51                         | 6.2                         | 0.243                       | 0.22                         | 4.0                        | 193                      | 1.7                        |
| K285667            |                                   | 0.032                         | 0.77                      | 9.79                         | 11.9                        | 21                        | 73.7                        | 322                         | 0.82                         | 0.08                         | 9.8                         | 0.362                       | 1.23                         | 6.5                        | 415                      | 1.6                        |
| K285668            |                                   | 0.006                         | 0.90                      | 30.7                         | 7.0                         | 97                        | 421                         | 49.8                        | 0.48                         | 0.59                         | 5.4                         | 0.213                       | 0.59                         | 3.8                        | 125                      | 1.3                        |
| K285669            |                                   | <0.002                        | <0.01                     | 0.11                         | 0.3                         | 2                         | 0.8                         | 48.6                        | <0.05                        | <0.05                        | <0.2                        | <0.005                      | <0.02                        | 0.7                        | 4                        | 0.1                        |
| K285670            |                                   | 0.012                         | 0.45                      | 10.60                        | 8.3                         | 24                        | 283                         | 195.5                       | 0.59                         | 0.23                         | 7.1                         | 0.270                       | 0.78                         | 3.5                        | 111                      | 1.1                        |
| K285671            |                                   | 0.015                         | 0.40                      | 11.65                        | 9.4                         | 25                        | 142.5                       | 284                         | 0.70                         | 0.18                         | 8.3                         | 0.294                       | 1.00                         | 4.9                        | 192                      | 1.9                        |
| K285672            |                                   | 0.010                         | 1.34                      | 13.80                        | 7.2                         | 23                        | 329                         | 152.5                       | 0.55                         | 0.10                         | 6.2                         | 0.239                       | 0.25                         | 3.5                        | 115                      | 2.7                        |
| K285673            |                                   | 0.020                         | 0.83                      | 4.54                         | 11.6                        | 30                        | 53.1                        | 284                         | 0.73                         | 0.13                         | 9.3                         | 0.319                       | 1.47                         | 5.0                        | 162                      | 1.9                        |
| K285674            |                                   | 0.009                         | 0.85                      | 4.52                         | 10.8                        | 36                        | 102.5                       | 253                         | 0.68                         | 0.22                         | 9.1                         | 0.314                       | 1.21                         | 4.1                        | 132                      | 16.0                       |
| K285675            |                                   | 0.009                         | 0.86                      | 4.44                         | 10.9                        | 35                        | 101.0                       | 262                         | 0.72                         | 0.20                         | 9.1                         | 0.321                       | 1.26                         | 4.1                        | 135                      | 14.6                       |
| K285676            |                                   | 0.009                         | 0.44                      | 5.38                         | 9.5                         | 24                        | 122.0                       | 286                         | 0.70                         | 0.20                         | 8.6                         | 0.325                       | 1.11                         | 3.7                        | 135                      | 1.6                        |
| K285677            |                                   | 0.009                         | 0.56                      | 6.20                         | 7.5                         | 25                        | 172.5                       | 149.5                       | 0.64                         | 0.28                         | 7.1                         | 0.274                       | 0.71                         | 3.4                        | 111                      | 1.3                        |
| K285678            |                                   | 0.006                         | 0.42                      | 3.57                         | 8.5                         | 17                        | 126.5                       | 183.5                       | 0.63                         | 0.09                         | 8.0                         | 0.293                       | 0.94                         | 3.7                        | 118                      | 1.5                        |
| K285679            |                                   | 0.011                         | 0.28                      | 6.00                         | 7.7                         | 9                         | 113.5                       | 213                         | 0.67                         | 0.06                         | 7.8                         | 0.291                       | 0.66                         | 3.8                        | 134                      | 1.2                        |
| K285680            |                                   | 0.018                         | 2.59                      | 9.36                         | 7.2                         | 59                        | 229                         | 156.5                       | 0.57                         | 0.61                         | 6.6                         | 0.250                       | 0.65                         | 3.5                        | 108                      | 7.1                        |
| K285681            |                                   | 0.010                         | 0.48                      | 5.41                         | 8.7                         | 13                        | 48.9                        | 178.0                       | 0.63                         | 0.08                         | 7.3                         | 0.272                       | 0.80                         | 3.4                        | 120                      | 1.1                        |
| K285682            |                                   | 0.017                         | 0.94                      | 4.06                         | 10.6                        | 16                        | 25.7                        | 244                         | 0.72                         | 0.07                         | 9.0                         | 0.312                       | 1.17                         | 4.7                        | 192                      | 1.3                        |
| K285683            |                                   | 0.013                         | 0.54                      | 4.69                         | 8.9                         | 12                        | 116.5                       | 170.5                       | 0.65                         | 0.06                         | 7.6                         | 0.292                       | 0.90                         | 4.3                        | 162                      | 4.1                        |
| K285684            |                                   | 0.011                         | 0.77                      | 15.50                        | 9.5                         | 18                        | 65.5                        | 267                         | 0.69                         | 0.09                         | 8.0                         | 0.292                       | 1.06                         | 4.4                        | 152                      | 1.7                        |
| K285685            |                                   | 0.019                         | 2.60                      | 9.24                         | 7.0                         | 56                        | 223                         | 154.0                       | 0.55                         | 0.57                         | 6.6                         | 0.249                       | 0.65                         | 3.5                        | 106                      | 5.2                        |
| K285686            |                                   | 0.012                         | 0.77                      | 6.58                         | 9.5                         | 32                        | 68.9                        | 221                         | 0.63                         | 0.18                         | 8.8                         | 0.293                       | 1.04                         | 5.0                        | 171                      | 2.4                        |
| K285687            |                                   | 0.005                         | 1.01                      | 18.00                        | 7.7                         | 23                        | 131.5                       | 120.5                       | 0.53                         | 0.12                         | 6.7                         | 0.238                       | 0.52                         | 3.5                        | 137                      | 4.5                        |
| K285688            |                                   | 0.005                         | 0.60                      | 12.80                        | 8.4                         | 18                        | 131.0                       | 106.0                       | 0.63                         | 0.06                         | 7.9                         | 0.289                       | 0.61                         | 4.1                        | 169                      | 4.6                        |
| K285689            |                                   | 0.009                         | 0.80                      | 10.55                        | 8.6                         | 20                        | 130.0                       | 161.0                       | 0.59                         | 0.09                         | 6.4                         | 0.275                       | 1.06                         | 2.5                        | 108                      | 3.2                        |
| K285690            |                                   | 0.007                         | 0.83                      | 22.8                         | 9.5                         | 23                        | 26.2                        | 185.0                       | 0.64                         | 0.11                         | 7.2                         | 0.291                       | 0.94                         | 2.6                        | 94                       | 1.8                        |
| K285691            |                                   | 0.003                         | 0.88                      | 4.23                         | 8.1                         | 17                        | 73.1                        | 193.5                       | 0.64                         | 0.08                         | 6.7                         | 0.292                       | 0.64                         | 2.2                        | 68                       | 1.1                        |
| K285692            |                                   | 0.003                         | 0.52                      | 2.55                         | 8.2                         | 12                        | 37.0                        | 203                         | 0.63                         | <0.05                        | 6.6                         | 0.295                       | 0.52                         | 2.0                        | 68                       | 1.0                        |
| K285693            |                                   | 0.006                         | 0.59                      | 5.53                         | 6.5                         | 15                        | 23.4                        | 144.0                       | 0.44                         | 0.16                         | 4.7                         | 0.201                       | 0.52                         | 2.4                        | 62                       | 0.9                        |
| K285694            |                                   | 0.014                         | 0.71                      | 4.60                         | 9.7                         | 25                        | 5.6                         | 128.0                       | 0.54                         | 0.09                         | 6.1                         | 0.247                       | 0.94                         | 2.9                        | 106                      | 1.2                        |
| K285695            |                                   | 0.009                         | 0.81                      | 3.87                         | 11.7                        | 21                        | 4.4                         | 180.0                       | 0.72                         | 0.08                         | 8.2                         | 0.325                       | 1.09                         | 2.8                        | 95                       | 1.1                        |
| K285696            |                                   | 0.006                         | 0.68                      | 5.00                         | 10.2                        | 16                        | 5.9                         | 162.0                       | 0.54                         | 0.08                         | 6.5                         | 0.255                       | 0.76                         | 2.3                        | 79                       | 1.2                        |
| K285697            |                                   | 0.011                         | 0.78                      | 4.64                         | 11.5                        | 17                        | 4.6                         | 150.0                       | 0.60                         | 0.11                         | 7.2                         | 0.279                       | 0.99                         | 2.8                        | 93                       | 1.0                        |
| K285698            |                                   | <0.002                        | <0.01                     | 0.06                         | 0.3                         | 2                         | <0.2                        | 60.0                        | <0.05                        | <0.05                        | <0.2                        | <0.005                      | <0.02                        | 0.7                        | 1                        | 0.1                        |
| K285699            |                                   | 0.008                         | 0.66                      | 4.83                         | 12.2                        | 13                        | 5.1                         | 156.5                       | 0.52                         | 0.07                         | 6.2                         | 0.243                       | 0.72                         | 2.7                        | 84                       | 1.0                        |
| K285700            |                                   | 0.008                         | 0.36                      | 26.2                         | 11.3                        | 12                        | 95.3                        | 217                         | 0.58                         | 0.10                         | 6.6                         | 0.261                       | 0.88                         | 2.6                        | 80                       | 2.9                        |

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12204987\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-SEP-2012  
 Account: RANSIL

Project: KEG (MAIN-GROUP 1)

**CERTIFICATE OF ANALYSIS WH12221692**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 | Cu-OG62<br>Cu<br>%<br>0.001 | Zn-OG62<br>Zn<br>%<br>0.001 |
|--------------------|-----------------------------------|----------------------------|---------------------------|-----------------------------|-----------------------------|-----------------------------|
| K285665            |                                   | 33.3                       | 1320                      | 68.3                        |                             |                             |
| K285666            |                                   | 25.2                       | >10000                    | 27.3                        | 1.300                       | 5.43                        |
| K285667            |                                   | 35.3                       | 813                       | 84.9                        |                             |                             |
| K285668            |                                   | 24.1                       | 2570                      | 25.2                        |                             |                             |
| K285669            |                                   | 0.9                        | 30                        | <0.5                        |                             |                             |
| K285670            |                                   | 30.1                       | 1220                      | 51.4                        |                             |                             |
| K285671            |                                   | 29.9                       | 1370                      | 63.1                        |                             |                             |
| K285672            |                                   | 27.0                       | >10000                    | 39.9                        |                             | 1.290                       |
| K285673            |                                   | 39.7                       | 1240                      | 79.2                        |                             |                             |
| K285674            |                                   | 35.3                       | 1640                      | 69.4                        |                             |                             |
| K285675            |                                   | 35.9                       | 1540                      | 67.2                        |                             |                             |
| K285676            |                                   | 32.4                       | 1640                      | 64.3                        |                             |                             |
| K285677            |                                   | 31.6                       | 1410                      | 48.9                        |                             |                             |
| K285678            |                                   | 29.9                       | 1060                      | 55.5                        |                             |                             |
| K285679            |                                   | 29.9                       | 1720                      | 57.0                        |                             |                             |
| K285680            |                                   | 22.8                       | >10000                    | 39.5                        |                             | 1.460                       |
| K285681            |                                   | 28.6                       | 316                       | 59.6                        |                             |                             |
| K285682            |                                   | 34.1                       | 109                       | 78.0                        |                             |                             |
| K285683            |                                   | 34.9                       | 544                       | 64.9                        |                             |                             |
| K285684            |                                   | 37.0                       | 304                       | 71.2                        |                             |                             |
| K285685            |                                   | 22.3                       | >10000                    | 41.1                        |                             | 1.445                       |
| K285686            |                                   | 35.6                       | 1180                      | 65.3                        |                             |                             |
| K285687            |                                   | 29.8                       | 941                       | 51.8                        |                             |                             |
| K285688            |                                   | 23.0                       | 1580                      | 58.3                        |                             |                             |
| K285689            |                                   | 20.7                       | 1270                      | 49.0                        |                             |                             |
| K285690            |                                   | 22.3                       | 533                       | 55.3                        |                             |                             |
| K285691            |                                   | 21.0                       | 715                       | 48.5                        |                             |                             |
| K285692            |                                   | 20.9                       | 525                       | 50.3                        |                             |                             |
| K285693            |                                   | 18.3                       | 292                       | 38.2                        |                             |                             |
| K285694            |                                   | 20.6                       | 79                        | 55.0                        |                             |                             |
| K285695            |                                   | 25.1                       | 41                        | 68.8                        |                             |                             |
| K285696            |                                   | 22.4                       | 53                        | 54.6                        |                             |                             |
| K285697            |                                   | 24.0                       | 65                        | 63.0                        |                             |                             |
| K285698            |                                   | 0.9                        | 14                        | 0.5                         |                             |                             |
| K285699            |                                   | 23.0                       | 126                       | 57.7                        |                             |                             |
| K285700            |                                   | 21.5                       | 497                       | 57.0                        |                             |                             |

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12204987\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: KEG (MAIN-GROUP 1)

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 27-SEP-2012  
Account: RANSIL

**CERTIFICATE OF ANALYSIS WH12221692**

| Method             | CERTIFICATE COMMENTS   |
|--------------------|--|
| ME-MS61<br>ME-MS61 | REE's may not be totally soluble in this method.<br>Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL) |