



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22-SEP-2012
Account: RANSIL

CERTIFICATE WH12209421

Project: SNAP-Group 5

P.O. No.: Batch 47

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-SEP-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Aq-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assay on sample M389940 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: RANSIL

Project: SNAP-Group 5

CERTIFICATE OF ANALYSIS WH12209421

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
M389909		6.88	<0.005		15	0.82	6.98	17.6	480	4.38	0.98	0.84	0.28	59.8	4.1	21
M389910		4.80	<0.005		10	0.80	5.75	15.8	380	3.96	3.59	0.62	0.51	43.9	3.0	14
M389911		3.89	<0.005		31	1.27	7.52	8.7	480	5.63	1.97	0.58	0.99	57.8	3.7	12
M389912		1.87	0.497		82	2.40	5.04	>10000	120	4.12	2.33	0.11	2.25	48.9	4.4	12
M389913		3.04	<0.005		<5	0.06	0.05	23	10	0.06	0.02	19.55	0.06	1.07	1.2	<1
M389914		3.69	<0.005		31	1.38	7.45	28.9	510	5.26	2.20	0.25	1.09	69.4	4.8	12
M389915		7.50	<0.005		27	1.01	7.51	43.2	470	5.45	1.36	0.41	0.58	62.8	3.5	12
M389916		7.87	<0.005		21	1.44	7.08	26.1	430	4.98	2.25	0.88	1.16	62.2	2.9	10
M389917		5.09	<0.005		11	0.80	7.46	6.2	630	4.95	1.64	0.88	0.60	75.5	3.8	12
M389918		2.54	0.013		65	3.93	6.80	97.2	360	4.75	4.43	0.58	11.80	60.9	4.7	10
M389919		0.26	0.097		10	63.5	5.01	2630	590	0.74	4.02	6.69	124.5	26.0	13.0	42
M389920		7.96	<0.005		19	0.50	7.54	8.6	570	5.19	2.17	1.48	0.35	56.4	4.7	19
M389921		7.97	<0.005		15	0.40	7.13	3.0	530	4.78	3.11	1.22	0.36	58.6	4.8	21
M389922		7.82	<0.005		16	0.38	7.19	2.0	510	5.08	2.46	1.23	0.11	63.5	5.2	20
M389923		7.76	<0.005		8	0.10	7.52	1.5	570	5.32	0.58	1.44	0.06	63.2	4.9	18
M389924		7.21	<0.005		10	0.09	7.15	1.7	540	5.00	0.46	1.37	0.03	70.9	4.7	19
M389925		2.35	<0.005		11	0.06	6.99	1.9	550	5.72	0.50	1.29	0.06	65.5	4.8	19
M389926		1.25	<0.005		12	0.06	7.36	1.6	560	6.00	0.56	1.32	0.02	64.4	4.7	19
M389927		2.45	<0.005		12	4.08	6.92	17.7	490	5.93	39.7	1.15	0.05	68.3	14.5	23
M389928		2.54	<0.005		14	0.18	6.82	1.2	260	4.02	1.25	0.68	0.02	33.6	2.4	11
M389929		3.97	<0.005		5	0.02	0.07	<5	30	0.07	0.12	19.95	0.06	1.48	1.0	<1
M389930		3.85	<0.005		10	0.10	7.29	10.4	540	4.50	0.75	1.35	0.04	72.2	5.2	26
M389931		3.95	<0.005		11	0.18	7.19	6.2	550	5.01	0.60	1.17	0.08	67.8	5.3	26
M389932		1.27	<0.005		18	0.47	7.14	7.1	530	4.95	0.87	1.02	1.60	70.0	5.1	24
M389933		<0.02	<0.005		14	0.50	6.85	8.4	520	5.15	0.93	1.02	1.47	71.3	5.1	22
M389934		3.61	<0.005		6	0.04	7.36	0.6	550	4.93	0.49	1.28	0.03	69.2	5.9	27
M389935		2.32	<0.005		12	0.08	7.46	1.0	570	5.51	0.55	1.35	0.03	74.6	6.0	27
M389936		2.26	<0.005		21	0.35	6.89	6.9	540	5.22	0.53	1.11	0.54	63.0	5.7	23
M389937		4.42	<0.005		11	0.08	7.20	8.1	580	4.99	0.44	1.18	0.09	80.1	5.8	27
M389938		1.55	<0.005		30	0.34	7.34	68.6	630	4.45	0.73	0.23	0.94	71.8	5.2	25
M389939		2.27	0.011		85	1.75	6.90	836	570	4.85	0.72	0.24	4.34	74.3	5.6	23
M389940		0.06		7.17	665	>100	0.26	>10000	130	0.07	0.14	0.01	253	4.79	0.5	13
M389941		2.44	0.013		28	1.39	7.10	450	550	4.83	0.95	1.01	0.66	70.7	6.1	26
M389942		3.45	<0.005		14	0.29	7.17	35.8	630	4.53	0.44	1.02	0.38	75.2	5.9	27
M389943		3.94	<0.005		14	0.10	7.10	1.8	570	4.29	0.54	1.45	0.03	70.2	5.2	26
M389944		7.10	<0.005		8	0.09	7.14	1.5	590	4.11	0.38	1.35	0.04	72.0	5.4	27

Comments: Gold assay on sample M389940 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: RANSIL

Project: SNAP-Group 5

CERTIFICATE OF ANALYSIS WH12209421

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
M389909		12.35	5.9	1.70	21.4	0.15	1.2	0.037	3.64	28.9	91.1	0.39	1420	0.35	1.07
M389910		8.72	4.1	1.47	17.15	0.13	0.9	0.215	2.79	22.1	45.4	0.26	783	0.54	1.13
M389911		15.50	12.5	1.99	21.6	0.17	1.2	0.247	4.27	28.5	93.3	0.36	1690	0.36	0.30
M389912		17.80	19.7	5.36	15.95	0.19	1.0	0.807	2.23	24.5	51.2	0.22	356	0.26	0.02
M389913		0.14	1.7	0.45	0.26	0.08	<0.1	0.006	0.02	0.5	1.0	12.40	195	0.08	<0.01
M389914		15.95	13.1	1.89	23.3	0.19	1.2	0.172	4.39	33.8	66.1	0.31	1980	0.24	0.23
M389915		16.30	11.4	2.00	22.9	0.23	1.1	0.108	4.18	31.3	63.6	0.33	1820	0.31	0.57
M389916		17.40	6.9	1.70	20.0	0.17	1.2	0.358	3.97	30.8	68.2	0.43	1850	0.20	0.09
M389917		14.25	7.1	1.97	22.1	0.20	1.5	0.082	4.09	36.2	58.3	0.41	2050	0.29	0.43
M389918		19.10	36.1	3.76	20.2	0.22	1.0	5.40	3.56	30.1	68.8	0.42	1720	0.24	0.05
M389919		2.77	1020	3.71	10.70	0.17	1.3	0.076	1.31	13.4	16.2	0.68	2810	5.26	1.22
M389920		12.80	10.7	2.09	22.8	0.16	0.9	0.132	3.66	25.9	83.2	0.51	1000	0.38	1.47
M389921		10.15	62.1	2.05	22.2	0.17	0.9	0.064	3.26	28.6	46.5	0.49	494	0.35	2.04
M389922		12.35	9.6	1.84	24.3	0.14	0.9	0.042	3.34	30.5	61.8	0.40	795	0.55	1.74
M389923		12.55	9.4	1.92	25.0	0.15	1.0	0.038	3.47	30.6	93.5	0.44	515	0.45	2.07
M389924		11.40	8.6	1.79	25.0	0.16	1.4	0.040	3.28	34.7	88.4	0.46	407	0.46	1.95
M389925		11.90	8.1	1.71	25.3	0.17	1.1	0.036	3.37	32.0	96.2	0.46	376	0.35	1.87
M389926		11.60	7.4	1.76	25.2	0.17	1.0	0.033	3.32	31.5	94.2	0.47	370	0.38	1.95
M389927		12.40	77.1	2.26	25.5	0.17	0.9	0.047	3.06	33.3	63.6	0.39	727	0.74	1.74
M389928		10.25	8.0	1.10	20.7	0.14	0.7	0.025	3.43	16.4	35.7	0.21	496	0.26	1.84
M389929		0.19	4.4	0.46	0.30	0.14	<0.1	<0.005	0.03	0.7	1.2	11.95	204	0.11	0.01
M389930		13.40	10.6	1.88	24.8	0.19	0.7	0.040	3.35	35.7	83.8	0.55	361	0.60	1.89
M389931		12.25	12.2	1.95	24.4	0.18	0.6	0.062	3.45	33.7	61.5	0.51	836	0.45	1.50
M389932		14.65	16.5	2.05	24.5	0.17	0.6	0.436	3.36	35.0	50.4	0.40	733	0.75	1.41
M389933		14.90	15.6	1.99	24.5	0.17	0.6	0.384	3.28	35.5	52.3	0.38	744	0.46	1.32
M389934		9.90	12.1	1.96	25.6	0.19	0.6	0.039	3.29	34.6	96.8	0.56	303	0.41	1.88
M389935		9.95	11.5	2.01	26.5	0.19	0.8	0.041	3.34	36.5	87.1	0.57	400	0.43	1.77
M389936		12.40	11.1	2.00	24.3	0.18	0.6	0.163	3.35	30.0	57.5	0.44	1550	0.40	0.61
M389937		8.07	11.8	1.89	25.4	0.16	0.7	0.041	3.28	39.4	83.1	0.54	400	0.38	1.65
M389938		10.45	12.9	1.64	25.1	0.17	0.7	0.169	3.66	35.4	64.0	0.43	865	0.42	0.21
M389939		16.70	28.7	2.26	24.7	0.17	0.7	0.495	3.98	37.1	58.0	0.34	1460	0.51	0.35
M389940		0.44	3740	11.30	2.00	0.18	0.1	0.057	0.11	2.8	7.6	0.01	41	1.17	0.01
M389941		14.55	19.1	2.18	26.4	0.16	0.5	0.155	3.54	35.5	53.8	0.52	597	0.42	1.39
M389942		11.70	14.2	2.04	26.2	0.19	0.7	0.047	3.57	37.8	68.7	0.55	557	0.30	1.36
M389943		9.02	10.1	1.94	25.3	0.21	0.7	0.035	3.29	34.6	72.4	0.58	424	0.31	1.84
M389944		9.18	9.9	1.95	25.6	0.21	0.8	0.036	3.31	35.2	78.2	0.58	392	0.27	1.87

Comments: Gold assay on sample M389940 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: RANSIL

Project: SNAP-Group 5

CERTIFICATE OF ANALYSIS WH12209421

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
M389909		6.3	490	62.2	251	<0.002	0.07	1.23	5.3	1	9.6	96.6	0.90	<0.05	14.6	0.173
M389910		4.1	490	41.6	181.5	<0.002	0.09	1.05	4.3	1	9.9	101.0	0.79	<0.05	10.3	0.149
M389911		4.7	590	266	352	<0.002	0.66	2.64	5.4	1	27.9	76.5	1.12	<0.05	14.3	0.212
M389912		4.4	320	252	243	<0.002	4.24	105.5	3.6	1	56.5	10.5	0.77	<0.05	11.7	0.141
M389913		2.1	170	1.9	1.5	<0.002	<0.01	0.21	0.3	1	<0.2	41.1	<0.05	<0.05	<0.2	<0.005
M389914		5.5	570	269	365	<0.002	0.74	3.06	5.9	1	29.3	82.5	0.96	<0.05	15.8	0.219
M389915		4.5	640	192.5	346	<0.002	0.47	2.14	5.6	1	23.3	92.1	1.15	<0.05	14.4	0.209
M389916		3.2	540	168.5	320	<0.002	0.46	1.50	4.6	1	19.0	62.9	1.22	<0.05	14.3	0.169
M389917		4.8	570	57.3	269	<0.002	0.11	0.90	5.7	1	9.0	101.0	1.31	<0.05	18.0	0.206
M389918		5.0	540	819	323	<0.002	3.16	4.34	4.7	2	59.8	35.6	1.04	<0.05	14.1	0.153
M389919		26.1	640	>10000	63.7	0.002	2.69	49.4	8.0	5	2.6	430	0.28	0.15	3.9	0.208
M389920		7.1	520	77.5	245	<0.002	0.15	0.78	6.4	1	8.6	177.5	0.78	<0.05	13.9	0.242
M389921		7.5	510	41.8	215	<0.002	0.08	0.33	6.1	1	9.9	175.0	0.83	<0.05	14.1	0.216
M389922		8.8	540	49.7	237	<0.002	0.14	0.40	6.9	1	10.1	168.5	1.10	<0.05	15.4	0.212
M389923		7.5	530	44.3	238	<0.002	0.10	0.11	7.0	1	6.5	209	0.94	<0.05	15.4	0.228
M389924		6.8	540	44.3	221	<0.002	0.06	0.11	6.7	1	6.3	203	1.03	<0.05	17.2	0.221
M389925		7.7	510	43.8	221	<0.002	0.05	0.07	7.0	1	5.9	191.0	1.12	<0.05	15.2	0.213
M389926		7.3	530	43.5	217	<0.002	0.05	0.06	6.9	1	5.7	198.0	1.08	<0.05	15.5	0.211
M389927		14.7	510	54.4	216	<0.002	0.39	1.57	6.8	1	7.4	165.0	0.99	0.19	16.2	0.188
M389928		4.2	530	31.1	269	<0.002	0.06	0.23	4.3	1	8.2	90.2	1.05	<0.05	7.7	0.087
M389929		0.6	180	1.7	1.7	<0.002	0.01	<0.05	0.3	1	<0.2	45.7	<0.05	<0.05	<0.2	<0.005
M389930		9.1	530	44.8	222	<0.002	0.08	0.41	7.1	1	6.1	188.5	1.04	<0.05	16.7	0.218
M389931		9.8	530	58.6	246	<0.002	0.07	0.17	7.2	1	9.1	169.5	1.07	<0.05	15.8	0.215
M389932		9.3	630	111.0	245	<0.002	0.56	0.57	6.8	1	10.7	161.5	0.99	<0.05	15.9	0.190
M389933		9.0	660	109.5	248	<0.002	0.57	0.61	6.8	1	11.1	156.5	0.97	<0.05	16.4	0.183
M389934		10.0	510	42.6	222	<0.002	0.09	0.05	7.6	1	5.3	192.0	1.08	<0.05	15.6	0.224
M389935		10.0	490	43.3	229	<0.002	0.06	0.06	7.9	1	5.6	192.5	1.09	<0.05	16.9	0.233
M389936		9.0	480	123.5	260	<0.002	0.07	0.44	7.0	1	16.2	135.0	1.11	<0.05	14.9	0.202
M389937		9.4	500	55.9	224	<0.002	0.06	0.15	7.5	1	6.9	188.0	1.08	<0.05	18.2	0.225
M389938		8.1	470	136.0	275	<0.002	0.09	0.70	7.4	1	26.7	115.0	1.25	<0.05	16.4	0.218
M389939		9.9	480	626	359	<0.002	0.61	4.24	7.5	1	75.0	94.9	1.22	<0.05	16.2	0.205
M389940		3.0	60	>10000	7.5	0.003	>10.0	3500	0.6	5	171.5	7.3	<0.05	<0.05	0.6	0.009
M389941		11.3	520	575	269	<0.002	0.43	2.70	7.5	1	21.7	157.5	1.16	<0.05	15.2	0.237
M389942		9.7	520	96.6	249	<0.002	0.17	0.44	7.3	1	10.4	168.5	0.97	<0.05	17.2	0.241
M389943		8.7	480	39.9	210	<0.002	0.08	0.12	7.0	1	7.4	194.5	0.96	<0.05	15.5	0.236
M389944		8.7	490	39.4	215	<0.002	0.06	0.11	7.1	1	5.9	197.0	0.99	<0.05	16.6	0.238

Comments: Gold assay on sample M389940 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2012
Account: RANSIL

Project: SNAP-Group 5

CERTIFICATE OF ANALYSIS WH12209421

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
M389909		2.44	7.5	29	3.2	8.6	146	41.4				
M389910		1.72	5.7	26	3.4	6.6	190	30.6				
M389911		5.00	8.0	31	6.0	7.7	426	42.9				
M389912		5.19	3.9	21	5.3	5.1	690	32.6				
M389913		0.02	0.4	2	0.1	0.8	17	<0.5				
M389914		5.19	8.4	27	8.3	8.1	568	42.6				
M389915		4.69	9.7	30	7.2	8.9	318	38.3				
M389916		4.53	9.2	23	5.1	8.7	368	42.3				
M389917		2.62	5.4	30	3.8	9.7	290	51.7				
M389918		5.41	7.1	26	8.6	8.7	3920	33.5				
M389919		0.75	1.8	63	8.9	11.5	>10000	40.9		2.04	2.07	
M389920		2.29	5.5	42	2.2	8.4	164	33.0				
M389921		1.74	4.9	39	3.3	8.2	110	32.5				
M389922		2.14	7.1	36	2.6	8.9	147	32.5				
M389923		1.69	5.1	38	1.3	7.9	61	38.6				
M389924		1.51	8.0	35	0.8	8.4	54	51.9				
M389925		1.47	6.5	34	0.8	7.8	54	40.5				
M389926		1.43	6.5	33	0.8	7.7	51	38.3				
M389927		2.57	5.6	34	3.9	8.2	60	32.8				
M389928		1.75	10.5	14	6.6	6.1	28	19.4				
M389929		<0.02	0.8	2	0.3	0.9	15	<0.5				
M389930		1.49	7.9	37	0.5	7.6	55	23.0				
M389931		1.97	5.1	38	3.5	7.8	73	21.9				
M389932		2.17	5.4	33	3.0	8.8	623	21.3				
M389933		2.18	5.4	32	3.1	9.2	555	21.3				
M389934		1.40	4.8	39	0.4	7.3	57	22.5				
M389935		1.59	4.8	40	0.8	7.6	59	28.7				
M389936		3.06	4.9	36	9.2	7.9	185	20.7				
M389937		1.51	6.1	38	2.0	8.4	80	25.6				
M389938		2.56	5.2	37	8.9	8.4	400	24.4				
M389939		4.14	6.5	36	11.9	7.9	1540	24.2				
M389940		0.13	0.6	7	153.5	0.7	>10000	3.5	>1500	11.95	2.79	3450
M389941		2.40	4.9	40	3.0	7.5	293	20.1				
M389942		1.87	4.7	40	2.0	8.2	195	27.4				
M389943		1.50	6.9	39	0.5	7.4	56	26.3				
M389944		1.47	7.2	38	1.0	7.5	56	34.1				

Comments: Gold assay on sample M389940 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SNAP-Group 5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-SEP-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12209421

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)