



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SILVER RANGE RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2-JUL-2012
Account: RANSIL

CERTIFICATE WH12131516

Project: Keg-Fly-Hammer Zone

P.O. No.:

This report is for 37 Rock samples submitted to our lab in Whitehorse, YT, Canada on 12-JUN-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Sn-XRF05	Sn-Trace Level XRF Analysis	XRF
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **SILVER RANGE RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Gold assays on samples K191775 and K191777 are reported by fire assay gravimetric method due to high silver content in samples that may cause incomplete gold dissolution in aqua-regia solution.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-JUL-2012
Account: RANSIL

Project: Keg-Fly-Hammer Zone

CERTIFICATE OF ANALYSIS WH12131516

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	Sn-XRF05 Sn ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.005	0.05	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
K191769		0.19	0.121			64.9	1.51	1660	100	1.52	0.35	0.08	0.28	6.48	0.7	22
K191770		0.03	<0.005			0.53	1.78	66.0	310	2.46	0.71	0.06	0.24	34.5	8.1	15
K191771		0.38	0.095			0.62	2.22	1910	410	2.87	0.13	0.04	0.05	14.65	0.3	16
K191772		0.08	0.028			26.7	0.51	336	30	1.56	1.83	0.03	0.05	6.24	27.6	17
K191773		0.37	1.030			35.6	0.52	3710	40	1.17	0.09	0.05	0.79	8.95	0.4	22
K191774		0.06	NSS			>100	0.26	2240	40	1.25	0.05	0.01	878	1.34	0.3	5
K191775		0.18		0.65	508	>100	2.14	1935	80	2.83	0.30	0.13	124.0	19.40	1.0	5
K191776		0.28	0.350		678	>100	0.46	3410	90	1.70	0.12	0.03	53.2	2.73	0.7	12
K191777		1.26		0.54		>100	1.70	8440	80	2.07	0.26	0.05	69.1	13.75	1.0	15
K191778		<0.02	NSS			>100	0.28	471	2470	1.23	0.02	0.10	17.25	15.45	6.0	43
K191779		0.04	NSS			15.90	6.56	31.7	1220	0.63	0.03	4.69	2.44	48.3	30.1	130
K191780		0.11	<0.005			5.40	6.63	683	370	1.07	0.04	2.61	1.05	36.9	61.1	630
K191781		<0.02	NSS			>100	2.02	777	1610	3.63	3.20	0.05	10.90	54.6	5.0	6
K191782		<0.02	NSS			16.30	1.82	7800	1250	4.35	0.12	0.14	2.43	53.0	1.5	7
K191783		<0.02	NSS			>100	0.32	607	2120	1.89	0.04	0.06	26.1	23.9	1.9	3
K191784		0.03	NSS			>100	0.78	9110	920	1.85	0.09	0.03	81.0	19.20	2.8	2
K191785		0.06	0.319			>100	1.51	4470	780	2.28	0.33	0.03	38.8	14.85	2.4	2
K191786		0.05	0.385			>100	1.83	6850	540	2.26	0.32	0.03	31.5	26.6	4.5	4
K191787		0.02	0.215			>100	0.63	3740	1580	4.10	0.15	0.09	23.9	31.9	6.0	6
K191788		0.02	0.288			>100	0.85	3380	910	2.57	0.09	0.03	58.5	12.30	1.7	2
K191789		0.03	<0.005			44.6	3.70	23.3	160	2.25	41.9	0.08	3.55	35.9	1.0	5
K191790		0.02	0.175			>100	1.25	2940	330	2.85	0.35	0.03	15.25	9.58	0.9	7
K191791		<0.02	NSS			>100	1.10	3100	2010	2.22	0.47	0.08	9.74	26.5	20.4	1
K191792		0.03	0.107			>100	0.83	2370	760	1.92	0.25	0.03	6.81	13.90	5.2	6
K191793		<0.02	NSS			25.0	0.47	>10000	40	1.30	0.41	0.25	32.1	25.9	1.8	8
K191794		<0.02	NSS			>100	0.86	6630	3980	3.48	1.53	0.10	36.8	65.7	9.7	2
K191795		<0.02	NSS			93.0	0.57	60.2	100	2.03	0.08	0.02	0.74	6.42	0.7	5
K191796		0.17	NSS		508	>100	1.92	2270	240	3.36	0.17	0.02	20.4	18.95	1.3	7
K191797		0.16	0.272			>100	1.12	3620	270	2.58	1.86	0.02	26.3	9.51	1.7	18
K191798		0.03	0.045			>100	1.28	2370	730	3.21	0.11	0.03	18.70	26.4	3.4	10
K191799		<0.02	NSS			17.70	1.94	1200	650	2.10	0.55	0.04	1.42	13.65	1.4	12
K191800		0.02	NSS			6.88	9.14	30.1	450	6.52	11.35	0.21	0.35	63.6	4.9	7
K191801		0.06	0.043			96.0	1.52	791	400	2.83	1.59	0.02	4.08	18.85	5.2	12
K191802		0.28	0.331			>100	0.36	7450	30	0.35	0.33	0.08	61.3	4.90	0.3	11
K191803		0.02	NSS			>100	3.73	1090	730	3.09	0.16	0.32	3.31	51.7	18.5	8
K191804		0.03	0.031			58.1	0.54	2020	2020	1.93	0.03	0.04	2.94	23.0	4.9	7
K191805		0.41	0.691		1030	>100	0.67	3880	200	2.34	0.30	0.02	46.7	8.85	0.7	6

Comments: Gold assays on samples K191775 and K191777 are reported by fire assay gravimetric method due to high silver content in samples that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-JUL-2012
Account: RANSIL

Project: Keg-Fly-Hammer Zone

CERTIFICATE OF ANALYSIS WH12131516

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
K191769		4.75	65.3	3.71	5.96	0.10	0.3	0.044	0.55	3.2	128.5	0.06	1620	0.55	0.02
K191770		11.35	10.3	3.93	6.88	0.12	0.4	0.031	0.59	12.5	171.5	0.10	2320	1.25	0.05
K191771		10.20	3.9	0.57	9.26	<0.05	0.4	0.009	1.03	7.9	142.5	0.09	33	0.30	0.03
K191772		2.64	143.0	16.45	1.35	0.28	0.1	0.018	0.09	3.6	158.5	0.03	571	0.34	0.01
K191773		6.60	11.8	1.45	1.15	0.05	0.1	0.007	0.12	5.2	189.0	0.02	542	0.50	0.01
K191774		2.09	1370	2.86	1.24	0.05	<0.1	<0.005	0.03	3.1	133.5	<0.01	597	0.28	0.01
K191775		8.67	2760	4.83	11.00	0.08	0.5	<0.005	0.81	10.1	88.2	0.08	35400	2.31	0.02
K191776		4.06	2100	7.85	7.77	0.16	<0.1	0.099	0.11	1.3	118.0	0.01	58900	2.90	0.01
K191777		7.54	1700	6.26	8.14	0.10	0.4	<0.005	0.64	7.2	109.5	0.05	19600	0.17	0.01
K191778		0.56	310	18.35	41.9	0.44	0.1	<0.005	0.16	5.2	5.2	0.01	>100000	3.49	0.02
K191779		0.95	115.0	9.28	18.50	0.19	1.8	0.079	1.10	29.8	27.0	2.66	3040	2.48	0.89
K191780		4.59	6.7	11.55	21.1	0.26	0.8	0.083	0.43	16.8	138.0	6.59	3920	0.46	0.41
K191781		9.65	2980	8.20	11.30	0.15	0.4	0.010	0.73	19.5	66.5	0.07	84900	0.78	0.06
K191782		13.30	19.5	4.96	11.80	0.11	0.2	0.016	0.66	25.0	85.5	0.06	>100000	0.35	0.03
K191783		1.81	1170	12.15	23.9	0.30	0.1	<0.005	0.21	11.4	29.8	0.02	>100000	0.77	0.02
K191784		5.43	689	7.10	7.33	0.10	0.1	<0.005	0.24	6.5	112.0	0.02	83100	0.40	0.03
K191785		6.26	1270	6.47	10.10	0.11	0.3	0.017	0.57	7.0	92.1	0.04	76000	0.24	0.02
K191786		5.84	932	10.95	8.89	0.16	0.4	<0.005	0.70	10.2	70.5	0.05	20200	0.31	0.02
K191787		7.87	479	6.99	5.43	0.10	0.1	<0.005	0.18	11.0	119.0	0.03	64900	4.45	0.02
K191788		6.42	3320	5.89	7.51	0.09	0.1	<0.005	0.26	5.6	104.0	0.02	76600	0.70	0.01
K191789		2.83	393	8.12	14.00	0.16	0.4	2.54	1.05	18.6	106.5	0.08	2180	0.40	0.03
K191790		6.83	1165	3.18	5.35	0.07	0.2	0.027	0.39	4.5	161.5	0.04	26400	0.91	0.02
K191791		2.68	849	9.94	16.00	0.21	0.3	0.017	0.39	7.8	27.2	0.03	>100000	0.95	0.04
K191792		2.93	869	8.42	4.40	0.18	0.1	0.017	0.27	5.4	121.5	0.02	35100	1.68	0.02
K191793		1.37	94.3	5.57	1.66	0.12	0.1	0.029	0.08	16.2	57.1	0.02	3170	0.91	0.02
K191794		11.15	1300	5.17	8.59	0.15	0.1	0.108	0.35	36.0	53.9	0.02	>100000	7.35	0.03
K191795		3.72	15.1	0.75	2.51	<0.05	<0.1	0.054	0.15	3.3	120.0	0.02	605	0.34	0.02
K191796		7.93	2040	8.53	7.50	0.20	0.4	0.010	0.73	9.2	63.4	0.04	20600	0.40	0.02
K191797		5.54	638	1.84	3.98	0.07	0.1	0.133	0.36	4.1	188.5	0.03	6660	0.69	0.01
K191798		7.67	730	5.80	8.05	0.11	0.2	<0.005	0.45	9.2	93.9	0.03	76900	1.79	0.02
K191799		16.25	13.0	0.61	7.78	0.08	0.5	0.012	0.67	7.4	336	0.05	472	0.23	0.04
K191800		12.70	8.7	1.56	37.9	0.16	1.5	0.101	4.40	27.8	85.8	0.30	922	0.40	1.52
K191801		5.77	385	4.74	6.76	0.13	0.4	0.005	0.71	9.2	42.9	0.04	23000	6.31	0.02
K191802		3.24	560	2.96	4.10	0.11	<0.1	0.009	0.10	5.3	137.0	0.02	30300	0.18	0.01
K191803		8.15	33.7	5.59	9.80	0.17	0.9	0.031	1.50	19.7	154.5	0.18	22000	0.60	0.02
K191804		6.84	20.9	3.12	5.44	0.10	0.1	0.009	0.12	8.7	180.5	0.01	77000	0.82	0.02
K191805		4.40	5290	8.32	7.35	0.18	0.1	0.075	0.22	4.7	92.3	0.02	73300	0.94	0.01

Comments: Gold assays on samples K191775 and K191777 are reported by fire assay gravimetric method due to high silver content in samples that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-JUL-2012
Account: RANSIL

Project: Keg-Fly-Hammer Zone

CERTIFICATE OF ANALYSIS WH12131516

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
															0.005
K191769		2.3	290	357	62.8	<0.002	0.08	163.0	1.5	2	11.4	7.7	0.44	0.06	10.1
K191770		14.1	280	20.3	78.6	<0.002	0.01	17.25	3.6	1	1.8	12.3	0.16	<0.05	4.5
K191771		1.1	100	10.9	118.5	<0.002	0.08	51.5	1.3	1	2.1	30.7	0.23	<0.05	3.9
K191772		53.0	60	292	10.9	<0.002	4.31	146.0	2.9	1	0.3	5.8	<0.05	0.05	0.3
K191773		1.3	50	66.6	16.5	<0.002	0.77	165.0	0.3	1	1.1	10.6	<0.05	<0.05	0.9
K191774		0.7	70	>10000	3.8	<0.002	0.59	>10000	0.2	1	278	3.7	<0.05	<0.05	0.3
K191775		1.2	150	>10000	94.0	<0.002	3.08	1805	1.3	5	500	11.9	0.28	0.05	4.5
K191776		1.2	60	>10000	14.6	<0.002	1.00	1590	1.5	4	>500	13.4	<0.05	0.07	0.7
K191777		0.8	120	>10000	69.2	<0.002	1.95	4290	1.1	1	418	13.5	0.20	<0.05	3.6
K191778		20.5	80	1330	5.5	<0.002	0.08	288	1.5	2	46.6	147.5	<0.05	<0.05	1.0
K191779		139.0	1440	116.5	27.5	<0.002	0.03	23.6	22.1	2	5.4	31.0	1.44	<0.05	2.3
K191780		456	960	68.6	26.8	<0.002	0.01	10.60	22.2	1	2.5	140.0	0.78	<0.05	1.6
K191781		5.7	110	3370	73.9	<0.002	0.60	578	1.2	1	105.5	36.2	0.18	<0.05	4.6
K191782		6.3	200	124.5	74.7	<0.002	0.18	67.9	2.9	1	12.3	87.5	0.21	<0.05	4.1
K191783		8.2	80	8190	7.9	<0.002	0.06	1035	0.7	1	75.9	116.0	<0.05	<0.05	1.3
K191784		3.0	50	4240	24.0	<0.002	0.80	937	1.3	1	217	37.4	0.08	<0.05	1.7
K191785		1.5	140	>10000	59.8	<0.002	1.86	3330	1.0	2	249	26.8	0.13	0.07	3.0
K191786		1.4	140	>10000	73.0	<0.002	2.00	2470	1.4	1	331	14.8	0.23	<0.05	4.8
K191787		9.0	210	6450	15.9	<0.002	0.10	1545	1.0	2	306	181.5	<0.05	<0.05	2.3
K191788		2.8	90	>10000	29.1	<0.002	0.23	5050	0.7	1	323	26.4	0.05	<0.05	1.7
K191789		1.3	370	1245	116.0	<0.002	0.41	40.4	1.8	3	15.9	17.3	0.26	0.32	4.0
K191790		1.9	90	5890	46.0	<0.002	0.55	863	0.9	1	188.0	24.7	0.12	<0.05	2.1
K191791		11.0	140	>10000	35.2	0.002	0.26	1545	0.9	2	290	112.0	0.10	<0.05	2.5
K191792		5.1	150	6330	26.5	<0.002	0.46	504	1.0	3	46.3	34.2	0.06	0.05	1.7
K191793		6.4	1950	>10000	8.4	<0.002	0.02	410	0.6	1	7.6	6.5	<0.05	<0.05	0.9
K191794		40.9	460	>10000	32.1	0.002	0.14	1960	1.0	4	45.6	207	<0.05	0.05	0.7
K191795		1.6	80	382	17.0	<0.002	0.03	45.1	0.4	1	158.0	8.7	<0.05	<0.05	1.0
K191796		0.8	220	>10000	71.2	0.002	0.74	7230	1.3	2	500	14.5	0.12	0.05	3.8
K191797		1.2	80	>10000	40.0	<0.002	0.54	2890	0.9	4	144.5	20.7	0.05	<0.05	1.8
K191798		4.7	110	>10000	45.7	<0.002	0.22	629	1.0	1	136.0	36.5	0.10	<0.05	2.7
K191799		2.3	30	545	69.3	<0.002	0.27	3950	0.9	1	6.8	32.6	0.09	<0.05	5.0
K191800		3.1	800	507	439	<0.002	0.01	29.6	4.4	1	19.0	78.3	1.75	0.12	14.8
K191801		1.6	820	956	56.2	<0.002	0.02	70.7	0.5	1	6.1	47.0	0.14	0.05	5.0
K191802		0.8	40	>10000	10.7	<0.002	4.07	>10000	0.2	2	480	3.1	<0.05	<0.05	1.0
K191803		9.4	210	2160	160.0	<0.002	0.20	1860	8.4	1	26.1	17.7	0.34	<0.05	5.1
K191804		6.5	90	738	11.3	<0.002	0.10	594	2.1	<1	7.2	56.2	<0.05	<0.05	1.0
K191805		0.9	100	>10000	20.9	0.002	1.09	5690	0.8	4	>500	24.0	<0.05	<0.05	1.4

Comments: Gold assays on samples K191775 and K191777 are reported by fire assay gravimetric method due to high silver content in samples that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-JUL-2012
Account: RANSIL

Project: Keg-Fly-Hammer Zone

CERTIFICATE OF ANALYSIS WH12131516

Sample Description	Method Analyte Units LOR	ME-MS61 TI ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5
K191769		0.79	7.3	11	0.9	1.2	263	8.5				
K191770		1.13	15.0	11	1.1	4.9	82	14.7				
K191771		0.66	2.1	5	2.8	1.6	2	13.1				
K191772		0.77	5.1	6	0.6	5.2	125	3.1				
K191773		0.41	2.0	1	0.3	1.2	21	2.0				
K191774		0.27	110.5	1	<0.1	0.9	1330	0.6	>1500	3.45		NSS
K191775		1.34	7.6	4	1.2	4.8	>10000	16.2	>1500	1.965	2.21	3070
K191776		0.29	6.9	1	2.4	8.9	>10000	1.5	>1500	1.310	1.790	1905
K191777		1.51	10.6	3	0.7	3.9	9130	13.5	>1500	3.19		3010
K191778		1.08	12.1	<1	2.0	51.8	2090	3.9	NSS			
K191779		0.16	2.5	267	0.3	18.6	175	76.2				
K191780		0.24	0.5	269	6.7	13.1	257	32.2				
K191781		1.82	5.6	7	1.0	6.7	1400	12.6	NSS			
K191782		1.72	2.1	7	3.6	17.5	352	8.5				
K191783		0.27	5.5	<1	0.8	15.3	2300	8.2	NSS			
K191784		0.59	9.5	3	0.6	9.1	3950	5.6	NSS			
K191785		0.89	6.3	2	0.9	3.6	9770	10.5	>1500	3.22		NSS
K191786		1.53	3.3	8	1.4	3.3	>10000	15.2	>1500	1.555	1.050	2030
K191787		0.80	69.9	4	2.0	9.3	4310	4.1	1440			
K191788		0.55	25.1	1	0.8	7.5	2500	4.7	NSS	NSS		
K191789		2.42	1.0	15	3.6	4.5	2110	14.4				
K191790		0.57	8.5	3	0.7	2.9	3370	7.0	611			
K191791		1.45	22.5	5	2.9	42.4	1940	10.2	NSS	NSS		
K191792		0.92	41.3	3	0.9	3.6	1380	5.3	638			
K191793		0.14	13.9	5	3.9	11.2	907	2.0		NSS		
K191794		0.69	138.0	7	0.3	22.8	6730	4.5	NSS	NSS		
K191795		0.36	1.8	3	0.5	0.8	135	1.7				
K191796		1.35	151.5	7	0.7	3.6	2790	12.7	>1500	2.70		4260
K191797		0.49	35.4	3	0.4	1.5	4680	4.9	>1500	1.855		2080
K191798		1.02	31.7	5	1.0	7.7	2340	8.5	667	1.335		
K191799		0.89	2.3	4	0.2	1.9	107	19.4				
K191800		2.99	2.4	31	1.6	6.4	153	54.8				
K191801		1.70	21.8	6	1.5	4.3	583	14.1				
K191802		0.95	2.1	1	0.2	0.9	>10000	1.8	>1500	3.95	2.73	3610
K191803		3.25	1.4	48	4.7	35.8	1260	25.8	NSS			
K191804		0.47	3.8	5	0.9	6.8	598	2.3				
K191805		0.43	23.8	3	1.5	10.1	6900	3.8	>1500	4.08		8460

Comments: Gold assays on samples K191775 and K191777 are reported by fire assay gravimetric method due to high silver content in samples that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Keg-Fly-Hammer Zone

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-JUL-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12131516

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS61	NSS is non-sufficient sample. REE's may not be totally soluble in this method.