



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 10-AUG-2012

Account: RANSIL

CERTIFICATE WH12177492

Project: Keg-Group 5

P.O. No.:

This report is for 225 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31-JUL-2012.

The following have access to data associated with this certificate:

MATT DUMALA

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: SILVER RANGE RESOURCES LTD.

ATTN: JOAN MARIACHER

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ46436		0.34	0.002	0.16	2.80	2.6	<0.2	<10	250	3.25	0.72	0.08	0.12	26.9	22.4	51
ZZ46437		0.31	0.004	0.65	2.94	3.3	<0.2	<10	190	1.93	0.72	0.28	0.86	40.2	21.7	46
ZZ46438		0.31	0.002	0.64	1.83	2.0	<0.2	<10	180	1.67	0.52	0.17	1.80	26.9	13.8	41
ZZ46439		0.22	0.003	0.45	2.82	3.3	<0.2	<10	390	1.68	0.68	0.21	1.59	37.9	21.3	46
ZZ46440		0.36	0.002	0.35	3.44	1.7	<0.2	<10	380	2.10	0.54	0.33	2.12	28.5	25.9	61
ZZ46441		0.23	0.002	0.85	2.63	1.9	<0.2	<10	490	1.56	0.48	0.40	0.98	16.90	13.3	55
ZZ46442		0.38	0.002	0.59	3.12	2.1	<0.2	<10	460	2.39	0.67	0.27	0.93	19.75	29.4	61
ZZ46443		0.33	0.001	0.30	3.05	3.0	<0.2	<10	260	2.68	1.10	0.19	1.57	25.1	39.5	57
ZZ46444		0.35	0.005	0.17	3.27	4.6	<0.2	<10	300	2.23	1.02	0.26	0.48	32.4	29.6	59
ZZ46445		0.26	0.002	0.16	3.09	4.8	<0.2	<10	270	2.29	0.86	0.15	0.31	28.8	36.2	56
ZZ46446		0.24	0.002	0.12	3.05	3.9	<0.2	<10	310	2.09	0.69	0.24	0.37	23.0	36.3	56
ZZ46447		0.27	0.002	0.12	3.04	5.0	<0.2	<10	280	2.27	0.77	0.17	0.27	25.6	29.2	54
ZZ46448		0.21	0.001	0.10	2.60	2.8	<0.2	<10	210	1.79	0.65	0.13	0.16	22.2	25.3	46
ZZ46449		0.26	0.002	0.17	2.42	10.4	<0.2	<10	220	1.85	0.58	0.13	0.09	19.65	29.4	40
ZZ46450		0.29	0.004	0.25	1.68	12.7	<0.2	<10	150	2.03	1.01	0.08	0.11	19.15	21.3	28
ZZ46451		0.31	0.008	0.18	2.36	8.9	<0.2	<10	220	1.89	0.78	0.10	0.16	24.3	31.6	44
ZZ46452		0.28	0.010	0.24	2.19	27.9	<0.2	<10	200	3.00	1.04	0.18	0.16	35.4	43.3	38
ZZ46453		0.31	0.002	0.17	2.33	10.0	<0.2	<10	210	2.00	3.61	0.20	0.18	43.0	37.5	42
ZZ46454		0.30	0.003	0.24	3.10	7.1	<0.2	<10	250	2.21	1.00	0.21	0.15	37.3	28.4	50
ZZ46455		0.35	0.004	0.94	2.05	10.3	<0.2	<10	140	2.30	2.66	0.21	0.15	33.2	39.5	37
ZZ46456		0.30	0.004	0.13	2.34	6.4	<0.2	<10	200	2.94	0.95	0.25	0.10	31.5	30.8	42
ZZ46457		0.26	0.003	0.38	1.97	23.1	<0.2	<10	150	3.62	1.48	0.28	0.13	29.8	30.1	33
ZZ46458		0.33	0.003	0.23	2.28	57.0	<0.2	<10	170	3.27	1.38	0.15	0.06	28.0	31.1	41
ZZ46459		0.28	0.003	0.40	2.55	22.3	<0.2	<10	150	3.28	1.33	0.15	0.03	32.5	43.0	46
ZZ46460		0.38	0.001	0.30	2.49	19.6	<0.2	<10	200	3.75	1.06	0.14	0.05	25.6	32.6	44
ZZ46461		0.27	0.004	0.66	1.28	24.2	<0.2	<10	120	2.68	4.02	0.02	0.06	25.3	16.4	18
ZZ46462		0.35	0.035	3.18	0.19	48.6	<0.2	<10	100	0.53	3.65	0.05	<0.01	29.1	3.3	4
ZZ46463		0.33	0.036	2.85	1.74	28.1	<0.2	<10	110	3.75	1.07	0.26	0.06	24.6	35.1	28
ZZ46464		0.32	0.001	0.52	2.51	15.1	<0.2	<10	150	3.22	1.33	0.21	0.07	31.0	33.5	46
ZZ46465		0.35	0.002	0.18	2.64	12.0	<0.2	<10	180	2.50	0.82	0.19	0.07	31.0	35.6	49
ZZ46466		0.32	0.002	0.82	2.49	38.4	<0.2	<10	180	2.68	1.82	0.24	0.08	28.8	52.1	49
ZZ46467		0.22	0.020	39.5	0.93	568	<0.2	<10	80	2.49	1.08	0.24	0.33	43.1	23.0	15
ZZ46468		0.30	0.005	0.57	1.89	79.2	<0.2	<10	50	3.74	0.26	0.68	0.02	33.5	8.0	2
ZZ46469		0.41	0.031	10.15	0.70	742	<0.2	<10	80	2.63	1.14	0.05	0.23	39.2	11.2	10
ZZ46470		0.28	0.021	6.63	0.96	203	<0.2	<10	90	2.92	1.79	0.22	0.41	43.0	11.4	13
ZZ46471		0.37	0.004	0.90	0.83	53.5	<0.2	<10	80	2.53	0.64	0.20	0.17	44.9	9.3	13
ZZ46472		0.31	0.003	0.34	1.31	21.4	<0.2	<10	120	2.38	1.20	0.22	0.33	50.9	8.1	16
ZZ46473		0.33	0.002	0.28	1.25	22.1	<0.2	<10	110	2.61	1.13	0.21	0.28	49.7	9.5	15
ZZ46474		0.38	0.007	1.97	1.06	81.5	<0.2	<10	60	3.33	2.47	0.40	0.25	69.0	6.6	7
ZZ46475		0.40	0.005	1.29	1.63	43.6	<0.2	<10	140	3.06	1.31	0.26	0.32	46.8	25.0	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ46436		25.4	74.8	6.82	10.35	0.14	<0.02	0.04	0.055	0.84	13.3	122.5	0.81	471	2.51
ZZ46437		21.1	162.5	6.41	9.66	0.08	0.02	0.03	0.033	0.50	21.6	121.5	0.64	340	13.35
ZZ46438		9.97	102.5	5.14	6.20	0.11	0.03	0.02	0.043	0.21	15.3	79.2	0.61	238	32.6
ZZ46439		20.1	71.3	4.74	9.06	0.09	<0.02	0.06	0.047	0.47	17.7	81.5	0.88	619	9.01
ZZ46440		23.7	95.2	5.98	12.25	0.14	0.02	0.01	0.057	1.07	15.4	100.5	1.43	613	9.43
ZZ46441		14.65	126.0	4.84	8.64	0.11	<0.02	0.03	0.043	0.61	9.2	105.0	1.05	324	19.80
ZZ46442		20.2	104.0	6.01	11.25	0.18	<0.02	0.03	0.052	1.03	10.4	99.1	1.14	659	11.00
ZZ46443		19.90	78.4	5.93	11.70	0.15	<0.02	0.03	0.056	0.95	12.9	92.0	0.93	870	4.17
ZZ46444		21.9	60.2	5.71	11.95	0.17	<0.02	0.06	0.050	0.99	15.3	103.5	1.08	707	2.72
ZZ46445		21.2	53.5	5.37	11.65	0.11	<0.02	0.04	0.047	0.77	14.7	80.6	0.92	779	2.31
ZZ46446		17.80	50.3	5.31	11.80	0.12	<0.02	0.06	0.054	0.94	11.7	83.0	0.93	782	2.03
ZZ46447		19.85	54.4	5.47	11.35	0.12	<0.02	0.04	0.049	0.88	13.5	82.6	0.96	736	2.38
ZZ46448		15.40	52.9	4.97	10.60	0.09	<0.02	0.02	0.044	0.66	11.1	63.8	0.76	594	1.52
ZZ46449		25.9	51.4	5.01	9.06	0.07	<0.02	0.04	0.053	0.64	9.3	49.7	0.61	882	1.26
ZZ46450		36.8	37.1	4.50	6.13	<0.05	<0.02	0.03	0.038	0.31	9.3	36.1	0.38	790	1.29
ZZ46451		21.9	41.0	5.11	9.08	0.08	<0.02	0.08	0.045	0.70	11.5	65.0	0.64	1180	1.22
ZZ46452		26.4	64.9	6.23	7.99	0.09	<0.02	0.08	0.058	0.53	14.8	74.3	0.60	2060	0.96
ZZ46453		21.6	60.9	4.62	8.61	0.11	<0.02	0.04	0.045	0.56	18.5	90.7	0.84	1470	1.70
ZZ46454		32.1	58.8	4.87	11.20	0.08	<0.02	0.04	0.055	0.57	17.0	81.8	1.04	851	1.75
ZZ46455		28.6	68.6	5.38	7.74	0.10	<0.02	0.05	0.051	0.45	16.2	70.3	0.65	1680	1.28
ZZ46456		30.7	50.3	5.46	8.81	0.09	<0.02	0.03	0.048	0.61	15.6	81.0	0.79	1100	0.88
ZZ46457		28.5	54.5	5.70	7.15	0.09	<0.02	0.03	0.051	0.43	15.5	57.5	0.62	1420	0.80
ZZ46458		27.1	52.0	5.83	8.27	0.08	<0.02	0.02	0.045	0.62	13.2	83.2	0.67	1100	0.80
ZZ46459		28.3	76.9	7.21	9.48	0.11	0.02	0.02	0.047	0.68	15.4	109.5	0.80	1360	0.95
ZZ46460		25.7	42.0	5.57	8.75	0.10	<0.02	0.05	0.044	0.69	12.1	94.7	0.83	1100	1.01
ZZ46461		22.6	43.0	6.24	4.06	0.06	0.02	0.06	0.041	0.32	11.8	21.4	0.15	456	0.65
ZZ46462		12.20	10.1	6.17	1.45	0.06	0.02	0.08	0.024	0.65	14.4	3.0	0.02	73	0.63
ZZ46463		20.7	56.4	5.06	6.37	0.07	0.02	0.03	0.036	0.47	12.0	57.7	0.50	1800	0.52
ZZ46464		27.2	60.6	5.96	9.30	0.11	0.02	0.04	0.046	0.64	15.2	101.0	0.83	1160	0.90
ZZ46465		18.80	50.7	5.96	10.05	0.13	0.03	0.01	0.051	0.77	16.3	99.0	0.93	1260	0.62
ZZ46466		21.8	88.9	6.71	9.91	0.12	0.03	0.03	0.053	0.77	14.7	103.0	0.85	1440	1.03
ZZ46467		17.65	38.6	4.34	3.83	0.09	0.07	0.03	0.031	0.36	20.5	32.3	0.27	2840	0.88
ZZ46468		14.65	5.5	5.17	7.70	0.09	0.15	0.02	0.039	0.10	15.8	59.5	0.60	724	1.05
ZZ46469		24.4	35.0	4.56	2.79	0.07	<0.02	0.04	0.039	0.41	19.3	16.2	0.11	2350	0.81
ZZ46470		21.0	25.4	3.86	3.95	0.09	<0.02	0.02	0.031	0.34	20.4	30.1	0.24	2500	0.82
ZZ46471		11.25	15.0	3.40	3.31	0.09	0.12	0.03	0.027	0.21	23.2	26.6	0.23	1520	0.49
ZZ46472		11.65	17.3	2.58	5.87	0.08	<0.02	0.05	0.028	0.19	27.6	50.5	0.34	1090	1.30
ZZ46473		15.35	14.9	2.69	5.19	0.05	0.02	0.13	0.027	0.15	21.8	44.6	0.29	1140	1.36
ZZ46474		13.05	62.5	2.49	5.18	0.09	<0.02	0.14	0.025	0.18	35.0	54.7	0.20	1180	2.62
ZZ46475		14.70	37.1	6.04	5.59	0.09	0.03	0.09	0.048	0.31	24.7	50.2	0.45	2250	0.93



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ46436		2.89	53.0	1040	29.1	59.3	<0.001	0.21	0.39	8.4	0.9	1.5	47.1	<0.01	0.02
ZZ46437		1.55	67.6	930	25.5	54.9	<0.001	0.43	0.97	7.1	4.4	1.7	98.1	<0.01	0.07
ZZ46438		0.42	70.8	610	29.1	22.8	0.005	0.22	0.77	4.1	5.9	0.7	52.8	<0.01	0.08
ZZ46439		1.95	67.9	1060	24.6	47.0	<0.001	0.34	0.66	5.2	3.1	1.4	51.6	<0.01	0.06
ZZ46440		2.68	99.4	840	20.0	82.2	0.001	0.26	0.18	10.9	2.7	2.2	46.6	<0.01	0.04
ZZ46441		1.57	70.2	1290	15.0	55.2	0.001	0.60	0.13	6.5	7.8	1.2	75.1	<0.01	0.11
ZZ46442		2.57	61.9	1170	22.2	82.4	0.002	0.38	0.49	10.6	4.5	2.1	56.8	<0.01	0.05
ZZ46443		3.63	76.7	750	25.7	78.7	<0.001	0.14	1.76	9.8	2.1	2.1	27.5	<0.01	0.03
ZZ46444		3.25	68.9	630	18.4	93.0	<0.001	0.15	0.57	10.2	1.0	2.7	31.6	<0.01	0.03
ZZ46445		3.23	63.6	690	20.0	76.3	<0.001	0.11	0.84	8.5	1.0	2.2	26.5	<0.01	0.03
ZZ46446		4.28	61.5	760	17.3	91.3	<0.001	0.16	0.63	9.6	0.9	2.5	30.1	<0.01	0.03
ZZ46447		3.34	54.2	800	18.1	80.6	<0.001	0.17	0.79	9.0	0.8	2.2	31.3	<0.01	0.02
ZZ46448		2.85	37.3	830	16.0	58.9	<0.001	0.12	0.32	7.5	0.6	1.8	28.3	<0.01	0.03
ZZ46449		2.48	41.0	790	23.2	55.3	<0.001	0.16	0.79	6.7	0.9	1.6	38.2	<0.01	0.05
ZZ46450		1.12	42.0	710	31.0	41.1	<0.001	0.14	6.10	3.7	0.6	1.3	49.5	<0.01	0.04
ZZ46451		3.12	46.5	820	28.2	66.4	<0.001	0.09	3.89	8.0	0.9	2.0	20.4	<0.01	0.03
ZZ46452		1.67	79.1	990	47.5	49.3	<0.001	0.03	7.31	7.4	0.5	1.8	12.8	<0.01	0.03
ZZ46453		2.13	118.0	850	36.7	51.0	<0.001	0.05	1.41	6.9	0.6	1.5	18.0	<0.01	0.03
ZZ46454		2.91	68.9	710	25.6	59.2	<0.001	0.08	1.00	7.8	0.9	1.9	27.4	<0.01	0.02
ZZ46455		1.42	82.0	730	63.1	43.0	<0.001	0.06	8.05	6.4	0.9	1.4	26.6	<0.01	0.03
ZZ46456		1.94	61.6	730	31.6	56.8	<0.001	0.04	3.32	8.2	0.9	1.9	19.7	<0.01	0.02
ZZ46457		1.24	58.9	760	67.3	43.8	<0.001	0.06	7.39	7.7	0.9	1.4	21.4	<0.01	0.02
ZZ46458		1.80	62.8	480	35.0	66.1	<0.001	0.06	5.64	7.0	0.8	1.6	21.8	<0.01	0.01
ZZ46459		1.44	86.9	550	30.9	71.8	<0.001	0.09	3.89	7.8	0.8	2.0	23.0	<0.01	0.03
ZZ46460		1.87	54.0	660	39.0	71.2	<0.001	0.09	5.77	7.4	0.5	2.0	27.3	<0.01	0.01
ZZ46461		0.63	32.0	780	46.9	49.0	<0.001	0.43	12.65	3.3	0.5	0.8	37.1	<0.01	0.01
ZZ46462		0.09	6.9	410	67.1	77.8	<0.001	1.34	22.6	0.8	0.4	1.0	52.3	<0.01	0.02
ZZ46463		0.94	67.6	620	48.5	54.1	<0.001	0.09	9.08	5.2	0.4	1.2	36.2	<0.01	0.01
ZZ46464		1.97	69.1	610	53.2	63.6	<0.001	0.06	3.57	7.4	0.6	2.0	24.6	<0.01	0.02
ZZ46465		1.18	69.9	630	37.4	67.1	<0.001	0.03	4.93	8.7	0.8	1.8	15.5	<0.01	0.01
ZZ46466		1.49	86.6	830	37.8	75.4	<0.001	0.15	5.28	8.5	0.7	1.9	28.6	<0.01	0.03
ZZ46467		0.35	42.3	800	501	35.2	<0.001	0.37	30.0	3.0	0.8	4.3	29.6	<0.01	0.02
ZZ46468		<0.05	1.8	1250	19.6	14.8	<0.001	0.23	9.45	10.0	0.9	0.7	15.3	<0.01	<0.01
ZZ46469		0.36	16.9	800	156.5	52.6	<0.001	0.62	36.2	2.7	0.7	0.9	29.7	<0.01	0.01
ZZ46470		0.74	22.3	800	124.5	43.4	<0.001	0.25	18.05	3.1	0.7	1.5	20.2	<0.01	0.02
ZZ46471		0.56	18.5	710	30.0	23.0	<0.001	0.05	11.05	3.8	0.9	0.7	19.0	<0.01	0.01
ZZ46472		1.38	17.6	1040	30.5	35.0	0.001	0.03	2.44	2.9	1.1	1.6	16.8	<0.01	0.02
ZZ46473		0.76	15.1	1150	37.1	31.6	0.001	0.05	2.28	1.6	0.7	1.5	13.3	<0.01	0.04
ZZ46474		0.97	7.5	1420	45.2	40.8	0.001	0.03	6.66	2.1	0.6	2.0	25.1	<0.01	0.03
ZZ46475		0.89	48.0	820	59.2	41.3	0.001	0.21	12.80	5.1	0.9	1.1	25.5	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ46436		0.176	0.39	3.49	54	0.25	5.96	142	0.5
ZZ46437		0.099	0.58	5.20	90	5.18	8.58	197	0.6
ZZ46438		0.053	0.48	14.60	188	2.17	6.78	375	1.5
ZZ46439		0.115	0.53	3.68	114	7.11	7.64	322	<0.5
ZZ46440		0.226	0.66	4.97	131	1.79	10.55	399	1.1
ZZ46441		0.138	0.76	5.68	223	4.91	5.77	339	<0.5
ZZ46442		0.207	0.76	5.09	153	1.69	7.97	264	<0.5
ZZ46443		0.197	0.52	4.21	78	1.48	7.65	264	<0.5
ZZ46444		0.233	0.65	2.95	77	4.95	7.05	175	0.8
ZZ46445		0.194	0.53	1.96	71	3.60	5.71	145	<0.5
ZZ46446		0.238	0.54	1.99	74	3.34	5.43	154	<0.5
ZZ46447		0.215	0.54	3.19	75	0.91	5.60	148	<0.5
ZZ46448		0.173	0.34	1.40	69	0.67	4.84	119	0.5
ZZ46449		0.128	0.49	1.54	53	0.29	5.79	104	<0.5
ZZ46450		0.033	0.83	2.86	38	0.40	4.70	96	<0.5
ZZ46451		0.147	0.66	2.09	54	0.30	6.67	125	<0.5
ZZ46452		0.086	0.61	4.16	42	0.22	10.45	155	<0.5
ZZ46453		0.140	0.41	2.89	52	2.90	9.34	152	0.6
ZZ46454		0.150	0.48	2.78	64	0.64	8.20	126	<0.5
ZZ46455		0.102	0.50	5.35	43	0.74	8.67	170	<0.5
ZZ46456		0.126	0.58	3.83	49	0.28	9.68	138	<0.5
ZZ46457		0.066	0.72	4.82	39	0.21	11.70	154	0.5
ZZ46458		0.110	0.66	6.47	42	0.17	6.37	145	<0.5
ZZ46459		0.128	0.70	6.09	44	0.15	8.41	177	1.0
ZZ46460		0.113	0.85	4.83	41	0.18	8.10	129	<0.5
ZZ46461		0.008	1.64	4.18	19	0.20	5.24	112	0.5
ZZ46462		<0.005	3.17	0.93	7	0.23	2.84	45	1.2
ZZ46463		0.064	0.78	6.02	30	0.15	9.69	139	0.9
ZZ46464		0.119	0.63	6.76	43	0.15	10.40	163	0.7
ZZ46465		0.163	0.57	5.65	50	0.15	8.37	146	1.7
ZZ46466		0.155	0.73	7.48	51	0.16	12.10	168	1.5
ZZ46467		0.025	1.76	8.61	15	0.44	10.80	243	5.6
ZZ46468		<0.005	0.38	2.05	54	0.54	14.80	111	7.5
ZZ46469		0.012	2.04	7.65	12	0.54	7.98	149	0.8
ZZ46470		0.029	0.95	10.80	18	0.33	11.00	260	<0.5
ZZ46471		0.037	0.47	11.60	17	0.78	11.35	163	6.6
ZZ46472		0.052	0.42	13.25	27	0.29	9.81	141	0.5
ZZ46473		0.029	0.43	9.76	28	0.28	9.41	112	0.5
ZZ46474		0.019	0.57	22.4	16	0.17	16.15	98	0.6
ZZ46475		0.027	0.83	8.36	28	0.28	14.75	177	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ46476		0.29	0.004	0.45	0.70	96.9	<0.2	<10	60	3.67	1.90	0.41	0.32	52.5	7.4	6
ZZ46477		0.31	0.008	0.67	0.99	53.5	<0.2	<10	80	3.43	2.52	0.99	0.24	25.1	5.6	7
ZZ46478		0.37	0.003	0.74	1.16	92.5	<0.2	<10	80	2.95	1.59	0.36	0.42	44.0	7.5	11
ZZ46479		0.37	0.014	7.44	0.70	296	<0.2	<10	50	1.81	1.76	0.28	0.13	36.6	3.1	5
ZZ46480		0.33	0.008	1.58	1.19	265	<0.2	<10	130	2.31	2.21	0.33	0.29	64.4	8.3	11
ZZ46481		0.28	0.007	0.26	2.90	9.4	<0.2	<10	250	2.06	0.76	0.34	0.26	38.0	25.9	49
ZZ46482		0.28	0.005	0.24	3.37	10.1	<0.2	<10	250	4.22	1.15	0.71	0.18	88.4	20.7	59
ZZ46483		0.24	0.004	0.31	4.20	98.6	<0.2	<10	360	6.54	2.04	0.62	0.25	67.8	49.7	74
ZZ46484		0.38	0.003	0.13	2.38	86.1	<0.2	<10	190	3.41	0.82	0.27	0.10	28.8	30.9	43
ZZ46485		0.28	0.006	0.37	2.33	5.0	<0.2	<10	190	2.97	2.21	0.10	0.10	31.9	33.5	38
ZZ46486		0.36	0.004	0.28	2.34	7.7	<0.2	<10	260	2.04	1.47	0.20	0.19	34.7	30.0	46
ZZ46487		0.26	0.002	0.22	3.22	5.8	<0.2	<10	310	1.95	1.10	0.24	0.24	32.1	27.8	58
ZZ46488		0.31	0.002	0.14	3.01	3.7	<0.2	<10	280	2.22	1.37	0.12	0.19	27.8	29.5	56
ZZ46489		0.30	0.002	0.26	3.29	3.6	<0.2	<10	360	1.98	0.82	0.18	0.56	28.7	27.8	58
ZZ46490		0.42	0.002	0.70	2.67	1.9	<0.2	<10	460	1.44	0.61	0.43	0.74	20.4	15.5	55
ZZ46491		0.30	0.002	0.14	2.49	6.4	<0.2	<10	250	2.60	0.78	0.43	0.09	29.6	21.2	45
ZZ46492		0.30	0.014	0.19	2.72	5.7	<0.2	<10	270	1.67	0.88	0.11	0.17	24.7	20.9	52
ZZ46493		0.26	0.002	0.16	2.72	9.2	<0.2	<10	320	1.87	1.00	0.25	0.09	23.5	20.2	52
ZZ46494		0.32	0.002	0.12	3.37	8.3	<0.2	<10	410	2.03	0.76	0.27	0.14	26.0	26.9	65
ZZ46495		0.29	0.002	0.36	2.87	19.2	<0.2	<10	320	2.01	0.79	0.23	0.09	20.8	22.4	53
ZZ46496		0.31	NSS	0.16	2.62	7.8	<0.2	<10	280	1.28	0.88	0.14	0.39	32.5	22.8	51
ZZ46497		0.33	0.007	0.14	2.66	12.2	<0.2	<10	270	1.89	1.31	0.17	0.24	32.6	40.8	50
ZZ46498		0.40	0.002	0.17	2.83	5.0	<0.2	<10	320	1.79	0.88	0.09	0.13	22.5	22.7	56
ZZ46499		0.35	0.001	0.15	2.70	5.6	<0.2	<10	310	1.42	0.69	0.38	0.25	26.7	23.5	51
ZZ46500		0.34	0.002	0.15	2.86	4.5	<0.2	<10	270	1.94	0.88	0.17	0.09	32.7	31.9	55
ZZ45771		0.35	0.001	0.85	2.42	2.2	<0.2	<10	420	1.81	0.74	0.20	0.98	19.60	11.7	52
ZZ45772		0.27	0.003	0.31	2.93	3.6	<0.2	<10	310	2.39	16.60	0.61	1.10	28.6	22.4	53
ZZ45773		0.29	0.002	0.61	2.57	8.4	<0.2	<10	360	2.25	0.95	0.23	1.50	27.3	21.1	52
ZZ45774		0.21	0.004	0.52	2.21	5.6	<0.2	<10	300	1.53	0.89	0.84	0.73	26.2	13.4	36
ZZ45775		0.33	0.006	0.34	2.40	6.8	<0.2	<10	260	1.79	1.01	0.43	1.12	30.8	14.6	39
ZZ45776		0.24	0.002	0.59	3.37	8.2	<0.2	<10	250	1.79	1.09	0.65	2.29	49.5	34.8	52
ZZ45777		0.23	0.002	0.54	2.09	14.1	<0.2	<10	200	2.61	2.04	0.32	0.67	32.6	15.3	35
ZZ45778		0.29	0.004	0.28	2.47	3.2	<0.2	<10	170	2.37	0.64	0.23	0.13	31.0	28.1	41
ZZ45779		0.34	0.002	0.26	2.93	5.2	<0.2	<10	210	1.31	0.58	0.10	0.22	25.0	24.4	55
ZZ45780		0.28	0.002	0.16	2.47	5.6	<0.2	<10	160	1.32	0.66	0.06	0.18	29.6	17.3	45
ZZ45781		0.28	0.002	0.20	2.24	7.1	<0.2	<10	200	1.48	0.64	0.11	0.34	34.0	22.2	43
ZZ45782		0.32	0.001	0.66	1.90	23.7	<0.2	<10	260	1.89	0.82	0.15	0.54	27.2	11.2	42
ZZ45783		0.38	0.005	0.12	2.89	1.9	<0.2	<10	360	1.13	0.51	0.15	0.42	19.50	20.7	60
ZZ45784		0.24	0.002	0.15	1.74	6.3	<0.2	<10	170	1.22	0.40	0.21	0.80	32.0	13.4	33
ZZ45785		0.22	0.001	0.25	2.75	4.5	<0.2	<10	250	2.24	1.01	0.46	1.96	42.5	22.8	48



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ46476		14.90	27.7	2.50	3.40	0.07	0.02	0.03	0.025	0.16	25.6	32.2	0.17	1240	0.80
ZZ46477		17.35	33.0	2.21	3.58	<0.05	0.10	0.06	0.027	0.17	13.7	39.7	0.20	963	0.92
ZZ46478		16.15	33.3	2.77	4.72	0.07	<0.02	0.03	0.029	0.19	24.2	39.2	0.27	792	0.72
ZZ46479		15.75	30.1	2.44	3.18	0.05	<0.02	0.04	0.031	0.29	19.1	26.3	0.14	355	0.77
ZZ46480		11.70	13.1	3.27	5.49	0.08	0.03	0.02	0.035	0.34	34.0	45.7	0.34	749	0.60
ZZ46481		23.0	40.7	4.31	10.15	0.08	<0.02	0.09	0.043	0.45	18.8	68.4	0.96	868	1.70
ZZ46482		24.1	29.8	4.65	12.95	0.13	0.03	0.03	0.073	0.53	42.5	94.5	1.89	1000	1.08
ZZ46483		30.0	80.7	10.05	15.60	0.14	0.03	0.05	0.112	1.03	35.9	121.5	1.54	2700	2.45
ZZ46484		19.05	51.7	6.02	9.05	0.12	<0.02	0.01	0.064	0.65	14.3	73.9	0.81	1390	0.98
ZZ46485		24.2	69.6	6.24	8.06	0.08	<0.02	0.07	0.042	0.50	16.5	71.0	0.62	1040	0.96
ZZ46486		11.50	53.1	6.47	8.30	0.10	<0.02	0.05	0.047	0.61	17.3	64.7	0.70	1080	1.51
ZZ46487		18.05	57.4	6.38	11.60	0.09	<0.02	0.05	0.067	0.69	15.6	72.1	0.93	987	1.86
ZZ46488		12.85	46.3	5.81	11.00	0.09	<0.02	0.03	0.055	0.71	13.9	74.8	0.91	928	1.48
ZZ46489		12.05	57.5	5.36	12.60	0.12	<0.02	0.04	0.051	0.86	14.8	79.4	1.05	691	3.46
ZZ46490		14.10	91.7	5.22	8.81	0.12	<0.02	0.01	0.044	0.73	10.7	86.5	1.12	355	15.55
ZZ46491		19.30	38.2	5.07	8.72	0.12	0.02	0.02	0.051	0.71	16.1	67.4	0.88	864	1.13
ZZ46492		17.70	34.3	5.13	9.27	0.07	<0.02	0.04	0.049	0.78	12.2	70.4	0.81	853	1.15
ZZ46493		19.65	45.5	5.44	9.19	0.08	<0.02	0.03	0.049	0.79	11.6	74.4	0.80	794	1.11
ZZ46494		21.9	48.1	6.21	11.95	0.14	<0.02	0.03	0.062	1.15	13.7	82.1	1.07	970	1.29
ZZ46495		22.0	51.8	5.95	10.15	0.07	0.02	0.02	0.047	0.93	11.0	71.4	0.80	838	1.21
ZZ46496		8.78	34.6	4.81	9.35	0.08	<0.02	0.11	0.052	0.71	16.3	58.9	0.71	1170	1.75
ZZ46497		21.0	50.6	4.87	9.41	0.09	<0.02	0.03	0.052	0.71	16.6	82.4	0.84	1010	2.14
ZZ46498		19.80	54.9	6.06	10.55	0.09	<0.02	0.05	0.054	0.93	10.9	50.0	0.74	836	1.59
ZZ46499		13.55	44.5	5.06	10.25	0.10	<0.02	0.05	0.051	0.74	13.4	67.6	0.80	814	1.62
ZZ46500		15.35	63.1	7.09	10.30	0.12	<0.02	0.05	0.056	0.81	17.3	69.5	0.84	1120	1.11
ZZ45771		16.20	106.5	5.52	8.04	0.11	<0.02	<0.01	0.048	0.77	11.0	96.0	0.88	302	21.7
ZZ45772		16.90	63.5	5.26	10.15	0.15	0.02	0.01	0.042	0.77	15.8	90.0	1.22	556	7.12
ZZ45773		15.00	93.8	5.14	8.38	0.08	<0.02	0.05	0.043	0.40	15.2	92.1	1.03	449	16.05
ZZ45774		12.20	63.7	3.35	7.05	0.08	<0.02	0.09	0.033	0.23	14.2	68.3	0.55	648	9.55
ZZ45775		10.00	60.6	3.72	7.85	0.08	<0.02	0.01	0.032	0.32	17.3	90.8	0.53	427	14.15
ZZ45776		11.40	118.0	5.62	10.10	0.11	<0.02	0.06	0.044	0.32	24.9	77.7	0.78	741	9.08
ZZ45777		13.00	67.9	4.48	7.39	0.07	<0.02	0.04	0.048	0.26	16.5	49.1	0.43	722	10.60
ZZ45778		19.00	52.3	5.80	7.87	0.05	<0.02	0.06	0.049	0.37	15.5	57.9	0.64	967	2.71
ZZ45779		16.35	41.6	5.55	10.80	0.07	<0.02	0.09	0.049	0.66	13.4	75.2	0.80	966	2.21
ZZ45780		10.50	34.9	4.47	8.55	0.06	<0.02	0.04	0.044	0.48	14.7	68.6	0.68	555	2.07
ZZ45781		7.30	35.4	4.16	7.43	0.07	0.02	0.04	0.043	0.41	18.1	56.7	0.69	685	2.21
ZZ45782		11.20	53.3	4.64	6.65	0.08	<0.02	0.05	0.048	0.38	16.1	51.1	0.56	327	19.80
ZZ45783		8.69	37.2	4.74	10.65	0.14	<0.02	0.06	0.052	1.14	10.3	75.6	0.88	719	4.43
ZZ45784		8.30	41.4	3.13	5.78	0.07	0.02	0.05	0.030	0.21	13.8	41.8	0.54	332	5.00
ZZ45785		22.4	82.2	5.12	9.69	0.10	<0.02	0.06	0.046	0.48	21.4	82.1	0.86	518	8.68



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ46476		0.56	9.5	1090	52.7	31.0	<0.001	0.09	8.77	1.6	0.8	1.3	30.9	<0.01	0.02
ZZ46477		0.65	8.4	1030	43.9	38.1	0.001	0.16	6.69	1.7	0.3	1.1	64.0	<0.01	0.02
ZZ46478		0.84	12.9	890	43.0	39.1	0.001	0.09	11.65	2.2	0.5	1.5	34.7	<0.01	<0.01
ZZ46479		0.57	4.5	960	45.7	49.7	<0.001	0.28	28.9	1.0	<0.2	1.4	37.3	<0.01	<0.01
ZZ46480		0.90	15.0	1030	62.9	50.4	<0.001	0.19	16.15	2.8	0.4	1.9	26.9	<0.01	0.02
ZZ46481		2.75	49.6	920	27.6	58.1	0.001	0.08	1.11	5.8	0.5	1.8	28.9	<0.01	0.03
ZZ46482		2.56	49.5	540	29.0	69.7	0.001	0.03	3.48	11.3	0.8	2.8	32.8	<0.01	0.02
ZZ46483		2.58	109.5	1120	70.2	108.5	<0.001	0.10	12.05	17.1	1.7	3.6	55.9	<0.01	0.02
ZZ46484		1.93	61.5	700	37.7	58.2	<0.001	0.05	4.86	9.1	0.5	1.6	28.4	<0.01	0.01
ZZ46485		1.96	60.2	820	24.7	59.9	0.001	0.09	1.31	5.2	0.2	1.5	31.9	<0.01	0.03
ZZ46486		2.60	59.3	750	36.0	51.8	0.001	0.12	1.08	8.0	0.5	1.4	29.6	<0.01	0.02
ZZ46487		2.72	52.0	920	28.9	65.1	<0.001	0.12	0.56	8.3	0.3	1.6	32.7	<0.01	0.02
ZZ46488		2.79	58.9	610	24.7	65.5	0.002	0.07	0.43	8.4	0.8	2.2	25.8	<0.01	0.05
ZZ46489		4.29	61.5	880	16.1	90.1	0.001	0.21	0.29	9.2	0.7	2.1	44.5	<0.01	0.03
ZZ46490		2.39	56.0	980	15.8	71.0	0.003	0.48	0.18	8.1	6.1	1.3	72.3	<0.01	0.06
ZZ46491		2.30	47.1	950	23.6	69.9	0.001	0.04	2.00	8.9	0.3	2.4	30.9	<0.01	0.02
ZZ46492		3.31	39.6	710	19.1	69.7	<0.001	0.09	1.62	7.9	0.2	1.6	19.1	<0.01	0.02
ZZ46493		3.34	44.6	710	25.1	68.0	<0.001	0.09	2.04	8.3	0.2	1.5	25.0	<0.01	0.03
ZZ46494		3.35	58.2	720	22.4	97.1	<0.001	0.07	1.30	11.6	0.5	2.3	33.0	<0.01	0.03
ZZ46495		2.78	44.7	740	23.2	74.2	0.001	0.10	2.47	9.4	<0.2	1.8	32.7	<0.01	0.03
ZZ46496		3.18	35.1	1130	24.7	69.0	<0.001	0.10	1.82	7.3	0.8	1.8	20.0	<0.01	0.02
ZZ46497		3.00	78.5	810	24.7	74.7	0.001	0.07	2.26	7.3	0.5	2.0	23.6	<0.01	0.02
ZZ46498		3.47	38.4	800	26.8	82.7	<0.001	0.21	1.38	8.4	0.6	2.1	42.3	<0.01	0.03
ZZ46499		3.52	46.1	940	20.5	71.0	<0.001	0.14	0.92	7.4	0.5	1.7	42.5	<0.01	0.03
ZZ46500		2.72	59.7	650	24.4	68.9	0.001	0.12	1.08	9.9	0.5	1.7	31.1	<0.01	0.03
ZZ45771		1.58	54.0	900	18.6	78.5	0.003	0.60	0.25	6.9	8.0	1.3	81.5	<0.01	0.08
ZZ45772		2.66	71.1	870	20.9	78.7	0.002	0.18	0.44	9.3	3.0	2.5	79.9	<0.01	0.16
ZZ45773		1.44	82.4	1090	19.8	46.6	0.003	0.33	1.36	6.5	5.0	1.3	69.5	<0.01	0.05
ZZ45774		1.53	42.4	1480	15.8	44.5	0.001	0.28	0.81	3.0	3.4	1.4	89.8	<0.01	0.06
ZZ45775		1.68	44.7	980	18.3	46.1	0.002	0.21	0.97	4.5	2.6	1.8	73.4	<0.01	0.03
ZZ45776		1.86	76.9	1430	45.7	38.6	0.001	0.37	17.35	6.3	4.2	1.6	137.0	<0.01	0.14
ZZ45777		1.02	47.0	1030	71.7	42.0	0.001	0.10	4.39	3.2	1.8	1.5	47.0	<0.01	0.03
ZZ45778		1.33	55.7	840	34.2	42.5	<0.001	0.07	0.56	5.7	0.3	1.1	23.2	<0.01	<0.01
ZZ45779		2.90	47.0	760	27.5	67.0	0.001	0.10	1.05	6.6	0.5	1.6	18.5	<0.01	0.03
ZZ45780		2.39	39.2	450	21.9	52.9	<0.001	0.07	0.81	5.8	0.8	1.3	17.6	<0.01	0.02
ZZ45781		2.28	44.2	470	20.9	44.0	<0.001	0.07	0.72	5.9	1.0	1.2	21.8	<0.01	0.02
ZZ45782		1.25	39.8	550	25.6	39.9	<0.001	0.25	0.62	4.8	2.7	1.0	70.6	<0.01	0.05
ZZ45783		4.10	41.1	650	17.5	97.6	0.001	0.10	0.18	10.3	1.1	2.0	32.7	<0.01	0.01
ZZ45784		1.61	44.0	510	10.9	27.9	0.001	0.09	0.66	3.6	1.6	0.9	28.4	<0.01	0.04
ZZ45785		2.24	70.0	1020	17.4	69.1	<0.001	0.20	0.39	6.1	3.2	2.2	53.9	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ46476		0.011	0.79	19.05	11	0.33	14.80	117	1.0
ZZ46477		0.009	0.76	50.0	11	0.20	9.32	106	3.9
ZZ46478		0.023	0.53	18.10	21	0.42	9.87	135	<0.5
ZZ46479		0.016	1.53	10.60	10	0.55	6.93	72	<0.5
ZZ46480		0.030	1.00	7.87	17	0.48	11.85	144	1.8
ZZ46481		0.135	0.42	3.35	61	0.58	7.28	124	<0.5
ZZ46482		0.111	0.60	3.64	73	1.70	16.60	125	1.2
ZZ46483		0.135	1.36	10.60	84	0.57	22.7	259	1.1
ZZ46484		0.107	0.63	3.38	47	0.40	9.90	148	0.5
ZZ46485		0.095	0.53	6.52	42	1.23	6.13	136	<0.5
ZZ46486		0.149	0.42	4.68	57	0.51	8.20	157	0.5
ZZ46487		0.155	0.41	3.97	72	0.64	8.07	155	<0.5
ZZ46488		0.175	0.45	4.73	69	0.87	5.41	151	<0.5
ZZ46489		0.208	0.58	3.89	87	0.83	6.20	183	0.5
ZZ46490		0.171	0.79	6.22	175	0.96	6.67	251	<0.5
ZZ46491		0.158	0.59	4.14	55	0.56	8.13	116	0.9
ZZ46492		0.184	0.53	2.09	62	0.31	5.65	109	<0.5
ZZ46493		0.184	0.51	4.17	62	0.29	5.72	112	<0.5
ZZ46494		0.276	0.56	3.16	78	0.50	5.90	139	0.6
ZZ46495		0.191	0.54	4.17	63	0.26	6.66	117	0.6
ZZ46496		0.186	0.46	3.01	67	1.77	6.52	127	0.5
ZZ46497		0.160	0.54	4.24	61	0.93	6.62	135	0.6
ZZ46498		0.186	0.62	2.92	62	0.32	4.22	129	<0.5
ZZ46499		0.186	0.45	2.14	66	0.79	5.98	126	<0.5
ZZ46500		0.182	0.48	3.71	63	0.28	7.77	150	0.5
ZZ45771		0.152	1.00	8.24	208	0.56	5.17	303	0.5
ZZ45772		0.188	0.66	5.77	95	9.89	8.77	261	0.9
ZZ45773		0.102	0.74	8.91	166	12.05	8.95	341	<0.5
ZZ45774		0.067	0.54	6.90	100	5.15	9.37	160	0.5
ZZ45775		0.089	0.61	4.23	101	29.6	5.66	158	<0.5
ZZ45776		0.101	0.49	6.38	117	9.73	11.10	243	<0.5
ZZ45777		0.038	0.45	8.41	70	1.47	9.04	222	<0.5
ZZ45778		0.067	0.31	3.28	48	0.26	8.59	140	<0.5
ZZ45779		0.182	0.35	1.24	73	1.83	4.29	148	<0.5
ZZ45780		0.151	0.35	1.77	63	0.63	4.47	114	<0.5
ZZ45781		0.149	0.33	2.29	62	0.64	6.53	117	0.6
ZZ45782		0.099	0.60	5.39	116	1.20	5.36	141	<0.5
ZZ45783		0.270	0.57	1.69	94	0.48	4.56	137	0.5
ZZ45784		0.098	0.26	2.34	64	0.73	4.10	131	0.5
ZZ45785		0.130	0.59	5.56	105	5.41	9.18	261	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ45786		0.31	0.001	0.27	2.61	4.8	<0.2	<10	210	2.31	0.99	0.30	0.85	30.4	16.2	40
ZZ45787		0.40	<0.001	0.42	3.04	4.1	<0.2	<10	230	2.85	0.89	0.57	1.20	48.6	37.8	52
ZZ45788		0.37	<0.001	0.39	2.53	2.9	<0.2	<10	200	2.74	0.79	0.52	2.08	30.4	28.4	46
ZZ45789		0.30	0.001	0.91	2.32	3.4	<0.2	<10	200	3.04	1.10	0.32	2.16	28.9	24.8	45
ZZ45790		0.16	0.033	0.50	2.27	8.3	<0.2	<10	190	4.00	1.20	0.18	0.95	21.1	99.4	32
ZZ45791		0.29	0.001	0.17	1.58	5.2	<0.2	<10	120	1.51	0.59	0.12	0.39	22.5	17.1	27
ZZ45792		0.40	0.004	0.14	1.74	4.1	<0.2	<10	200	1.07	0.69	0.15	0.26	17.85	16.3	31
ZZ45793		0.30	0.002	0.35	2.84	4.1	<0.2	<10	300	2.53	1.11	0.28	0.84	26.4	24.9	48
ZZ45794		0.28	0.002	0.15	2.63	7.1	<0.2	<10	230	1.53	0.82	0.16	0.20	28.8	20.5	47
ZZ45795		0.35	0.001	0.23	2.04	7.7	<0.2	<10	160	1.19	0.74	0.12	0.30	25.3	16.8	37
ZZ45796		0.23	0.002	0.42	1.89	7.6	<0.2	<10	170	1.33	0.88	0.25	0.24	21.8	17.1	35
ZZ45797		0.30	<0.001	0.49	1.62	13.1	<0.2	<10	170	1.11	0.68	0.11	0.62	21.6	18.8	33
ZZ45798		0.25	0.008	0.64	1.47	8.9	<0.2	<10	260	1.70	0.80	0.51	2.37	13.05	46.2	24
ZZ45799		0.28	0.002	0.64	2.34	30.1	<0.2	<10	190	1.66	0.90	0.15	0.18	31.2	27.9	43
ZZ45800		0.25	0.002	0.67	1.79	17.2	<0.2	<10	120	1.04	0.60	0.09	0.30	26.6	15.0	35
ZZ45801		0.31	0.001	0.22	2.17	6.7	<0.2	<10	190	1.94	0.78	0.19	0.30	26.7	18.6	37
ZZ45802		0.35	0.002	0.13	1.76	8.2	<0.2	<10	170	0.79	0.50	0.19	0.58	21.5	15.0	30
ZZ45803		0.36	0.001	0.12	2.21	6.9	<0.2	<10	190	2.31	0.96	0.13	0.26	23.7	24.9	36
ZZ45804		0.25	0.001	0.14	1.04	5.4	<0.2	<10	80	0.51	0.24	0.10	0.14	14.20	8.0	14
ZZ45805		0.28	0.004	0.47	2.15	24.4	<0.2	<10	200	1.96	1.41	0.18	0.24	24.8	22.2	37
ZZ45806		0.23	0.001	0.27	0.68	12.9	<0.2	<10	50	0.38	0.22	0.10	0.13	9.29	3.3	7
ZZ45807		0.35	0.008	2.50	1.21	179.5	<0.2	<10	110	1.40	0.88	0.14	0.19	31.8	8.5	21
ZZ45808		0.39	0.018	8.07	1.50	317	<0.2	<10	160	1.92	0.94	0.27	0.20	39.6	9.1	20
ZZ45809		0.35	0.011	3.36	1.50	172.0	<0.2	<10	160	1.64	1.09	0.20	0.18	38.4	11.0	24
ZZ45810		0.38	0.036	19.50	1.16	343	<0.2	<10	90	2.54	1.49	0.17	0.22	52.1	12.4	14
ZZ45811		0.38	0.014	4.49	1.30	191.5	<0.2	<10	130	1.98	1.26	0.20	0.13	44.4	10.3	16
ZZ45812		0.36	0.007	1.53	2.72	34.0	<0.2	<10	250	1.13	1.22	0.12	0.15	28.1	20.1	55
ZZ45813		0.34	0.006	3.58	1.19	124.5	<0.2	<10	120	2.23	1.20	0.33	0.26	56.5	6.7	10
ZZ45814		0.38	0.015	11.90	1.18	212	<0.2	<10	70	2.53	1.35	0.19	0.11	44.9	4.9	11
ZZ45815		0.33	0.015	10.80	1.07	313	<0.2	<10	70	2.20	0.81	0.19	0.27	30.6	5.5	12
ZZ45816		0.35	0.018	17.95	1.16	473	<0.2	<10	110	1.76	0.98	0.10	0.18	38.5	6.8	15
ZZ45817		0.38	0.007	3.24	0.93	225	<0.2	<10	100	4.14	1.22	0.37	0.20	47.4	6.5	10
ZZ45818		0.36	0.004	3.06	1.05	101.0	<0.2	<10	100	3.01	0.81	0.23	0.13	41.2	5.4	11
ZZ45819		0.31	0.009	5.52	0.95	268	<0.2	<10	50	2.73	0.53	0.39	0.13	41.1	7.1	6
ZZ45820		0.42	0.004	1.00	1.32	34.9	<0.2	<10	130	1.65	0.72	0.30	0.13	48.9	10.2	22
ZZ45821		0.35	0.007	0.74	0.90	147.5	<0.2	<10	90	2.43	0.56	0.15	0.23	45.6	7.9	12
ZZ45822		0.36	0.003	0.07	0.98	7.8	<0.2	<10	60	0.58	0.59	0.11	0.19	25.6	4.3	17
ZZ45823		0.30	0.001	0.05	1.12	13.5	<0.2	<10	60	0.72	0.44	0.14	0.19	37.4	5.8	20
ZZ45824		0.41	0.002	0.08	1.14	26.6	<0.2	<10	70	1.29	0.97	0.14	0.16	45.1	5.7	14
ZZ45825		0.39	0.006	0.17	1.10	16.9	<0.2	<10	70	1.47	0.60	0.26	0.24	52.7	6.4	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ45786		13.85	51.0	3.98	8.15	0.06	<0.02	0.05	0.033	0.26	14.5	68.2	0.66	427	4.72
ZZ45787		23.5	90.9	5.69	10.60	0.13	<0.02	0.03	0.046	0.56	26.9	106.5	1.02	734	4.70
ZZ45788		15.55	106.5	5.78	7.63	0.11	0.03	0.02	0.044	0.37	16.6	82.4	0.80	551	14.10
ZZ45789		22.0	158.5	6.09	7.15	0.09	<0.02	0.03	0.057	0.34	15.1	93.5	0.77	462	26.1
ZZ45790		25.5	99.4	3.48	5.81	0.06	<0.02	0.14	0.071	0.31	10.1	49.0	0.43	1670	3.55
ZZ45791		12.05	35.1	3.15	5.89	0.05	<0.02	0.05	0.032	0.27	10.9	40.4	0.40	586	2.62
ZZ45792		10.95	35.0	3.32	6.70	0.05	<0.02	0.03	0.031	0.40	9.2	37.4	0.45	529	2.35
ZZ45793		24.8	60.3	5.36	9.46	0.08	<0.02	0.03	0.053	0.62	14.8	85.3	0.98	754	5.82
ZZ45794		15.30	42.6	4.64	9.55	0.08	<0.02	0.04	0.045	0.58	14.9	63.7	0.83	614	2.10
ZZ45795		13.95	35.0	3.66	7.66	0.05	<0.02	0.05	0.035	0.34	13.4	47.6	0.64	569	1.97
ZZ45796		16.65	41.3	3.63	7.02	0.06	<0.02	0.08	0.039	0.34	11.2	48.6	0.54	571	2.06
ZZ45797		14.00	66.1	3.67	6.51	0.05	<0.02	0.07	0.042	0.40	11.2	32.5	0.39	381	2.61
ZZ45798		10.80	81.7	2.69	4.37	0.05	<0.02	0.16	0.026	0.30	6.9	28.9	0.34	770	1.83
ZZ45799		17.80	39.8	4.78	8.76	0.05	<0.02	0.04	0.043	0.39	15.5	60.9	0.67	1030	1.58
ZZ45800		8.83	29.0	3.71	7.11	0.05	<0.02	0.09	0.045	0.32	12.7	44.9	0.51	483	1.68
ZZ45801		19.65	40.5	4.01	7.74	0.05	<0.02	0.04	0.046	0.36	14.0	60.8	0.60	673	2.26
ZZ45802		8.88	26.5	3.40	6.17	<0.05	<0.02	0.07	0.032	0.29	10.3	39.1	0.50	549	1.66
ZZ45803		23.1	46.5	4.44	7.72	<0.05	<0.02	0.04	0.043	0.40	12.3	55.8	0.54	911	1.66
ZZ45804		4.76	20.5	1.72	3.91	<0.05	<0.02	0.02	0.018	0.10	7.2	15.5	0.21	265	1.00
ZZ45805		22.4	39.5	4.36	7.64	<0.05	<0.02	0.07	0.044	0.45	12.4	56.3	0.55	990	1.34
ZZ45806		2.40	10.0	1.02	2.84	<0.05	<0.02	0.05	0.010	0.06	4.5	8.8	0.10	168	0.52
ZZ45807		11.10	20.8	2.66	4.66	<0.05	<0.02	0.04	0.029	0.20	17.0	33.9	0.34	1220	1.19
ZZ45808		15.25	21.1	2.73	5.97	0.06	<0.02	0.07	0.029	0.23	21.4	44.3	0.35	2040	1.07
ZZ45809		11.50	22.7	2.89	6.23	0.06	0.02	0.04	0.027	0.35	19.9	54.8	0.45	1400	1.06
ZZ45810		17.90	25.8	3.06	5.31	0.08	<0.02	0.03	0.030	0.35	27.1	45.2	0.29	3140	0.90
ZZ45811		15.80	21.7	2.94	4.81	0.06	<0.02	0.02	0.031	0.29	22.6	37.6	0.32	2800	0.94
ZZ45812		15.90	61.3	5.47	9.84	0.12	0.02	0.04	0.045	1.19	14.0	70.8	0.80	1120	1.01
ZZ45813		17.30	8.1	2.36	4.85	0.07	<0.02	0.08	0.024	0.20	27.6	52.3	0.26	1350	0.96
ZZ45814		17.75	8.9	1.97	5.15	0.06	<0.02	0.06	0.029	0.24	22.2	46.1	0.25	2110	0.76
ZZ45815		15.65	11.9	2.02	4.43	<0.05	<0.02	0.19	0.027	0.12	14.3	21.1	0.19	2420	1.01
ZZ45816		16.75	14.1	2.40	5.10	<0.05	<0.02	0.20	0.027	0.14	18.6	21.9	0.21	4550	1.55
ZZ45817		20.7	10.5	2.49	3.91	0.07	<0.02	0.08	0.026	0.14	26.0	25.7	0.18	5630	1.17
ZZ45818		22.2	12.3	2.23	4.28	0.05	<0.02	0.06	0.023	0.13	21.3	24.4	0.21	1300	0.98
ZZ45819		13.85	10.6	3.44	3.71	0.07	0.02	0.12	0.031	0.13	23.2	16.3	0.21	2040	1.05
ZZ45820		9.40	17.2	3.06	5.89	0.09	0.02	0.04	0.029	0.34	23.6	52.4	0.44	862	0.75
ZZ45821		10.60	12.8	3.73	3.99	0.07	0.02	0.04	0.042	0.15	24.2	21.8	0.22	813	1.23
ZZ45822		3.33	10.1	2.00	5.78	<0.05	<0.02	0.04	0.025	0.06	13.2	20.5	0.26	185	1.08
ZZ45823		4.12	13.3	2.36	4.92	0.05	<0.02	0.20	0.024	0.06	17.0	16.6	0.31	257	1.25
ZZ45824		8.60	12.1	1.93	5.90	0.06	<0.02	0.04	0.021	0.12	22.8	41.9	0.30	322	0.83
ZZ45825		7.26	15.7	2.05	4.58	0.07	<0.02	0.05	0.025	0.07	26.8	24.9	0.32	361	1.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01
ZZ45786		1.71	55.5	770	20.1	45.0	<0.001	0.13	0.34	4.2	1.4	1.7	51.8	<0.01	0.03
ZZ45787		1.75	98.7	810	36.1	60.9	0.001	0.10	0.43	9.2	2.1	2.0	76.4	<0.01	0.04
ZZ45788		0.97	81.0	1120	24.8	43.2	0.001	0.15	0.63	6.6	2.6	1.4	64.7	<0.01	0.07
ZZ45789		1.05	81.9	1340	31.7	39.7	0.003	0.30	5.19	5.8	9.2	1.3	65.1	<0.01	0.10
ZZ45790		1.16	78.1	2740	26.4	46.1	<0.001	0.20	1.79	1.3	1.1	1.1	22.4	<0.01	0.02
ZZ45791		1.50	33.6	820	16.9	39.7	<0.001	0.07	1.28	2.8	1.0	1.2	15.0	<0.01	0.03
ZZ45792		1.76	27.9	700	16.3	43.0	0.001	0.09	0.69	3.7	0.7	1.1	23.4	<0.01	0.01
ZZ45793		2.43	69.3	700	26.2	60.4	<0.001	0.16	3.11	8.1	2.1	1.8	36.2	<0.01	0.03
ZZ45794		3.08	40.6	790	20.6	73.1	<0.001	0.11	1.45	6.3	1.0	1.7	25.1	<0.01	0.03
ZZ45795		1.76	36.8	750	23.1	46.5	<0.001	0.11	1.75	3.0	0.8	1.2	18.4	<0.01	0.02
ZZ45796		2.05	44.6	890	20.1	51.3	<0.001	0.14	1.44	3.7	0.6	1.2	24.8	<0.01	0.04
ZZ45797		2.09	36.5	4770	25.6	53.8	<0.001	0.17	1.84	2.7	0.8	1.1	21.1	<0.01	<0.01
ZZ45798		1.93	97.2	3150	21.9	40.0	0.001	0.28	1.19	1.5	0.8	0.8	45.6	<0.01	<0.01
ZZ45799		1.87	46.4	750	30.8	55.8	<0.001	0.07	3.00	4.8	0.5	1.4	22.4	<0.01	0.04
ZZ45800		2.34	33.6	570	22.8	43.7	<0.001	0.08	1.55	3.6	0.3	1.2	14.1	<0.01	0.02
ZZ45801		1.68	43.5	840	25.4	49.8	0.001	0.09	2.01	4.7	1.0	1.3	26.9	<0.01	0.05
ZZ45802		2.07	30.1	660	17.8	35.8	<0.001	0.05	0.84	3.4	0.4	0.9	21.2	<0.01	0.02
ZZ45803		1.35	45.4	770	23.4	52.6	<0.001	0.11	2.60	4.6	0.4	1.4	27.0	<0.01	0.03
ZZ45804		0.46	14.9	610	9.1	16.5	<0.001	0.05	0.52	1.0	0.3	0.5	11.9	<0.01	<0.01
ZZ45805		1.89	41.8	800	24.5	58.7	0.001	0.09	5.74	5.1	0.6	1.5	26.0	<0.01	0.01
ZZ45806		0.55	5.3	510	5.7	11.5	<0.001	0.04	4.92	0.6	0.4	0.4	9.6	<0.01	0.01
ZZ45807		0.83	19.4	620	46.8	39.7	<0.001	0.05	34.2	1.8	0.7	1.1	14.9	<0.01	<0.01
ZZ45808		0.95	17.6	930	45.0	50.3	<0.001	0.04	16.15	2.6	0.7	1.4	23.5	<0.01	0.02
ZZ45809		1.63	25.4	640	59.6	55.3	0.001	0.04	25.0	3.9	0.8	1.7	18.1	<0.01	<0.01
ZZ45810		0.89	19.2	670	120.5	52.2	<0.001	0.06	44.3	2.8	0.6	1.6	21.7	<0.01	<0.01
ZZ45811		0.81	19.1	690	52.3	42.8	0.001	0.08	20.5	2.3	<0.2	1.2	22.7	<0.01	<0.01
ZZ45812		2.65	33.2	700	28.4	118.5	<0.001	0.05	2.32	9.8	<0.2	2.4	11.4	<0.01	<0.01
ZZ45813		0.68	9.5	1000	44.8	39.6	<0.001	0.04	7.90	1.1	0.8	1.5	18.9	<0.01	<0.01
ZZ45814		0.65	8.0	670	51.0	55.3	<0.001	0.06	8.23	1.2	0.6	2.0	17.3	<0.01	0.03
ZZ45815		0.30	9.6	1160	49.0	38.7	<0.001	0.09	9.10	0.3	<0.2	1.0	21.4	<0.01	0.02
ZZ45816		0.39	11.0	790	62.8	44.7	<0.001	0.06	13.90	0.6	0.6	1.1	13.3	<0.01	0.05
ZZ45817		0.42	10.4	1160	61.7	40.7	<0.001	0.03	9.56	1.2	0.6	1.2	25.6	<0.01	<0.01
ZZ45818		0.51	10.4	720	34.3	36.4	<0.001	0.03	5.72	1.2	0.2	1.1	18.4	<0.01	0.01
ZZ45819		0.36	5.3	980	35.6	32.9	<0.001	0.06	8.19	2.7	0.6	0.8	20.1	<0.01	<0.01
ZZ45820		1.59	20.8	1010	27.6	53.3	<0.001	0.02	5.27	3.6	0.6	1.6	16.2	<0.01	<0.01
ZZ45821		0.76	10.4	910	66.9	27.1	<0.001	0.21	4.50	3.6	0.9	0.7	22.8	<0.01	0.01
ZZ45822		0.83	12.2	620	19.0	14.4	<0.001	0.04	0.66	0.9	0.2	0.9	8.3	<0.01	0.01
ZZ45823		0.82	14.6	640	21.9	15.0	<0.001	0.03	1.04	1.4	<0.2	0.7	9.9	<0.01	0.02
ZZ45824		1.12	11.1	600	21.7	27.6	<0.001	0.02	4.03	1.7	0.4	1.1	8.1	<0.01	0.02
ZZ45825		0.92	17.9	1080	20.9	15.0	<0.001	0.01	2.05	2.1	0.8	0.6	12.6	<0.01	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ45786		0.092	0.37	3.71	66	4.15	6.08	191	<0.5
ZZ45787		0.134	0.44	5.67	72	5.13	15.65	258	0.7
ZZ45788		0.097	0.47	11.40	112	3.88	10.95	335	1.2
ZZ45789		0.065	0.56	11.85	156	5.85	11.15	367	<0.5
ZZ45790		0.038	0.30	9.14	46	0.43	9.78	132	<0.5
ZZ45791		0.095	0.30	5.46	51	0.66	4.38	109	<0.5
ZZ45792		0.126	0.29	2.72	58	0.42	3.70	83	<0.5
ZZ45793		0.133	0.54	4.47	94	1.57	7.84	298	0.5
ZZ45794		0.165	0.43	2.43	68	10.75	5.99	107	<0.5
ZZ45795		0.095	0.32	3.09	60	1.16	4.86	99	<0.5
ZZ45796		0.097	0.37	3.26	54	0.65	6.92	105	<0.5
ZZ45797		0.074	0.31	3.27	53	1.25	4.89	103	<0.5
ZZ45798		0.052	0.25	3.22	32	0.37	7.22	203	<0.5
ZZ45799		0.112	0.43	2.54	59	0.47	6.02	127	<0.5
ZZ45800		0.113	0.30	1.63	55	0.71	3.77	92	0.5
ZZ45801		0.091	0.41	3.26	58	1.81	6.48	130	<0.5
ZZ45802		0.109	0.27	1.75	51	0.55	3.54	103	0.7
ZZ45803		0.078	0.54	4.48	56	0.80	6.55	117	<0.5
ZZ45804		0.050	0.17	1.48	35	0.30	2.83	47	<0.5
ZZ45805		0.103	0.53	4.63	51	1.09	6.23	118	0.5
ZZ45806		0.039	0.10	2.06	20	0.13	1.76	25	<0.5
ZZ45807		0.054	0.47	5.82	35	0.52	6.06	103	<0.5
ZZ45808		0.049	0.45	15.60	34	0.32	9.23	136	<0.5
ZZ45809		0.094	0.50	8.00	37	1.29	8.24	115	0.8
ZZ45810		0.052	0.73	15.65	22	0.25	9.35	167	0.9
ZZ45811		0.046	0.54	6.42	25	0.26	6.60	137	<0.5
ZZ45812		0.267	0.77	4.80	61	0.59	5.37	129	0.8
ZZ45813		0.025	0.59	5.06	19	0.24	8.77	93	<0.5
ZZ45814		0.027	0.60	7.52	18	0.29	8.24	135	<0.5
ZZ45815		0.013	0.45	5.84	24	0.20	4.59	115	<0.5
ZZ45816		0.022	0.56	5.32	29	0.29	6.17	121	<0.5
ZZ45817		0.017	0.75	13.45	18	0.22	13.30	135	<0.5
ZZ45818		0.017	0.42	9.30	21	0.23	7.83	102	<0.5
ZZ45819		0.009	0.46	3.99	22	0.62	13.10	135	0.7
ZZ45820		0.089	0.50	4.47	31	0.26	9.91	105	1.0
ZZ45821		0.028	0.52	6.45	28	0.37	9.29	242	0.5
ZZ45822		0.047	0.18	1.35	36	0.30	3.67	70	<0.5
ZZ45823		0.046	0.28	2.30	38	0.29	4.55	74	<0.5
ZZ45824		0.040	0.30	5.41	27	1.76	5.59	81	0.6
ZZ45825		0.041	0.18	5.43	31	0.63	9.08	88	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ45826		0.40	0.002	0.07	1.06	5.5	<0.2	<10	100	0.89	0.37	0.23	0.31	36.6	4.9	14
ZZ45827		0.44	0.004	0.09	1.56	7.8	<0.2	<10	130	1.59	0.55	0.23	0.33	52.2	7.4	22
ZZ45828		0.39	0.003	0.07	1.24	7.2	<0.2	<10	80	1.35	0.68	0.16	0.23	40.8	5.6	15
ZZ45829		0.13	<0.001	0.07	0.72	3.7	<0.2	<10	30	0.23	0.24	0.06	0.11	14.50	2.6	10
ZZ45830		0.46	0.002	0.09	1.52	14.3	<0.2	<10	100	1.40	0.78	0.20	0.31	54.4	7.5	20
ZZ45831		0.34	0.002	0.08	1.11	6.4	<0.2	<10	90	0.88	0.42	0.22	0.22	43.9	5.4	16
ZZ45832		0.43	0.003	0.13	0.91	9.4	<0.2	<10	100	1.52	0.55	0.29	0.16	46.1	6.1	17
ZZ45833		0.23	0.001	0.23	1.29	15.3	<0.2	<10	90	1.41	0.66	0.12	0.25	33.3	6.3	20
ZZ45834		0.38	0.002	0.20	1.17	15.1	<0.2	<10	130	1.69	0.51	0.20	0.44	52.2	6.7	18
ZZ45835		0.41	0.002	0.17	0.73	14.9	<0.2	<10	80	1.22	0.45	0.31	0.26	53.9	5.0	11
ZZ45836		0.33	0.004	0.15	1.13	20.1	<0.2	<10	70	0.86	0.51	0.17	0.24	35.5	5.8	16
ZZ45837		0.41	0.001	0.11	1.13	19.2	<0.2	<10	80	1.11	0.62	0.16	0.17	34.3	6.1	17
ZZ45838		0.30	0.002	0.17	1.32	24.5	<0.2	<10	100	1.91	0.80	0.19	0.29	52.7	6.3	18
ZZ45839		0.38	0.006	0.18	1.04	13.7	<0.2	<10	110	1.57	0.85	0.28	0.30	49.1	6.4	17
ZZ45840		0.29	0.001	0.22	1.30	26.7	<0.2	<10	110	1.72	0.97	0.16	0.22	51.6	5.9	17
ZZ45841		0.32	0.004	1.15	1.82	52.3	<0.2	<10	170	3.08	1.26	0.19	0.28	67.8	8.7	25
ZZ45842		0.33	0.002	0.95	0.82	27.0	<0.2	<10	80	2.76	1.24	0.47	0.48	113.0	4.9	9
ZZ45843		0.42	0.006	1.07	0.93	95.2	<0.2	<10	70	2.83	2.17	0.38	0.63	88.4	5.7	11
ZZ45844		0.38	0.005	7.43	0.85	68.2	<0.2	<10	60	3.33	2.59	0.28	0.34	126.0	4.7	9
ZZ45845		0.42	0.002	0.49	0.72	37.2	<0.2	<10	50	2.24	1.00	0.31	0.87	84.1	5.7	7
ZZ45846		0.29	0.001	0.19	0.99	19.4	<0.2	<10	60	2.95	2.54	0.38	1.68	137.0	5.5	9
ZZ45847		0.33	0.001	0.29	1.02	11.0	<0.2	<10	40	2.34	1.99	0.65	2.92	137.5	4.1	4
ZZ45848		0.24	0.002	2.04	0.90	65.0	<0.2	<10	40	3.58	2.86	0.24	0.50	80.2	7.6	14
ZZ45849		0.18	<0.001	0.17	0.40	2.5	<0.2	<10	20	0.40	0.29	0.09	0.23	12.85	1.5	4
ZZ45850		0.24	0.001	0.39	0.74	29.2	<0.2	<10	50	1.96	0.85	0.35	0.30	58.1	6.2	8
ZZ45851		0.37	0.002	0.43	0.94	43.5	<0.2	<10	50	3.15	1.14	0.38	0.71	92.9	5.9	10
ZZ45852		0.31	0.002	0.38	0.79	26.5	<0.2	<10	60	2.48	1.01	0.29	0.47	73.2	4.8	9
ZZ45853		0.45	0.007	3.12	0.74	76.7	<0.2	<10	60	2.48	1.92	0.30	0.39	98.2	5.2	12
ZZ45854		0.25	0.002	3.35	0.82	38.3	<0.2	<10	50	2.07	2.10	0.28	0.31	60.9	4.1	7
ZZ45855		0.38	0.003	0.32	0.99	26.0	<0.2	<10	100	2.55	0.90	0.29	0.28	69.6	5.2	13
ZZ45856		0.26	0.004	5.04	1.02	97.0	<0.2	<10	90	2.69	1.11	0.23	0.24	68.5	6.0	13
ZZ45857		0.32	0.001	0.13	1.34	6.3	<0.2	<10	100	0.80	0.58	0.13	0.11	29.1	6.0	19
ZZ45858		0.30	<0.001	0.19	1.43	7.6	<0.2	<10	110	1.10	0.66	0.11	0.10	32.0	6.7	21
ZZ45859		0.24	0.001	0.12	1.37	6.6	<0.2	<10	130	1.05	0.50	0.15	0.19	39.3	7.2	19
ZZ45860		0.30	0.001	0.10	1.12	5.8	<0.2	<10	90	1.00	0.49	0.12	0.13	32.8	5.1	15
ZZ45861		0.30	0.004	0.20	1.01	5.0	<0.2	<10	90	1.10	0.51	0.10	0.18	26.7	6.0	13
ZZ45862		0.25	0.002	0.21	1.39	8.0	<0.2	<10	120	1.02	0.70	0.10	0.13	30.9	5.2	20
ZZ45863		0.27	<0.001	0.32	1.64	11.2	<0.2	<10	130	1.37	0.93	0.11	0.16	34.2	7.2	23
ZZ45864		0.28	<0.001	0.13	1.13	6.9	<0.2	<10	90	0.81	0.56	0.16	0.20	31.4	7.2	19
ZZ45865		0.24	0.001	0.38	1.13	10.3	<0.2	<10	160	0.83	0.47	0.15	0.24	32.7	8.4	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ45826		4.13	14.2	1.72	4.94	0.06	<0.02	0.03	0.019	0.10	18.1	32.0	0.33	410	0.66
ZZ45827		5.38	18.1	2.43	5.98	0.08	0.02	0.04	0.028	0.10	25.8	34.8	0.45	440	1.07
ZZ45828		4.79	14.0	1.95	5.23	0.06	<0.02	0.05	0.025	0.09	19.0	35.9	0.33	415	0.81
ZZ45829		1.78	13.7	1.34	3.98	<0.05	<0.02	0.16	0.021	0.06	6.9	7.4	0.11	74	0.85
ZZ45830		6.36	18.3	2.32	6.19	0.06	<0.02	0.05	0.031	0.11	25.9	34.8	0.40	478	1.25
ZZ45831		4.36	15.2	1.90	5.44	0.07	<0.02	0.05	0.022	0.09	22.7	29.4	0.32	285	0.76
ZZ45832		10.95	19.1	2.18	3.76	0.07	0.03	0.03	0.020	0.07	25.9	19.4	0.30	380	0.85
ZZ45833		10.20	15.5	2.57	5.60	<0.05	<0.02	0.11	0.033	0.07	16.1	19.1	0.28	543	1.48
ZZ45834		7.72	16.0	2.41	4.53	0.08	<0.02	0.04	0.027	0.08	25.7	21.5	0.33	559	1.05
ZZ45835		7.19	15.5	1.67	3.60	0.09	0.02	0.03	0.014	0.07	27.9	16.8	0.20	553	0.87
ZZ45836		4.43	20.0	1.86	4.55	0.05	0.03	0.04	0.023	0.07	17.5	22.6	0.28	404	0.97
ZZ45837		5.55	15.3	2.01	4.49	0.06	<0.02	0.04	0.025	0.07	17.6	23.4	0.30	383	1.05
ZZ45838		8.06	13.7	2.42	5.00	0.06	<0.02	0.04	0.034	0.07	26.1	28.0	0.32	413	1.00
ZZ45839		8.71	18.8	2.26	4.13	0.07	<0.02	0.04	0.035	0.07	27.7	21.9	0.31	387	0.97
ZZ45840		13.15	19.3	2.44	5.06	0.06	<0.02	0.04	0.032	0.06	25.1	17.6	0.28	550	1.15
ZZ45841		18.35	25.8	3.09	7.20	0.07	<0.02	0.08	0.049	0.08	34.6	30.1	0.43	744	1.70
ZZ45842		18.50	10.0	1.46	4.06	0.12	<0.02	0.04	0.032	0.10	58.2	14.7	0.20	519	0.81
ZZ45843		15.95	14.0	2.26	3.92	0.11	<0.02	0.06	0.030	0.10	46.4	16.1	0.23	984	1.03
ZZ45844		24.9	27.7	2.52	4.06	0.21	0.02	0.07	0.031	0.09	86.2	14.7	0.19	1220	1.64
ZZ45845		14.05	17.1	2.18	3.00	0.09	<0.02	0.05	0.049	0.09	44.1	11.1	0.16	860	0.91
ZZ45846		17.10	15.3	1.75	5.38	0.13	<0.02	0.03	0.054	0.09	56.8	24.1	0.30	885	0.62
ZZ45847		9.60	7.3	1.81	3.93	0.11	0.03	0.02	0.047	0.08	50.3	11.2	0.21	317	0.52
ZZ45848		25.7	12.3	2.57	3.93	0.07	0.02	0.05	0.031	0.11	32.4	23.6	0.26	1570	0.66
ZZ45849		3.28	5.4	0.75	2.43	<0.05	<0.02	0.03	0.008	0.04	6.5	3.4	0.06	93	0.31
ZZ45850		8.34	9.3	2.29	3.46	0.06	0.02	0.07	0.023	0.11	23.4	14.2	0.27	677	0.46
ZZ45851		16.30	11.7	2.22	4.54	0.11	0.02	0.04	0.035	0.11	43.5	22.1	0.30	704	0.68
ZZ45852		12.55	15.3	1.96	3.72	0.10	<0.02	0.06	0.024	0.09	36.7	15.3	0.20	745	0.66
ZZ45853		14.95	22.1	2.11	3.58	0.13	<0.02	0.10	0.034	0.09	51.5	15.5	0.18	1480	1.15
ZZ45854		11.70	13.2	1.63	3.48	0.06	<0.02	0.12	0.022	0.07	29.0	12.5	0.16	1020	0.58
ZZ45855		19.80	13.7	1.94	4.08	0.08	0.02	0.05	0.031	0.09	28.7	18.0	0.25	1190	0.95
ZZ45856		20.5	12.3	2.29	4.46	0.09	<0.02	0.16	0.026	0.09	34.1	14.6	0.19	1550	1.12
ZZ45857		2.94	13.3	1.92	5.25	0.05	<0.02	0.04	0.022	0.09	13.8	27.3	0.38	289	0.81
ZZ45858		3.27	14.6	2.09	6.06	0.07	<0.02	0.04	0.024	0.08	15.8	28.4	0.39	328	0.99
ZZ45859		3.00	15.4	1.99	5.45	0.07	<0.02	0.04	0.021	0.09	17.4	31.3	0.37	481	0.74
ZZ45860		3.01	11.5	1.81	5.07	0.07	<0.02	0.02	0.023	0.07	15.9	25.9	0.29	226	0.65
ZZ45861		2.83	9.9	1.53	4.71	0.05	<0.02	0.03	0.022	0.07	13.7	21.1	0.24	409	0.58
ZZ45862		3.57	12.5	1.97	6.09	0.05	<0.02	0.03	0.033	0.07	14.9	22.5	0.35	263	0.91
ZZ45863		4.50	16.4	2.41	7.07	0.06	<0.02	0.04	0.037	0.09	16.8	29.3	0.41	358	1.27
ZZ45864		2.72	13.1	1.83	5.27	0.05	<0.02	0.03	0.020	0.08	15.0	27.8	0.34	502	0.96
ZZ45865		2.50	10.9	1.94	5.16	0.06	<0.02	0.03	0.023	0.06	15.2	14.6	0.27	1230	1.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ45826		0.98	11.6	820	14.4	18.3	<0.001	0.02	0.55	1.7	0.2	0.9	12.0	<0.01	<0.01
ZZ45827		1.13	19.0	1040	22.9	19.0	<0.001	0.02	0.80	2.8	0.5	0.8	13.4	<0.01	0.02
ZZ45828		0.87	14.2	860	17.4	18.1	<0.001	0.03	0.92	1.8	0.2	0.7	8.5	<0.01	0.01
ZZ45829		0.66	6.1	730	10.6	12.5	<0.001	0.10	0.44	0.7	0.5	0.7	7.7	<0.01	<0.01
ZZ45830		1.03	19.2	1000	20.6	23.8	<0.001	0.02	1.11	2.6	0.7	0.8	13.5	<0.01	0.01
ZZ45831		0.82	12.2	910	14.4	20.4	<0.001	0.03	0.57	1.8	0.3	0.8	13.2	<0.01	0.01
ZZ45832		0.72	14.9	900	39.5	12.0	<0.001	0.01	1.15	2.4	0.3	0.5	15.0	<0.01	0.01
ZZ45833		0.52	15.1	810	36.6	19.1	<0.001	0.06	1.38	0.9	<0.2	0.8	10.2	<0.01	0.01
ZZ45834		0.75	16.4	830	32.2	15.5	<0.001	0.02	2.06	2.1	0.9	0.6	11.8	<0.01	0.02
ZZ45835		0.67	9.7	1090	29.3	12.7	<0.001	0.01	2.75	1.6	0.2	0.5	13.6	<0.01	<0.01
ZZ45836		0.83	15.7	830	21.4	14.5	<0.001	0.02	1.67	1.5	0.3	0.6	9.6	<0.01	0.01
ZZ45837		0.76	14.8	720	23.0	16.5	<0.001	0.02	1.26	1.6	0.5	0.6	10.6	<0.01	<0.01
ZZ45838		0.63	14.8	830	34.4	17.1	<0.001	0.03	1.30	1.3	0.4	0.8	10.8	<0.01	<0.01
ZZ45839		0.75	16.2	1010	36.3	14.0	<0.001	0.01	1.79	2.2	0.4	0.6	15.2	<0.01	<0.01
ZZ45840		0.41	12.1	740	64.8	14.7	<0.001	0.05	1.26	1.0	<0.2	0.6	13.5	<0.01	<0.01
ZZ45841		0.74	19.4	870	83.7	20.2	<0.001	0.04	3.33	1.9	0.5	0.8	16.2	<0.01	0.01
ZZ45842		0.36	7.1	1120	64.2	19.0	<0.001	0.02	3.47	1.7	0.6	0.6	19.5	<0.01	0.01
ZZ45843		0.36	10.0	1080	137.5	17.5	<0.001	0.03	4.21	1.5	1.0	0.5	20.0	<0.01	0.02
ZZ45844		0.32	8.3	1000	135.5	20.9	<0.001	0.03	8.20	1.7	1.0	0.6	18.3	<0.01	0.03
ZZ45845		0.30	8.0	850	56.9	16.1	<0.001	0.03	3.11	1.4	1.1	0.4	22.7	<0.01	0.01
ZZ45846		0.24	6.9	910	139.0	15.5	<0.001	0.01	1.89	1.4	0.9	0.6	16.3	<0.01	<0.01
ZZ45847		0.09	3.3	1080	98.6	12.9	<0.001	0.01	1.58	1.1	0.8	0.5	21.9	<0.01	0.01
ZZ45848		0.27	11.7	680	153.0	23.1	<0.001	0.04	5.51	1.8	0.2	0.6	11.7	<0.01	0.01
ZZ45849		0.24	2.2	490	13.3	8.7	<0.001	0.04	0.34	0.2	<0.2	0.2	8.1	<0.01	<0.01
ZZ45850		0.30	6.6	770	56.7	14.9	0.001	0.07	3.15	2.0	0.4	0.4	17.3	<0.01	0.02
ZZ45851		0.38	8.2	900	59.1	20.5	0.001	0.02	2.13	1.8	0.8	0.7	15.2	<0.01	0.02
ZZ45852		0.31	7.7	860	62.1	15.1	0.001	0.02	2.48	1.4	0.6	0.5	13.9	<0.01	0.02
ZZ45853		0.30	9.7	1030	87.1	18.4	<0.001	0.03	5.97	1.6	0.9	0.6	13.8	<0.01	0.02
ZZ45854		0.32	5.7	1040	113.0	13.7	0.001	0.05	2.57	0.8	0.9	0.5	15.0	<0.01	0.02
ZZ45855		0.50	12.9	1050	55.0	17.2	0.001	0.02	0.98	1.7	0.6	0.7	14.9	<0.01	0.02
ZZ45856		0.32	9.0	980	86.7	23.0	0.001	0.06	4.13	1.1	0.9	0.7	17.8	<0.01	0.03
ZZ45857		0.88	13.6	710	24.0	19.6	<0.001	0.03	0.57	1.7	0.6	0.9	9.0	<0.01	0.02
ZZ45858		0.83	14.2	720	29.0	22.1	<0.001	0.04	0.65	1.6	0.6	1.0	8.9	<0.01	0.02
ZZ45859		0.87	14.2	740	20.8	21.4	0.001	0.04	0.52	1.8	0.6	0.9	11.6	<0.01	0.03
ZZ45860		0.59	11.2	700	18.2	19.3	0.001	0.03	0.47	1.1	0.5	0.9	7.6	<0.01	0.01
ZZ45861		0.49	9.2	700	22.4	15.2	<0.001	0.04	0.40	0.8	0.4	0.8	8.6	<0.01	0.01
ZZ45862		0.53	13.1	730	31.5	16.7	0.001	0.05	0.64	0.8	0.8	1.0	9.1	<0.01	0.01
ZZ45863		0.87	17.5	810	44.6	24.7	0.001	0.05	0.87	1.8	0.7	1.1	11.3	<0.01	0.02
ZZ45864		0.64	14.9	830	23.4	18.6	0.001	0.04	0.75	1.3	0.7	0.8	10.1	<0.01	0.03
ZZ45865		0.37	11.9	830	26.2	17.1	0.001	0.07	1.97	0.9	0.5	0.7	13.3	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ45826		0.054	0.19	2.88	28	0.17	5.86	73	<0.5
ZZ45827		0.064	0.21	4.42	40	0.26	8.09	101	0.6
ZZ45828		0.041	0.19	3.42	29	0.20	6.35	90	0.5
ZZ45829		0.042	0.13	1.11	28	0.10	2.53	32	<0.5
ZZ45830		0.050	0.26	5.41	38	1.49	7.92	93	0.5
ZZ45831		0.055	0.19	3.91	39	0.39	6.56	72	<0.5
ZZ45832		0.047	0.14	4.89	30	0.29	8.85	97	1.4
ZZ45833		0.030	0.29	3.19	41	0.31	4.85	87	<0.5
ZZ45834		0.038	0.19	4.79	31	0.29	8.83	116	<0.5
ZZ45835		0.034	0.17	7.18	26	0.44	10.05	82	<0.5
ZZ45836		0.045	0.18	3.41	30	0.35	6.08	83	0.9
ZZ45837		0.034	0.20	3.82	32	0.21	5.14	84	<0.5
ZZ45838		0.029	0.25	5.73	34	0.27	6.87	112	<0.5
ZZ45839		0.043	0.17	6.53	31	0.27	9.62	111	0.5
ZZ45840		0.021	0.21	5.18	35	0.33	5.78	97	<0.5
ZZ45841		0.029	0.23	7.34	48	0.40	7.92	139	<0.5
ZZ45842		0.012	0.24	10.45	17	0.28	14.85	112	0.5
ZZ45843		0.016	0.27	20.7	20	0.30	13.40	172	<0.5
ZZ45844		0.014	0.21	26.8	20	0.26	19.60	187	0.6
ZZ45845		0.012	0.66	19.15	16	0.27	11.90	170	<0.5
ZZ45846		0.010	0.22	5.50	16	0.19	13.65	200	<0.5
ZZ45847		<0.005	0.16	6.30	7	0.13	13.70	409	1.6
ZZ45848		0.007	0.39	7.15	16	8.14	8.03	181	<0.5
ZZ45849		0.020	0.09	1.38	16	0.18	1.41	24	<0.5
ZZ45850		0.010	0.70	5.88	20	0.48	6.58	103	0.6
ZZ45851		0.013	0.25	9.76	17	0.48	13.70	141	0.8
ZZ45852		0.015	0.23	9.21	17	0.27	10.60	121	<0.5
ZZ45853		0.012	0.26	15.05	16	0.24	14.20	138	0.5
ZZ45854		0.017	0.17	6.79	20	0.18	6.55	111	0.5
ZZ45855		0.018	0.17	5.03	25	0.34	9.45	116	<0.5
ZZ45856		0.015	0.31	9.59	26	0.33	7.96	120	<0.5
ZZ45857		0.048	0.19	2.53	33	0.37	4.33	62	<0.5
ZZ45858		0.046	0.23	2.89	35	0.30	4.39	66	<0.5
ZZ45859		0.049	0.24	2.85	34	0.30	5.89	64	<0.5
ZZ45860		0.038	0.19	2.57	31	0.31	5.10	56	<0.5
ZZ45861		0.030	0.19	3.50	24	0.21	3.73	52	<0.5
ZZ45862		0.031	0.21	3.03	36	0.36	4.08	64	<0.5
ZZ45863		0.043	0.24	3.70	40	1.18	4.66	84	<0.5
ZZ45864		0.041	0.19	2.40	31	0.25	4.82	68	<0.5
ZZ45865		0.031	0.19	2.93	36	0.30	3.93	54	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ45866		0.26	0.004	0.38	1.43	13.8	<0.2	<10	140	1.13	0.61	0.12	0.16	35.4	10.4	21
ZZ45867		0.28	0.001	1.04	1.55	14.8	<0.2	<10	180	1.60	0.73	0.15	0.18	41.4	9.4	21
ZZ45868		0.35	0.001	0.23	1.00	10.1	<0.2	<10	80	0.65	0.42	0.19	0.22	34.5	5.6	18
ZZ45869		0.30	0.001	0.26	1.28	8.5	<0.2	<10	140	0.93	0.65	0.17	0.18	30.1	5.3	19
ZZ45870		0.22	<0.001	0.19	0.55	7.6	<0.2	<10	50	0.45	0.20	0.16	0.11	14.90	3.1	5
ZZ45871		0.31	0.001	1.88	1.08	63.4	<0.2	<10	120	1.49	0.66	0.20	0.17	38.9	5.6	15
ZZ45872		0.32	0.003	1.71	1.05	60.1	<0.2	<10	60	3.72	1.09	0.19	0.15	48.9	5.3	14
ZZ45873		0.31	<0.001	1.80	0.90	118.0	<0.2	<10	40	7.69	1.25	0.36	0.33	82.1	8.0	8
ZZ45874		0.32	0.017	22.9	0.84	55.7	<0.2	<10	50	2.91	1.08	0.20	0.18	62.3	5.4	13
ZZ45875		0.22	0.001	0.42	1.12	19.2	<0.2	<10	90	1.53	0.66	0.21	0.08	32.5	4.4	14
ZZ45876		0.30	0.001	0.37	0.89	35.2	<0.2	<10	50	2.72	1.14	0.39	0.44	78.0	5.0	8
ZZ45877		0.28	0.001	0.42	0.85	39.3	<0.2	<10	50	2.82	1.14	0.36	0.66	82.2	5.4	8
ZZ45878		0.27	<0.001	0.10	0.40	0.6	<0.2	<10	20	0.15	0.05	0.08	0.10	4.21	0.9	2
ZZ45879		0.23	0.002	0.45	0.97	58.0	<0.2	<10	80	1.73	0.64	0.36	0.22	46.6	4.8	12
ZZ45880		0.27	0.001	1.30	1.29	38.5	<0.2	<10	110	1.70	0.81	0.21	0.13	51.9	5.3	15
ZZ45881		0.13	<0.001	0.47	0.89	25.6	<0.2	<10	60	1.39	0.91	0.13	0.15	34.9	3.6	7
ZZ45882		0.28	0.001	1.76	0.75	34.9	<0.2	<10	40	0.75	0.97	0.14	0.32	26.6	3.2	10
ZZ45883		0.37	<0.001	0.40	0.83	32.0	<0.2	<10	40	2.19	0.97	0.29	0.54	72.0	4.6	8
ZZ45884		0.35	0.002	1.06	1.14	129.5	<0.2	<10	70	1.43	1.13	0.08	0.17	35.8	6.2	11
ZZ45885		0.19	0.002	0.18	1.30	18.3	<0.2	<10	70	1.00	0.36	0.14	0.22	28.8	6.3	18
ZZ45886		0.22	0.003	0.24	0.20	1.9	<0.2	<10	10	0.09	0.05	0.05	0.07	2.77	1.3	2
ZZ45887		0.25	0.001	0.46	0.83	33.2	<0.2	<10	50	1.93	0.57	0.16	0.04	42.0	3.1	5
ZZ45888		0.48	<0.001	0.26	1.13	20.0	<0.2	<10	40	3.81	1.17	0.39	0.10	52.9	5.2	5
ZZ45889		0.46	0.001	0.57	0.83	106.5	<0.2	<10	30	2.00	1.00	0.21	0.09	60.2	3.8	3
CC44749		0.31	<0.001	0.35	0.36	7.7	<0.2	<10	10	3.29	1.46	0.26	0.12	67.3	3.3	2
CC44750		0.36	0.007	3.15	0.75	62.4	<0.2	<10	60	3.93	1.25	0.25	0.36	73.1	13.4	12
CC86874		0.20	0.003	0.91	0.83	79.2	<0.2	<10	70	1.04	0.59	0.12	0.11	36.8	4.3	15
CC86875		0.26	0.005	0.96	1.25	18.5	<0.2	<10	130	0.96	0.53	0.18	0.13	54.5	6.4	23
CC86876		0.29	0.003	0.23	1.10	9.8	<0.2	<10	110	0.78	0.37	0.19	0.18	42.8	5.9	19
CC86877		0.27	0.004	3.30	0.83	33.3	<0.2	<10	90	1.22	0.84	0.27	0.44	59.8	6.5	15
CC86878		0.30	0.003	0.73	0.95	31.3	<0.2	<10	160	2.23	1.11	0.30	0.78	84.2	6.6	16
CC86879		0.33	0.004	11.05	0.53	166.0	<0.2	<10	20	0.29	26.3	<0.01	0.19	42.3	0.2	3
ZZ45927		0.35	0.001	0.78	1.34	57.2	<0.2	<10	80	2.34	1.38	0.35	0.12	66.1	7.2	11
ZZ45928		0.34	0.206	17.80	1.32	230	<0.2	<10	100	2.21	1.15	0.20	0.14	38.5	13.8	18
ZZ45929		0.31	0.004	0.31	1.19	28.3	<0.2	<10	90	1.51	0.91	0.23	0.20	44.4	8.8	17
ZZ45930		0.47	0.001	0.53	0.80	69.5	<0.2	<10	50	2.86	1.49	0.35	0.10	73.6	5.6	4
ZZ45931		0.35	0.001	1.42	0.82	74.8	<0.2	<10	60	2.14	0.86	0.33	0.10	58.8	6.8	7
ZZ45932		0.44	0.004	1.96	1.09	119.0	<0.2	<10	90	3.35	1.12	0.29	0.15	65.9	13.1	13
ZZ45933		0.27	0.002	1.20	0.86	118.0	<0.2	<10	60	3.76	1.18	0.38	0.22	116.0	7.2	6
ZZ45934		0.41	0.008	2.98	0.82	215	<0.2	<10	50	3.00	2.04	0.31	0.22	60.9	8.2	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ45866		4.45	14.1	2.32	5.97	0.07	<0.02	0.05	0.026	0.06	15.7	20.1	0.32	857	1.17
ZZ45867		4.89	17.6	2.38	5.96	0.06	<0.02	0.07	0.028	0.07	20.5	23.9	0.35	626	1.22
ZZ45868		2.17	11.9	1.86	4.12	0.08	0.02	0.02	0.031	0.07	17.4	20.1	0.35	278	0.70
ZZ45869		3.22	13.2	1.99	5.92	0.06	<0.02	0.04	0.023	0.08	16.8	27.0	0.38	232	0.88
ZZ45870		2.57	13.1	1.02	2.32	<0.05	<0.02	0.05	0.008	0.04	6.9	4.4	0.08	201	0.35
ZZ45871		10.95	14.8	1.86	4.00	0.07	<0.02	0.07	0.024	0.08	20.2	12.4	0.21	910	0.94
ZZ45872		23.7	13.6	2.28	4.12	0.09	<0.02	0.10	0.027	0.09	28.3	16.0	0.23	1090	1.09
ZZ45873		36.6	14.3	2.90	4.09	0.11	<0.02	0.08	0.030	0.12	45.7	26.8	0.18	2170	0.80
ZZ45874		17.50	16.1	2.13	3.82	0.08	<0.02	0.06	0.027	0.12	29.1	18.9	0.26	1620	0.51
ZZ45875		14.55	15.0	1.70	4.65	0.05	<0.02	0.02	0.018	0.06	17.9	14.7	0.22	374	0.87
ZZ45876		14.10	10.7	2.03	4.12	0.09	<0.02	0.02	0.027	0.10	38.1	19.7	0.27	691	0.52
ZZ45877		15.10	16.5	2.07	4.05	0.08	0.02	0.01	0.032	0.11	39.1	18.5	0.25	767	0.56
ZZ45878		0.66	4.7	0.41	1.88	<0.05	0.02	<0.01	0.005	0.02	2.0	0.5	0.02	25	0.15
ZZ45879		14.85	12.4	1.69	3.99	0.09	<0.02	0.03	0.023	0.07	26.5	15.6	0.23	639	0.92
ZZ45880		12.55	15.5	1.79	4.82	0.09	<0.02	0.06	0.022	0.08	38.4	16.5	0.26	435	0.96
ZZ45881		10.75	11.8	1.54	3.77	0.05	<0.02	0.02	0.026	0.06	20.0	11.6	0.15	333	0.66
ZZ45882		7.70	9.8	1.41	3.98	0.06	<0.02	0.07	0.018	0.06	12.6	10.8	0.16	255	0.73
ZZ45883		12.85	9.8	1.94	4.19	0.09	<0.02	0.01	0.027	0.09	28.8	18.4	0.24	537	0.49
ZZ45884		25.2	10.3	2.79	4.68	0.05	<0.02	0.05	0.033	0.09	17.5	15.7	0.24	1310	1.06
ZZ45885		4.02	16.7	1.92	4.55	<0.05	<0.02	0.04	0.025	0.06	13.7	16.3	0.33	355	0.87
ZZ45886		1.72	2.9	0.56	1.27	<0.05	<0.02	0.08	0.009	0.02	1.3	0.1	0.02	66	0.22
ZZ45887		15.45	12.0	1.38	3.58	<0.05	0.02	0.04	0.019	0.06	22.4	10.6	0.12	421	0.36
ZZ45888		21.7	12.8	2.28	5.22	0.06	<0.02	0.04	0.028	0.09	25.2	24.3	0.24	974	0.78
ZZ45889		19.65	11.0	2.29	4.84	0.06	<0.02	0.09	0.031	0.15	29.5	13.9	0.17	1180	0.67
CC44749		23.0	3.9	1.60	1.36	0.07	0.03	0.02	0.018	0.10	32.8	1.7	0.02	2710	0.20
CC44750		30.6	24.4	3.49	3.38	0.10	<0.02	0.04	0.034	0.11	34.0	15.0	0.21	3160	0.79
CC86874		5.13	14.8	1.68	3.27	<0.05	<0.02	0.06	0.021	0.06	17.4	12.2	0.25	263	0.88
CC86875		2.64	26.3	2.02	4.64	0.06	<0.02	0.05	0.027	0.06	27.2	16.3	0.35	426	1.11
CC86876		1.73	14.3	1.85	4.18	<0.05	<0.02	0.04	0.023	0.05	20.9	16.3	0.34	329	0.93
CC86877		7.04	38.7	1.85	3.70	0.09	0.08	0.03	0.023	0.07	32.3	15.5	0.27	1040	1.02
CC86878		10.30	24.0	2.16	3.81	0.09	<0.02	0.04	0.034	0.08	40.9	15.0	0.29	933	0.96
CC86879		5.65	164.5	7.44	6.43	<0.05	0.04	0.17	33.3	0.32	22.7	6.5	0.02	33	3.67
ZZ45927		14.45	9.0	2.51	7.36	0.07	<0.02	0.04	0.096	0.34	29.1	78.7	0.39	1320	0.70
ZZ45928		14.15	32.4	4.00	5.22	0.05	<0.02	0.07	0.045	0.34	20.0	40.1	0.30	1580	0.74
ZZ45929		7.89	12.9	2.60	5.30	<0.05	<0.02	0.06	0.030	0.11	18.1	41.2	0.34	682	1.17
ZZ45930		12.50	8.3	2.21	4.06	0.06	<0.02	0.02	0.024	0.17	29.1	28.1	0.17	1240	0.53
ZZ45931		10.55	10.1	2.40	4.00	0.07	<0.02	0.02	0.027	0.18	27.7	30.6	0.20	895	0.63
ZZ45932		19.45	23.8	3.24	4.74	0.08	0.02	0.01	0.035	0.27	31.1	37.5	0.29	1900	0.67
ZZ45933		14.80	10.9	2.37	3.36	0.10	<0.02	0.04	0.030	0.15	47.3	22.4	0.14	1420	0.57
ZZ45934		14.35	34.2	2.84	3.64	0.08	0.02	0.03	0.036	0.24	27.2	26.6	0.20	1300	1.00



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01
ZZ45866		0.45	14.2	860	34.5	16.5	<0.001	0.06	1.81	1.1	0.7	0.8	10.9	<0.01	0.03
ZZ45867		0.63	16.2	1070	32.0	18.2	<0.001	0.08	2.22	1.6	0.7	0.9	13.1	<0.01	0.04
ZZ45868		0.96	15.3	760	24.7	12.7	0.001	0.01	1.03	1.9	0.4	0.7	10.0	<0.01	0.01
ZZ45869		0.71	14.9	660	20.3	18.4	0.001	0.03	1.07	1.5	0.5	0.9	13.6	<0.01	0.02
ZZ45870		0.30	4.2	830	9.9	7.5	0.001	0.03	0.63	0.5	0.2	0.3	12.3	<0.01	0.02
ZZ45871		0.44	9.8	900	41.9	23.0	0.001	0.05	2.90	1.5	0.8	0.5	15.6	<0.01	<0.01
ZZ45872		0.36	11.7	990	62.2	23.1	0.001	0.05	7.08	1.6	1.0	0.7	18.2	<0.01	0.04
ZZ45873		0.26	8.9	1100	99.8	24.2	0.001	0.05	6.90	1.9	1.0	0.7	20.9	<0.01	0.01
ZZ45874		0.36	8.0	790	120.0	25.4	0.001	0.06	7.84	1.5	0.7	0.7	11.9	<0.01	0.01
ZZ45875		0.47	8.0	710	34.9	16.1	<0.001	0.04	0.89	0.9	0.4	0.6	18.2	<0.01	0.02
ZZ45876		0.32	5.7	890	57.3	18.3	0.001	0.03	1.83	1.4	0.7	0.6	15.4	<0.01	<0.01
ZZ45877		0.32	6.8	870	62.4	18.4	<0.001	0.02	2.08	1.5	0.7	0.6	15.0	<0.01	0.02
ZZ45878		0.32	1.1	380	3.4	1.4	0.001	0.02	0.10	0.2	0.3	<0.2	8.3	<0.01	<0.01
ZZ45879		0.53	9.7	870	38.3	15.3	0.001	0.03	1.08	1.6	1.0	0.5	21.3	<0.01	0.02
ZZ45880		0.67	10.6	820	40.4	17.4	<0.001	0.04	0.87	1.8	1.0	0.6	17.7	<0.01	0.01
ZZ45881		0.40	5.0	690	44.1	16.6	<0.001	0.03	1.52	0.8	0.5	0.5	11.7	<0.01	0.01
ZZ45882		0.62	6.7	660	41.7	12.3	0.001	0.03	1.42	0.9	0.4	0.5	10.1	<0.01	0.03
ZZ45883		0.34	5.7	920	44.2	17.9	0.002	0.02	1.70	1.3	0.6	0.6	12.5	<0.01	0.01
ZZ45884		0.33	6.0	880	85.0	25.9	0.001	0.06	7.85	1.6	0.4	0.9	11.4	<0.01	0.03
ZZ45885		0.95	13.7	750	26.0	11.6	0.001	0.04	0.85	1.5	0.4	0.5	9.5	<0.01	0.04
ZZ45886		0.16	1.4	350	3.6	3.0	<0.001	0.04	0.13	0.1	<0.2	<0.2	8.4	<0.01	<0.01
ZZ45887		0.28	4.2	630	33.3	16.4	<0.001	0.03	3.86	0.7	0.5	0.4	14.8	<0.01	0.01
ZZ45888		0.35	5.9	1170	38.9	27.1	<0.001	0.02	2.03	1.3	0.6	0.9	17.6	<0.01	<0.01
ZZ45889		0.27	3.7	1000	40.6	31.6	<0.001	0.15	5.50	0.7	0.3	0.9	13.8	<0.01	0.02
CC44749		<0.05	2.7	720	108.5	27.9	<0.001	0.01	0.75	0.8	0.8	0.7	13.6	<0.01	<0.01
CC44750		0.39	26.1	670	164.0	22.3	<0.001	0.03	10.50	4.0	0.5	0.8	15.2	<0.01	0.03
CC86874		0.51	13.7	540	42.2	13.0	<0.001	0.03	4.57	1.2	0.4	0.4	12.4	<0.01	0.04
CC86875		0.86	20.0	630	52.9	14.0	<0.001	0.02	4.18	3.0	0.7	0.6	14.2	<0.01	0.03
CC86876		0.76	17.1	660	23.0	11.1	<0.001	0.02	1.65	2.2	0.3	0.5	12.9	<0.01	0.01
CC86877		0.61	14.6	910	115.5	14.0	<0.001	0.01	16.50	3.1	0.6	0.9	18.1	<0.01	0.03
CC86878		0.67	16.5	1030	114.5	13.7	<0.001	0.02	22.1	3.1	0.7	0.6	18.6	<0.01	0.04
CC86879		0.23	1.0	520	797	65.6	<0.001	0.69	21.2	1.0	0.7	150.5	5.8	<0.01	0.10
ZZ45927		1.32	10.7	850	38.1	64.7	<0.001	0.04	4.94	2.2	0.4	3.3	20.7	<0.01	0.02
ZZ45928		1.02	25.1	700	95.0	52.2	<0.001	0.19	16.20	3.1	0.5	1.5	38.5	<0.01	0.01
ZZ45929		1.10	17.7	820	39.2	25.9	0.001	0.04	4.58	1.8	0.2	1.4	14.8	<0.01	0.04
ZZ45930		0.73	5.8	1010	48.6	35.7	<0.001	0.06	4.39	1.2	0.5	1.4	22.0	<0.01	0.02
ZZ45931		0.78	9.1	920	42.1	37.0	<0.001	0.08	7.33	2.0	0.7	1.2	25.5	<0.01	0.01
ZZ45932		0.92	21.7	850	66.2	44.2	<0.001	0.06	8.18	3.4	0.6	1.2	24.3	<0.01	0.01
ZZ45933		0.47	10.0	960	53.5	29.0	<0.001	0.06	10.15	1.1	0.8	0.8	36.2	<0.01	0.02
ZZ45934		0.71	10.8	780	112.0	41.1	<0.001	0.16	13.25	2.3	0.7	1.1	74.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2012
Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ45866		0.030	0.25	3.91	41	0.32	4.60	66	<0.5
ZZ45867		0.030	0.23	4.93	36	0.39	5.82	81	<0.5
ZZ45868		0.045	0.14	1.97	30	0.37	5.59	76	0.5
ZZ45869		0.040	0.19	2.68	33	0.32	3.93	76	<0.5
ZZ45870		0.031	0.08	1.95	25	0.19	2.26	29	<0.5
ZZ45871		0.018	0.31	7.11	28	1.06	5.68	83	<0.5
ZZ45872		0.014	0.27	12.90	24	0.61	10.05	126	<0.5
ZZ45873		0.010	0.51	22.0	12	0.26	19.05	279	0.5
ZZ45874		0.013	0.45	8.95	17	0.44	9.02	122	<0.5
ZZ45875		0.024	0.19	5.59	30	0.25	4.10	55	<0.5
ZZ45876		0.012	0.24	8.38	16	0.24	11.15	120	0.8
ZZ45877		0.012	0.24	9.44	15	0.22	12.00	132	0.5
ZZ45878		0.023	0.02	0.70	11	<0.05	0.66	7	0.5
ZZ45879		0.022	0.27	7.99	25	0.33	8.67	83	<0.5
ZZ45880		0.027	0.19	12.40	29	0.30	9.69	69	<0.5
ZZ45881		0.013	0.23	4.98	18	0.23	4.29	68	0.5
ZZ45882		0.024	0.13	2.50	21	0.25	2.81	64	<0.5
ZZ45883		0.012	0.20	6.41	17	0.23	9.64	100	<0.5
ZZ45884		0.010	0.60	4.59	30	0.55	3.92	110	<0.5
ZZ45885		0.041	0.17	2.85	33	0.30	3.79	71	0.5
ZZ45886		0.021	0.04	0.52	17	0.05	0.45	12	<0.5
ZZ45887		0.013	0.18	5.82	18	0.39	5.82	56	<0.5
ZZ45888		0.008	0.21	21.5	17	0.32	13.60	94	0.6
ZZ45889		0.006	0.73	14.75	10	0.36	10.90	125	<0.5
CC44749		<0.005	0.69	10.70	1	0.07	12.10	161	2.3
CC44750		0.015	0.57	10.45	19	0.55	16.35	219	<0.5
CC86874		0.027	0.17	2.94	26	0.24	5.53	61	<0.5
CC86875		0.046	0.18	2.29	38	0.36	8.83	78	0.5
CC86876		0.044	0.14	1.42	35	0.25	7.38	65	<0.5
CC86877		0.042	0.23	7.61	27	0.35	12.75	167	4.5
CC86878		0.032	0.19	9.72	28	0.41	13.20	211	0.8
CC86879		<0.005	9.41	1.76	5	1.33	1.87	179	1.9
ZZ45927		0.051	0.74	6.37	23	0.50	11.00	101	0.7
ZZ45928		0.033	0.74	6.94	23	0.23	6.39	153	<0.5
ZZ45929		0.037	0.37	4.97	31	0.42	7.17	110	<0.5
ZZ45930		0.017	0.64	10.30	10	0.34	11.35	100	0.7
ZZ45931		0.027	0.47	10.40	16	0.20	11.50	96	0.9
ZZ45932		0.038	0.63	12.10	19	0.24	13.30	121	1.3
ZZ45933		0.007	0.45	14.55	9	0.19	13.35	120	0.5
ZZ45934		0.017	0.85	14.95	11	0.32	10.95	118	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ45935		0.27	0.008	1.47	0.73	270	<0.2	<10	40	3.60	1.26	0.42	0.16	54.9	4.7	3
ZZ45936		0.33	<0.001	0.41	1.10	42.1	<0.2	<10	40	3.16	0.98	0.30	0.11	59.9	5.6	8
ZZ45937		0.42	0.003	1.41	0.86	55.6	<0.2	<10	40	2.58	1.03	0.10	0.07	36.6	3.1	4
ZZ45938		0.27	0.001	0.97	0.99	136.0	<0.2	<10	80	1.91	0.72	0.05	0.05	35.1	3.8	8
ZZ45939		0.30	0.004	0.48	1.21	62.9	<0.2	<10	50	3.35	1.22	0.24	0.08	56.2	5.5	8
ZZ45940		0.25	0.001	0.83	0.96	31.2	<0.2	<10	60	1.62	0.91	0.14	0.08	41.8	4.4	8
ZZ45941		0.32	0.008	5.39	0.77	204	<0.2	<10	90	1.83	1.05	0.06	0.15	36.2	5.8	7
ZZ45942		0.27	<0.001	0.43	0.43	18.3	<0.2	<10	40	4.58	1.06	0.15	0.07	55.5	5.1	3
ZZ45943		0.29	<0.001	0.35	0.98	11.4	<0.2	<10	50	4.52	1.12	0.39	0.09	58.8	6.4	8
ZZ45944		0.31	0.007	0.84	0.84	243	<0.2	<10	40	3.03	1.08	0.32	0.06	51.5	5.0	5
ZZ45945		0.30	<0.001	0.26	1.16	27.7	<0.2	<10	60	3.74	1.07	0.34	0.09	66.9	5.7	9
ZZ45946		0.27	<0.001	0.37	0.64	95.4	<0.2	<10	60	3.78	0.97	0.27	0.09	57.4	6.1	6
ZZ45947		0.32	0.017	1.76	0.77	158.5	<0.2	<10	60	3.41	1.02	0.34	0.19	52.1	7.0	7
ZZ45948		0.47	0.001	0.47	2.40	30.5	<0.2	<10	210	2.28	0.85	0.27	0.16	34.9	19.3	42
ZZ45949		0.29	<0.001	1.15	0.71	47.6	<0.2	<10	90	2.39	1.22	0.25	0.23	56.8	5.4	7
ZZ45950		0.30	0.003	0.71	0.88	67.8	<0.2	<10	70	3.21	1.43	0.25	0.12	54.2	4.9	8
ZZ45951		0.30	<0.001	10.90	0.39	79.2	<0.2	<10	20	3.59	43.9	0.31	2.12	51.9	3.9	2
ZZ45952		0.30	0.001	0.30	0.80	34.8	<0.2	<10	70	2.98	0.99	0.27	0.21	53.1	7.3	5
ZZ45953		0.30	0.001	0.76	0.73	39.2	<0.2	<10	70	4.09	1.95	0.33	0.55	112.0	8.5	5
ZZ45954		0.39	0.003	1.20	0.59	62.0	<0.2	<10	50	3.63	1.61	0.34	1.08	69.2	6.5	4
ZZ45955		0.30	0.002	0.35	0.69	47.6	<0.2	<10	80	2.44	0.90	0.24	0.11	55.9	5.4	7
ZZ45956		0.38	0.003	0.36	0.82	62.1	<0.2	<10	80	2.19	0.97	0.27	0.20	53.5	3.7	7
ZZ45957		0.43	0.020	2.76	1.30	115.0	<0.2	<10	100	2.51	2.10	0.26	0.61	37.4	15.5	19
ZZ45958		0.38	0.007	2.59	0.83	328	<0.2	<10	60	2.63	1.83	0.29	0.15	40.8	6.2	7
ZZ45959		0.40	0.001	0.53	0.32	144.0	<0.2	<10	30	1.55	1.27	0.13	0.03	49.4	0.8	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
ZZ45935		15.90	19.0	2.47	3.05	0.06	0.02	0.04	0.036	0.18	27.7	20.8	0.13	1160	0.61	<0.01
ZZ45936		12.85	9.3	2.43	5.66	0.07	0.02	0.02	0.034	0.18	27.8	33.9	0.25	1880	0.58	<0.01
ZZ45937		14.45	8.6	1.82	3.48	<0.05	0.02	0.06	0.027	0.17	17.4	13.6	0.07	875	0.65	<0.01
ZZ45938		11.70	8.7	2.35	3.95	<0.05	<0.02	0.05	0.028	0.17	16.6	11.5	0.10	311	0.90	<0.01
ZZ45939		12.70	8.1	2.31	5.48	0.05	<0.02	0.02	0.032	0.27	26.6	49.8	0.25	1160	0.44	<0.01
ZZ45940		9.17	7.4	2.22	4.50	<0.05	<0.02	0.02	0.027	0.10	18.3	13.1	0.13	727	0.76	<0.01
ZZ45941		11.75	16.2	2.47	4.23	0.05	<0.02	0.07	0.029	0.15	16.9	10.7	0.09	1980	1.55	0.01
ZZ45942		13.60	5.3	2.06	1.56	0.05	<0.02	0.01	0.022	0.12	24.5	3.2	0.04	1360	0.36	<0.01
ZZ45943		15.65	15.1	2.53	5.16	0.07	<0.02	0.02	0.027	0.24	26.3	39.3	0.22	1340	0.46	0.01
ZZ45944		13.40	10.3	2.54	4.00	0.06	0.03	0.05	0.022	0.16	22.8	23.1	0.17	849	0.46	0.01
ZZ45945		15.05	7.5	2.76	5.43	0.07	<0.02	0.04	0.034	0.19	31.3	40.5	0.23	944	0.40	0.01
ZZ45946		11.80	18.9	2.80	2.85	0.07	0.02	0.03	0.026	0.18	26.4	18.1	0.13	1300	0.62	0.01
ZZ45947		19.40	14.1	2.52	3.77	0.07	<0.02	<0.01	0.026	0.28	23.4	30.5	0.20	3480	0.56	0.01
ZZ45948		17.25	29.6	5.02	9.16	0.08	<0.02	0.02	0.048	0.55	17.1	70.5	0.72	956	0.84	0.01
ZZ45949		12.45	12.7	2.08	3.21	0.07	<0.02	0.03	0.018	0.14	29.9	29.1	0.16	1400	0.48	0.01
ZZ45950		18.10	11.4	2.34	3.71	0.06	<0.02	0.03	0.024	0.13	28.1	27.0	0.17	1440	0.67	0.01
ZZ45951		14.85	24.9	2.52	1.34	0.11	0.13	0.02	0.172	0.15	27.4	7.3	0.04	1140	0.30	0.01
ZZ45952		15.80	10.3	2.88	3.33	0.13	0.03	0.02	0.022	0.16	25.0	24.9	0.21	2380	0.76	0.02
ZZ45953		18.40	11.1	2.91	3.80	0.17	0.05	0.05	0.026	0.10	55.6	21.6	0.18	2030	0.51	0.01
ZZ45954		22.8	9.1	3.02	2.37	0.08	0.04	0.06	0.035	0.17	35.9	15.8	0.14	1760	0.47	0.01
ZZ45955		10.95	11.7	2.37	2.85	0.11	0.03	0.03	0.017	0.15	28.9	19.2	0.16	919	0.50	0.01
ZZ45956		8.63	6.2	1.87	3.10	0.08	0.03	0.05	0.019	0.14	26.5	18.2	0.16	682	0.45	0.01
ZZ45957		9.85	27.8	4.07	4.67	0.13	0.04	0.03	0.031	0.25	18.2	38.6	0.40	1740	0.82	0.01
ZZ45958		16.85	15.2	2.52	3.84	0.10	0.02	0.03	0.028	0.31	20.0	30.3	0.23	809	0.69	0.02
ZZ45959		29.9	2.1	1.56	1.29	0.10	0.03	0.02	0.034	0.23	21.7	5.7	0.03	84	0.51	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
ZZ45935		0.53	4.9	850	69.9	39.8	<0.001	0.14	10.10	1.6	0.2	0.9	36.0	<0.01	0.02	7.6
ZZ45936		0.86	8.6	540	42.6	43.7	<0.001	0.04	3.56	1.9	0.5	1.3	19.1	<0.01	0.01	4.2
ZZ45937		0.65	4.8	900	37.1	41.1	<0.001	0.14	5.54	1.1	0.5	1.2	11.2	<0.01	0.02	2.1
ZZ45938		0.69	6.4	660	33.2	39.7	<0.001	0.16	3.09	0.7	0.4	0.9	15.7	<0.01	0.02	1.2
ZZ45939		1.33	6.4	660	39.7	52.7	<0.001	0.06	5.05	1.8	0.3	2.0	19.4	<0.01	<0.01	8.5
ZZ45940		0.67	7.0	530	34.3	36.1	<0.001	0.05	5.63	0.7	0.4	1.1	12.6	<0.01	0.01	1.3
ZZ45941		0.41	6.8	610	58.6	48.5	<0.001	0.08	11.55	0.5	0.3	1.4	19.9	<0.01	0.02	0.4
ZZ45942		0.13	5.8	620	38.8	29.1	<0.001	0.03	2.71	0.8	0.2	0.5	6.5	<0.01	0.01	3.1
ZZ45943		1.19	8.3	840	44.0	49.7	<0.001	0.03	1.91	2.2	0.7	1.8	16.4	<0.01	0.02	5.8
ZZ45944		0.90	5.9	680	52.0	33.5	<0.001	0.10	8.47	1.5	0.3	1.0	40.3	<0.01	0.01	8.0
ZZ45945		1.38	7.9	770	43.9	44.1	<0.001	0.07	2.69	2.7	0.3	1.9	25.6	<0.01	0.03	6.1
ZZ45946		0.65	9.4	610	50.7	30.7	<0.001	0.09	3.56	2.3	0.3	1.1	20.7	<0.01	<0.01	8.9
ZZ45947		0.77	11.0	990	82.6	46.9	<0.001	0.11	10.35	2.5	0.6	1.4	14.1	<0.01	0.03	8.1
ZZ45948		2.60	41.2	680	33.8	70.1	<0.001	0.07	4.91	8.4	0.8	1.8	19.4	<0.01	0.02	3.2
ZZ45949		0.60	9.0	870	47.3	29.4	<0.001	0.04	4.36	1.7	0.5	0.9	15.9	<0.01	0.02	5.3
ZZ45950		0.61	8.9	950	47.5	31.7	<0.001	0.07	4.74	1.5	0.6	1.0	26.0	<0.01	0.02	3.4
ZZ45951		0.11	5.6	810	2360	18.3	<0.001	0.12	11.65	1.8	1.8	1.0	27.5	<0.01	0.16	16.4
ZZ45952		0.40	7.2	840	36.6	22.6	<0.001	0.15	4.10	2.4	0.5	0.8	27.3	<0.01	0.01	7.4
ZZ45953		0.33	8.1	770	180.5	19.5	<0.001	0.03	3.71	1.8	0.7	0.8	20.9	<0.01	0.02	7.1
ZZ45954		0.27	9.0	790	112.0	28.7	<0.001	0.17	7.24	1.5	0.5	0.8	28.0	<0.01	0.01	12.9
ZZ45955		0.52	8.6	740	30.5	22.5	<0.001	0.08	3.06	1.5	0.5	0.8	19.6	<0.01	0.01	4.9
ZZ45956		0.41	5.9	690	30.6	24.7	<0.001	0.11	3.52	1.1	0.4	1.0	27.4	<0.01	0.01	2.9
ZZ45957		0.80	26.7	700	123.0	27.8	<0.001	0.11	11.55	3.0	0.6	0.9	21.2	<0.01	0.02	5.6
ZZ45958		0.88	8.0	920	44.1	42.4	<0.001	0.23	13.00	1.9	0.5	1.7	25.6	<0.01	0.01	5.7
ZZ45959		0.09	0.9	900	38.7	33.9	<0.001	0.32	13.25	1.3	0.3	0.8	33.7	<0.01	<0.01	11.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2012
 Account: RANSIL

Project: Keg-Group 5

CERTIFICATE OF ANALYSIS WH12177492

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ45935		0.007	0.64	19.55	9	0.42	14.65	104	1.1
ZZ45936		0.017	0.59	10.95	18	0.37	8.23	109	0.6
ZZ45937		0.006	0.63	10.35	11	0.29	5.13	69	0.7
ZZ45938		0.010	0.63	6.57	20	0.37	4.03	69	<0.5
ZZ45939		0.025	0.86	7.16	13	0.27	7.76	85	<0.5
ZZ45940		0.013	0.63	3.86	16	0.25	5.03	71	<0.5
ZZ45941		0.015	0.91	6.35	20	0.70	5.33	94	<0.5
ZZ45942		<0.005	0.69	8.63	5	0.17	10.05	88	<0.5
ZZ45943		0.024	0.66	12.55	15	0.41	12.55	107	0.7
ZZ45944		0.015	0.58	11.50	9	0.19	9.72	86	0.9
ZZ45945		0.025	0.59	16.35	15	0.27	12.05	109	0.6
ZZ45946		0.012	0.67	11.55	13	0.57	11.40	82	0.5
ZZ45947		0.028	0.92	10.45	13	0.41	12.90	162	0.7
ZZ45948		0.120	0.60	5.13	48	0.29	8.58	126	0.6
ZZ45949		0.021	0.45	16.80	13	0.21	12.10	109	0.6
ZZ45950		0.015	0.44	22.9	17	0.27	12.55	103	0.5
ZZ45951		<0.005	0.63	17.85	3	0.31	15.20	513	7.6
ZZ45952		0.013	0.65	14.65	15	0.53	13.25	125	1.2
ZZ45953		0.010	0.35	19.75	11	0.37	18.60	197	1.7
ZZ45954		0.006	0.77	16.00	7	0.35	14.20	213	3.2
ZZ45955		0.016	0.41	11.95	14	0.21	11.45	93	0.9
ZZ45956		0.013	0.43	9.07	14	0.21	6.99	83	0.6
ZZ45957		0.027	0.47	9.25	21	0.22	9.99	198	1.0
ZZ45958		0.026	0.89	15.45	14	0.33	10.45	106	0.7
ZZ45959		<0.005	0.89	15.95	4	1.19	6.52	30	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER RANGE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Keg-Group 5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-AUG-2012
Account: RANSIL

CERTIFICATE OF ANALYSIS WH12177492

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).