



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 1
Finalized Date: 15-OCT-2012
This copy reported on
31-JUL-2013
Account: COUDES

CERTIFICATE WH12235261

Project: AB
P.O. No.:
This report is for 42 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4-OCT-2012.

The following have access to data associated with this certificate:

DANIELE HEON

D. JACOB

R. STROSHEIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COUREUR DES BOIS
ATTN: DANIELE HEON
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm	ME-MS41L Cs ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AB A 35	Not Recvd															
AB B 35	0.59		0.0021	0.050	1.31	3.90	<10	96.4	1.18	0.83	0.22	0.15	23.8	7.7	20.8	2.18
AB C 35	Not Recvd															
AB D 35	0.22		0.0021	0.090	1.56	4.38	<10	125.0	1.82	0.90	0.22	0.13	14.90	5.5	19.1	2.82
AB 35 E	0.60		0.0006	0.041	1.52	5.05	<10	109.5	1.58	0.73	0.21	0.19	21.6	5.7	24.7	3.10
AB G 31	0.48		0.0008	0.147	1.82	4.97	<10	133.5	1.29	2.51	0.21	0.12	18.40	3.9	25.0	7.77
AB G 35	0.69		0.0253	0.088	1.57	5.75	<10	131.5	2.12	1.38	0.19	0.20	23.5	5.0	22.2	9.67
AB 36 A	0.58		0.0032	0.070	1.71	7.72	<10	135.0	0.81	0.52	0.21	0.28	27.3	9.2	26.8	1.72
AB 36 B	0.46		0.0005	0.096	1.17	4.93	<10	110.5	1.38	0.51	0.13	0.15	12.75	5.7	19.7	2.52
AB 36 C	0.33		0.0004	0.114	1.82	6.92	<10	169.0	2.14	0.82	0.22	0.22	16.30	7.8	29.1	3.40
AB 36 D	0.66		0.0010	0.074	1.45	5.21	<10	107.0	0.69	0.58	0.17	0.14	15.55	5.2	22.8	2.53
AB 36 E	0.66		0.0016	0.053	1.30	2.11	<10	124.0	0.82	0.82	0.22	0.21	28.9	4.5	26.0	2.22
AB 36 F	0.52		0.0017	0.152	2.19	5.65	<10	229	1.87	1.20	0.27	0.36	19.20	5.7	33.7	3.72
AB 36 G	0.73		0.0012	0.097	1.50	5.20	<10	116.5	1.16	0.72	0.20	0.24	17.30	5.2	23.5	2.75
AB 37 A	0.37		0.0009	0.110	1.26	5.85	<10	112.0	0.45	0.81	0.12	0.10	14.65	4.8	19.8	3.13
AB 37 B	0.66		0.0016	0.045	1.54	5.79	<10	100.5	0.78	0.63	0.20	0.21	20.5	6.1	23.7	1.82
AB 37 C	0.60		0.0014	0.135	2.00	8.14	<10	162.0	1.23	1.00	0.16	0.13	20.0	8.8	28.7	3.46
AB 37 D	0.56		0.0030	0.099	2.19	10.10	<10	148.0	1.36	0.79	0.14	0.13	19.85	8.8	32.4	4.49
AB 37 E	0.85		0.0021	0.068	1.67	5.28	<10	119.5	1.31	1.04	0.22	0.17	25.8	4.6	26.2	3.96
AB 37 F	0.64		0.0024	0.075	1.56	6.38	<10	116.5	0.88	1.23	0.22	0.21	21.8	5.0	25.9	2.57
AB 37 G	0.55		0.0025	0.084	1.50	5.14	<10	129.5	1.92	0.66	0.15	0.21	16.50	5.3	25.3	3.36
AB 38 A	0.57		0.0019	0.059	1.31	5.51	<10	110.0	0.93	1.12	0.19	0.29	19.95	6.9	22.0	5.64
AB 38 B	0.49		0.0023	0.054	0.69	4.54	<10	75.1	0.27	0.45	0.17	0.23	12.55	3.8	16.4	1.67
AB 38 C	0.68		0.0028	0.114	1.79	9.54	<10	173.5	1.24	1.28	0.21	0.18	18.85	7.4	27.1	4.91
AB 38 D	0.52		<0.0002	0.154	1.83	7.80	<10	178.0	1.32	0.71	0.20	0.25	22.5	11.1	24.7	3.15
AB 38 E	0.54		0.0003	0.119	2.15	9.56	<10	183.5	1.20	0.98	0.17	0.12	19.25	6.9	28.0	5.66
AB 38 F	0.48		0.0004	0.185	1.30	5.32	<10	108.0	0.81	0.38	0.10	0.12	10.25	6.3	18.0	2.23
AB 38 G	0.46		0.0006	0.188	1.93	6.78	<10	192.0	1.31	1.07	0.20	0.19	17.35	15.9	28.4	5.69
AB 39 A	0.72		0.0068	0.075	1.85	8.79	<10	119.5	1.12	1.13	0.25	0.47	26.3	9.9	28.8	2.32
AB 39 B	0.66		0.189	0.064	1.68	7.86	<10	126.0	0.86	0.62	0.17	0.35	20.5	8.5	23.6	2.83
AB 39 C	0.41		0.0006	0.045	0.31	0.68	<10	23.1	0.11	0.10	0.04	0.13	2.64	0.9	3.9	0.48
AB 39 D	0.47		0.0027	0.125	2.14	8.54	<10	193.0	1.34	1.03	0.22	0.21	25.5	8.3	29.2	4.60
AB 39 E	0.47		0.0021	0.067	2.12	11.10	<10	101.0	0.50	1.29	0.08	0.14	17.00	5.9	31.9	5.12
AB 39 F	0.56		0.0025	0.134	2.32	8.63	<10	181.0	1.38	0.94	0.16	0.19	19.20	6.6	30.7	5.39
AB 39 G	0.51		0.0038	0.110	1.71	6.75	<10	172.5	1.01	0.82	0.22	0.26	20.9	6.2	25.7	4.00
AB 40 A	0.71		0.0038	0.078	1.57	7.17	<10	180.5	0.88	0.62	0.25	0.44	28.3	8.4	24.8	2.13
AB 40 B	0.50		0.0035	0.064	2.41	10.40	<10	94.3	0.66	0.44	0.12	0.16	21.6	7.6	32.0	2.00
AB 40 C	0.61		0.0015	0.066	1.62	6.65	<10	101.5	1.02	0.54	0.22	0.30	23.9	8.3	25.6	2.05
AB 40 D	0.75		0.0043	0.093	1.77	9.38	<10	98.7	1.22	1.07	0.14	0.43	26.5	15.2	32.7	2.67
AB 40 E	0.80		0.0024	0.061	1.51	7.42	<10	132.0	1.01	1.49	0.25	0.22	18.90	6.8	23.8	3.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AB A 35																
AB B 35		11.25	1.86	3.87	<0.05	0.02	0.013	0.015	0.05	11.4	16.0	0.30	633	0.49	0.01	1.00
AB C 35																
AB D 35		10.35	2.06	5.37	<0.05	0.02	0.026	0.016	0.04	6.5	12.2	0.19	442	0.79	0.03	0.71
AB 35 E		10.10	2.06	4.82	<0.05	<0.02	0.019	0.018	0.05	11.0	16.9	0.36	417	0.67	0.02	0.81
AB G 31		8.83	2.08	5.65	<0.05	<0.02	0.025	0.016	0.07	9.7	21.1	0.35	193	0.61	0.02	0.98
AB G 35		10.05	2.02	4.80	0.05	<0.02	0.058	0.017	0.05	11.7	13.1	0.30	254	0.55	0.01	0.66
AB 36 A		18.45	2.33	4.84	0.06	0.04	0.030	0.021	0.05	13.3	14.1	0.39	473	0.78	0.02	1.07
AB 36 B		10.25	1.77	5.00	<0.05	<0.02	0.089	0.016	0.04	6.3	8.6	0.27	495	0.80	0.02	0.48
AB 36 C		13.85	2.43	6.06	<0.05	<0.02	0.035	0.023	0.05	7.9	16.7	0.42	648	0.96	0.02	0.61
AB 36 D		11.55	2.10	4.48	<0.05	<0.02	0.020	0.017	0.05	8.0	10.1	0.34	332	0.71	0.03	0.64
AB 36 E		13.00	1.35	4.23	0.06	0.02	0.015	0.019	0.05	13.9	12.9	0.34	134	0.37	0.01	1.09
AB 36 F		15.30	2.43	5.99	0.05	0.02	0.053	0.020	0.07	9.5	11.8	0.45	267	0.80	0.02	0.89
AB 36 G		11.50	2.06	4.74	<0.05	<0.02	0.031	0.019	0.05	8.6	10.3	0.35	230	0.60	0.02	0.69
AB 37 A		12.20	2.00	4.91	<0.05	<0.02	0.045	0.017	0.05	7.3	7.6	0.24	210	1.02	0.03	0.75
AB 37 B		13.05	2.20	4.04	<0.05	0.03	0.023	0.017	0.04	9.9	12.2	0.32	292	0.61	0.02	1.15
AB 37 C		17.00	2.70	5.80	0.05	<0.02	0.040	0.023	0.05	9.9	13.3	0.41	632	1.15	0.02	0.74
AB 37 D		18.00	2.83	6.59	<0.05	<0.02	0.050	0.024	0.05	9.7	14.8	0.47	685	1.17	0.02	0.82
AB 37 E		12.00	1.99	4.95	0.05	0.02	0.022	0.022	0.05	12.4	13.4	0.39	123	0.43	0.02	0.92
AB 37 F		14.00	2.17	4.92	0.05	0.02	0.024	0.017	0.06	10.5	11.4	0.38	219	0.62	0.02	1.06
AB 37 G		11.50	2.15	5.41	<0.05	<0.02	0.036	0.018	0.05	8.0	10.5	0.36	369	0.81	0.02	0.63
AB 38 A		13.55	2.40	4.59	<0.05	0.03	0.043	0.022	0.06	9.1	10.0	0.25	460	0.77	0.02	0.92
AB 38 B		9.29	1.58	3.85	<0.05	0.02	0.049	0.012	0.05	5.6	5.3	0.18	278	0.72	0.02	0.60
AB 38 C		17.80	2.69	6.33	0.07	0.06	0.052	0.024	0.06	9.4	17.5	0.38	683	1.24	0.02	1.07
AB 38 D		17.00	2.42	5.99	<0.05	0.04	0.056	0.019	0.06	9.7	11.0	0.35	1720	1.20	0.03	0.73
AB 38 E		19.35	2.65	6.67	<0.05	0.02	0.055	0.028	0.05	9.7	13.9	0.38	455	1.18	0.03	0.92
AB 38 F		12.60	1.83	4.88	<0.05	<0.02	0.039	0.015	0.04	4.3	7.0	0.24	846	1.01	0.03	0.50
AB 38 G		13.15	2.59	6.20	<0.05	<0.02	0.055	0.021	0.06	8.4	11.9	0.40	1240	1.29	0.02	0.66
AB 39 A		20.1	2.69	5.00	<0.05	0.09	0.048	0.021	0.06	11.7	14.4	0.40	612	0.98	0.02	1.45
AB 39 B		15.45	2.59	5.86	<0.05	0.03	0.032	0.021	0.05	9.6	13.5	0.33	550	0.91	0.03	1.18
AB 39 C		3.12	0.48	1.46	<0.05	<0.02	0.030	0.005	0.02	1.4	0.7	0.02	30	0.25	0.03	0.17
AB 39 D		21.1	2.66	6.26	<0.05	0.02	0.059	0.027	0.06	12.5	13.5	0.41	587	1.06	0.02	0.95
AB 39 E		13.40	3.62	10.65	0.05	0.04	0.049	0.028	0.06	8.7	11.5	0.31	424	1.82	0.02	1.93
AB 39 F		20.5	2.48	6.99	<0.05	0.02	0.046	0.027	0.06	9.8	15.0	0.42	304	1.26	0.02	0.80
AB 39 G		15.75	2.29	5.14	<0.05	0.02	0.046	0.019	0.06	10.6	11.2	0.40	409	0.90	0.02	0.80
AB 40 A		18.80	2.32	4.34	0.06	0.07	0.028	0.019	0.05	12.6	13.7	0.43	521	0.74	0.03	1.07
AB 40 B		17.05	3.47	8.25	<0.05	0.03	0.054	0.026	0.04	10.3	14.6	0.33	331	1.41	0.02	1.73
AB 40 C		16.85	2.28	4.36	0.05	0.06	0.035	0.018	0.05	11.4	12.3	0.35	370	0.73	0.02	1.24
AB 40 D		18.15	2.47	4.90	<0.05	0.03	0.069	0.028	0.06	10.0	11.6	0.30	1900	1.95	0.02	1.00
AB 40 E		15.20	2.37	4.73	<0.05	0.02	0.086	0.019	0.06	9.3	11.6	0.37	506	0.86	0.02	0.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AB A 35																
AB B 35		12.4	0.066	9.59	11.1	<0.001	0.02	0.269	2.3	0.3	0.8	13.8	<0.01	0.01	2.3	0.057
AB C 35																
AB D 35		9.3	0.085	11.80	7.0	<0.001	0.07	0.215	1.9	0.1	0.7	16.6	<0.01	0.02	0.3	0.056
AB 35 E		13.8	0.073	10.70	11.0	<0.001	0.03	0.295	1.8	0.1	0.8	14.8	<0.01	0.02	0.9	0.063
AB G 31		12.7	0.065	18.45	16.3	<0.001	0.05	0.317	1.9	0.3	1.2	16.8	<0.01	0.01	0.8	0.046
AB G 35		12.3	0.076	15.80	13.1	<0.001	0.03	0.319	1.7	0.2	1.0	15.3	<0.01	0.02	0.8	0.034
AB 36 A		20.3	0.072	10.35	9.1	<0.001	0.02	0.423	3.4	0.3	0.6	15.4	<0.01	0.03	2.2	0.079
AB 36 B		10.1	0.063	10.15	7.2	<0.001	0.05	0.273	1.1	0.3	0.5	13.2	<0.01	0.02	0.2	0.048
AB 36 C		16.7	0.083	13.75	9.4	<0.001	0.06	0.384	1.8	0.2	0.6	21.6	<0.01	0.03	0.2	0.051
AB 36 D		12.2	0.068	13.05	7.6	<0.001	0.04	0.320	1.5	<0.1	0.6	12.8	<0.01	0.02	0.5	0.058
AB 36 E		13.6	0.047	16.35	9.6	<0.001	0.01	0.387	3.4	0.3	0.7	15.1	<0.01	<0.01	3.3	0.080
AB 36 F		18.5	0.094	16.70	14.5	<0.001	0.08	0.421	2.7	0.2	0.7	24.4	<0.01	0.03	0.6	0.075
AB 36 G		12.9	0.068	11.70	10.6	<0.001	0.04	0.362	1.7	0.4	0.6	17.2	<0.01	0.02	0.4	0.058
AB 37 A		11.9	0.073	10.30	8.2	<0.001	0.07	0.345	1.3	0.3	0.6	13.9	<0.01	0.02	0.3	0.057
AB 37 B		14.5	0.068	10.25	6.8	<0.001	0.03	0.356	2.1	0.3	0.6	12.8	<0.01	0.04	2.2	0.073
AB 37 C		16.7	0.086	15.95	9.8	<0.001	0.07	0.423	1.9	0.3	0.7	14.5	<0.01	0.03	0.4	0.060
AB 37 D		19.2	0.075	20.1	10.5	<0.001	0.05	0.482	2.5	0.7	0.7	13.3	<0.01	0.04	0.6	0.065
AB 37 E		14.1	0.069	25.5	10.4	<0.001	0.02	0.387	2.9	0.5	0.7	15.7	<0.01	0.02	2.3	0.061
AB 37 F		15.5	0.066	14.35	11.9	<0.001	0.03	0.384	2.6	0.4	0.7	16.1	<0.01	0.03	1.7	0.070
AB 37 G		13.5	0.062	15.80	9.1	<0.001	0.05	0.322	1.9	0.5	0.6	14.8	<0.01	0.03	0.5	0.057
AB 38 A		15.5	0.089	14.80	11.1	<0.001	0.04	0.317	2.3	0.6	0.8	12.7	<0.01	0.03	1.2	0.053
AB 38 B		9.4	0.056	7.48	7.9	<0.001	0.04	0.320	1.3	0.2	0.6	13.1	0.01	0.03	0.5	0.058
AB 38 C		17.9	0.081	22.2	17.7	<0.001	0.06	0.462	2.7	0.6	0.8	19.9	0.02	0.04	1.2	0.056
AB 38 D		15.8	0.095	17.40	10.5	<0.001	0.09	0.421	2.1	0.7	0.6	18.6	0.01	0.05	0.4	0.054
AB 38 E		18.0	0.085	27.2	10.2	<0.001	0.06	0.461	2.3	0.6	0.8	16.1	<0.01	0.04	0.6	0.056
AB 38 F		10.0	0.082	14.70	5.8	<0.001	0.09	0.278	1.0	0.4	0.4	12.0	<0.01	0.03	0.2	0.045
AB 38 G		15.9	0.098	28.5	10.8	<0.001	0.08	0.390	1.8	0.8	0.7	19.3	<0.01	0.03	0.4	0.047
AB 39 A		23.8	0.097	14.45	10.8	<0.001	0.02	0.466	3.3	0.7	0.7	15.6	0.01	0.04	4.2	0.091
AB 39 B		17.3	0.067	13.45	10.2	<0.001	0.03	0.405	2.4	0.2	0.6	14.3	0.01	0.04	1.9	0.081
AB 39 C		1.6	0.034	2.49	2.0	<0.001	0.03	0.053	0.2	<0.1	0.2	6.2	<0.01	0.01	<0.1	0.024
AB 39 D		19.8	0.085	22.7	11.6	<0.001	0.06	0.432	2.8	0.7	0.7	19.9	<0.01	0.04	0.7	0.063
AB 39 E		15.5	0.050	28.2	10.9	<0.001	0.03	0.497	3.1	0.5	1.2	11.3	0.01	0.06	1.8	0.079
AB 39 F		19.4	0.089	35.6	12.9	<0.001	0.07	0.485	2.3	0.6	0.8	17.6	<0.01	0.04	0.4	0.052
AB 39 G		17.1	0.067	19.40	11.0	<0.001	0.06	0.420	2.3	0.4	0.6	20.9	<0.01	0.04	0.8	0.060
AB 40 A		22.6	0.081	11.15	9.8	<0.001	0.02	0.400	3.5	0.7	0.6	18.2	0.01	0.02	3.7	0.082
AB 40 B		18.1	0.047	13.40	7.7	<0.001	0.03	0.569	3.3	0.7	0.8	12.2	0.02	0.05	2.3	0.109
AB 40 C		19.0	0.072	13.05	9.5	<0.001	0.03	0.386	2.8	0.4	0.6	15.6	<0.01	0.03	3.1	0.082
AB 40 D		25.2	0.107	26.5	12.1	<0.001	0.04	0.425	2.3	0.8	0.6	10.3	<0.01	0.05	2.2	0.060
AB 40 E		16.9	0.070	22.1	11.1	<0.001	0.03	0.379	2.3	0.6	0.6	17.8	<0.01	0.04	1.7	0.056



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.01	0.05	0.1	0.5
AB A 35								
AB B 35		0.13	3.09	38	0.14	6.49	45.5	0.8
AB C 35								
AB D 35		0.19	5.81	52	0.12	5.22	43.6	1.2
AB 35 E		0.14	5.24	48	0.18	5.85	57.9	0.5
AB G 31		0.16	4.22	44	0.19	4.61	60.9	<0.5
AB G 35		0.22	9.26	40	0.15	6.68	60.4	<0.5
AB 36 A		0.13	3.78	56	0.21	6.76	60.6	1.5
AB 36 B		0.10	6.61	42	0.19	4.04	40.3	0.5
AB 36 C		0.16	12.90	56	0.20	4.54	55.5	0.5
AB 36 D		0.12	4.75	48	0.17	3.66	48.6	0.5
AB 36 E		0.14	4.82	42	0.16	7.20	55.8	1.2
AB 36 F		0.17	10.45	55	0.27	5.70	76.2	1.1
AB 36 G		0.12	6.85	47	0.20	4.45	54.5	0.5
AB 37 A		0.13	3.67	52	0.24	3.36	46.0	0.9
AB 37 B		0.13	2.40	51	0.20	4.75	48.8	1.0
AB 37 C		0.19	6.62	59	0.20	6.00	61.3	0.6
AB 37 D		0.17	7.95	65	0.21	4.78	67.1	0.6
AB 37 E		0.13	15.75	45	0.17	6.59	58.6	1.0
AB 37 F		0.10	3.37	49	0.19	5.07	60.2	0.9
AB 37 G		0.15	12.25	50	0.18	4.35	51.9	0.5
AB 38 A		0.11	3.13	48	0.17	5.54	56.7	1.4
AB 38 B		0.09	1.56	46	0.31	2.31	43.9	0.9
AB 38 C		0.19	6.90	58	0.24	4.96	71.4	2.4
AB 38 D		0.19	6.39	53	0.19	6.67	58.7	1.3
AB 38 E		0.21	6.81	59	0.20	5.37	60.0	0.8
AB 38 F		0.12	4.31	41	0.15	3.37	39.8	0.6
AB 38 G		0.24	5.69	56	0.20	4.45	63.3	0.5
AB 39 A		0.13	3.78	63	0.25	7.03	68.2	3.4
AB 39 B		0.13	3.15	60	0.31	3.95	62.5	1.3
AB 39 C		0.03	0.74	13	0.04	0.58	10.0	<0.5
AB 39 D		0.22	7.08	60	0.21	8.16	71.9	1.0
AB 39 E		0.23	1.66	93	0.29	2.33	54.6	1.6
AB 39 F		0.20	7.54	58	0.23	5.64	68.9	1.1
AB 39 G		0.16	4.38	52	0.21	5.16	63.4	0.7
AB 40 A		0.10	3.84	52	0.23	7.88	67.1	2.4
AB 40 B		0.15	1.06	87	0.26	3.36	47.2	1.4
AB 40 C		0.11	4.49	54	0.22	5.63	61.0	2.3
AB 40 D		0.14	3.29	49	0.25	5.51	66.8	1.1
AB 40 E		0.12	4.12	50	0.19	5.35	71.1	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
AN 40 F		0.70	0.0025	0.119	1.51	7.28	<10	182.0	1.09	0.71	0.19	0.38	18.80	6.3	24.2	3.81
AB 40 G		0.50	0.0021	0.083	1.46	7.81	<10	116.5	1.20	0.69	0.22	0.26	22.6	13.8	23.9	2.84



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AN 40 F		17.00	2.28	5.11	<0.05	0.02	0.033	0.018	0.06	9.2	10.0	0.33	460	1.00	0.03	0.76
AB 40 G		16.95	2.58	4.39	<0.05	0.02	0.035	0.021	0.05	10.2	9.4	0.34	993	0.90	0.02	0.81



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AN 40 F		16.2	0.083	24.4	11.4	<0.001	0.07	0.408	2.2	0.3	0.6	18.5	<0.01	0.04	0.6	0.058
AB 40 G		16.4	0.082	18.00	8.7	<0.001	0.04	0.449	2.6	0.8	0.5	15.2	<0.01	0.05	1.4	0.065



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.01	0.05	0.1	0.5
AN 40 F		0.12	4.66	50	0.19	5.78	67.9	0.9
AB 40 G		0.12	4.57	53	0.22	6.91	56.8	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235261

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L