



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 1
Finalized Date: 18-OCT-2012
This copy reported on
31-JUL-2013
Account: COUDES

CERTIFICATE WH12235263

Project: AB
P.O. No.:
This report is for 56 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4-OCT-2012.

The following have access to data associated with this certificate:

DANIELE HEON

D. JACOB

R. STROSHEIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COUREUR DES BOIS
ATTN: DANIELE HEON
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm	ME-MS41L Cs ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AB 17 A		Not Recvd														
AB 17 B		0.36	0.0029	0.395	1.76	1.50	<10	98.0	2.33	3.09	0.17	0.15	11.80	0.8	18.4	10.20
AB 17 C		0.56	0.0024	0.025	1.32	5.15	<10	69.7	2.05	3.42	0.18	0.25	28.1	4.5	14.4	7.07
AB 17 D		0.55	0.0033	0.061	2.31	9.84	<10	94.9	1.45	0.97	0.14	0.27	21.1	7.3	28.5	2.61
AB 17 E		0.67	0.0010	0.049	1.56	6.93	<10	50.5	0.83	1.90	0.11	0.16	19.05	6.7	19.9	4.37
AB 17 F		0.57	0.0014	0.026	1.50	5.47	<10	58.6	1.33	1.86	0.18	0.21	24.0	5.4	16.5	6.86
AB 17 G		0.60	0.0021	0.049	1.82	5.31	<10	73.4	1.46	2.48	0.20	0.14	23.7	5.4	16.2	6.31
AB 18 A		0.39	0.0035	0.246	3.18	8.90	<10	188.0	2.95	10.30	0.21	0.17	17.35	2.6	33.8	9.71
AB 18 B		0.47	0.0024	0.515	2.69	2.35	<10	123.5	2.69	4.66	0.17	0.16	14.00	0.9	23.6	10.35
AB 18 C		0.63	0.0016	0.038	1.55	6.49	<10	64.8	0.72	1.36	0.10	0.13	23.3	4.9	19.0	3.38
AB 18 D		0.56	0.0024	0.070	1.98	7.53	<10	79.0	1.37	2.02	0.15	0.21	20.1	4.3	22.9	4.95
AB 18 E		0.64	0.0016	0.033	1.56	8.54	<10	71.4	1.22	1.23	0.19	0.28	22.8	6.6	24.4	4.83
AB 18 F		0.63	0.0022	0.033	2.05	8.52	<10	118.5	1.89	2.55	0.17	0.21	28.6	7.5	22.0	8.62
AB 18 G		0.58	0.0023	0.036	1.32	5.19	<10	66.9	1.33	1.88	0.14	0.16	22.2	4.8	16.7	5.81
AB 19 A		0.55	0.0021	0.116	1.52	6.33	<10	96.8	1.76	4.90	0.21	0.17	16.45	4.7	16.4	9.01
AB 19 B		0.67	0.0016	0.038	1.21	2.34	<10	51.8	2.20	5.60	0.25	0.12	23.9	1.5	4.9	17.50
AB 19 C		0.46	0.0012	0.046	1.15	4.88	<10	49.9	1.14	2.95	0.17	0.16	18.80	3.8	14.8	6.52
AB 19 D		0.65	0.0020	0.043	1.30	7.56	<10	53.9	0.51	1.67	0.10	0.13	18.90	5.7	19.0	3.91
AB 19 E		0.63	0.0024	0.025	1.25	6.08	<10	69.9	1.37	1.58	0.21	0.21	25.5	5.4	17.6	6.82
AB 19 F		0.62	0.0028	0.078	2.22	8.96	<10	98.7	2.02	1.22	0.18	0.19	27.0	7.8	27.3	5.27
AB 19 G		0.54	0.0017	0.038	1.38	4.58	<10	45.8	0.93	1.72	0.10	0.14	25.1	3.3	14.6	6.19
AB 20 A		0.46	0.0023	0.022	1.98	5.92	<10	78.2	0.92	1.16	0.17	0.20	21.1	7.5	21.3	2.50
AB 20 B		0.55	0.0005	0.021	1.17	5.43	<10	55.2	1.42	5.60	0.15	0.23	31.2	2.3	4.8	5.42
AB 20 C		0.61	0.0083	0.040	1.87	6.25	<10	96.3	0.99	1.14	0.23	0.24	23.2	7.3	22.4	3.11
AB 20 D		0.62	0.0014	0.047	1.32	3.27	<10	54.4	1.06	2.52	0.19	0.15	19.45	2.5	13.2	9.28
AB 20 E		Not Recvd														
AB 20 F		0.60	0.0016	0.024	0.69	8.26	<10	55.9	1.19	0.91	0.10	0.08	24.6	2.9	5.1	11.30
AB 20 G		0.46	0.0022	0.095	1.59	3.68	<10	99.7	2.12	3.48	0.20	0.17	13.90	1.0	14.7	19.65
AB 21 A		0.46	0.0018	0.054	2.20	8.44	<10	113.5	1.24	1.19	0.20	0.19	24.4	8.3	26.7	3.04
AB 21 B		0.77	0.0016	0.069	1.54	4.63	<10	101.0	2.14	2.73	0.30	0.11	36.0	4.4	21.6	5.26
AB 21 C		0.61	0.0014	0.018	1.31	2.48	<10	65.4	2.24	3.04	0.27	0.17	34.2	3.8	15.3	6.64
AB 21 D		0.68	0.0038	0.041	1.09	3.48	<10	44.5	0.91	2.80	0.13	0.14	16.85	2.6	12.7	8.25
AB 21 E		0.60	0.0017	0.038	1.50	4.36	<10	85.4	1.76	1.96	0.23	0.23	27.1	4.7	17.7	6.61
AB 21 F		0.52	0.0025	0.021	1.29	5.62	<10	78.3	1.30	1.48	0.18	0.27	30.5	4.7	17.3	7.08
AB 21 G		0.53	0.0012	0.029	1.58	6.81	<10	76.6	1.57	2.00	0.21	0.33	20.4	6.5	21.6	7.42
AB 24 A		0.71	0.0027	0.098	1.78	5.51	<10	88.0	1.06	1.10	0.28	0.16	27.1	4.8	24.4	3.78
AB 24 B		Not Recvd														
AB 24 C		0.73	0.0002	0.039	0.99	5.71	<10	70.2	0.81	0.95	0.28	0.20	25.6	4.8	15.4	3.96
AB 24 D		0.59	0.0030	0.044	1.57	7.14	<10	83.1	1.09	1.08	0.20	0.30	23.0	7.3	22.7	4.12
AB 24 E		0.73	0.0009	0.052	1.33	4.41	<10	73.3	1.10	1.17	0.27	0.18	27.3	4.3	18.8	4.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
AB 17 A		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AB 17 B		12.10	0.79	4.63	<0.05	0.07	0.304	0.018	0.06	5.5	6.8	0.06	24	0.29	<0.01	1.24
AB 17 C		8.90	1.76	3.49	0.05	0.05	0.020	0.016	0.05	14.2	18.5	0.23	521	0.37	<0.01	1.11
AB 17 D		19.00	2.91	7.57	<0.05	0.03	0.045	0.025	0.05	10.6	24.9	0.41	343	1.22	0.01	1.58
AB 17 E		10.85	2.25	6.58	<0.05	<0.02	0.058	0.019	0.06	9.0	21.1	0.28	593	0.86	<0.01	1.95
AB 17 F		9.20	1.89	4.54	0.05	0.07	0.023	0.019	0.06	11.2	29.6	0.26	363	0.52	<0.01	2.91
AB 17 G		10.90	1.91	5.35	0.06	0.03	0.031	0.020	0.07	11.0	36.4	0.29	425	0.50	<0.01	3.57
AB 18 A		15.05	2.45	10.60	<0.05	0.06	0.151	0.031	0.10	9.5	26.6	0.23	105	0.73	0.01	2.96
AB 18 B		14.65	1.22	7.53	<0.05	0.11	0.264	0.024	0.08	7.2	10.2	0.10	35	0.32	<0.01	2.03
AB 18 C		12.05	2.07	6.53	<0.05	<0.02	0.056	0.017	0.04	11.8	15.2	0.24	225	0.97	<0.01	1.21
AB 18 D		11.70	2.33	5.91	<0.05	0.03	0.050	0.024	0.07	10.5	22.8	0.36	158	0.63	<0.01	1.67
AB 18 E		13.75	2.43	5.84	<0.05	0.04	0.022	0.023	0.07	11.2	23.6	0.44	354	0.70	<0.01	1.64
AB 18 F		12.35	2.48	6.21	0.05	0.05	0.022	0.026	0.10	14.0	40.0	0.37	523	0.62	0.01	3.25
AB 18 G		9.75	1.86	5.15	<0.05	<0.02	0.028	0.019	0.07	11.0	31.3	0.27	344	0.57	<0.01	2.63
AB 19 A		8.58	1.97	5.29	<0.05	0.02	0.077	0.017	0.09	7.3	23.1	0.22	617	0.62	<0.01	1.62
AB 19 B		3.46	1.63	3.04	<0.05	0.04	0.013	0.010	0.07	11.6	18.7	0.12	611	0.18	<0.01	0.58
AB 19 C		7.06	1.69	3.98	<0.05	0.03	0.025	0.013	0.07	9.6	16.0	0.25	421	0.53	<0.01	1.13
AB 19 D		11.25	2.24	7.09	<0.05	0.02	0.076	0.016	0.05	9.1	14.7	0.23	480	1.01	0.01	1.55
AB 19 E		9.76	1.95	4.14	0.05	0.03	0.023	0.019	0.06	12.3	21.3	0.31	473	0.53	0.01	1.48
AB 19 F		18.90	2.64	5.75	0.06	0.07	0.045	0.025	0.07	13.5	26.8	0.47	398	0.79	0.01	1.79
AB 19 G		8.15	1.73	5.63	0.05	<0.02	0.023	0.015	0.06	12.4	28.0	0.21	202	0.56	<0.01	3.05
AB 20 A		14.45	1.96	3.98	<0.05	0.06	0.037	0.018	0.05	10.6	22.4	0.36	248	0.43	0.01	1.69
AB 20 B		3.73	1.22	3.84	0.05	0.02	0.014	0.008	0.06	14.6	34.9	0.14	680	0.15	<0.01	1.46
AB 20 C		14.65	2.22	4.61	0.05	0.09	0.025	0.017	0.07	11.5	22.5	0.44	309	0.44	0.01	1.63
AB 20 D		5.87	1.51	4.14	<0.05	0.04	0.036	0.011	0.07	9.9	14.8	0.24	172	0.32	<0.01	1.39
AB 20 E																
AB 20 F		4.00	1.00	2.12	0.05	0.04	0.008	0.039	0.07	10.1	6.1	0.09	459	0.25	<0.01	2.56
AB 20 G		7.11	1.12	5.70	<0.05	0.04	0.055	0.018	0.09	6.4	8.0	0.11	53	0.35	<0.01	1.46
AB 21 A		18.15	2.53	5.33	0.05	0.06	0.032	0.020	0.07	12.1	22.1	0.46	337	0.63	0.01	1.65
AB 21 B		14.20	2.02	4.94	0.06	0.06	0.023	0.018	0.08	18.0	32.8	0.36	251	0.30	0.01	1.87
AB 21 C		8.50	1.83	4.49	0.05	0.04	0.009	0.014	0.07	17.0	31.2	0.28	341	0.26	0.01	1.24
AB 21 D		6.45	1.59	4.01	<0.05	<0.02	0.035	0.010	0.06	7.4	14.9	0.17	246	0.56	0.01	0.65
AB 21 E		9.87	1.87	4.61	0.05	0.03	0.020	0.016	0.06	13.5	31.3	0.32	402	0.41	0.01	1.99
AB 21 F		9.56	1.74	3.57	0.05	0.03	0.019	0.022	0.06	13.3	18.7	0.28	454	0.63	<0.01	1.33
AB 21 G		12.35	2.26	4.86	0.05	0.04	0.089	0.020	0.06	10.0	20.4	0.38	522	0.59	<0.01	1.46
AB 24 A		11.95	2.10	5.34	0.06	0.08	0.033	0.020	0.08	13.3	30.8	0.38	190	0.34	0.01	2.35
AB 24 B																
AB 24 C		7.54	1.40	3.25	<0.05	0.03	0.021	0.015	0.06	12.4	19.5	0.28	208	0.29	0.01	1.25
AB 24 D		9.26	2.15	5.25	<0.05	0.05	0.026	0.023	0.06	11.3	30.1	0.38	437	0.51	0.01	1.84
AB 24 E		8.69	1.72	4.24	<0.05	0.04	0.021	0.020	0.07	13.5	26.2	0.35	211	0.32	0.01	1.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1
AB 17 A															
AB 17 B		4.4	0.192	41.4	18.5	<0.001	0.20	0.223	1.2	0.6	1.5	17.8	0.02	0.03	0.9
AB 17 C		11.0	0.063	29.0	15.5	<0.001	0.01	0.264	1.7	0.4	1.1	10.8	<0.01	0.01	5.3
AB 17 D		17.1	0.051	17.45	10.3	0.001	0.03	0.484	2.8	0.4	1.0	13.8	0.01	0.04	1.6
AB 17 E		11.6	0.058	17.90	15.9	<0.001	0.04	0.352	1.5	0.3	1.7	9.0	<0.01	0.05	1.1
AB 17 F		13.0	0.068	18.20	19.6	<0.001	0.02	0.309	1.8	0.6	1.7	10.8	0.01	0.02	4.7
AB 17 G		11.0	0.060	16.75	22.5	<0.001	0.01	0.269	1.9	0.4	2.7	15.9	0.03	0.02	3.3
AB 18 A		11.3	0.160	73.0	23.8	0.001	0.12	0.384	1.3	0.7	3.5	22.7	0.01	0.03	0.6
AB 18 B		5.8	0.190	62.6	18.5	<0.001	0.19	0.282	1.9	0.8	2.3	17.5	0.01	0.02	1.3
AB 18 C		12.1	0.033	16.35	11.4	0.001	0.02	0.429	1.7	0.3	1.3	9.3	0.01	0.03	1.3
AB 18 D		13.1	0.074	24.5	17.3	<0.001	0.04	0.362	2.0	0.6	1.3	11.7	<0.01	0.01	1.4
AB 18 E		16.8	0.064	21.5	16.4	<0.001	0.02	0.390	2.5	0.5	1.0	13.1	<0.01	0.02	2.8
AB 18 F		15.8	0.060	22.8	29.3	<0.001	0.01	0.369	2.7	0.8	2.5	12.9	0.02	0.03	5.0
AB 18 G		10.8	0.057	14.75	21.9	<0.001	0.02	0.293	1.7	0.6	2.0	10.0	<0.01	0.01	2.3
AB 19 A		8.9	0.087	25.0	28.0	<0.001	0.06	0.302	1.2	0.3	2.1	17.4	0.01	0.03	0.8
AB 19 B		3.2	0.065	55.7	22.8	0.001	0.01	0.131	1.0	0.6	1.5	16.7	0.01	<0.01	6.4
AB 19 C		8.7	0.067	36.9	18.6	<0.001	0.02	0.239	1.4	0.4	1.2	11.6	<0.01	<0.01	2.3
AB 19 D		10.3	0.061	20.3	11.4	<0.001	0.04	0.364	1.5	0.5	1.4	7.8	<0.01	0.04	1.2
AB 19 E		12.7	0.063	20.5	15.5	<0.001	0.01	0.312	2.0	0.8	1.1	13.9	<0.01	0.01	4.7
AB 19 F		19.1	0.074	16.80	19.0	<0.001	0.03	0.472	3.1	0.8	1.2	14.6	0.01	0.03	3.0
AB 19 G		8.2	0.039	15.65	18.1	<0.001	0.01	0.254	1.4	0.5	2.2	7.5	0.02	0.03	2.7
AB 20 A		17.6	0.046	11.40	10.2	<0.001	0.02	0.335	2.3	0.4	0.9	12.3	0.02	0.04	3.6
AB 20 B		3.9	0.045	34.1	21.3	<0.001	0.01	0.224	0.7	0.5	2.5	7.8	<0.01	<0.01	6.0
AB 20 C		17.7	0.059	16.05	12.1	0.001	0.01	0.390	2.9	0.4	0.9	16.2	0.01	0.03	4.4
AB 20 D		6.9	0.076	33.6	19.6	<0.001	0.02	0.187	1.3	0.6	1.2	11.9	<0.01	<0.01	2.5
AB 20 E															
AB 20 F		3.5	0.031	46.1	19.3	<0.001	0.01	0.397	0.8	1.2	1.2	10.1	<0.01	0.01	10.7
AB 20 G		4.5	0.098	35.8	32.5	<0.001	0.07	0.201	1.4	0.6	2.1	17.8	<0.01	0.02	1.4
AB 21 A		19.7	0.055	14.10	13.3	0.001	0.02	0.428	3.2	0.4	1.0	15.5	0.01	0.03	3.7
AB 21 B		12.5	0.077	17.95	20.0	<0.001	0.01	0.309	3.6	0.8	1.8	21.1	<0.01	0.03	6.5
AB 21 C		10.2	0.073	29.0	17.6	<0.001	0.01	0.210	2.4	0.5	1.4	17.4	<0.01	<0.01	7.3
AB 21 D		6.8	0.079	29.3	15.0	<0.001	0.03	0.211	0.5	0.4	1.4	8.2	<0.01	0.02	0.4
AB 21 E		12.1	0.075	15.55	18.1	<0.001	0.01	0.256	2.0	0.5	1.6	14.9	<0.01	0.02	3.9
AB 21 F		13.1	0.052	39.5	16.1	<0.001	0.01	0.300	1.9	0.4	1.1	11.7	<0.01	0.02	5.8
AB 21 G		14.8	0.073	27.9	15.5	<0.001	0.02	0.361	2.3	0.5	1.0	14.3	<0.01	0.02	3.1
AB 24 A		13.9	0.074	14.45	21.5	<0.001	0.01	0.335	3.3	0.6	1.4	16.1	<0.01	0.02	5.7
AB 24 B															
AB 24 C		9.4	0.079	20.2	12.9	<0.001	<0.01	0.275	1.8	0.4	0.8	14.7	<0.01	0.01	5.0
AB 24 D		14.0	0.053	17.50	15.7	<0.001	0.01	0.317	2.5	0.4	1.1	12.7	<0.01	0.02	3.8
AB 24 E		11.6	0.072	18.75	15.8	<0.001	0.01	0.267	2.4	0.4	1.2	14.7	<0.01	0.01	5.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.01	0.05	0.1	0.5
AB 17 A								
AB 17 B		0.34	46.3	9	0.11	5.01	28.4	2.2
AB 17 C		0.12	6.07	28	0.18	6.10	66.6	1.6
AB 17 D		0.18	3.07	70	0.24	3.74	53.7	1.2
AB 17 E		0.13	2.06	45	0.18	3.93	55.9	0.5
AB 17 F		0.14	4.10	34	0.19	8.61	64.3	2.0
AB 17 G		0.17	5.61	32	0.22	8.20	59.8	0.9
AB 18 A		0.49	24.9	53	0.26	6.88	74.6	1.4
AB 18 B		0.38	40.7	16	0.24	6.10	49.5	3.0
AB 18 C		0.16	1.66	57	0.19	3.66	42.9	<0.5
AB 18 D		0.21	5.78	46	0.17	5.27	61.9	0.8
AB 18 E		0.11	3.43	49	0.19	6.48	67.6	1.2
AB 18 F		0.20	5.52	43	0.24	10.15	77.3	1.4
AB 18 G		0.16	4.72	37	0.20	5.59	56.4	<0.5
AB 19 A		0.17	6.50	32	0.20	4.65	70.2	0.5
AB 19 B		0.14	6.55	7	0.09	10.20	91.0	1.1
AB 19 C		0.13	3.44	29	0.20	4.40	64.2	0.7
AB 19 D		0.12	1.42	55	0.19	3.27	51.1	0.6
AB 19 E		0.12	4.73	36	0.23	10.90	67.6	0.8
AB 19 F		0.17	6.22	52	0.23	9.74	65.4	2.0
AB 19 G		0.20	2.39	35	0.20	4.44	45.8	<0.5
AB 20 A		0.11	1.57	38	0.15	4.02	51.0	1.9
AB 20 B		0.21	3.92	7	0.11	8.39	63.5	0.8
AB 20 C		0.12	1.65	42	0.17	4.69	54.9	3.1
AB 20 D		0.19	3.50	23	0.12	5.29	70.8	1.0
AB 20 E								
AB 20 F		0.16	6.13	10	0.27	25.6	59.3	0.9
AB 20 G		0.36	11.25	15	0.18	10.70	53.1	0.9
AB 21 A		0.14	2.42	52	0.18	4.48	56.0	2.0
AB 21 B		0.16	12.15	39	0.16	11.85	66.2	2.9
AB 21 C		0.12	5.30	28	0.13	10.75	71.0	1.5
AB 21 D		0.14	2.33	26	0.12	4.06	59.1	<0.5
AB 21 E		0.14	4.73	34	0.21	6.31	61.7	1.0
AB 21 F		0.11	3.90	30	0.18	11.00	67.4	0.7
AB 21 G		0.13	3.72	41	0.17	6.31	79.2	1.2
AB 24 A		0.15	7.94	44	0.18	7.59	61.7	3.3
AB 24 B								
AB 24 C		0.12	5.36	27	0.21	8.47	60.4	1.5
AB 24 D		0.13	3.06	45	0.15	5.76	60.7	2.0
AB 24 E		0.12	5.05	35	0.14	7.97	62.4	2.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
AB 24 F AB 24 G AB 25 A AB 25 B AB 25 C		Not Recvd Not Recvd Not Recvd Not Recvd Not Recvd														
AB 25 D AB 25 E AB 25 F AB 25 G AB 26 A		Not Recvd Not Recvd Not Recvd Not Recvd 0.78														
AB 26 B AB 26 C AB 26 D AB 26 E AB 26 F		0.66 Not Recvd 0.76 0.76 Not Recvd	<0.0002 0.0012 0.0012	0.041 0.052 0.035	0.93 1.75 1.54	3.79 8.37 5.59	<10 <10 <10	62.6 69.8 68.5	0.64 1.06 0.96	0.87 1.65 0.77	0.31 0.13 0.24	0.26 0.25 0.29	23.0 21.1 23.6	4.7 7.0 6.9	15.7 21.4 21.5	4.05 6.74 2.63
AB 26 G		Not Recvd														



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
AB 24 F AB 24 G AB 25 A AB 25 B AB 25 C																
AB 25 D AB 25 E AB 25 F AB 25 G AB 26 A		9.60	1.70	4.01	<0.05	0.05	0.021	0.017	0.06	14.8	26.2	0.33	290	0.33	0.01	1.86
AB 26 B AB 26 C AB 26 D AB 26 E AB 26 F		7.11	1.49	3.44	<0.05	0.03	0.029	0.015	0.07	11.5	20.8	0.30	283	0.33	0.01	1.64
		10.65	2.62	5.98	<0.05	0.02	0.042	0.026	0.05	10.3	28.3	0.29	553	0.93	0.01	1.67
		9.81	2.00	4.75	<0.05	0.05	0.079	0.018	0.07	11.8	23.8	0.38	302	0.50	0.01	1.83
AB 26 G																



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1
AB 24 F															
AB 24 G															
AB 25 A															
AB 25 B															
AB 25 C															
AB 25 D															
AB 25 E															
AB 25 F															
AB 25 G															
AB 26 A		12.4	0.076	14.60	15.4	<0.001	0.01	0.260	2.5	0.6	1.2	16.2	<0.01	0.01	5.9
AB 26 B		10.2	0.072	21.1	15.7	<0.001	0.02	0.236	1.8	0.5	1.1	16.7	<0.01	0.01	4.3
AB 26 C															
AB 26 D		12.2	0.060	31.1	16.1	<0.001	0.03	0.364	1.9	0.5	1.3	10.2	<0.01	0.03	2.2
AB 26 E		14.4	0.070	11.10	13.3	<0.001	0.02	0.282	2.6	0.4	1.0	14.1	<0.01	0.01	3.7
AB 26 F															
AB 26 G															



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

Sample Description	Method Analyte Units LOR	ME-MS41L Ti ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.01	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
AB 24 F AB 24 G AB 25 A AB 25 B AB 25 C								
AB 25 D AB 25 E AB 25 F AB 25 G AB 26 A		0.13	6.26	36	0.13	8.87	57.0	2.4
AB 26 B AB 26 C AB 26 D AB 26 E AB 26 F		0.11	3.92	30	0.13	7.60	63.4	1.4
		0.20	3.28	48	0.19	5.74	67.2	0.8
		0.11	3.03	42	0.19	6.69	49.7	2.0
AB 26 G								



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235263

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L